

QL


354

S5


sect.2

pt.22

KELLRF









4  
5  
ect. 2  
t. 22  
LLRF

# INDEX ANIMALIUM

SIVE

INDEX NOMINUM QUAE AB A.D. MDCCLVIII  
GENERIBUS ET SPECIEBUS ANIMALIUM  
IMPOSITA SUNT

*SOCIETATIBUS ERUDITORUM ADIUVANTIBUS*

A

CAROLO DAVIES SHERBORN  
CONFECTUS

*SECTIO SECUNDA*

*A KALENDIS IANUARIIS, MDCCCI  
USQUE AD FINEM DECEMBRIS, MDCCCL.*

*PART XXII. INDEX quacha—vyzo→. pp. 5349-5702.*

1801-1850

PRINTED BY RICHARD CLAY AND COMPANY, LTD.

TR

SOLD BY ALL

BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, LONDON, S.W. 7;

AND BY

B. QUARITCH, LTD.; DULAU & CO., LTD.;

AND AT

THE OXFORD UNIVERSITY PRESS.

*June, 1930.*

*Price—Ten Shillings.*

[*All rights reserved.*]

PRINTED IN GREAT BRITAIN.

SMITHSONIAN

LIBRARIES





QL  
354  
S5  
sect. 2  
pt. 22  
KellRF

INDEX ANIMALIUM  
\*  
1801—1850

PRINTED IN GREAT BRITAIN <sup>R</sup>  
AT THE CAMBRIDGE UNIVERSITY PRESS  
BY W. LEWIS, M.A.



# INDEX ANIMALIUM

SIVE

INDEX NOMINUM QUAE AB A.D. MDCCLVIII  
GENERIBUS ET SPECIEBUS ANIMALIUM  
IMPOSITA SUNT

*SOCIETATIBUS ERUDITORUM ADIUVANTIBUS*

A

CAROLO DAVIES SHERBORN

CONFECTUS

*SECTIO SECUNDA*

*A KALENDIS IANUARIIS, MDCCCI*

*USQUE AD FINEM DECEMBRIS, MDCCCL.*

---

Q, R

LONDON:

PRINTED BY ORDER OF THE TRUSTEES OF THE BRITISH MUSEUM

SOLD AT THE

BRITISH MUSEUM (NATURAL HISTORY), CROMWELL ROAD, LONDON, S. W. 7;

AND BY

B. QUARITCH, LTD.; DULAU & CO., LTD.;

AND AT

THE OXFORD UNIVERSITY PRESS.

[*All rights reserved*] .



# INDEX

## NOMINUM ANIMALIUM

- quacha** *v.* **quagga**.
- quadernatus** Echinites, E. F. *v.* Schlotheim, Die Petref. 1820, 312.
- quadra** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 24 (Fernaldo iudice 1802
- quadra** Cassida, Dejean, Catal. Coléopt. 1821, 116 [*n. n.*]. [*n. et f.*].
- quadra** Clerus, T. Marsham, Coleopt. Brit., Sept. 1802, 323.
- quadra** Limnobia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 29.
- quadra** Oeonistis (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 165.—Phalaena, 1758.
- quadra** Pholas, G. B. Sowerby, I., Proc. Zool. Soc. London, II (19) Nov. 1834, 71.
- quadra** Setina (—), F. *v.* P. Schrank, F. Boica, II (2) 1802, 165.—Noctua, Fab. 1775.
- quadra** Tachina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 328.
- quadra** Uracis, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 31.
- quadra** *v. et* **quadrum**.
- quadracopuladigiti** Pseudocrinites, R. Garner, N. H. Staffordsh. 1844, 460.
- quadracus** Gasterosteus, S. L. Mitchill, Tr. Lit. Phil. Soc. N. York, I. 1815, 430. [230.
- quadragenarium** Cardium, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII. *post* June 1837,
- quadragesimalis** Coilia, Cuvier & Valenc., H. N. Poiss. XXI. 1848, 83. [342 [*n. n.*].
- quadraginta dactylus** Actinocrinites, Goldfuss, N. A. Ac. Caes. Leop. Car. XIX (1) 1839,
- quadraginta-radiatus** Pecten, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 173.
- quadragintus** Pardalotus, J. Gould, Syn. Birds Austral. (4) Ap. 1838.
- quadralis** Margarita, E. Doubleday in Dieffenbach, Trav. N. Z. II. 1843, 288.
- quadrana** Eriopsela (Huebner.), A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 163.—Tortrix.
- quadrana** Evetria, J. Huebner, Verz. bekannt. Schmett. 1826, 379.—Tortrix. [Tortrix.
- quadrana** Orthotaenia (Huebner.), J. W. Douglas, The Zoologist, IV (3) 1846, 1269.—
- quadrana** Sciaphila (Huebner.), F. Treitschke, Schmett. Europa, VII. 1829, 233.—Tortrix.
- quadrana** Spilonota, J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) June 1834, 95.
- quadrana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 35 (Fernaldo iudice 1811–18) [*n. et f.*]. [Cercopis, 1825.
- quadrangularis** Aphrophora, T. Say, J. Acad. Nat. Sci. Philad. VI. Ap. 1831, 305.—
- quadrangularis** Astrea, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Aug. 1849, 103.
- quadrangularis** Cellepora, W. Lonsdale, Q. J. Geol. Soc. London, I. 1845, 508.
- quadrangularis** Cercopis, T. Say, J. Acad. Nat. Sci. Philad. IV. Ap. 1825, 338.
- quadrangularis** Colochirus, F. H. Troschel, Arch. f. Naturg. XII (1) 1846, 64.
- quadrangularis** Coscinopora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 284.
- quadrangularis** Cynthia, E. Forbes in Forbes & Hanley, Hist. Brit. Moll. I. 1848, 38.
- quadrangulare** Dentalium, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (16) Ap. 1832, 29.
- quadrangulare** Dentalium, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 132.
- quadrangularis** Funicularia, E. Forbes, 14 Rept. Brit. Assoc. (York, 1844) 1845, Trans., 64.
- quadrangularis** Gonambonites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 78.
- quadrangularis** Holothuria, R. P. Lesson, Cent. Zool. (4–12) *ante* Mar. 1831, 90.
- quadrangularis** Holothuria, G. F. Jaeger, De Holothur. 1833, 22.
- quadrangularis** Lumbricus, A. Risso, H. N. Europe, IV. 1826, 426.
- quadrangularis** [Lynceus] Alona, Müll.; W. Baird, Ann. Mag. N. H. XI. Feb. 1843, 92.
- quadrangularis** Orbitulites, E. Eichwald, Zool. Spec. I. 1829, 180.
- quadrangularis** Pavonaria, McAndrew, Rep. Proc. Lit. Phil. Soc. Liverpool, I. 1845, 93.
- quadrangularis** Pinna, G. A. Goldfuss, Petref. German. II (6) 1837, 166.



- quadrangularis** Productus, J. Steininger, Verst. Uebergangsgeb. Eifel, 1831, 35.  
**quadrangularis** Sabella, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto,  
**quadrangularis** Salpa, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 268. [1847, 107.  
**quadrangularis** Sciobia, H. Loew, U. d. Bernstein (Progr. Meseritz) Sept. 1850, 34.  
**quadrangularis** Selene, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 561.  
**quadrangularis** Serpula, Lamarck, An. s. vert. V. 1818, 366.  
**quadrangularis** Serpula, H. G. Galeotti, Mém. cour. Ac. Roy. Brux. XII. 1837, 50.  
**quadrangularis** Serpula, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 100.  
**quadrangularis** Spongia (Mant.), J. Fleming, Hist. Brit. Anim. 1828, 526.—Ventriculites.  
**quadrangularis** Textularia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 263 [*n. n.*].  
**quadrangularis** Ventriculites, G. A. Mantell, Foss. South Downs, May 1822, 177.  
**quadrangularis** Venus, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 79.  
**quadrangulare** Veretillum, L. Oken, Lehrb. Nat. III (1) 1815, 107.  
**quadrangulatus** Branchiarius, G. Montagu, Tr. Linn. Soc. London, XI (2) 1815, 202.  
**quadrangulatum** Cerithium, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 181.  
**quadrangulata** Mactra, J. H. Linsley, Amer. J. Sci. XLVIII (2) Ap. 1845, 274 [*n. n.*].  
**quadrangulata** Planaria, Bosc, H. N. Vers, I. 1802, 257.  
**quadrangulata** Turritella, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 175.  
**quadrangulo-nodosa** Turritella, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 175.  
**quadrangulo-nodosus** Trochus, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 150.  
**quadrangula** Agrotis, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 935.  
**quadrangula** Agrotis, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 201.  
**quadrangula** Epicladia, Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832  
 (1834), 266. [1835], 434.  
**quadrangula** Melipona, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836  
**quadrangula** Noctua, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3) 1844,  
 592.—Agrotis, 1844.  
**quadrangula** Rissoa, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 183.  
**quadrangulus** Vermetus, R. A. Philippi, Zeitschr. f. Malakozool., Feb. 1848, 17.  
**quadrans** Astarte, A. A. Gould, Rep. Invert. Massach. 1841, 81.  
**quadrans** Cardium, W. B. & H. D. Rogers, Tr. Amer. Phil. Soc., n. s. VI (3) 1839, 375.  
**quadrans** Glyptolepis, E. Eichwald, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (4) 1844,  
**quadrans** Lamna, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 369 [*n. n.*]. [832.  
**quadrans** Oxyrhina, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 494 [*n. n.*]; Poiss. Foss.  
 III., 281 (1843).  
**quadrarium** Cardium, L. Reeve, Conch. Icon. II.—Cardium, no. 129, Mar. 1845.  
**quadraria** Galeruca, A. G. Olivier, Entom. VI. 1808, 626.  
**quadrata** *v.* **quadratus**.  
**quadratana** Grapholitha, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 513.  
**quadratella** Phycis, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 997.  
**quadrato-caudatus** Illaenus, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 302.  
**quadraticeps** Byrsopolis, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2)  
 1850 [*ineunte* 1851], 219.  
**quadraticeps** Staphylinus, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 143.  
**quadraticollis** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 693.  
**quadraticollis** Catops, C. Aubé, Ann. Soc. Ent. France [2] VIII (3) *post* Sept. 1850, 326.  
**quadraticollis** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,  
 208.  
**quadraticollis** Cicindela, M. de Chaudoir, Ann. Soc. Ent. France, IV (2) *post* June 1835, 436.  
**quadraticollis** Cleonus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 86.  
**quadraticollis** Clivina, L. Reiche, Rev. Zool. (Soc. Cuv.) V. Dec. 1842, 375.  
**quadraticollis** Feronia, M. de Chaudoir, Enum. Carab. 1846, 140.  
**quadraticollis** Hedyphanes, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 196.  
**quadraticollis** Helops, H. C. Kuester, Käfer Europas, XXI. 1850, 48.  
**quadraticollis** Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 219.  
**quadraticollis** Plecomera, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 105.  
**quadraticollis** Pyrophorus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 140.  
**quadraticollis** Sagra, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 40.

- quadraticornis** Eristalis, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 111.
- quadratifera** Lampyris, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 114.
- quadratigera** Diphucephala, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 100.
- quadratimaculatus** Culex, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 34.
- quadrator** Banchus, J. R. Schellenberg, Entom. Beytr. (1) 1802, 21.
- quadrator** Ichneumon (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822,
- quadrator** Ophion, J. C. Fabricius, Syst. Piezat. 1804, 137. [262.—Ophion.
- quadratulus** Conus (Bolt.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 101.—Cucullus, 1798. [1850, 256.—Ptilium, 1845.
- quadrata** Acratrichis, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1)
- quadrata** Acrotrichis, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (2) 1848, 568, Table.—Ptilium, 1845.
- quadrata** Actinocamax (Defr.), J. E. Gray, Cat. Moll. Coll. B. M. (1) 1849, 122.—
- quadratus** Aethon, H. Krøyer, Naturhist. Tidsskrift, I. 1837, 257. [Belemnites.
- quadratus** Ammonites, J. Sowerby, Min. Conch. I. 1813, 52.
- quadrata** Anisoplia, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 490.
- quadrata** Anthaxia, L. Buquet, Rev. Zool. (Soc. Cuv.) IV. June 1841, 194.
- quadrata** Anthomyia, C. R. W. Wiedemann, Anal. Entom. 1824, 52.
- quadrata** Aplysia, G. B. Sowerby, II., Gen. Shells (39) 1833.
- quadrata** Aranea, C. Duméril, Dict. Sci. Nat. (ed. 1) II. 1804, 330.
- quadrata** Arca, F. M'Coy in Griffith, Syn. Silurian foss. Ireland, 1846, 20.
- quadrata** Arca, P. H. Nyst, Mém. Ac. Roy. Belg. XXII. 1848, 58.
- quadrata** Arcomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 178.
- quadrata** Arilus, C. W. Hahn, Wanzenart. Ins. III (2) Feb. 1836, 21, & pl. lxxx.
- quadratus** Asilus, C. R. W. Wiedemann, Dipt. exot. 1821, 201.
- quadrata** Astarte, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 55.
- quadrata** Astarte, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 423.
- quadrata** Avicula, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. 39.
- quadrata** Avicula, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 14 [*n. n.*].
- quadrata** Belemnitella (Bl.), A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1840, 60.—
- quadratus** Belemnites, DeFrance in de Blainville, Mém. Bélem. 1827, 62. [Belemnites.
- quadratus** Beosus (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 254.—Lygaeus, 1798.
- quadrata** Biradiolites, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 232.
- quadratus** Brachycerus, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 165.
- quadrata** Buccinella, G. Perry, Conchology, Ap. 1811, pl. 27.
- quadrata** Bulla, S. V. Wood, Mag. Nat. Hist., n. s. III. Sept. 1839, 461.
- quadrata** Bullaea (Wood), J. Alder, Tr. Tyneside Nat. F. C. I (2) 1848, 120.—Bulla.
- quadratus** Byrsops (Wied.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 14.—Brachy-
- quadrata** Cancellaria, J. Sowerby, Min. Conch. IV. 1822, 83. [cerus.
- quadratum** Canthon, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 163.
- quadrata** Cardinia, J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 226.
- quadrata** Cardita, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 86.—Venericardia,
- quadrata** Cardita, F. Dixon, Geol. Sussex, 1850, 225. [on pl.
- quadrata** Cellepora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 95.
- quadratus** Cercus, Dahl; Dejean, Catal. Coléopt. 1821, 44 [*n. n.*].
- quadrata** Cetonia, Gory & Percheron, Revue Entom. III (3) 1835, 125.
- quadratus** Chrysops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 70.
- quadrata** Cliona, A. Hancock, Ann. Mag. N. H. (2) III. May 1849, 344.
- quadrata** Clythra, Dejean, Catal. Coléopt. 1821, 125 [*n. n.*].
- quadratus** Colobopterus, L. Reiche in Ferret & Galinier, Voy. Abyssin. III. 1850, 343.
- quadratus** Conus, G. Perry, Conchology, Ap. 1811, pl. 24.
- quadrata** Corbula, R. B. Hinds, Proc. Zool. Soc. London, XI (124) Nov. 1843, 57.
- quadrata** Crania, E. Eichwald, Zool. Spec. I. 1829, 273.
- quadrata** Crassatella, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 301.
- quadratus** Cryptocephalus, P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 367.
- quadratus** Cryptops (Wied.), C. J. Schoenherr, Isis (Oken), 1823, 1138.—Brachycerus.

- quadrata** Ctenophyllia, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 171.  
**quadrata** Cypricardia, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 13 [*n. n.*];  
 Syn. Carb. Lst. foss. Ireland, 1844, 60.
- quadrata** Cyprina, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 104.  
**quadratus** Dasypogon, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 404.  
**quadratus** Dicaelus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July 1847, 422.
- quadratum** Dictyocha, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 267.  
**quadratus** Enicotarsus, Laporte, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 403.  
**quadrata** Epeira (L.), C. A. Walckenaer, Tab. Aran. 1805, 61.—Aranea, Cl. 1757.  
**quadrata** Ephydra, C. F. Fallen, Hydromyzides Sveciae, 1823, 5.—Notiphilus, 1814.  
**quadratus** Erpeinus (Chaud.), V. v. Mochulski, Kaefer Russl., *post* May 1850, 26.—Harpalus.
- quadrata** Erycina (Kellia), A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 252.  
**quadrata** Eucharis (Hinds), C. A. Récluz, Journ. de Conch. I (2) Ap. 1850, 168.—Corbula.
- quadrata** Euchilia (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 556.—Cetonia.  
**quadratus** Euchreus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 36 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 392.
- quadratus** Euchroeus, W. E. Shuckard (*ex* Leach MS), Entom. Mag. IV (2) Oct. 1836, 169.  
**quadratus** Euomphalus, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 37.  
**quadrata** Flustra, Desmarest & Lesueur, Bull. Sci. Soc. Philom. Paris, 1814 (Sept.), 53.  
**quadrata** Formica, F. Holl, Handb. Petref. II. 1829, 140.  
**quadratus** Fusus (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 353.—Murex.  
**quadrata** Gonambonites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 77.  
**quadratus** Grapsus (Pachysoma), W. de Haan in Siebold, F. Japon. (Crust. 1835), 62.  
**quadratus** Gryllus (Platydictylus), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 234.
- quadratus** Gyrodus, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 222.  
**quadratus** Gyrohypnus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 23 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Nov. 1833, 260.
- quadratus** Haeterius, Payk.; Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 128.  
**quadratus** Harpalus, M. de Chaudoir, Enum. Carab. 1846, 175. [I. 1839, 20.  
**quadrata** Helix, A. E. Férussac in G. P. Deshayes in A. E. Férussac, H. N. g. et p. Moll.  
**quadratus** Helops, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 70.  
**quadratus** Hetaerius (Kugel.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 666.—Hister, 1794.
- quadrata** Hispa, J. C. Fabricius, Syst. Eleuth. II. 1801, 60.  
**quadratus** Hister, Payk.; Dejean, Catal. Coléopt. 1821, 48 [*n. n.*].  
**quadratus** Ischnodemus, F. X. Fieber, Beitr. ges. Nat. Heilwiss. I (3) 1837, 338.  
**quadrata** Keratella (Müll.), Bory de St V., Ency. Méth. (Zooph.) 1827, 469.—Brachionus,  
**quadrata** Lamellina, Bory de St V., Ency. Méth. (Zooph.) 1827, 481. [1786.  
**quadratum** Lathrobium (Payk.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 367.—Staphylinus,  
**quadratum** Lathrobium, W. H. Runde, Brachelytr. 1835, 12. [1789.  
**quadrata** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 507.  
**quadrata** Leptis, T. Say, J. Acad. Nat. Sci. Philad. III. May 1823, 35.  
**quadrata** Lingula, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 164.  
**quadrata** Linyphia, Wider in Reuss, Abh. Senckenb. Mus. I (3) 1834, 244.  
**quadrata** Lyncyphia (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 129.—Cypricardia. [(1) Jan. 1842, 31.
- quadratus** Macrocephalus (Amblythyreus), J. O. Westwood, Tr. Entom. Soc. Lond. III  
**quadrata** Meleagrina, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 80.  
**quadrata** Modiola, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 347.  
**quadratus** Murex, J. De C. Sowerby, Min. Conch. V. 1823, 7.  
**quadratus** Mytilus, J. W. Salter, Mem. Geol. Surv. Gt Britain, II (1) 1848, 363.  
**quadrata** Nassa, T. A. Conrad, J. Acad. Nat. Sci. Philad. VI. Aug. 1830, 226.  
**quadrata** Natica, G. Perry, Conchology, Ap. 1811, pl. 48.  
**quadratus** Nautilus, J. Fleming, Hist. Brit. Anim. 1828, 231.



- quadratus** Nautilus, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 21 [*n. n.*].
- quadratum** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 101 (Fernaldo judice 1808-18) [*n. et f.*].
- quadrata** Nodosaria, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 36.
- quadrata** Notiphilus, C. F. Fallen, K. Vet. Ac. Handl. 1813 (2) 1814, 255.
- quadrata** Ocypoda, L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 194.
- quadratus** Ocypoda (F.), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 198.—Cancer.
- quadratum** Omalium, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 53.
- quadratus** Onthophagus, J. Sturm, Catal. Ins. Samml. 1826, 178 [*n. n.*].
- quadrata** Orbicula, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 104.
- quadrata** Orbiculoidea (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 151.—Orbicula.
- quadrata** Orthis, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 126.
- quadrata** Ostrea, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 240. [1798.
- quadrata** Pachymeria (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65.—Lygaeus,
- quadratus** Pachymerus (Fab.), P. S. Schilling, Schles. Ges. vat. Kultur, Beitr. Entom. 1829, 66.—Lygaeus, 1798.
- quadratus** Pachymerus, F. X. Fieber, Beitr. ges. Nat. Heilwiss. I (3) 1837, 346.
- quadratus** Paederus, [L. v. Beck], Beitr. baier. Insektenf. 1817, 25.
- quadrata** Paludina, W. H. Benson, Ann. Mag. Nat. Hist. IX. 1842, 487.
- quadrata** Panopaea (Ag.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 59.—Arcomya.
- quadratus** Pedinus, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 205.
- quadrata** Pepsis, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 478.
- quadrata** Perna, J. De C. Sowerby, Min. Conch. V. 1825, 149.
- quadrata** Perna, Sow., *var. plana*; Hartmann in C. H. v. Zieten, Pétrif. Wurt. (9) 1833,
- quadrata** Perna, H. E. Anton, Arch. f. Naturg. III (1) 1837, 285. [71.
- quadrata** Petraia, F. M'Coy in Griffith, Syn. Silurian foss. Ireland, 1846, 60.
- quadratus** Phacops, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 99.
- quadratum** Phalium, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 113.
- quadrata** Philine (S. V. Wood), Forbes & Hanley, Hist. Brit. Moll. III. 1851, 541.—Bulla.
- quadrata** Phora, B. A. Gimmerthal, Bull. Soc. Imp. Nat. Moscou, XV. 1842 (3) 1842,
- quadratus** Phylan, Herbst; J. Sturm, Catal. Ins. Samml. 1826, 183. [686.
- quadrata** Pleurotoma, L. Reeve, Proc. Zool. Soc. London, XIII (152) Feb. 1846, 114.
- quadrata** Pleurotomaria (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 225.—Solarium.
- quadratus** Pterichthys, P. de M. Grey Egerton, Q. J. Geol. Soc. London, IV. 1848, 313.
- quadratus** Pteromalus, J. T. C. Ratzeburg, Die Ichneum. I (*c. Mar.*) 1844, 203.
- quadratum** Ptilium, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4)
- quadrata** Pyrula (Sow.), H. G. Bronn, Index Pal. 1848, 1071.—Murex. [1845, 530.
- quadratus** Rhyparochromus (Fab.), J. Curtis, Guide Brit. Ins. (7) 1831, 199.—Lygaeus,
- quadrata** Sarcophaga, P. F. Bouché, Nat. Ins. 1834, 62. [1798.
- quadratus** Scaeva, T. Say, J. Acad. Nat. Sci. Philad. III. June 1823, 90.
- quadratus** Scarites, J. C. Fabricius, Syst. Eleuth. I. 1801, 124.
- quadrata** Scatella, A. H. Haliday, Ann. Nat. Hist. III. Aug. 1839, 410.
- quadratus** Scydmaenus, Müller & Kunze, Schr. Nat. Ges. Leipzig, I. 1822, 189.
- quadratus** Semiotus, F. Walker, Entom. Mag. II (3) July 1834, 295.
- quadrata** Serpula, H. G. Galeotti, Mém. cour. Ac. Roy. Brux. XII. 1837, 192.
- quadrata** Sesarma (Fab.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 75.—Cancer, ? 1787.
- quadratum** Solarium, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 418 [*n. et f.*].
- quadratus** Solecurtus, J. De C. Sowerby, Min. Conch. VII (113) Jan. 1846, pl. 644, f. 3.
- quadratus** Sphagebranchus, J. Richardson, Zool. "Sulphur," 1845, 115.
- quadratus** Straparolus (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 121.—
- quadratus** Strombus, G. Perry, Conchology, Ap. 1811, pl. 12. [Euomphalus.
- quadratus** Syromastes (Fab.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 46.—Coreus, 1794.
- quadratus** Syrphus, J. Macquart, Mém. Soc. R. Sci. Lille, 1827-8, 1829, 230.

- quadratus** Syrphus (Say), C. R. W. Wiedemann, *Aussereurop. Zweifl. Insekt.* II. 1830, 135.—Scaeva.
- quadrata** Tachina, C. R. W. Wiedemann, *Aussereurop. Zweifl. Insekt.* II. 1830, 318.
- quadrata** Taenia, C. A. Rudolphi, *Entoz. Syn. Mant.* 1819, 164.
- quadrata** Tentyria, J. Sturm, *Catal. Ins. Samml.* 1826, 201 [*n. n.*].
- quadrata** Terebratella (Sow.), A. d'Orbigny, *Prodr. Paléont.* II [Nov.] 1850, 85.—
- quadrata** Terebratula, A. Risso, H. N. Europe, IV. 1826, 389. [Terebratula.]
- quadrata** Terebratula, J. De C. Sowerby, *Tr. Geol. Soc. London* [2] IV. 1836, 338.
- quadrata** Thaumantias, E. Forbes, *Mon. Brit. Medusae (Ray Soc.)* 1848, 43.
- quadratus** Thyreocoris, J. Gistl, *Handb. Naturges.* 1850 [1847], 489.
- quadratus** Trichius, C. R. W. Wiedemann, *Zoologisches Magazin*, II (1) 1823, 96.
- quadrata** Tricodactylus, H. M. Edwards (Roret's Suite à Buffon), *Crustacés*, II. 1837, 16.
- quadrata** Trigonina, J. De C. Sowerby, *Tr. Geol. Soc. London* [2] IV. 1836, 342.
- quadrata** Trigonina, J. L. R. Agassiz, *Etudes crit. Moll. foss.* (1) 1841, 27.
- quadratus** Trochus, L. W. Dillwyn, *Catal. Shells*, 1817, 778.
- quadratus** Tryphon, J. F. Stephens, *Ill. Brit. Ent. (Mand. VII.) Nov.* 1835, 262.
- quadratus** Typhis, R. B. Hinds, *Proc. Zool. Soc. London*, XI (121) July 1843, 18.
- quadrata** Venericardia, A. d'Orbigny, *Pal. Franç., Crét. III (Lam.)* 1844; *vide Cardita*.
- quadratus** Ventriculites, E. Benett, *Catal. Org. Rem. in Hoare, Hist. Wiltshire*, 1831, 8 [*n. n.*].
- quadrata** Verlusia (Fab.), M. Spinola, *Ess. Ins. Hémipt.* 1837, 147.—Coreus, 1794.
- quadratum** Xiphidion, F. Dixon in J. De C. Sowerby, *Min. Conch. VII (113) Jan.* 1846,
- quadratum** Xiphidium, F. Dixon, *Geol. Sussex*, 1850, 223. [pl. 648.]
- quadrata** Xylota, T. Say, *Amer. Entom. I.* 1824, pl. 8.
- quadratus** Zosmenus, F. X. Fieber, *Entom. Monogr.* 1844, 31.
- quadrellus** Crambus (D. & S.), Duponchel in J. B. Godart, H. N. Lépid. France, X (Noct. 7) 1836, 65.—Tinea, 1775.
- quadrella** Microsetia (Fab.), J. F. Stephens, *Nom. Brit. Ins., Aug.* 1829, 49.—Tinea, 1794.
- quadrella** Phalaena (Tinea), W. Turton, *Linnaeus, Syst. Nat.* III. 1802, 366.
- quadri-adspersa** Cetonia, Gory & Percheron, *Mon. Cétoines (1)* 1833, 57; (7) 1834, 196.
- quadriadpersa** Protaetia (G. & P.), H. Burmeister, *Handb. Ent.* III. 1842, 494.—Cetonia.
- quadrialbatus** Ichneumon, J. L. C. Gravenhorst, *Mem. R. Acc. Sci. Torino*, XXIV. 1820,
- quadriannulatus** Cryptus, J. L. C. Gravenhorst, *Ichneum. Europ.* II. 1829, 471. [298.]
- quadriannulata** Harpalyce (Haw.), J. F. Stephens, *Nom. Brit. Ins., Aug.* 1829, 44.—Phalaena.
- quadriannulatus** Ichneumon, J. L. C. Gravenhorst, *Ichneum. Europ.* I. 1829, 556.
- quadriannulatus** Mesoleptus, J. L. C. Gravenhorst, *Ichneum. Europ.* II. 1829, 13.
- quadriannulata** Phalaena, A. H. Haworth, *Lepidopt. Brit.* (2) 1809, 331.
- quadribullata** Valvulina, F. v. Hagenow, *N. Jahrb. f. Min.* 1842, 570.
- quadricaniculatus** Belemnites, F. Hartmann, *Syst. Uebers. Verst. Würt.* 1830, 17 [*n. n.*].
- quadricaniculatus** Belemnites, Hartmann in C. H. v. Zieten, *Pétrif. Wurt.* (4) 1831, 32.
- quadricaniculata** Serpula, Muenster in G. A. Goldfuss, *Petref. German I (4)* 1833, 241.
- quadricapillus** Gobius, P. S. Pallas, *Zoögraphia*, III. 1814, 159.
- quadri-carinata** Cleonis, Meg.; Dejean, *Catal. Coléopt.* 1821, 97 [*n. n.*].
- quadricarinatus** Erpetodryas, Boie in Férussac, *Bull. Sci.* IX. 1826, 237.
- quadricarinata** Murchisonia, F. M'Coy in Griffith, *Syn. Carb. Lst. foss. Ireland*, 1844, 42.
- quadricarinata** Pleurotomaria, J. Hall, *N. H. New York (Pal. I.)* 1847, 43.
- quadricarinatus** Pollicipes, A. E. Reuss, *Verst. boehm. Kreidef.* II. 1846, 105.
- quadricarinata** Serolis, A. White, *List Crustacea Coll. B. M.* 1847, 106 [*n. n.*].
- quadricarinata** Serpula, Muenster in G. A. Goldfuss, *Petref. German. I (3)* 1831, 237.
- quadricarinatus** Trochus, L. W. Dillwyn (*ex Chemn.*), *Catal. Shells*, 1817, 793.
- quadricarinatus** Turbo, G. Brocchi, *Conch. Subap.* 1814, 375.
- quadricarinata** Turritella (Br.), Defrance, *Dict. Sci. Nat.* LVI. 1828, 163.—Turbo.
- quadricarinata** Tyria, L. J. Fitzinger, *Neue Classif. Rept.* 1826, 60 [*n. n.*].
- quadricarinata** Tyria, L. J. Fitzinger, *Isis (Oken)*, 1826, 884 [*n. n.*].
- quadriceps** Agra, M. de Chaudoir, *Bull. Soc. Imp. Nat. Moscou*, XX. 1847 (3) 1847, 100
- quadriceps** Scarites, M. de Chaudoir, *Bull. Soc. Imp. Nat. Moscou*, XVI. 1843 (4) 1843, 729
- quadriceps** Solarium, R. B. Hinds, *Proc. Zool. Soc. London*, XII (132) July 1844, 23.

- quadricincta** Andraena, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 354.  
**quadricinctus** Cephus, A. G. Dahlbom, Conspect. Tenthred. 1835, 15 [*n. n.*].  
**quadricincta** Cerceris (Panz.), P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 316.—  
 Philanthus, 1799.  
**quadricinctum** Cerithium, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 32.  
**quadricincta** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 191.  
**quadricincta** Cyanea (Medusa), Reynaud in R. P. Lesson, Cent. Zool. (4-12) *ante* Mar.  
**quadricinctus** Damalis, J. C. Fabricius, Syst. Antliat. 1805, 148. [1831, 103.  
**quadricinctus** Halictus (Kirby), W. Nylander, Notiser Sallsk. fauna Fennica Förhandl. I.  
 1848, 198.—Melitta.  
**quadricinctus** Halictus (Kirby), F. Smith, The Zoologist, VI (3) 1848, 2040.—Melitta.  
**quadricinctus** Hybos (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828,  
**quadricincta** Medusa, J. Gistel, Nat. Thierr. 1848, 178. [537.—Damalis.  
**quadricincta** Megilla, J. C. Fabricius, Syst. Piezat. 1804, 333.—Apis, 1798.  
**quadricincta** Melitta (Fab.), W. Kirby, Mon. Apum Angl. II. 1802, 51.—Hylaeus, 1793.  
**quadricinctus** Mellinus, J. C. Fabricius, Syst. Piezat. 1804, 298.  
**quadricincta** Nerinea, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 43.  
**quadricincta** Nerinella (Goldf.), D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 107.—  
 Nerinea. [1793.  
**quadricinctus** Odynerus (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 34.—Vespa,  
**quadricincta** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 200.  
**quadricincta** Pleurotomaria, L. G. de Koninck, Descr. Anim. foss. (8) July 1843, 380.  
**quadricincta** Pleurotomaria, G. A. Goldfuss, Petref. German. III (8) 1844, 62.  
**quadricinctus** Pterocles, C. J. Temminck, Pig. et Gallin. III. 1815, 252.  
**quadricincta** Scolia, F. Klug in Weber & Mohr, Beitr. Nat. I. 1805, 37.  
**quadricincta** Tatusia (L.), R. P. Lesson, Man. Mamm., May 1827, 310.—Dasypus, 1758.  
**quadricincta** Tenthredo, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 344.  
**quadricinctus** Thynnus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 36.  
**quadricinctus** Tolyteutes (L.), C. Illiger, Prod. 1811, 111.—Dasypus, 1758.  
**quadricinctus** Trochus, J. K. Megerle, Ges. Nat. Fr. Berlin, Verh. I (4) 1824, 210.  
**quadricinctus** Trochus, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 531 [*n. n.*].  
**quadricinctus** Turbo, C. H. v. Zieten, Pétrif. Wurt. (6) 1832, 44.  
**quadricincta** Turritella, G. A. Goldfuss, Petref. German. III (8) 1844, 106.  
**quadricingulatus** Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 297.  
**quadricingulatus** Trochus, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 567. [1813, 375.  
**quadricircularis** Rotifer, Du Trochel, Ann. Mus. H. N. (Paris) XIX (113) *inter* Jan.-July  
**quadricollis** Abax, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug. 1846,  
 343.  
**quadricollis** Allothrius, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840, 232.  
**quadricollis** Anchomenus, Dejean, Spec. gén. Coléopt. III. 1828, 111.  
**quadricollis** Anisoscelis, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 17.  
**quadricollis** Antarctica, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 246  
**quadricollis** Asida, Dejean, Catal. Coléopt. 1821, 65 [*n. n.*].  
**quadricollis** Blethisa, S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. III (7) Feb. 1847, 149.  
**quadricollis** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 56.  
**quadricollis** Chlaenius, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 22.  
**quadricollis** Cistela, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 224.  
**quadricollis** Donacia, T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 282.  
**quadricollis** Eleodes, F. Eschscholtz, Zool. Atlas, III. 1829, 12.  
**quadricollis** Epitragus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,  
**quadricollis** Eucnemis, T. Say, Tr. Amer. Phil. Soc., n. s. VI (2) 1839, 186. [215.  
**quadricollis** Eurytrachelus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 15.—Trachy-  
**quadricollis** Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 211. [pacus, 1844.  
**quadricollis** Geobaenus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9)  
**quadricollis** Harpalus, Dejean, Spec. gén. Coléopt. V. 1831, 838. [Ap. 1847, 405.  
**quadricollis** Iulus (Newp.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),  
 Aptères, IV. 1847, 153.—Spirostreptus. [1843, 299.  
**quadricollis** Ladridius (*sic*), Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2)

- quadricollis Leptura, J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 339.
- quadricollis Monotoma, C. Aubé, Ann. Soc. Ent. France, VI (4) *post* Jan. 1838, 465.
- quadricollis Necrophorus, J. Gistel, Nat. Thierr. 1848, 190.
- quadricollis Necrophorus, J. Gistel, Handb. Naturges. 1850 [1847], 622.
- quadricollis Ochthebius, E. Mulsant, Ann. Soc. Agric. Lyon, VII (5) 1844, 376.
- quadricollis Pachyscelis (Brullé), A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 63.—Pimelia.
- quadricollis Paederus, Dejean, Catal. Coléopt. 1821, 24 [*n. n.*].
- quadricollis Passalus, F. Eschscholtz, N. Mém. Soc. Imp. Nat. Moscou, I. 1828, 21.
- quadricollis Pimella (*sic*), A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 193 [=Pimelia].
- quadricollis Poecilus (Dej.), H. Lucas, Explor. Algér. (Artic. II.) 1846, 57.—Feronia.
- quadricollis Pristonychus, L. Redtenbacher in Russegger, Reise, I (2) 1843, 981.
- quadricollis Pyrophorus, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 32.
- quadricollis Scarites, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843,
- quadricollis Scotinus (Dej.), F. Eschscholtz, Zool. Atlas, IV. 1831, 14.—Asida. [727.
- quadricollis Scydmaenus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 47.
- quadricollis Selenophorus, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 502.
- quadricollis Semiotus, Laporte, Revue Entom. IV (1) 1836, 12.
- quadricollis Sisiphus, Gory, Mon. gen. Sisyphe, 1833, 9.
- quadricollis Spirostreptus, G. Newport, Ann. Mag. N. H. XIII. Ap. 1844, 270.
- quadricollis Sylvanus, F. E. Guérin-M., Iconographie, 1844, Ins., 198.
- quadricollis Tentyria, Dejean, Catal. Coléopt. 1821, 64 [*n. n.*].
- quadricollis Tentyria, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 199.
- quadricollis Termes, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 304.
- quadricollis Trachypachus, V. v. Motshulski, Mém. prés. Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 270.
- quadricollis Trechus, G. Putzeys, Entom. Zeitung, Stettin, VIII (10) Oct. 1847, 303.
- quadricolor Acronolepia, J. O. Westwood, Zool. Journ. V (20) 1832-34 [*post* Ap. 1835], 452.
- quadricolor Actinia, E. Rueppell & Leuckart, Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.), Wirbellose Thiere (9) 1828, 4.
- quadricolor Actinia (Entacmaea), Leuckart; Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 259.
- quadricolor Aegithina, L. P. Vieillot, N. Dict. H. N., ed. 2, I. 1816, 176.
- quadricolor Anthophora (Er.), H. Lucas, Explor. Algér. (Artic. III.) 1849, 154.—Megilla.
- quadricolor Bucco, T. C. Eyton, Proc. Zool. Soc. London, VII (78) Nov. 1839, 105.
- quadricolor Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, XV (179) Mar. 29, 1848, 229.
- quadricolor Callimome, F. Walker, Entom. Mag. I (2) Jan. 1833, 120.
- quadricolor Callithrix, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-1811 (1815), 107 [*n. n.*].
- quadricolor Cetonia, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 88.
- quadricolor Chlaenius (Fab.), W. S. Macleay, Annulosa Javanica, 1825, 14.—Carabus,
- quadricolor Chloricthys, W. Swainson, N. H. Fishes etc. II. July 1839, 232. [? Ol. 1790.
- quadricolor Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, *sed me judice* 1836], 104.
- quadricolor Coccothraustes (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 87.—Emberiza, 1788.
- quadricolor Doris, E. Rueppell in Leuckart, Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.), Wirbellose Thiere (—) 1830 *vel* 1831, 31.
- quadricolor Glycyphana (Wied.), H. Burmeister, Handb. Ent. III. 1842, 349.—Cetonia.
- quadricolor Helops, Palisot de B., Ins. Afr. Amér. (—) 1813, 123.
- quadricolor Jora, H. Boie, de Staatsburg. Mag. (Schleswik) I (2) 1832, 473 [*n. n.*].
- quadricolor Julis, R. P. Lesson, Mém. Soc. H. N. Paris, IV. Sept. 1828, 400.
- quadricolor Lanisus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 150.
- quadricolor Lebia, L. A. A. Chevrolat, Coléopt. Mex. (2) Mar. 1834, no. 15. [402.
- quadricolor Lema, T. Lacordaire (*ex* Dej. Cat.), Mém. Soc. R. Sci. Liège, III (2) Nov. 1845,
- quadricolor Megalaima (Eyton), G. R. Gray, Gen. Birds, II. Mar. 1846, 429.—Bucco.
- quadricolor Megilla, W. F. Erichson in M. Wagner, Reisen Algier, III. 1841, 193.
- quadricolor Parus, J. Wilkes, Ency. Londin. XVIII (1277) 1821, 727.

- quadricolor** Passerina (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 25.—  
**quadricolor** Peneus, C. S. Rafinesque-S., Précis Som. 1814, 22. [Emberiza, Gm. 1788.  
**quadricolor** Polytmus (Vieill.), G. R. Gray, Gen. Birds, I. Dec. 1848, 109.—Trochilus.  
**quadricolor** Psilopus, F. Walker, List Dipt. Coll. B. M. (3) 1849, 649.  
**quadricolor** Psithyrus, Le Peletier de S. F., Ann. Soc. Ent. France, I (4) c. Jan. 1833, 376.  
**quadricolor** Tachyphonus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXII. 1819, 359.  
**quadricolor** Trichophthalma, F. Walker, List Dipt. Coll. B. M. (2) 1849, 234.  
**quadricolor** Trichothraupis (Vieill.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 23.—  
 Tachyphonus.  
**quadricolor** Trochilus, L. P. Vieillot, N. Dict. H. N., ed. 2, VII. 1817, 353.  
**quadricolor** Trochilus, L. P. Vieillot, Ency. Méth. (Orn.) 1822, 573.  
**quadricolor** Viverra, G. Shaw, Gen. Zool. (Mamm.) I (2) 1800, 429.  
**quadricornia** Lycastis, S. d. Chiaje, Descr. An. invert. Sicilia, III. 1841, 97.  
**quadricornis** Antilope, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (May), 78.  
**quadricornis** Aspidophorus, Cuvier & Valenc., H. N. Poiss. IV. 1829, 221.  
**quadricornis** Bolboceras, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1843 (1845), 42.  
**quadricornis** Brachionus, F. v. P. Schrank, F. Boica, III (2) 1803, 134.  
**quadricornis** Campylirhynchus, Gyll.; Dejean, Catal. Coléopt. 1821, 85 [n. n.].  
**quadricornis** Ceratonia, T. W. Harris, Amer. J. Sci. XXXVI (2) July 1839, 293.  
**quadricornis** Cervicapra, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (May), 75.  
**quadricornis** Ceutorhynchus (Gyll.), E. F. Germar, Ins. spec. novae, I. 1824, 222.—  
 Rhynchaenus.  
**quadricornis** Cis, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 203.  
**quadricornis** Copris, J. C. Fabricius, Syst. Eleuth. I. 1801, 54.  
**quadricornis** Doris, G. Montagu, Tr. Linn. Soc. London, XI (1) 1813, 17.  
**quadricornis** Erpichthys (Cuv.), W. Swainson, N. H. Fishes etc. II. July 1839, 275.—  
**quadricornis** Eulalia, A. S. Orsted, Annul. Dan. Consp. (1) 1843, 28. [Salarias.  
**quadricornis** Hippocephalus (Cuv.), W. Swainson, N. H. Fishes etc. II. July 1839, 272.—  
**quadricornis** Hoplionota, C. H. Boheman, Mon. Cassid. I. 1850, 24. [Aspidophorus.  
**quadricornis** Idalia (Mont.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 105.—Doris.  
**quadricornis** Lactophrys (Bl.), W. Swainson, N. H. Fishes etc. II. July 1839, 324.—  
 Ostracion, L. 1758.  
**quadricornis** Mantis, M. Houttyn in Stoll, Spoken (Index Phasm. [1813]), 78.  
**quadricornis** Monoculus, L.; L. Jurine, Hist. Monocles, 1820, *in quinq. partes divid.* viz.  
 rubens (1), albidus (45), viridis (46), fuscus (47), prasinus (49).  
**quadricornis** Nereis, Hoffmann, Ges. Nat. Fr. Berlin, Verh. I (4) 1824, 249.  
**quadricornis** Noteus, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 143.  
**quadricornis** Phyllodoce (Orst.), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 304.—Eulalia.  
**quadricornis** Phytobius (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 462.—  
 Rhynchaenus.  
**quadricornis** Prognatha (K. & S.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829,  
 439.—Siagonum.  
**quadricornis** Rhinoncus (Gyll.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Rhyn-  
**quadricornis** Rhynchaenus, L. Gyllenhal, Ins. Suecica, I (3) 1813, 154. [chaenus.  
**quadricornis** Salarias, Cuvier & Valenc., H. N. Poiss. XI. 1836, 329. [1795.  
**quadricornis** Saperda (Ol.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 421.—Cerambyx,  
**quadricorne** Siagonium, W. Kirby in K. & Spence, Introd. Entom. I. 1815, expl. pl. i  
**quadricornis** Spio, Lamarck, An. s. vert. V. 1818, 319. [& iii, 1826, 315.  
**quadricornis** Tetracerus (Blainv.), J. E. Gray, List Mamm. Coll. B. M. 1843, 159.—  
**quadricornis** Trogosita, J. C. Fabricius, Syst. Eleuth. I. 1801, 153. [Antilope.  
**quadri-cornis** Uloma (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 205.—Trogosita.  
**quadricornis** Vorticella, F. v. P. Schrank, F. Boica, III (2) 1803, 123.  
**quadricornua** Babyrousa, G. Perry, Arcana, 1811, sign. C 1.  
**quadricostata** Anais (Sars), R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 102.—  
**quadricostata** Atrypa, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 223. [Cydippe.  
**quadricostata** Cydippe, M. Sars, Beskr. Bergenske Kyst Dyr, 1835, 36.  
**quadricostatus** Ecphora (Say), T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (31) Oct. 1843,  
 310.—Fusus.

- quadricostatus** Fusus, T. Say, J. Acad. Nat. Sci. Philad. IV. Nov. 1824, 127.  
**quadricostatus** Hydroporus, C. Aubé, Spec. gén. Hydroc. 1838, 487.  
**quadricostata** Janira (Sow.), A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 644.—  
**quadricostatus** Lycus, L. Buquet, Rev. Zool. (Soc. Cuv.) V. Jan. 1842, 6. [Pecten.  
**quadricostata** Medusa (Beroe), F. Faber, Nat. Fische Islands, 1829, 204.  
**quadricostatus** Neithea (Sow.), Agassiz in Sowerby, Min. Conch. (Germ. ed.), 86 (1840).—  
**quadricostata** Pecten, J. Sowerby, Min. Conch. I. 1814, 121. [Pecten.  
**quadricostata** Spirigera (Braun), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],  
 204.—Terebratula, Muenst.  
**quadricostata** Spirigerina (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 99.—  
**quadricostata** Terebratula, G. v. Muenster, Beitr. zur Petref. (4) 1841, 60. [Atrypa.  
**quadricostatus** Trochus, W. Wood, Suppl. Index Test. 1828, 16 [*n. et f.*].  
**quadricostatus** Trochus, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 54.  
**quadricostata** Vermilia, [E. Requier], Cat. Coq. Corse, *extremo* 1848, 102.  
**quadricostata** Zophosis, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 628.  
**quadricostata** Dicrania, F. E. Guérin-M., Iconographie, 1844, Ins., 101. [1780.  
**quadricuspida** Naineris (L.), de Blainville, Dict. Sci. Nat. LVII. 1828, 491.—Nais, Fab.  
**quadricuspida** Scoloplos (O. Fab.), A. S. Orsted, Afhandl. K. Danske Vid. Selsk. X. 1843,  
 200.—Nais, 1780.  
**quadricuspidata** Aricia (Scoloplos) (Fab.), R. Leuckart, Arch. f. Naturg. XV (1) 1849,  
 198.—Nais, 1780.  
**quadricuspidata** Spongolithis, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 342.  
**quadricuspidata** Uronais (O. Fab.), P. Gervais, Bull. Ac. Roy. Brux. V. 1838, 19.—Nais,  
 1780. [q—pida.  
**quadricuspis** Aricia (Orst.), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 316.—Scoloplos  
**quadricuspis** Curculio, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 29 [*n. n.*].  
**quadricuspis** Hirundinella, Bory de St V., Ency. Méth. (Zooph.) 1827, 456.  
**quadridactylus** Atelerix, A. Pomel, Arch. Sci. Phys. Nat. IX. Nov. 1848, 251.  
**quadridactylus** Blennius, J. G. Schneider, Bloch, Syst. Ichth. 1801, 177.  
**quadridecimalis** Fenestella, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 204.  
**quadridecim**→ *v. quatuordecim*→. [66.  
**quadridens** Amphidesmus, J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834,  
**quadridens** Bolboceras (Fab.), W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 461.—  
 Scarabaeus, 1781.  
**quadridens** Bulbocerus (Fab.), O. Heer, Coleopt. Helvet. (3) 1841, 500.—Scarabaeus, 1781.  
**quadridens** Cerambyx, J. C. Fabricius, Syst. Eleuth. II. 1801, 274.  
**quadridens** Ceutorhynchus (Panz.), E. F. Germar, Ins. spec. novae, I. 1824, 221.—  
 Curculio, 1795.  
**quadridens** Chelonus, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 154, 1838, tab. 10 *b*.  
**quadridens** Chondrula (Müll.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 87.—Helix,  
**quadridens** Chondrus (Drap.), G. Cuvier, R. Anim. II. 1817, 408.—Pupa. [1774.  
**quadridens** Chrysolopus (Fab.), W. S. MacLeay in P. P. King, Narr. Surv. Australia, II  
 1827 [*i.e.* Ap. 1826], 445.—Curculio, 1775.  
**quadridens** Cimex, C. P. Thunberg, Hemip. Capen. II. 1822, 5.  
**quadridens** Cis, J. Mellié, Ann. Soc. Ent. France [2] VI (3) Jan. 1849, 270.  
**quadridens** Copris, T. Say, Boston Journ. N. H. I (2) 1835, 176.  
**quadridens** Edessa, J. C. Fabricius, Syst. Rhyng. 1803, 148. [Turbo, Gm. 1790.  
**quadridens** Eucoire (L.), J. D. W. Hartmann, Erd- u. Süssw. Gast. (5, 6) 1842, 150.—  
**quadridens** Eurhynchus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 186.  
**quadridens** Gasteracantha, C. L. Koch, Die Arachniden, XI (3) 1844, 59.  
**quadridens** Gonodon (Drap.), F. Held, Isis (Oken), 1837, 918.—Pupa. [1821, 62.  
**quadridens** Helix (Cochlogena), Müller; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,  
**quadridens** Hipporhinus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 492.—  
 Curculio, 1775.  
**quadridens** Hypoxys (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843,  
**quadridens** Kölga, G. v. Muenster, Beitr. zur Petref. (2) 1839, 63. [157.—Edessa.  
**quadridens** Lobostoma, Gundlach, Arch. f. Naturg. VI (1) 1840, 357.  
**quadridens** Lucanus, F. W. Hope, Cat. Lucanoid Coleopt. 1845, 14.

- quadridens** Meligethes, A. Foerster, Verh. nat. Ver. pr. Rheinl. VI. 1849, 21.  
**quadridens** Menaethius (De Haan), Adams & White, Zool. "Samarang" (Crust. 1848, 20.—Pisa (M.).  
**quadridens** Menippe, W. de Haan in Siebold, F. Japon. (Crust. 1833), 21 [*n. n.*].  
**quadridens** Odontaeus, Dufts.; Dejean, Catal. Coléopt. 1821, 56 [*n. n.*].  
**quadridens** Pedipes, L. Pfeiffer, Arch. f. Naturg. V (1) 1839, 357.  
**quadridens** Pisa (Menoethius), W. de Haan in Siebold, F. Japon. (Crust. 1839), 97.  
**quadridens** Pleuronectes, O. Fabricius, Afhandl. K. Danske Vid. Selsk. I. 1824, 39.  
**quadridens** Pleuronectes, F. Faber, Isis (Oken), 1828, 884.  
**quadridens** Poneria (Fab.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836 [1835], 193.—Formica, 1793.  
**quadridens** Pterygia, L. Fairmaire, Ann. Soc. Ent. France [2] IV (2) Oct. 1846, 264.  
**quadridens** Pupa (Müll.), J. P. R. Draparnaud, Tab. Moll. France, 1801, 60.—Helix, 1774.  
**quadridens** Pupa (Brug.), F. de Roissy, Sonnini's Buffon, Moll. V (1805), 361.—Bulimus, Scarabaeus, F. V. Melsheimer, Ins. Pennsylv. 1806, 1 [*n. n.*]. [1792.  
**quadridens** Scarabaeus, F. Gebler, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. III (7)  
**quadridens** Trogossita, Palisot de B., Ins. Afr. Amér. (—) 1813, 126. [June 1844, 100.  
**quadridens** Turbo, J. W. v. Alten (*ex* Geoffr. MS), Syst. Abh. Erd- Fluss- Conchilien, 1812,  
**quadridens antiqua** Pupa, Grateloup, Actes Soc. Linn. Bordeaux, X (51) 1838, 116. [19.  
**quadridentatus** Acanthonyx, F. Krauss, Südafrik. Crust. 1843, 49.  
**quadridentatum** Anthidium, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 402.  
**quadridentata** Anthophora (L.), J. C. Fabricius, Syst. Piezat. 1804, 379.—Apis, 1758.  
**quadridentata** Anuraea, C. G. Ehrenberg, Infusionsthier. 1838, 504.  
**quadridentatus** Ascogaster, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 237.  
**quadridentata** Beris, F. Walker (*ex* Barnston MS), List Dipt. Coll. B. M. (1) 1848, 127.  
**quadridentatus** Bostrichus, J. Sturm, Catal. Ins. Samml. 1826, 102 [*n. n.*].  
**quadridentata** Carocolla, C. T. Menke, Conch.-Samml. Malsburg, 1829, 5.  
**quadridentata** Carocolla, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (16) Ap. 1832, 30. [? Les.  
**quadridentata** Cavolina (Orb.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 122.—Hyalaea,  
**quadridentata** Cavolina (Les.), J. E. Gray, Cat. Moll. Coll. B. M. (2) 1850, 8.—Hyalaea.  
**quadri-dentata** Cetonia, J. Sturm, Catal. Ins. Samml. 1826, 114 [*n. n.*].  
**quadridentata** Coelioxys (L.), F. Smith, The Zoologist, III (11) 1845, 1151.—Apis, 1758.  
**quadridentata** Colobogaster (Fab.), Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 310.—Buprestis, 1792.  
**quadridentatus** Cryptophagus, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 256.  
**quadri-dentatus** Cryptus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 31 [*n. n.*].  
**quadridentatus** Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 29 [*n. n.*] & *var. denticollis*, Knoch [*n. n.*]. [1837, 79.  
**quadridentatus** Cyclograpsus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II.  
**quadridentata** Cythere, W. Baird, N. H. Brit. Entom. (Ray Soc.) 1850, 173.  
**quadridentata** Diesia, G. Fischer de W., Lettre à Pander, 1821, 13.  
**quadridentata** Ebalia, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 40.  
**quadridentata** Felis, H. D. de Blainville, Ostéogr., Felis, 1843, 155. [1833, 45.  
**quadridentata** Galeolaria, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV.  
**quadridentata** Helix, Menke, Verz. Conch. Samml. Malsburg, 1829, 5 [*sic* Auct. *sed* Carocolla].  
**quadridentata** Helix (Brod.), L. Pfeiffer, Mon. Helic. I (2) 1848, 399.—Carocolla.  
**quadridentatus** Hister, Palisot de B., Ins. Afr. Amér. (—) 1813–20, 178.  
**quadridentata** Hololepta (Fab.), G. Paykull, Mon. Hister. 1811, 109.—Hister, ? Ol. 1789.  
**quadridentatum** Homalenotus (Fab.), C. L. Koch, Uebers. Arachnidensyst. II. 1839, 23.—Phalangium, Cuv. 1795.  
**quadridentata** Hyalaea, Lesueur, Journ. de Physique, XCIII. Aug. 1821, 96.  
**quadridentata** Labyrinthus (Brod.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 33.—Carocolla.  
**quadridentatus** Latridius, F. V. Melsheimer, Ins. Pennsylv. 1806, 10 [*n. n.*].

- quadridentata** Lepralia, A. H. Hassall (*ex* Johnston MS), Ann. Nat. Hist. VI. Nov. 1840, 171.
- quadridentatus** Liogenys, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 168.
- quadridentatus** Lithobius, Menge, N. preuss. Prov.-Blätter, VII. 1849, 332 [*n. n.*] N. Schr. Nat. Ges. Danzig, IV (4) 1851, 12. [Apis, L. 1758]
- quadridentata** Megachile (Fab.), P. A. Latreille, H. N. Fourmis, etc., May 1802, 434.—
- quadridentata** Melia, P. A. Latreille, Ency. Méth. (Ins.) X (1) 1824, 706.
- quadridentatus** Mithrax, W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 58.
- quadridentata** Monostyla, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 46 [*n. n.*]; *ibid.* 1831 (1832), 130.
- quadridentatus** Onthophagus, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 176.
- quadri-dentatus** Onthophagus, F. W. Hope, Ann. Mag. Nat. Hist. IX (59) July 1842, 423.
- quadridentatus** Pachyrhinus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13 [*n. n.*]; & Ill. Brit. Ent. (Mand. IV.) Mar. 1831, 51.
- quadridentatus** Panagaeus, V. Kollar, Ann. Wiener Mus. I [2] 1836, 335.
- quadri-dentatus** Passalus, J. Sturm, Catal. Ins. Samml. 1826, 182 [*n. n.*].
- quadridentata** Pasythea (Gm.), J. V. F. Lamouroux, Hist. Polyp. 1816, 156.—Sertularia, E. & S. 1786.
- quadridentatus** Phytobius (Steph.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 464.—Pachyrhinus. [Felis.]
- quadridentatus** Pseudaelurus (Blainv.), F. L. P. Gervais, Zool. Pal. Franç. I. 1850, 127.—
- quadridentata** Pseudorhombila (Latr.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 59.—Melia.
- quadridentata** Ptilocera (Fab.), C. R. W. Wiedemann, N. Dipt. Gen. 1820, 7.—Strati-
- quadridentata** Purpura, H. Dufo, Ann. Sci. Nat. [2] (Zool.) XIV. Aug. 1840, 76. [omys.]
- quadridentatum** Sclerostoma, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 258.
- quadridentata** Sertularia, E. J. C. Esper, Pflanzenth., Sert., tab. xxxii [n. d. 1810?].
- quadridentata** Sphaeroma, T. Say, J. Acad. Nat. Sci. Philad. I (14) Oct. 1818, 400.
- quadridentata** Stratiomys, J. C. Fabricius, Syst. Antliat. 1805, 86. [1847, 83.]
- quatridentatus** (*sic*) Turbo, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto,
- quadridigitata** Batrachoseps (Holb.), S. F. Baird, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 287.—Salamandra.
- quadridigitata** Salamandra, J. E. Holbrook, N. Amer. Herpet., ed. 2, V. 1842, 65.
- quatrefagiana** (*sic*) Plesiastrea, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Aug. 1849, 119.
- quadrifaria** Baptria (Sulz.), J. Huebner, Verz. bekannt. Schmett. 1826, 307.—Phalaena,
- quadrifaria** Tipula, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 72. [1776.]
- quadrifasciaria** Cidaria (L.), F. Treitschke, Schmett. Europa, V (2) 1825, 442.—Phalaena, 1761.
- quadrifasciaria** Eubolia (L.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt 1) 1830, 179.—Phalaena, 1761.
- quadri-fasciaria** Zerynthia (L.), J. Curtis, Brit. Entom. VII (74) Feb. 1830, no. 296.—Phalaena, 1761. [Hypulus.]
- quadrifasciata** Abdera (Curt.), J. F. Stephens, Ill. Brit. Ent. (Mand. V.) Feb. 1832, 38.—
- quadrifasciata** Acmaeodera (Rossi), Laporte & Gory, H. N. Coléopt. I. 1835–1836, 8.—Buprestis, 1790.
- quadrifasciatus** Apogon, Cuvier & Valenc., H. N. Poiss. II. 1828, 153.
- quadrifasciata** Argyra (Fab.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 457.—Dolichopus.
- quadrifasciatus** Arpactus (Fab.), G. W. F. Panzer, Krit. Revis. II. 1806, 166.—Mellinus.
- quadrifasciatus** Cerceris, Bosc, Ann. Agric. Franç. LIII. 1813, 377.
- quadrifasciata** Cerceris (Panz.), A. G. Dahlbom, Hymenopt. Europaea (2) 1844, 209.—Philanthus, 1799.
- quadrifasciata** Cercopis, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 605.
- quadrifasciatus** Chaetodon, J. G. Schneider, Bloch, Syst. Ichth. 1801, 229.
- quadrifasciatus** Chaetodon, A. Sevastianov, Mém. Ac. Imp. Sci. St Pétersb. I. 1809, 448.



- quadrifasciatus Chasmodes (Wood), Cuvier & Valenc., H. N. Poiss. XI. 1836, 298.—  
quadri-fasciatus Clytus, C. J. Schoenherr, Syn. Insect. I (3) 1817, 460. [Pholis.  
quadrifasciata Coccinella, Thunberg in C. J. Schoenherr, Syn. Insect. I (2) 1808, 178.  
quadrifasciatus Coluber, T. Cantor, Proc. Zool. Soc. London, VII (75) July 1839, 51.  
quadrifasciatus Conopaejus (De G.), C. Rondani, Magasin de Zool. (2) VII. 1845, text to  
pl. 153, p. 7.—Conops, 1776.
- quadrifasciata Cypraea, F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 24 [*n. n.*].  
quadrifasciatus Dolichopus, J. C. Fabricius, Syst. Antliat. 1805, 270.—Musca, 1781.  
quadrifasciatus Epeolus, T. Say, Western Quart. Reporter, II (1) 1823, 81.  
quadrifasciata Epheria (Mont.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 271.—  
quadrifasciatus Eulophus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 41. [Turbo.  
quadrifasciatus Galerites, Bory de St V., Ency. Méth. (Vers) 1824, 143 [*n. et f.*].  
quadrifasciata Galleruca, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 28.  
quadrifasciata Glomeris, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 91.  
quadrifasciatus Glyphisodon, P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, IV (2)  
1846, 155.
- quadri-fasciatus Gorytes (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 33.—Mellinus.  
quadrifasciata Haltica (L.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 316.—Chrysomela,  
Fab. 1787.
- quadrifasciata Helix, M. de Serres, Ann. Sci. Soc. Agric. Lyon, III. Mar. 1840, 482.  
quadrifasciata Helix, Le Guillou, Rev. Zool. (Soc. Cuv.) V. May 1842, 141.  
quadrifasciata Herina, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 433.  
quadrifasciatus Hoplisus (Fab.), A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 159.—  
Mellinus.
- quadrifasciatus Hypulus, J. Curtis, Brit. Entom. VI (64) Ap. 1829, no. 255.  
quadrifasciatus Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 402.  
quadrifasciatus Lacuna (Mont.), W. Turton, Zool. Journ. III (10) July [*i.e.* Sept.] 1827,  
191.—Turbo.
- quadrifasciata Lasionota, Mann.; Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 83.  
quadrifasciatus Leptocerus (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 28.—  
Phryganea, 1775.
- quadrifasciata Leptura, F. V. Melsheimer, Ins. Pennsylv. 1806, 38 [*n. n.*].  
quadrifasciatus Margarita (Mont.), T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 16 (Turbo)  
& *errata*.—Turbo. [Coccinella.
- quadrifasciata Megilla (Schoenh.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 25.—  
quadrifasciata Melipona, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I.  
quadrifasciatus Mellinus, J. C. Fabricius, Syst. Piezat. 1804, 298. [1836 [1835], 416.  
quadrifasciata Mixtemyia (Wied.), J. Macquart (Roret's Suite à Buffon), Diptères, I.  
1834, 491.—Psarus.
- quadrifasciata Monedula, T. Say in Keating, Exp. Peter River, II. 1824, 333; & ed.  
London, 1825 (App.), 70.
- quadrifasciata Mylabris, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 93.  
quadrifasciata Mylabris (Thunb.), G. J. Billberg, Mon. Mylabrid. [1813], 19.—Meloe,  
quadrifasciata Natica, J. E. Gray, Zool. "Blossom," 1839, 137. [1791.  
quadrifasciata Natica, Le Guillou, Rev. Zool. (Soc. Cuv.) V. Ap. 1842, 104.  
quadrifasciata Ochyria (Clerck), J. Huebner, Verz. bekannt. Schmett. 1826, 334.—  
Phalaena, 1759.
- quadrifasciata Ortalis (Harris), F. Walker, List Dipt. Coll. B. M. (4) 1849, 993.—Trypeta.  
quadrifasciatus Paragus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 181.  
quadrifasciatus Paragus, T. Say in Keating, Exp. Peter River, II. 1824, 377; & ed.  
London, 1825 (App.), 103.
- quadrifasciatus Pholis, W. W. Wood, J. Acad. Nat. Sci. Philad. IV. Mar. 1825, 282.  
quadrifasciata Pleurotoma, L. Reeve (*ex* Gray MS), Conch. Icon.—Pleurotoma, no. 251,  
Dec. 1845.
- quadrifasciatus Porphyrops (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824,  
48.—Musca, 1781.  
quadrifasciatus Psarus (Say), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II.  
1830, 91.—Paragus.

- quadrifasciatus** Pseudocrinites, J. C. Pearce, Proc. Geol. Soc. London, IV. 1843, 160.  
**quadrifasciata** Ptychoptera, T. Say in Keating, Exp. Peter River, II. 1824, 359; & ed. London, 1825 (App.), 89.
- quadrifasciatum** Solarium, Grateloup, Actes Soc. Linn. Bordeaux, V (27) 1832, 137.  
**quadrifasciata** Stenura (L.), H. C. Kuester, Käfer Europas, VIII. 1847, 93.—Leptura, 1758.
- quadrifasciata** Strangalia (L.), E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 252.—Leptura, 1758.
- quadrifasciata** Tephritis, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 383.  
**quadrifasciata** Tettigonia, F. de Tigny, s. à Deterville ed. Buffon, Ins. IV. 1801, 152.  
**quadrifasciata** Trypeta, Wiedemann in J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 331.
- quadrifasciata** Trypeta, T. W. Harris in E. Hitchcock, Rep. Geol. Massach. 1835, 600  
**quadrifasciatus** Turbo, G. Montagu, Test. Brit. II. 1803, 328. [[n. n.].  
**quadrifasciata** Urophora (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 457.—Trypeta.
- quadrifasciata** Zemina (Mann.), Gory in Laporte & G., H. N. Coléopt. IV. 1840, 196.—
- quadrifibula** Ammonites, F. V. Raspail, H. N. Ammonites, June 1842, 47. [Lasionota.  
**quadrifida** Caryophyllia, R. Howse, Tr. Tyneside Nat. F. C. I (3) 17 Aug. 1848, 260.  
**quadrifidum** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 396.  
**quadrifida** Gynacantha, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 209.  
**quadrifida** Hemisterias, C. S. Rafinesque, Atlantic Journ. (3) 1832, 122.  
**quadrifidus** Talitrus, J. E. De Kay, N. H. New York (Cr.) 1844, 36.  
**quadrifida** Terebratula, Lamarck, An. s. vert. VI (1) 1819, 253.  
**quadrifilaris** Agnomonia, J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 37.  
**quadrifilis** Polynemus, Cuvier & Valenc., H. N. Poiss. III. 1829, 390.  
**quadriforis** Cryptocephalus, E. Newman, Entomologist (5) Mar. 1841, 78.  
**quadrifora** Echinus (Scutella), F. S. Voigt in Cuvier, Thierreich, VI. 1843, 50.  
**quadrifora** Scutella, Lamarck, An. s. vert. III. 1816, 9.  
**quadrifossulatus** Ochthebius, J. Waltl, Reise Tyrol etc. (2) 1835, 65.  
**quadri-foveatus** Scarabaeus, Palisot de B., Ins. Afr. Amér. (—) 1807, 74.  
**quadrifoveolatum** Bembidium, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2)  
**quadrifoveolata** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1837, 8. [1843, 218.  
**quadrifoveolata** Monotoma, C. Aubé, Ann. Soc. Ent. France, VI (4) *post* Jan. 1836, 468.  
**quadri-foveolatum** Monotoma, W. Redtenbacher, Quaed. gen. et sp. Col. 1842, 23.  
**quadrifoveolata** Monotoma, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 98.  
**quadrifoveolata** Trichopteryx, A. Allibert, Rev. Zool. (Soc. Cuv.) VII. Feb. 1844, 53.  
**quadrifrons** Murex, Lamarck, An. s. vert. VII. 1822, 170.  
**quadrifrons** Murex, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840–46 [vero propius 1847], Ranelles, pl. iii.  
**quadrifrons** Passalus, A. Percheron, Mon. Passales, 1835, 64.  
**quadrigatus** Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 78.  
**quadrigeminata** Astrea (Goldf.), de Blainville, Dict. Sci. Nat. LX. 1830, 340.—Cyathophyllum q—inum.  
**quadrigeminum** Cyathophyllum, G. A. Goldfuss, Petref. German. I (1) 1826, 59.  
**quadrigeminum** Favastrea (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 107.—Cyathophyllum.  
**quadrigeminum** Lithostrotion (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 106.—Cyathophyllum.  
**quadrigemma** Favosites (Goldf.), de Blainville, Dict. Sci. Nat. LX. 1830, 367.—Cyathophyllum q—inum.  
**quadrigemmatum** Stenocorus, T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 275.  
**quadrigibbus** Acanthocinus, T. Say, Boston Journ. N. H. I (2) 1835, 195.  
**quadri-gibbus** Anthonomus, Melsh.; J. Sturm, Catal. Ins. Samml. 1826, 94.  
**quadrigibbus** Anthonomus, T. Say, Descr. N. Amer. Curcul., July 1831, 15.  
**quadrigibbus** Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 28 [n. n.].  
**quadriglumis** Atta, A. H. Haliday, Tr. Linn. Soc. London, XVII (3) 1836, 328.

- quadrigrammicus** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 749.
- quadrigranata** Pupa, A. Braun, Amt. Ber. Vers. deutsch. Nat. u. Aerzte, 1842 (1843), 149
- quadriguttalis** Alypia, J. Huebner, Verz. bekannt. Schmett. 1826, 351. [[*n. n.*].
- quadriguttat** Aeschna, H. Burmeister, Handb. Ent. II (2) ii, 1839, 837.
- quadriguttatus** Agrilus, Gory (*ex Dej.*) in Laporte & G., H. N. Coléopt. IV. 1841, 228.
- quadriguttatus** Alophus, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 167.
- quadriguttata** Anaspis, Latr.; J. Sturm, Catal. Ins. Samml. 1826, 91.
- quadriguttata** Anthia, J. C. Fabricius, Syst. Eleuth. I. 1801, 223.—Carabus, 1775.
- quadriguttatus** Anthicus (Rossi), C. J. Schoenherr, Syn. Insect. I (2) 1808, 56.—Notoxus, 1792.
- quadriguttatus** Anthicus, S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (31) Oct. 1843,
- quadriguttatus** Aphodius, C. Duméril, Dict. Sci. Nat. (ed. 1) II. 1804, 279. [304.
- quadriguttata** Arsinoe, F. L. de Laporte, Etudes Entom. (1) 1834, 58. [Theridion.
- quadri-guttata** Asagena (Hahn), C. L. Koch, Uebers. Arachnidensyst. I. 1837, 13.—
- quadriguttata** Babia (Ol.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 428.—  
Cryptocephalus, ? Müll. 1776.
- quadriguttata** Baris, F. Klug (*Dej. in litt.*), Insect. Doublet. Z. M. Berlin, 1829, 7.
- quadriguttatus** Bembidion (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 82.—  
Carabus, 1775.
- quadriguttatum** Bembidium (Ill.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 21.—Elaphrus,
- quadriguttatus** Brachinus, J. Sturm, Catal. Ins. Samml. 1826, 102 [*n. n.*]. [1798.
- quadri-guttatus** Brachinus, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 30.
- quadriguttatus** Bruchus, C. H. Boheman, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 111.
- quadriguttatus** Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840, 288.
- quadriguttatus** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836,
- quadriguttata** Cercopis, F. Weber, Obs. Ent. 1801, 114. [754.
- quadriguttata** Cetonia, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845  
(1) 1845, 59.
- quadriguttata** Cicindela, Quensel in C. J. Schoenherr, Syn. Insect. I (1) 1806, 244.
- quadriguttata** Cicindela, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 116.
- quadriguttatus** Clerus, M. Adams, Mém. Soc. Imp. Nat. Moscou, V [*post* 12 Dec.] 1817, 313.
- quadriguttata** Clythra (Ol.), T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 436.—  
Cryptocephalus, ? Müll. 1776.
- quadriguttata** Coccinella, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 85 [*n. n.*].
- quadri-guttatus** Colymbetes, Dejean, Catal. Coléopt. 1821, 19 [*n. n.*].
- quadriguttatus** Colymbetes, Boisduval & Lacordaire (*ex Dej. Cat.*), F. Ent. Paris, 1835,  
316.
- quadri-guttatus** Colymbetes, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840, 161.
- quadriguttata** Cryptocephalus, Koy; E. F. Germar, Ins. spec. novae, I. 1824, 555.
- quadriguttatus** Cryptocerus, F. E. Guérin-M., Iconographie, 1844, Ins., 425.
- quadriguttatus** Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 479.
- quadriguttata** Dacne (Ol.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 70.—Erotylus, 1791.
- quadriguttata** Diacope, Cuvier & Valenc., H. N. Poiss. II. 1828, 427.
- quadriguttatus** Diadromus (Grav.), C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845  
(1844), 212.—Ichneumon.
- quadri-guttatus** Elater, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840,  
245.
- quadriguttatus** Endomichus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 27 [*n. n.*].
- quadriguttata** Engis, Ol.; J. Sturm, Catal. Ins. Samml. 1826, 138.
- quadriguttata** Ephydra, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 120.
- quadriguttatus** Eresus (Rossi), C. L. Koch, Die Arachniden, IV (5) Nov. 1837, 104.—  
Aranea quattuor-g→, 1790.
- quadriguttatus** Eumorphus, J. Sturm, Catal. Ins. Samml. 1826, 140 [*n. n.*].
- quadriguttata** Grammoptera (Fab.), E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 292.—Leptura, 1787.

- quadriguttata** Haltica (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 318.—Galleruca, 1792. [Ent. (Mand. IV.) Dec. 1831, 299.]
- quadriguttata** Haltica, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 17 [*n. n.*]; & Ill. Brit.
- quadriguttatus** Hellus, J. C. Fabricius, Syst. Piezat. 1804, 247.—Scolia, 1781.
- quadriguttata** Hoplia, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 39 [*n. n.*].
- quadriguttatus** Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 178.
- quadriguttatus** Ilybius (Boisd. & Lacord.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 154.—Colymbetes.
- quadriguttatus** Laius, W. F. Erichson, Entomographien, 1840, 64. [23.—Theridium.]
- quadri-guttalus** (*sic*) Latrodectus (Hahn), C. L. Koch, Uebers. Arachnidensyst. V. 1850,
- quadriguttata** Lebia (F.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 252.—Carabus, 1775.
- quadriguttatus** Lepyrus, Gebl.; J. Sturm, Catal. Ins. Samml. 1826, 162.
- quadri-guttata** Lophia (Fab.), Dejean, Catal. Coléopt. 1821, 17.—Carabus, 1775.
- quadri-guttata** Lycoperdina (Melsh.), J. Sturm, Catal. Ins. Samml. 1826, 166.—Endo-
- quadriguttatus** Lygaeus, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 75. [michus.]
- quadriguttatus** Malachius (Thunb.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 82.—Cantharis, 1787.
- quadriguttatus** Melanoxanthus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 139.
- quadriguttata** Mutilla, T. Say, Western Quart. Reporter, II (1) 1823, 74.
- quadriguttatus** Mycetophagus, P. W. J. Mueller, Mag. Entom. (Germar) IV. 1821, 198.
- quadriguttata** Mylabris (Wulf.), G. J. Billberg, Mon. Mylabrid. [1813], 44.—Meloe, 1786.
- quadriguttata** Necroscia, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 253.
- quadriguttata** Nitidula, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 17 [*n. n.*].
- quadriguttatus** Nysson, M. Spinola, Ins. Liguria, II. 1808, 43.
- quadriguttatus** Panagaeus, A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 698.
- quadriguttatum** Phasma, H. Burmeister, Handb. Ent. II (2) 1, 1838, 586.
- quadriguttata** Pipiza, J. Macquart, Mém. Soc. R. Sci. Lille, 1827–8, 1829, 178.
- quadriguttata** Popilia (Fab.), H. Burmeister, Handb. Ent. IV (1) 1844, 544.—Trichius, 1787.
- quadriguttatus** Rhinosimus (Dej.), Le Peletier & Serville, Ency. Méth. X. (Ins.) 1825,
- quadri-guttatus** Salpingus, Latr.; Dejean, Catal. Coléopt. 1821, 77. [288.—Salpingus.]
- quadriguttatus** Saprinus (Payk.), W. F. Erichson, Jahrb. Insectenk. I. 1834, 176.—Hister, ? Fab. 1798.
- quadriguttata** Scaeva, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 373.
- quadriguttatum** Scaphidium, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 13 [*n. n.*].
- quadriguttatum** Scaphidium, Knoch; T. Say, J. Acad. Nat. Sci. Philad. III. Dec. 1823, 198.
- quadriguttata** Scatella (Meig.), A. H. Haliday, Ann. Nat. Hist. III. Aug. 1839, 410.—Ephydra.
- quadriguttata** Synchronita, T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 266.
- quadriguttatus** Tachys, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 53 [*n. n.*].
- quadriguttatus** Tetragonoderus, Dejean, Spec. gén. Coléopt. IV. 1829, 509.
- quadriguttatum** Theridion, C. W. Hahn, Die Arachniden, I (4) Mar. 1833, 84.
- quadriguttatus** Trichodes, Steven, Bull. Soc. Imp. Nat. Moscou, I (4) 1829, 68.
- quadriguttata** Triplax, A. G. Olivier, Entom. V. 1807, 490.—Erotylus, 1791.
- quadriguttatum** Tritoma, J. C. Fabricius, Syst. Eleuth. II. 1801, 570.
- quadriguttata** Trogositia, J. C. Fabricius, Syst. Eleuth. I. 1801, 154.
- quadri-guttella** Microsetia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Tinea.
- quadriguttella** (*sic*) Rösleritammia (*sic*), T. Bruand, Mém. Soc. Emul. Doubs, Vol. III. Tom. 3 (5 & 6) 1850, 44.
- quadriguttella** Tinea, A. H. Haworth, Lepid. Brit. (4) 1828, 574.
- quadriguttorius** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 253.
- quadriimpressus** Agrilus, D. Ziegler, Proc. Acad. Nat. Sci. Philad. II (10) Aug. 1845, 267.
- quadriimpressa** Ambrostoma, Ménétriés in V. v Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 109. [1848, 80.]
- quadriimpressa** Calleida, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1)

- quadriimpressa** Chrysobothris, Laporte & Gory, H. N. Coléopt. II. 1835-1836, 48.  
**quadriimpressa** Monotoma, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (4) 1844, 821.
- quadriimpressa** Phila, Ménétré in V. v. Mochulski, Kaefer Russl., *post* May 1850, 14  
**quadriimpressa** Prioptera, C. H. Boheman, Mon. Cassid. I. 1850, 47. [[*n. n.*].  
**quadri-impressus** Staphylinus (Gyrophypnus), A. White, Zool. "Ereb. Terr." (Ins. 1846), 6.
- quadrilabiatus** Ammonites, Bronn in A. v. Klipstein, Beitr. geol. östl. Alpen (1) 1843, 116.  
**quadrilatera** Abyla, Quoy & Gaimard in H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 123.—Bassia, 1830.
- quadrilatera** Arca, Lamarck, Ann. Mus. H. N. (Paris) VI (33) June 1805, 221.  
**quadrilatera** Arca, G. B. Sowerby, I., Proc. Zool. Soc. London, I (1-3) May 1833, 22.  
**quadrilatera** Bassia, Quoy & Gaimard in H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 123.  
**quadrilatera** Cardita, G. Michelotti, Ann. Sci. Lomb.-Ven. IX. 1839, 133.  
**quadrilatera** Castalia, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 42.  
**quadrilatera** Cythereis (Roem.), T. R. Jones, Cret. Entom. (Pal. Soc. III.) Aug. 1850, 18.—Cytherina.
- quadrilatera** Cytherina, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 105.  
**quadrilaterus** Oniticellus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 89 [*n. n.*].  
**quadrilatera** Orthocerina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 18.  
**quadrilatera** Perna, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 372.  
**quadrilatera** Serpula, G. A. Goldfuss, Petref. German. I (3) 1831, 230.  
**quadrilatera** Tritonia, Schultz in R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 103.
- quadrilateralis** Coregonus, J. Richardson in Franklin, Journey Polar Sea 1819-22, 1823,  
**quadrilateralis** Triloculina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 173. [714.  
**quadrilimbus** Asaphus, J. Phillips, Geol. Yorksh. II. 1836, 239. [Rhynchaenus.  
**quadrilineatus** Ambates (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 150.—  
**quadrilineatus** Andricus, T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. 2 (1) 1840, 190.  
**quadrilineatus** Aradus, T. Say, J. Acad. Nat. Sci. Philad. IV. Mar. 1825, 326.  
**quadrilineatus** Astylus (Germ.), Laporte, Revue Entom. IV (1) 1836, 32.—Dasytes.  
**quadri-lineatus** Bracon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 402.
- quadrilineata** Buprestis, Herbst in Jablonsky, Nat. Ins. (Käfer) IX. 1801, 104.  
**quadri-lineata** Cassida, Dejean, Catal. Coléopt. 1821, 116 [*n. n.*]. [250.—Turritella.  
**quadrilineatum** Cerithium (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],  
**quadrilineatus** Chelomeles, Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov.  
**quadri-lineata** Chlorima, Ol.; Dejean, Catal. Coléopt. 1821, 92 [*n. n.*]. [1839, 774.  
**quadrilineatus** Cneorhinus (Esch.), F. v. Gebler in Ledebour, Reise Altai, II. 1830, 150.—  
 Thylacites.
- quadrilineatus** Cneorhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 526.  
**quadrilineata** Coccinella, W. Turton, Linnaeus, Syst. Nat. II. 1802, 131.  
**quadrilineatus** Coluber, P. S. Pallas, Zoographia, III. 1811, 40.  
**quadrilineatus** Cossyphus (Ruepp.), Cuvier & Valenc., H. N. Poiss. XIII. 1839, 135.—  
**quadrilineatus** Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 535. [Labrus.  
**quadrilineatus** Curculio, A. G. Olivier, Entom. V. 1807, 310.  
**quadri-lineata** Cydonia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 439.  
**quadri-lineata** Dasytes (Billb.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 11.—Helodes.  
**quadrilineatus** Dasytes, E. F. Germar, Ins. spec. novae, I. 1824, 76.  
**quadrilineatus** Derestenus, Chevrolat, Col. Mex., Magasin de Zool. (2) V. 1843, 14.  
**quadri-lineatum** Dorcadion, J. Sturm, Catal. Ins. Samml. 1826, 133 [*n. n.*].  
**quadrilineatum** Dorcadion, Chevrolat in E. Mulsant, H. N. Coléopt. France (Longic.)  
 Oct. 1839, 124.
- quadrilineatus** Dytiscus, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) II. Nov. 1819, 198.  
**quadrilineata** Empis, J. Macquart, Rec. Trav. Soc. amat. Sci. Lille, I. 1823, 162.  
**quadrilineatus** Eristalis, J. C. Fabricius, Syst. Antliat. 1805, 239.—Syrphus, 1787.  
**quadrilineatus** Euchirus G. R. Waterhouse, Ann. Mag. Nat. Hist. VII (Suppl.) Sept.  
 1841, 539.
- quadrilineata** Galeruca, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1813), 69.

- quadrilineatus Graphipterus, A. Brullé, *Revue Entom.* II (3) 1834, 112.
- quadrilineatus Gymnophthalmus (L.), B. Merrem, *Tent. Syst. Amph.* 1820, 74.—*Lacerta*,  
 Haemulon, Cuvier & Valenc., *H. N. Poiss.* V. 1830, 238. [1766.]
- quadrilineatum Hathlia, F. W. Hope, *Ann. Mag. Nat. Hist.* IX (59) July 1842, 429.
- quadri-lineata Helodes, Billberg in C. J. Schoenherr, *Syn. Insect.* I (2) 1808, 278.
- quadrilineata Hipporhinus, Gyllenhal in C. J. Schoenherr, *Gen. et Sp. Curc.* V (2) 1840,  
 Hister, J. Walth, *Reise Tyrol etc.* (2) 1835, 63. [780.]
- quadrilineatus Hoplophora, E. F. Germar, *Revue Entom.* III (5) 1835, 241.
- quadrilineata Hyla (Schn.), F. M. Daudin, *H. N. Rainettes*, 1802, 42.—*Calamita*, 1799.
- quadri-lineata Joppa, A. Brullé in Lepeletier (*Roret's Suite à Buffon*), *Hyménopt.* IV.
- quadrilineatus Labrus, E. Rueppell, *Neue Wirbelth. Abyssin.* (4) 1835, 6. [1846, 288.]
- quadrilineata Lepisma, H. Lucas, *Rev. Zool. (Soc. Cuv.)* IX. July 1846, 254.
- quadrilineata Lisper, J. Macquart (*Roret's Suite à Buffon*), *Diptères*, II. 1835, 315.
- quadri-lineatus Ludius, F. W. Hope, *Ann. Mag. Nat. Hist.* XI (67) Jan. 1843, 63.
- quadrilineata Macronota, Gory & Percheron, *Mon. Cétoines*, 1833, 321. [1849, 17.]
- quadrilineata Marginella, J. S. Gaskoin, *Proc. Zool. Soc. London*, XVII (191) Dec. 14,
- quadri-lineata Melania, J. De C. Sowerby, *Tr. Geol. Soc. London* [2] V. 1840, expl. pl. 47.
- quadrilineata Mesembrina (Fab.), C. R. W. Wiedemann, *Aussereurop. Zweifl. Insekt.*  
 II. 1830, 347.—*Stratiomys*, 1787.
- quadri-lineatus Mesostenus, A. Brullé in Lepeletier (*Roret's Suite à Buffon*), *Hyménopt.*  
 IV. 1846, 217.
- quadrilineatus Octogonotes, A. Chevrolat in F. E. Guérin-M., *Iconographie*, 1844, Ins., 305.
- quadrilineata Odontomyia, J. Macquart (*Roret's Suite à Buffon*), *Diptères*, I. 1834, 248.
- quadrilineatus Opsimus, Eschscholtz in Mannerheim, *Bull. Soc. Imp. Nat. Moscou*, XVI.  
 1843 (2) 1843, 305.
- quadrilineatus Oxyrachis (Germ.), E. Blanchard in Brullé, *H. N. Anim. artic. (Orth. etc.)*  
 III. 1840, 181.—*Hoplophora*.
- quadrilineata Pachyrhina, J. Macquart, *Mém. Soc. R. Sci. Lille*, 1838 (2) 1838, 54.
- quadrilineatus Pelates, Cuvier & Valenc., *H. N. Poiss.* III. 1829, 146.
- quadrilineata Pettis (*sic*), F. E. Melsheimer, *Proc. Acad. Nat. Sci. Philad.* II (5) Oct.
- quadrilineatus Pendulinus, C. P. Thunberg, *Ins. Hemelytr.* 1825, 4. [1844, 104.]
- quadrilineatus Philodromus, H. Lucas in Webb & Berthelot, *Canaries (Arach.)* 1840, 34.
- quadrilineata Platycœlia, H. Burmeister, *Handb. Ent.* IV (1) 1844, 454.
- quadrilineata Pleurotoma, C. B. Adams, *Contr. to Conch.* (4) Jan. 1850, 64.
- quadrilineata Pleurotomaria, Goldfuss, *N. Jahrb. f. Min.* 1842, 389.
- quadrilineata Polycera (Müll.), G. Cuvier, *R. Anim.* II. 1817, 390.—*Doris*, 1776.
- quadrilineata Rana, G. Shaw, *Gen. Zool. (Amph.)* III (1) 1802, 127.—? *Calamita*, Schn.
- quadrilineatus Rhynchaenus, J. C. Fabricius, *Syst. Eleuth.* II. 1801, 460. [1799.]
- quadrilineatus Scincus (Gm.), F. M. Daudin, *Sonnini's Buffon, Rept.* IV (1802), 266.—  
*Lacerta*, L. 1766.
- quadrilineatus Sintor, Fahraeus in C. J. Schoenherr, *Gen. et Sp. Curc.* V (1) 1839, 149.
- quadrilineata Solenoptera (Ol.), J. G. Audinet-S., *Ann. Soc. Ent. France*, I (2) c. July  
 1832, 184.—*Prionus*, 1795. [Macronota.]
- quadrilineata Taeniodera (G. & P.), H. Burmeister, *Handb. Ent.* III. 1842, 329.—
- quadrilineatus Takydromus, F. M. Daudin, *Sonnini's Buffon, Rept.* III (1802), 252.
- quadrilineatus Terapon (Bl.), G. Cuvier, *R. Anim.* II. 1817, 295.—*Holocentrus*, 1790.
- quadrilineata Tetraonyx, F. Klug (*Dej. in litt.*), *Insect. Doublet.* Z. M. Berlin, 1829, 5.
- quadrilineata Themisto (Müll.), L. Oken, *Lehrb. Nat.* III (1) 1815, 278.—*Doris*, 1776.
- quadrilineatus Therapon (Bl.), H. Cloquet, *Dict. Sci. Nat.* XV. 1819, 300.—*Holocentrus*,  
 Thomisus, C. W. Hahn, *Mon. Spinnen* (7) 1834. [1790.]
- quadrilineatus (*sic*) Thylacites, Esch.; J. Sturm, *Catal. Ins. Samml.* 1826, 202.
- quadrilineatus Thylacites, F. v. Gebler (*ex Eschscholtz in litt.*) in Ledebour, *Reise Altai*,  
 II. 1830, 150.
- quadrilineatus Trichius, F. W. Hope, *Zool. Miscell. (Gray)* (1) Feb. 1831, 24.
- quadrilineata Tritonia (L.), L. A. G. Bosc, s. à Deterville ed. *Buffon, Vers.* I. 1801, 91.—  
*Doris*, 1776.
- quadrilineatus Trochus, A. v. Klipstein, *Beitr. geol. östl. Alpen* (2, 3) 1845, 149.
- quadrilineatus Tryphon, J. L. C. Gravenhorst, *Ichneum. Europ.* II. 1829, 320.

- quadrilineata** Turritella, F. A. Roemer, Verst. Norddeutsch. Oolith. (3) 1836, 154.
- quadrilineata** Zootoca, J. E. Gray, Ann. Nat. Hist. I (4) June 1838, 279.
- quadrilis** Brachyrhinus (Fourc.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 177.—
- quadrillum** Acupalpus, Dejean, Spec. gén. Coléopt. IV. 1829, 479. [Curculio, 1785.]
- quadrillum** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 21 ["Mon. Anth." *poster. edit.*].
- quadrillum** Coscinoptera, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 514.
- quadrillum** Dromius (Dufts.), Dejean, Catal. Coléopt. 1821, 3.—Lebia.
- quadrilla** Hyperaspis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 678.
- quadrillum** Lebia, Creutzer in K. Duftschmid, Fauna Austriae, II. 1812, 246.
- quadrillum** Lionychus (Dufts.), Schmidt-G., Entom. Zeitung, Stettin, VII (12) Dec. 1846,
- quadrilus** Philomycus, Rafinesque, Annals of Nature, 1820, 10. [389.—?]
- quadrillum** Pleurotoma, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 291.
- quadrillum** Raphitoma (Duj.), L. Bellardi, Mem. R. Acc. Sci. Torino [2] IX. 1848, 632.—  
Pleurotoma.
- quadrillum** Scymnus, L. Redtenbacher, Disp. gen. et sp. Col. Pseudotrim. 1843, 19.
- quadrilobatus** Cancer, Desmarest, N. Dict. H. N., ed. 2, VIII. 1817, 499.
- quadrilobatus** Cyprinus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 495.
- quadrilobata** Globigerina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 164.
- quadrilobata** Onchocephala, F. E. Guérin-M., Iconographie, 1844, Ins., 281.
- quadrilobum** Anthidium, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
- quadrilobus** Cyprinus, G. Shaw, Gen. Zool. (Pisc.) V (1) 1804, 212. [401.]
- quadrilobus** Dispharagus (Rud.), F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845  
[Nov. 1844], 79.—Spiroptera.
- quadriloba** Hemisterias, C. S. Rafinesque, Atlantic Journ. (4) 1832, 142.
- quadriloba** Lithobotrys, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 84.
- quadriloba** Lucernaria, G. Shaw, Nat. Misc. XVI. 1804, pl. 647.
- quadriloba** Melicerta, G. A. Goldfuss, Handb. Zool. (1) 1820, 76.
- quadriloba** Pileopsis, G. A. Goldfuss, Petref. German. III (8) 1844, 11.
- quadriloba** Polypothechia, E. Bennett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831, 9  
[*n. et f.*].
- quadriloba** Raja, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I. no. 3, July 1817, 44.
- quadriloba** Rhinoptera (Les.), J. E. De Kay, N. H. New York (Fish) 1842, 375.—Raja.
- quadrilobus** Scolex, C. A. Rudolphi, Entoz. II (2) 1810, 3.
- quadriloba** Spiroptera, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 25.
- quadriloba** Tubicolaria, Lamarck, An. s. vert. II. 1816, 53.
- quadriloculata** Caprina, A. d'Orbigny, Rev. Zool. (Soc. Cuv.) II. June 1839, 169.
- quadrilunatus** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (8) 1849, 102 ["Mon. Anth." *poster. edit.*].
- quadrilunatus** Cordistes, L. Reiche, Rev. Zool. (Soc. Cuv.) V. Aug. 1842, 242.
- quadrilunatus** Scymnus, Ill.; Dejean, Catal. Coléopt. 1821, 132 [*n. n.*].
- quadrinacula** Cephaloxys, F. Walker, List Homopt. Coll. B. M. (1) 1850, 238.
- quadrinacula** Dacne (Wied.), W. S. Macleay, Annulosa Javanica, 1825, 41.—Engis.
- quadrinacula** Engis, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 132.
- quadrinacula** Episcapha (Wied.), T. Lacordaire, Mon. Erytyl., Sept. 1842, 53.—Engis.
- quadrinacula** Helomyza, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1093.
- quadrinacula** Pangonia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 138.
- quadrinaculalis** Scopula, V. Kollar in Hügel, Kaschmir, IV (2) 1844, 492. [Tortrix.]
- quadrinaculana** Orthotaenia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.—
- quadrinaculana** Sericoris (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Aug. 1834,  
131.—Tortrix.
- quadrinaculana** Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 468.
- quadrinaculatae** Cypraea, "Gray"; J. S. Gaskoin, Proc. Zool. Soc. London, XVI (186)  
Mar. 13, 1849, 97.
- quadrinaculata** Acanthia, J. F. Wolff, Icon. Cimicum (4) 1804, 133.
- quadrinaculatum** Acridium (Oedipoda), W. de Haan in Temminck, Verh. nat. ges. Ned.  
overz. bezitt., Zool. (Ins.) 1842, 162.
- quadrinaculatum** Acrydium, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 160.

- quadrimaculatus** Aephnidius, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 90.  
**quadrimaculatus** Allantus (F.), G. W. F. Panzer, Ins. Germ., heft 91, 1804, tab. 17.—  
**quadrimaculata** Altica, A. G. Olivier, Entom. VI. 1808, 673. [Tenthredo, 1787.  
**quadrimaculatus** Alurnus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) III. Nov. 1840, 330.  
**quadrimaculatus** Anacolus, Gory, Magasin de Zool. II. 1832, pl. 31.  
**quadri-maculata** Anaspis, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 90;  
 & App. 1817, 37.  
**quadrimaculata** Anisoplia, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 486.  
**quadrimaculatus** Anopheles, T. Say in Keating, Exp. Peter River, II. 1824, 356; & ed.  
 London, 1825 (App.), 86.  
**quadri-maculatus** Anthicus, Dejean, Catal. Coléopt. 1821, 72 [*n. n.*].  
**quadrimaculatus** Anthicus, H. Lucas, Rev. Zool. (Soc. Cuv.) VI. May 1843, 146.  
**quadrimaculata** Anthomyia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826,  
 92.—Musca.  
**quadrimaculata** Anthophora (Fab.), Lepeletier de S. F. (Roret's Suite à Buffon),  
 Hyménopt. II. 1841, 84.—Megilla.  
**quadrimaculata** Anthophylax (Dej.), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I  
 (4) Jan. 1850, 326.—Pachyta.  
**quadrimaculatus** Apalus, J. C. Fabricius, Syst. Eleuth. II. 1801, 25.  
**quadrimaculata** Apiodera (Gory), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI.  
 1848 (1) 1848, 41.—Casnonia. [(4 & 5) Mar. 1835, 419.  
**quadri-maculatus** Apoderus, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II  
**quadrimaculata** Aporia, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 297.  
**quadrimaculatus** Arescus, A. Sallé, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850, 435.  
**quadrimaculata** Argia, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 255.  
**quadrimaculatus** Argyctius, C. S. Rafinesque-S., Car. n. gen. 1810, 55.  
**quadrimaculatus** Ascalaphus, T. Say in Keating, Exp. Peter River, II. 1824, 305; & ed.  
 London, 1825 (App.), 45. [[1836], 432.  
**quadrimaculatus** Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837  
**quadri-maculata** Auchenia (L.), T. Marsham, Coleopt. Brit., Sept. 1802, 218.—Chryso-  
 mela, 1758. [661.  
**quadrimaculata** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1830,  
**quadrimaculatum** Bembidion (L.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804),  
 224.—Cicindela, 1761.  
**quadrimaculatum** Bembidium (Ill.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 22.—Elaphrus,  
**quadrimaculatus** Brachinus, Dejean, Spec. gén. Coléopt. V. 1831, 421. [? Ol. 1791.  
**quadrimaculatus** Brachinus, B. Zubkov, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 314.  
**quadrimaculatus** Brachysphoenus (Dup.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 313.—  
**quadrimaculatus** Bruchus, F. V. Melsheimer, Ins. Pennsylv. 1806, 12 [*n. n.*]. [Erotylus.  
**quadrimaculata** Buprestis, F. V. Melsheimer, Ins. Pennsylv. 1806, 45 [*n. n.*].  
**quadrimaculata** Calandra, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 27.  
**quadrimaculatum** Callidium, F. V. Melsheimer, Ins. Pennsylv. 1806, 37 [*n. n.*].  
**quadrimaculata** Cantharis, L. A. A. Chevrolat, Coléopt. Mex. (4) Jan. 1835, no. 57.  
**quadrimaculatus** Capsus, C. F. Fallen, Mon. Cimicum Sveciae, 1807, 99.  
**quadrimaculatus** Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 52 [*n. n.*].  
**quadri-maculata** Casnonia, H. Gory, Ann. Soc. Ent. France, II (2) *c.* July 1833, 179.  
**quadrimaculata** Cassida, A. G. Olivier, Entom. VI. 1808, 945.  
**quadri-maculata** Cassida, Latr.; Dejean, Catal. Coléopt. 1821, 115 [*n. n.*].  
**quadrimaculatus** Catascopus, W. S. Macleay, Annulosa Javanica, 1825, 15.  
**quadri-maculatus** Centrinus, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 18  
 [*n. n.*]. [583.  
**quadrimaculatus** Cerapterus, J. O. Westwood, Tr. Linn. Soc. London, XVIII (4) 1841,  
**quadrimaculata** Ceratorrhina (Coelorrhina) (Fab.), J. O. Westwood, Arcana Entom. (12)  
 Mar. 1843, 180.—Cetonia, 1781.  
**quadrimaculata** Cerceris, L. Dufour, Ann. Sci. Nat. [3] (Zool.) XI. Feb. 1849, 92.  
**quadrimaculatus** Ceutorhynchus (Fab.), E. F. Germar, Ins. spec. novae, I. 1824, 220.—  
 Curculio, ? L. 1758.  
**quadrimaculatus** Chaetodon, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 33.



- quadrimaculata** Chalchophora, L. Redtenbacher, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 47.
- quadrimaculatus** Chironomus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 10.
- quadrimaculata** Chrysomela, G. A. Goldfuss, Enum. Eleuth. Cap. Bon. Spei, 1805, 42.
- quadrimaculata** Cicindela, J. Sturm, Catal. Ins. Samml. 1826, 55.
- quadrimaculata** Cicindela, H. Loew, Entom. Zeitung, Stettin, IV (11) Nov. 1843, 340.
- quadrimaculata** Cleonis, J. Sturm, Catal. Ins. Samml. 1826, 119 [*n. n.*].
- quadrimaculata** Clupea, E. Rueppell, Neue Wirbelth. Abyssin. (11) 1837, 78.
- quadrimaculata** Clytra, D. H. Schneider, N. Mag. Liebh. Ent. I (2) 1792, 189.
- quadrimaculatus** Clytus, S. S. Haldeman, Tr. Amer. Phil. Soc., n. s. X (1) Nov. 1847, 41.
- quadri-maculata** Coccinella, T. Marsham, Coleopt. Brit., Sept. 1802, 167.
- quadrimaculatus** Coeloprosopus (MacL.), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XV. 1842 (4) 1842, 840.—Catascopus.
- quadri-maculata** Coelorrhina (Fab.), H. Burmeister, Handb. Ent. III. 1842, 207.—
- quadrimaculata** Colaspis, A. G. Olivier, Entom. VI. 1808, 879. [Cetonia, 1781.
- quadrimaculatus** Collops (Fab.), W. F. Erichson, Entomographien, 1840, 58.—Malachus, 1798. [Chrysomela, 1758.
- quadrimaculata** Coptocephala (L.), H. C. Kuester, Käfer Europas, II. 1845, 90.—
- quadrimaculata** Coptocephala (Schn.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 354.—Clytra, 1792.
- quadri-maculatus** Cordistes, Gory, Magasin de Zool. I. 1831, 4.
- quadrimaculatus** Cordistes, Gory in Dejean, Spec. gén. Coléopt. V. 1831, 290.
- quadrimaculata** Corticaria, Motschulsky in Germar, Zeitschr. f. d. Entom. V. 1844, 33.
- quadrimaculatus** Corynomalus, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 579.
- quadrimaculatus** Cryptocephalus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 24 [*n. n.*].
- quadrimaculatus** Cryptocephalus, F. V. Melsheimer, Ins. Pennsylv. 1806, 23 [*n. n.*] & *var.* sexnotatus, Knoch [*n. n.*].
- quadrimaculatus** Cryptocephalus, Knoch; T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 441. [1824, 441.
- quadrimaculatus** Cryptocerus, F. Klug, Entom. Mon. 1824, 215. [1824, 441.
- quadrimaculatus** Cryptophagus, F. V. Melsheimer, Ins. Pennsylv. 1806, 10 [*n. n.*].
- quadrimaculata** Ctenophora (L.), J. C. Fabricius, Syst. Antliat. 1805, 19.—Tipula, 1761.
- quadrimaculata** Cymindis, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 499.
- quadrimaculata** Cypraea, J. E. Gray, Zool. Journ. I (3) Oct. 1824, 376.
- quadrimaculata** Cypraea, W. Wood, Suppl. Index Test. 1828, 9 [*n. et f.*].
- quadrimaculatus** Cyrtotrachelus, Buquet in F. E. Guérin-M., Iconographie, 1844, Ins., 177.
- quadrimaculatus** Dasytes (Ol.), P. A. Latreille, Sonnini's Buffon, Ins. IX (1804), 129.—Melyris, 1790.
- quadrimaculatus** Dendrobias, H. Dupont, Mon. Trachyd. in Magasin de Zool. VI. 1836,
- quadri-maculatus** Dermestes, T. Marsham, Coleopt. Brit., Sept. 1802, 66. [22.
- quadri-maculatus** Diodon, G. Cuvier, Mém. Mus. H. N. (Paris) IV [1-3] June 1818, 137.
- quadrimaculatum** Dorcadion, H. C. Kuester, Käfer Europas, XV. 1848, 79.
- quadrimaculatus** Dromias (Fab.), J. Sturm, Deutschl. Fauna (Insecten) VII. 1827, 33.—Carabus, L. 1758.
- quadri-maculatus** Dromius (Fab.), Dejean, Catal. Coléopt. 1821, 3.—Carabus, L. 1758.
- quadrimaculata** Eburia (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 9.—Stenocorus, 1775.
- quadrimaculatus** Elater (Agrypnus), Ol.; J. C. F. Klug in Erman, Reise Erde, Atlas, 1835,
- quadrimaculata** Epeira, H. Nicolet in Gay, Chili, III (Arach.) 1849, 507. [31.
- quadrimaculatus** Erotylus, P. A. J. Duponchel, Mém. Mus. H. N. (Paris) XII [1] June 1825, 58.
- quadrimaculatus** Eulophus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 41.
- quadrimaculatus** Eumolpus, A. G. Olivier, Entom. VI. 1808, 905.
- quadrimaculatus** Eumolpus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 23 [*n. n.*].
- quadrimaculatus** Eumorphus, J. Sturm, Catal. Ins. Samml. 1826, 140 [*n. n.*].
- quadrimaculatus** Eustrophus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. III (3) June 1846, 58.

- quadrimaculata** Faula, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 124.
- quadrimaculatus** Galgulus, F. E. Guérin-M., Iconographie, 1844, Ins., 351.
- quadrimaculata** Galleruca, L. Redtenbacher, Denkschr. k. Ak. Wiss. (Wien) I. 1850
- quadrimaculatus** Gobio, E. Rueppell, Abh. Senckenb. Mus. II (1) 1836, 22. [[1849], 50.
- quadrimaculatus** Gobioides, Cuvier & Valenciennes, H. N. Poiss. XII. 1837, 44.
- quadrimaculata** Goliathus (Ol.), W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 34.—Cetonia, Fab. 1781.
- quadrimaculatus** Habrodactylus, T. Lacordaire, Mon. Eroyt., Sept. 1842, 311.
- quadrimaculatus** Haliplus, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) IV. June 1820,
- quadrimaculatus** Hallomenus, F. V. Melsheimer, Ins. Pennsylv. 1806, 11 [*n. n.*]. [349.
- quadrimaculata** Helluo, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) III. Feb. 1840, 38.
- quadrimaculatus** Helops (Ill.), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 349.—Serropalpus, 1798.
- quadrimaculatus** Hemerobius, F. E. Guérin-M., Iconographie, 1844, Ins., 388.
- quadrimaculata** Hercyna (Hatch.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Phalaena.
- quadrimaculatum** Heterachthes, S. S. Haldeman, Tr. Amer. Phil. Soc., n. s. X (1) Nov. 1847, 43.
- quadrimaculata** Hyperaspis, L. Redtenbacher, Disp. gen. et sp. Col. Pseudotrim. 1843, 16.
- quadri-maculatum** Ibidion (Hald.), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 23.—Heterachthes.
- quadrimaculatus** Ilybius, C. Aubé, Spec. gén. Hydroc. 1838, 274.
- quadrimaculata** Ips, F. V. Melsheimer, Ins. Pennsylv. 1806, 15 [*n. n.*].
- quadrimaculata** Labidostomis, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII.
- quadrimaculatus** Labrus, A. Risso, H. N. Europe, III. 1826, 302. [1849 (3) 1849, 149.
- quadrimaculata** Lagria, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 32.
- quadrimaculata** Lampyris, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 40 [*n. n.*].
- quadrimaculata** Lasius (Panz.), L. Jurine, Litt. Zeitg. (Erlangen) Intell.-blatt, 1801, 164.—Apis, 1798.
- quadrimaculatus** Lebia (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 85.—Carabus, L. 1758. [June 1844, 105.
- quadri-maculata** Lema, F. Gebler, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. III (7)
- quadrimaculata** Leptura, F. V. Melsheimer, Ins. Pennsylv. 1806, 38 [*n. n.*] & *var. disjuncta*, Knoch [*n. n.*].
- quadrimaculatus** Limnophilus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 29 [*n. n.*].
- quadrimaculata** Limnobia (L.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 151.—Tipula, 1761.
- quatuormaculata** (*sic*) Limonia (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 262.—Tipula quadri-, 1794.
- quadri-maculata** Lophia, Gyll.; Dejean, Catal. Coléopt. 1821, 17 [*n. n.*].
- quadrimaculata** Lophia (L.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) July 1828, 22.—Cicindela, 1761.
- quadrimaculatus** Malachus, F. V. Melsheimer, Ins. Pennsylv. 1806, 42 [*n. n.*].
- quadrimaculata** Mantis, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 201. [484.
- quadrimaculata** Masicerca, J. Macquart, Ann. Soc. Ent. France [2] VIII (4) c. Jan. 1851,
- quadrimaculata** Megilla (Panz.), J. C. Fabricius, Syst. Piezat. 1804, 331.—Apis, 1798.
- quadrimaculata** Melolontha, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) VII. Mar. 1821, 276. [Acanthia.
- quadrimaculata** Monanthia (Wolff), H. Burmeister, Handb. Ent. II (1) 1835, 261.—
- quadrimaculata** Monanthia (Fall.), Herrich-S., Wanzenart. Ins. IV (3) Ap. 1838, 58.—
- quadri-maculatus** Monochamus, J. Sturm, Catal. Ins. Samml. 1826, 171 [*n. n.*]. [Tingis.
- quadrimaculatus** Monohammus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 86.
- quadrimaculata** Musca, C. F. Fallen, Mon. Musc. Svec. (6) 1823, 63.
- quadrimaculata** Mutilla, H. Lucas, Explor. Algér. (Artic. III.) 1849, 296.
- quadrimaculata** Mycetochares, H. C. Kuester, Käfer Europas, XXI. 1850, 100.

- quadrimaculatus Mycetophagus, F. V. Melsheimer, Ins. Pennsylv. 1806, 14 [*n. n.*].
- quadrimaculata Mylabris, A. M. Tauscher, Mém. Soc. Imp. Nat. Moscou, III. 1812, 141.
- quadrimaculatum Nedyus (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio, 1758.
- quadrimaculata Notoclea, T. Marsham, Tr. Linn. Soc. London, IX. 1808, 287.
- quadrimaculatus Notoxus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 34 [*n. n.*].
- quadrimaculatus Notoxus (Anthicus), Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) I (1838), 106.
- quadrimaculatus Ochthedromus (L.), J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July 1847, 462.—Carabus, 1758.
- quadrimaculata Pachyta (Fab.), Dejean, Catal. Coléopt. 1821, 112.—Léptura, L. 1758.
- quadrimaculatus Panagaeus, A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 698.
- quadrimaculatus Peirates, J. G. Audinet-S., Ann. Sci. Nat. XXIII (90) June 1831, 217.
- quadrimaculata Pentatoma, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 53.
- quadrimaculatus Peryphus (Loph) (L.), W. Kirby in J. Richardson, F. Bor.-Amer. (4 Oct. 1837, 54.—Cicindela, 1761.
- quadrimaculatum Phalacrus, J. Gistel, Nat. Thierr. 1848, 124.
- quadri-maculatum Phalacrus, J. Gistel, Handb. Naturges. 1850 [1847], 405.
- quadrimaculata Phalaena, J. Hatchett, Tr. Entom. Soc. Lond. I (2) 1810, 245.
- quadri-maculatus Photinus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) 1 .
- quadrimaculata Picus, J. F. Miller, Icones (9) ? 1784, pl. 54. [1848, 269.
- quadrimaculatus Pimelodus (Bl.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 94.—Silurus, 1794.
- quadrimaculata Pipiza (Panz.), C. F. Fallen, Syrphici Sveciae (6) 1817, 59.—Syrphus
- quadrimaculata Platydema, Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831, 383
- quadrimaculatus Platymetopus, Dejean, Spec. gén. Coléopt. IV. 1829, 70.
- quadri-maculatus Plinthaerus, M. Spinola, Tav. sin. Hem. 1850.—*ex* Mem. Soc. Ital. Sci. XXV (1) 1852, 155.
- quadri-maculatus Podalirius (Panz.), C. A. Walckenaer, Faune Paris. II. 1802, 127.—Apis, 1798.
- quadrimaculata Poekilosoma, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 172 [*n. n.*].
- quadri-maculata Prionus, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 172 [*n. n.*].
- quadrimaculatus Psocus, P. A. Latreille, Bull. Soc. Philom. [Paris] 1803, 85'.
- quadrimaculatus Psocus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) Aug. 1836, 124.
- quadrimaculatus Ptinus, F. V. Melsheimer, Ins. Pennsylv. 1806, 11 [*n. n.*].
- quadrimaculatus Ptinus, F. V. Melsheimer; F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (12) Dec. 1845, 308.
- quadrimaculata Raia, A. Risso, H. N. Europe, III. 1826, 150.
- quadrimaculatum Rhagium, F. V. Melsheimer, Ins. Pennsylv. 1806, 36 [*n. n.*].
- quadrimaculata Rhaphigaster (P. & S.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 59.—Pentatoma.
- quadrimaculatus Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 453.—Curculio,
- quadrimaculatus Rhysostrachelus, C. H. Boheman, Ins. Caffr. I (1) 1848, 134. [L. 1758.
- quadri-maculatus Ripiphorus, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 81; & App. 1817, 36.
- quadramaculata (*sic*) Salamandra, J. E. Holbrook, N. Amer. Herpet. IV. 1840, 121.
- quadrimaculatus Salpingus, A. & G. Villa in Cattaneo, Notiz. Nat. Lombard. 1844, 451
- quadri-maculata Saperda, J. Sturm, Catal. Ins. Samml. 1826, 192 [*n. n.*]. [[*n. n.*].
- quadrimaculata Scarcina, C. S. Rafinesque-S., Car. n. gen. 1810, 20.
- quadrimaculatus Scarites, F. V. Melsheimer, Ins. Pennsylv. 1806, 53 [*n. n.*].
- quadrimaculatus Scarites, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 77.
- quadrimaculatus Scarites, Palisot de B., Ins. Afr. Amér. (—) 1812, 107.
- quadrimaculatus Serropalpus, T. Say in Keating, Exp. Peter River, II. 1824, 283; & ed. London, 1825 (App.), 27.
- quadrimaculatum Sphaeridium (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 155.—Dermestes.
- quadrimaculatus Spheniscus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 120.

- quadrimaculatus** Sphenophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 910.
- quadrimaculatus** Stenocorus (Eburia) (L.), J. O. Westwood in Drury, Ill. Exot. Ent. I. 1837, 79.—Cerambyx, 1767.
- quadrimaculatus** Syrphus, G. W. F. Panzer, Ins. Germ., heft 86, 1801-2, tab. 19.
- quadrimaculatus** Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 167.
- quadrimaculata** Tachina, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 148.
- quadrimaculata** Tenthredo (Allantus), Fab.; F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (2) 1817, 118.
- quadrimaculata** Tenthredo (Macrophya), Kl.; A. G. Dahlbom, Conspect. Tenthred. 1835, 11.
- quadri-maculatus** Tetragonoderus, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 243.
- quadrimaculatus** Tetraonyx (Fab.), Lamarck, An. s. vert. IV. 1817, 430.—Apalus.
- quadrimaculata** Tetrix, T. W. Harris, Rep. Insects Massach. 1841, 151.
- quadrimaculata** Tettigonia, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 89 [*n. n.*].
- quadrimaculatus** Thanasimus (Fab.), M. Spinola, Ess. mon. Clérites, I. 1844, 192.—
- quadri-maculata** Tingis, C. F. Fallen, Hemipt. Sveciae, 1829, 144. [Clerus, 1787.]
- quadrimaculata** Tipula, J. C. Fabricius, Ent. Syst. IV. 1794, 234. [687.—Pachyta.]
- quadrimaculata** Toxotus (Dej.), Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828,
- quadrimaculatus** Trechus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 7.
- quadri-maculatus** Trichius, A. Afzelius in C. J. Schoenherr, Syn. Insect. I (3) 1817, 107; & App. 1817, 43. [1027.—Gobio.]
- quadrimaculatus** Tylognathus (Ruepp.), J. J. Heckel in Russegger, Reise, I (2) 1843,
- quadrimaculata** Venilia (Hatch.), J. F. Stephens, Ill. Brit. Ent. (Haust. III.) July 1831, 304.—Phalaena.
- quadrimaculata** Vespa, W. Turton, Linnaeus, Syst. Nat. III. 1802, 530.
- quadrimaculosa** Ips, F. V. Melsheimer, Ins. Pennsylv. 1806, 15 [*n. n.*].
- quadrimacuta** Cicindela, Sturm, Magazin de Zool. II. 1832, text to pl. 18.
- quadrimacutum** Leptetrum (L.), E. Newman, Entom. Mag. I (5) Oct. 1833, 511.—Libellula quadri-maculatum, 1758. [218.]
- quadrimammis** Hemitragus, B. H. Hodgson, Calcutta Journ. Nat. Hist. II (6) July 1841,
- quadrimucronatus** Arges (Murch.), Goldfuss, N. Jahrb. f. Min. 1843, 544.—Paradoxides.
- quadrimucronatus** Paradoxides, R. I. Murchison, Silurian System, Jan. 1839, 658.
- quadrina** *v.* **quadrinus**.
- quadrinca** Tephritis, C. R. W. Wiedemann, Anal. Entom. 1824, 55.
- quadrinervosa** Oedemera, P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 12.
- quadrinodis** Hipporhinus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V. (2) 1840, 765.
- quadrinodosus** Eurhynchus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 186.
- quadrinodosus** Geonemus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 217. [499.]
- quadrinodosus** Heteronotus, L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) Mar. 1847,
- quadrinodosus** Pachyrhinus (Gyll.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Rhynchaenus.
- quadrinodosus** Phytobius (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 461.—
- quadri-nodosus** Rhynchaenus, L. Gyllenhal, Ins. Suecica, I (3) 1813, 155. [Rhynchaenus.]
- quadrinota** Pteromalus, F. Walker, Entom. Mag. II (5) Jan. 1835, 501.
- quadrinotatus** Acupalpus, Dejean, Spec. gén. Coléopt. V. 1831, 853.
- quadrinotatus** Aegithus, L. A. A. Chevrolat, Coléopt. Mex. (4) Jan. 1835, no. 96.
- quadrinotatus** Agrilus, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 233.
- quadrinotata** Altica (Fab.), A. G. Olivier, Entom. VI. 1808, 682.—Galleruca, 1798.
- quadri-notatus** Anaculus, E. Ménétriés, Bull. Sci. Ac. Imp. Sci. St Pétersb. IV (9 & 10) June 1838, 131.
- quadrinotata** Anaspis, J. Sturm, Catal. Ins. Samml. 1826, 91 [*n. n.*].
- quadrinotata** Anaspis, J. F. Stephens, Ill. Brit. Ent. (Mand. V.) Feb. 1832, 46.
- quadrinotatus** Anthicus, L. Gyllenhal, Ins. Suecica, I (2) 1810, 498.
- quadrinotata** Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 113.
- quadrinotatus** Anthribus, F. V. Melsheimer, Ins. Pennsylv. 1806, 32 [*n. n.*].
- quadrinotatus** Anthribus, Melsh.; T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 249.

- quadrinotata Aphrophora, T. Say, J. Acad. Nat. Sci. Philad. VI. Ap. 1831, 304.  
quadrinotata Apis, W. Kirby, Mon. Apum Angl. II. 1802, 214. [Anthomyia, 1826.  
quadrinotata Aricia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 314.—  
quadrinotatus Baridius, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 203.  
quadrinotatus Brachinus, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 99.  
quadrinotata Buprestis, F. Klug in Ehrenberg, Sym. Phys., Ins. I (1829), sign. b.  
quadrinotata Calandra, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 121.  
quadrinotata Campsomeris (Fab.), Lepeletier de S. F. (Roret's Suite à Buffon), Hy-  
ménopt. III. 1845, 502.—Scolia.  
quadrinotatus Carabus, Zenker in G. W. F. Panzer, Ins. Germ., heft 73, 1800, tab. 5.  
quadrinotatus Carabus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 50 [*n. n.*].  
quadrinotatus Cerambyx, W. Turton, Linnaeus, Syst. Nat. II. 1802, 328.  
quadrinotatus Cerambyx, F. V. Melsheimer, Ins. Pennsylv. 1806, 34 [*n. n.*].  
quadrinotatus Cerambyx, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.)  
1809, 243.  
quadrinotatus Cerapterus, J. O. Westwood, Proc. Linn. Soc. London (9) Nov. 1840, 75.  
quadrinotatus Chlaenius, Dejean, Spec. gén. Coléopt. II. 1826, 299. [1794.  
quadri-notata Cicadula (Fab.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 296.—Cicada,  
quadrinotata Cicindela, Latreille & Dejean, H. N. Icon. Col. Europe (1) 1822, 38.  
quadrinotatus Clerus, Chevrolat, Col. Mex., Magasin de Zool. (2) V. 1843, 22.  
quadrinotata Clythra, J. C. Fabricius, Syst. Eleuth. II. 1801, 32.—Cryptocephalus, 1787.  
quadrinotata Colaspis, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 446.  
quadrinotatus Colymbetes, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Sept. 1828, 83.  
quadrinotatus Conotrachelus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. IV (1)  
1837, 432.  
quadrinotatus Cranophorus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 940.  
quadrinotata Crioceris, J. C. Fabricius, Syst. Eleuth. I. 1801, 460.  
quadrinotata Cyclodera, A. White; J. L. Stokes, Discov. in Australia, I. 1846, 510.  
quadrinotata Donacia, F. V. Melsheimer, Ins. Pennsylv. 1806, 39 [*n. n.*].  
quadri-notatus Dromius (Panz.), Dejean, Catal. Coléopt. 1821, 3.—Carabus. [? Dufts.  
quadrinotatus Dromius (—), H. Lucas, Explor. Algér. (Artic. II.) 1846, 15.—Lebia,  
quadri-notatus Elater, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 279; & App.  
1817, 131.  
quadrinotatus Elater, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 41.  
quadrinotatus Elmis, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 187.  
quadrinotatus Erotylus, J. Sturm, Catal. Ins. Samml. 1826, 139 [*n. n.*].  
quadrinotatus Euprosopus (Latr.), Dejean, Spec. gén. Coléopt. I. 1825, 151.—Cicindela.  
quadrinotata Eupteryx (Fab.), J. Curtis, Guide Brit. Ins. (6) 1831, 192.—Cicada, 1794.  
quadrinotata Formica, M. Losana, Mem. R. Acc. Sci. Torino, XXXVII. 1834, 320.  
quadrinotatus Halictus (Kirby), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 36.—Melitta.  
quadrinotata Haltica (Fab.), K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 139.—  
Galleruca, 1798.  
quadrinotata Haltica, Megerle in K. Duftschmid, Fauna Austriae, III. 1825, 259.  
quadri-notatus Hydroporus, Kn.; J. Sturm, Catal. Ins. Samml. 1826, 156. [Melitta.  
quadrinotatus Hylaeus (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 56.—  
quadrinotatus Ichneumon, J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Oct. 1835, 163.  
quadrinotata Ipidia (Fab.), W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843,  
290.—Ips, 1798.  
quadrinotata Ips, F. V. Melsheimer, Ins. Pennsylv. 1806, 14 [*n. n.*].  
quadrinotatus Lebia (Panz.), K. Duftschmid, Fauna Austriae, II. 1812, 253.—Carabus.  
qudrinotata Lebia, Chevrolat, Magasin de Zool. V. 1835, pl. 136.  
quadrinotata Lebia, L. A. A. Chevrolat, Coléopt. Mex. (8) Sept. 1835, no. 184.  
quadrinotatus Lepyrus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 295.  
quadrinotata Limnobia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 144.  
quadrinotata Lissonota, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 58.  
quadrinotatus Lissopterus, G. R. Waterhouse, Ann. Mag. N. H. XI. Ap. 1843, 282.  
quadrinotatus Malachius, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I.  
1840, 280.

- quadrinotatus** Mastostethus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 150.  
**quadrinotata** Melitta, W. Kirby, Mon. Apum Angl. II. 1802, 79.  
**quadrinotata** Metachroma (Say), J. L. Leconte in Agassiz, Lake Superior, 1850, 237.—  
**quadrinotata** Mutilla, F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1821, 316. [Colaspis.  
**quadrinotata** Nitidula (F.), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 32.—Ips,  
 1798.  
**quadrinotata** Nomada (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 93.—Apis.  
**quadrinotatus** Oxybelus, T. Say in Keating, Exp. Peter River, II. 1824, 338; & ed. London,  
 1825 (App.), 71.  
**quadrinotatum** Phalacrota, Halpe & Corda, Prod. Mon. böhm. Trilob. 1847, 43.  
**quadrinotata** Platydema, Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831, 380.  
**quadrinotatus** Plochionus, F. Eschscholtz, Zool. Atlas, II. 1829, 6.  
**quadrinotata** Saperda (Sphaenura), F. E. Guérin-M. in Delessert, Voy. Inde (2) 1843, 59.  
**quadrinotata** Sapromyza, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 345.  
**quadrinotata** Scolia, J. C. Fabricius, Syst. Piezat. 1804, 240.  
**quadri-notatus** Scymnus, Meg.; Dejean, Catal. Coléopt. 1821, 132 [*n. n.*]. [Calandra.  
**quadrinotatus** Sitophilus (Wied.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 982.—  
**quadrinotata** Sphaerocoris, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 13.  
**quadrinotatus** Sphaerocoris, E. F. Germar, Revue Entom. V (4) 1840, 189.  
**quadrinotatus** Stenochorus (Latr.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 407.—  
 Cerambyx.  
**quadrinotata** Syphona, J. B. Robineau-D., Ann. Soc. Ent. France [2] VIII (2) *post*  
 June 1850, 203.  
**quadrinotata** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 279.  
**quadrinotatus** Tachys, F. V. Melsheimer, Ins. Pennsylv. 1806, 53 [*n. n.*].  
**quadrinotatus** Tetragonoderus (Fab.), Dejean, Spec. gén. Coléopt. IV. 1829, 491.—  
 Carabus, 1798.  
**quadrinotata** Tettigonia (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 323.—  
**quadrinotata** Trachys, Laporte & Gory, H. N. Coléopt. II. 1840, 4. [Cicada, 1794.  
**quadrinotata** Typhlocyba (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.)  
 III. 1840, 200.—Cicada, 1794.  
**quadrinotata** Urodera, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 466.  
**quadrina** Cicindela, L. A. A. Chevrolat, Coléopt. Mex. (8) Sept. 1835, no. 176.  
**quadrinus** Mycotretus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 155.  
**quadrina** Saxinis, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 482.  
**quadrocellata** (*sic*) Platessa, D. H. Storer, Proc. Boston Soc. N. H. II. 1848 (1847), 242.  
**quadrioculatus** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim.  
 artic. (8) 1849, 102 ["Mon. Anth." *poster. edit.*].  
**quadrioculata** Chalcophora, L. Redtenbacher in Russegger, Reise, I (2) 1843, 983.  
**quadrioculatus** Exochomus, Eschscholtz in V. v. Motschulsky, Bull. Soc. Imp. Nat.  
 Moscou, XVIII. 1845 (4) 1845, 383.  
**quadrioculata** Hyperaspis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 676.  
**quadrioculata** Nemertes, G. Johnston, Mag. Zool. Bot. I (6) Ap. 1837, 535.—Planaria,  
**quadrioculata** Planaria, G. Johnston, Zool. Journ. IV (13) July 1828, 56. [1828.  
**quadrioculata** Polia (Johnst.), A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) VI. Oct.  
 1846, 216.—Nemertes. [1828.  
**quadrioculata** Prostoma, G. Johnston, Ann. Mag. N. H. XVI. Jan. 1846, 436.—Planaria,  
**quadri-oculatus** Trachyderes (Schall.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 366.—  
 Cerambyx, 1783.  
**quadrioculata** Vortex, Frey & Leuckart, Beitr. Kennt. wirbelloser Thiere, 1847, 149.  
**quadripartitus** Aganides (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],  
 60.—Goniatites. [142.—Goniatites.  
**quadripartitus** Ammonites (Muenst.), H. D. de Blainville, Dict. Sci. Nat., Suppl. I. 1840,  
**quadripartita** Bulla (Asc.), A. Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850,  
 599.—Philine, 1772.  
**quadripartitus** Goniatites, G. v. Muenster, Beitr. zur Petref. (1) 1839, 19. [264.  
**quadripartita** Gynandrophtalma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848,  
**quadripartita** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 344.

- quadripennis Anthrax, F. Walker, List Dipt. Coll. B. M. (2) 1849, 268.
- quadripennis Brachinus, Dejean, Spec. gén. Coléopt. I. 1825, 316.
- quadripennis Salarias, G. Cuvier, Règne Anim. II. 1817, 251.
- quadripes Branchiurus, D. Viviani, Phosph. maris, 1805, 13.
- quadripinnis Erpicthys (Ruepp.), W. Swainson, N. H. Fishes etc. II. July 1839, 275.—
- quadripinnis Salarias, Cuvier & Valenc., H. N. Poiss. XI. 1836, 318. [Salarias, C. & V.
- quadriplagiatus Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 42 ["Mon. Anth." *poster. edit.*].
- quadriplagiatum Bembidium, H. C. Kuester, Käfer Europas, XVII. 1849, 16.
- quadriplagiatus Bruchus, T. Victor, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 57.
- quadriplagiatus Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840, 291.
- quadri-plagiata Cheilomenes (Schoenh.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 447.—Coccinella.
- quadriplagiata Coccinella, O. Swartz in C. J. Schoenherr, Syn. Insect. I (2) 1808, 195.
- quadriplagiata Coccinella, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.) 1809, 374.
- quadriplagiatus Cyclomorphus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 264.
- quadriplagiatus Dromius, L. Reiche, Rev. Zool. (Soc. Cuv.) V. Oct. 1842, 309. [1845.
- quadriplagiatus Emphanes, V. v. Mochulski, Kaefer Russl., *post* May 1850, 13.—? Omala,
- quadriplagiata Epilachna (Latr.), W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 183.—Coccinella. [Anthicus, 1849.
- quadriplagiatus Ischyropalpus, F. de La Ferté-S., Mon. Anthicus, 1848 [*i.e.* 1849], 332.—
- quadriplagiata Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 299.
- quadriplagiata Omala, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 250.
- quadriplagiata Urodera, T. Lacordaire, Mém. Soc. R. Sci. Liége, V. May 1848, 451.
- quadriplecta Rhynchonella (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 203.—Terebratula.
- quadriplecta Terebratula, G. v. Muenster, Beitr. zur Petref. (4) 1841, 58. [1832, 7.
- quaduplicaria (*sic*) Heterusia, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV.
- quaduplicata Rhynchonella (Ziet.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 286.—Terebratula.
- quaduplicata Rhynchonella, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 343.
- quaduplicata Terebratula, C. H. v. Zieten, Pétrif. Wurt. (7) 1832, 55.
- quaduplicata Turritella, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 29.
- quaduplicata Volvaria, A. Risso, H. N. Europe, IV. 1826, 233.
- quadripora Ceriopora, C. F. A. Morren, Ann. Ac. Groning. 1828, 41.
- quadriporus Gobius, Cuvier & Valenc., H. N. Poiss. XII. 1837, 87.
- quadriposita Hadena, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 939.
- quadripuncta Anacamptis (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—
- quadripuncta Recurvaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 557. [Recurvaria.
- quadripunctalis Ennychia (Huebner), F. Treitschke, Schmett. Europa, VI (2) 1828, 318.—Pyralis, D. & S. 1775.
- quadripunctalis Epascestria (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 358.—Pyralis, 1775.
- quadripunctalis Phalaena (Geometra), W. Turton, Linnaeus, Syst. Nat. III. 1802, 284.
- quadripunctana Ablabia (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Aug. 1834,
- quadripunctana Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 468. [126.—Tortrix.
- quadripunctaria Microsema, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 32.
- quadripunctaria Microsema, J. Huebner, Verz. bekannt. Schmett. 1825, 301.
- quadri-punctatum Agonum, Paykull in Dejean, Catal. Coléopt. 1821, 10 [*n. n.*].
- quadripunctatum Agonum (Deg.), J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 217.—Carabus, 1774.
- quadripunctata Aleochara, T. Say, Tr. Amer. Phil. Soc., n. s. IV (3) 1834, 470.
- quadripunctatus Anacolus, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 116.
- quadripunctata Anaspis, T. Say, J. Acad. Nat. Sci. Philad. III. Feb. 1824, 276.

- quadripunctatus Anchomenus (Deg.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 112.—Carabus, 1774.
- quadripunctata Andrena, J. C. Fabricius, Syst. Piezat. 1804, 324.
- quadripunctata Anthaxia (L.), F. Eschscholtz, Zool. Atlas, I. 1829, 9.—Buprestis, 1758.
- quadripunctata Anthomyia, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 315.
- quadripunctatus Aphanus, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 80.
- quadripunctatus Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 221.
- quadripunctatus Apoderus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833,
- quadripunctatus Ascalaphus, H. Burmeister, Handb. Ent. II (2) ii, 1839, 1001. [193.
- quadripunctata Ascia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 189.
- quadripunctatus Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 413.
- quadripunctata Aulacizes (Germ.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 571.—Tettigonia.
- quadripunctatum Bembidium, Dejean, Catal. Coléopt. 1821, 17 [*n. n.*].
- quadripunctata Blatta, M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 14.
- quadripunctata Borlasia, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 291.
- quadripunctatus Brachiacantha (F. V. Melsh.), F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. III (7) Feb. 1847, 178.—Coccinella.
- quadripunctatus Brachinus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 68.
- quadripunctatus Caesiomorus, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.), Fische (15) 1829, 90.
- quadripunctata Calandra, J. C. Fabricius, Syst. Eleuth. II. 1801, 431.
- quadripunctata Cantharis, Dejean, Catal. Coléopt. 1821, 36 [*n. n.*].
- quadripunctatum Carenum, MacLeay in J. O. Westwood, Arcana Entom. (10) Nov. 1842,
- quadripunctata Cassida, Dahl; Dejean, Catal. Coléopt. 1821, 116 [*n. n.*]. [158.
- quadripunctata Cephalia, B. A. Gimmerthal, Bull. Soc. Imp. Nat. Moscou, XV. 1842 (3) 1842, 684.
- quadripunctatus Cerambyx, J. C. Fabricius, Syst. Eleuth. II. 1801, 278.
- quadripunctatus Cerambyx, W. Turton, Linnaeus, Syst. Nat. II. 1802, 332.
- quadripunctata Cercopis, F. v. P. Schrank, F. Boica, II (1) 1801, 56.
- quadripunctata Chalcis, J. C. Fabricius, Syst. Piezat. 1804, 165.
- quadripunctata Chrysopa, H. Burmeister, Handb. Ent. II (2) ii, 1839, 980.
- quadripunctata Cicada, C. F. Fallen, K. Vet. Ac. Nya Handl. XXVII (1) 1806, 32.
- quadripunctata Cicindela, A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1837, 5.
- quadripunctata Clythra (L.), Lamarck, An. s. vert. IV. 1817, 300.—Chrysomela, 1758.
- quadripunctatus Clytus, Fab.; Dejean, Catal. Coléopt. 1821, 111 [*n. n.*].
- quadripunctata Coccinella, F. V. Melsheimer, Ins. Pennsylv. 1806, 19 [*n. n.*].
- quadripunctatus Colpocephalus (Q. & G.), C. M. Diesing, Syst. Helminth. I. 1850, 255.—
- quadripunctata Crioceris, J. C. Fabricius, Syst. Eleuth. I. 1801, 460. [Borlasia.
- quadripunctata Crioceris, A. G. Olivier, Entom. VI. 1808, 731.
- quadripunctatus Cryptocephalus, A. G. Olivier, Entom. VI. 1808, 800. [Pepsis.
- quadripunctatus Cryptócheilus (Fab.), G. W. F. Panzer, Krit. Revis. II. 1806, 121.—
- quadripunctatum Cryptorhopalum, F. E. Guérin-M., Ins. de la "Favorite" in Magasin
- quadripunctatus Curculio, F. Weber, Obs. Ent. 1801, 93. [de Zool. VIII. 1838, 43.
- quadripunctatus Cychramus (Herbst), O. Heer, Coleopt. Helvet. (3) 1841, 408.—
- Strongylus, 1792.
- quadripunctatum Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 27.
- quadripunctata Cymindis, L. Reiche, Rev. Zool. (Soc. Cuv.) V. Sept. 1842, 274.
- quadripunctata Cypraea, J. E. Gray, Zool. Journ. III (11) Aug.-Nov. [*i.e.* Dec. 31] 1827,
- quadripunctatus Elater, J. C. Fabricius, Syst. Eleuth. II. 1801, 247. [368.
- quadripunctatus Endomichus, F. V. Melsheimer, Ins. Pennsylv. 1806, 26 [*n. n.*].
- quadripunctatum Enoplium (Melsh.), T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 188.—Tillus.
- quadripunctata Epeira, H. Nicolet in Gay, Chili, III (Arach.) 1849, 495.
- quadripunctata Ephydra, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 117.



- quadripunctata Eschara, F. v. Hagenow, N. Jahrb. f. Min. 1839, 266.
- quadripunctatus Eumorphus, J. Sturm, Catal. Ins. Samml. 1826, 140 [*n. n.*].
- quadripunctata Euryscopa, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 496.
- quadripunctata Fabricia, Frey & Leuckart, Beitr. Kennt. wirbelloser Thiere, 1847, 151.
- quadripunctata Galeruca (Fab.), A. G. Olivier, Entom. VI. 1808, 665.—*Crioceris*.
- quadripunctata Glomeris, J. F. Brandt, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 197.
- quadripunctata Gypona, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 88 [*n. n.*].
- quadripunctata Haltica (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 320.—*Galeruca*,  
Ol. [1774.
- quadripunctatus Harpalus (De G.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 159.—*Carabus*,
- quadripunctatus Harpalus, Dejean, Catal. Coléopt. 1821, 14 [*n. n.*]; Spec. gén. Coléopt.  
IV. 1829, 326.
- quadripunctata Heterotoma, Bourlet, Mém. Soc. R. Sci. Lille, 1839 (1) 1839, 398.
- quadripunctata Ips, Payk.; Dejean, Catal. Coléopt. 1821, 43 [*n. n.*].
- quadripunctatus Ischyris (Ol.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 127.—*Erotylus*,  
1791.
- quadripunctatus Jassus (Fall.), E. F. Germar, Fauna Ins. Europ. (14) [1829-31], 15.—  
Cicada.
- quadri-punctata Lamia (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 378.—*Cerambyx*.
- quadripunctata Lema, O. Swartz in C. J. Schoenherr, Syn. Insect. I (2) 1808, 281.
- quadripunctata Lema (Ol.), T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845,  
318.—*Crioceris*.
- quadripunctata Leptura, F. V. Melsheimer, Ins. Pennsylv. 1806, 38 [*n. n.*].
- quadri-punctata Leptura, C. J. Schoenherr, Syn. Insect. I (3) 1817, 491.
- quadripunctata Leptura, Melsh.; S. S. Haldeman, Tr. Amer. Phil. Soc., n. s. X (1) 1847,
- quadri-punctata Lycoperdina, J. Sturm, Catal. Ins. Samml. 1826, 166. [64.
- quadripunctata Lycosa, H. Lucas, Explor. Algér. (Artic. I.) 1846, 119. [394.
- quadripunctata Lycosa, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847,
- quadripunctatus Mastostethus (Klug), T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2)  
Nov. 1845, 642.—*Megalopus*.
- quadripunctatus Megalopus, F. Klug, Jahrb. Insectenk. I. 1834, 220.
- quadripunctata Melipona, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I.  
1836 [1835], 430.
- quadripunctatus Metabletus, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 39.
- quadripunctatus Miris (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 222.—  
Lygaeus, 1794.
- quadripunctata Mutilla, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 59.
- quadri-punctata Mylabris, Bilb.; Dejean, Catal. Coléopt. 1821, 74 [*n. n.*].
- quadripunctatus Notiophilus, Dejean, Catal. Coléopt. 1821, 18 [*n. n.*]; Spec. gén. Coléopt.  
II. 1826, 280.
- quadripunctata Odontota (*sic*), F. E. Guérin-M., Iconographie, 1844, Ins., 274.
- quadripunctata Oedemera, P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 9.
- quadripunctatus Onthopagus (Ol.), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834)  
[1833], 162.—*Scarabaeus*, 1789.
- quadripunctata Orchesella (Bourl.), H. Lucas, Ann. Soc. Ent. France [2] I (4) Mar.  
1844, 289.—*Heterotoma*.
- quadripunctatus Pempredon, J. C. Fabricius, Syst. Piezat. 1804, 315.—*Crabro*, 1793.
- quadripunctata Pepsis, J. C. Fabricius, Syst. Piezat. 1804, 215.
- quadripunctata Phalaena, E. Donovan, Brit. Ins. XIV. 1810, 68.
- quadripunctatum Phalangium, M. Perty, Del. anim. artic. Brasil. (3) 1833, 204.
- quadripunctatus Pholcus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 239.
- quadripunctata Planaria, O. Fabricius, Afhandl. K. Danske Vid. Selsk. II. 1826, 20.
- quadripunctatus Platynus, J. L. Leconte in Agassiz, Lake Superior, 1850, 206.
- quadripunctatus Pompilus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804),  
282.—*Sphex*, 1787.
- quadripunctatus Pompilus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 122.—  
Pepsis.
- quadripunctata Prothyma, F. W. Hope, Coleopt. Manual, II. 1838, 27.

- quadripunctatus Ptinus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 25 [*n. n.*].  
 quadripunctatus Ptinus, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (4) 1847, 438.  
 quadripunctatus Rachus (Lucas), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 459.—Pholcus.  
 quadripunctatus Ripiphorus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 49 [*n. n.*].  
 quadripunctatus Salticus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 177.  
 quadripunctata Sapromyza (L.), E. F. Germar, Fauna Ins. Europ. (10) 1825, 22.—Musca, 1767.  
 quadripunctata Sapyga, G. W. F. Panzer, Ins. Germ., heft 87, 1801-2, tab. 20.  
 quadripunctatus Scarites, Dejean, Catal. Coléopt. 1821, 4 [*n. n.*]; Spec. gén. Coléopt. I. 1825, 392.  
 quadripunctatus Scomber, I. Geoffroy St H. in Savigny, Egypte, I (1) (Poiss. Mer Rouge) 1827, 331.  
 quadripunctatus Sphenocorynes (Weber), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 867.—Curculio.  
 quadripunctatus Staphylinus, Kn.; J. Sturm, Catal. Ins. Samml. 1826, 198.  
 quadripunctatus Staphylinus, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 76.  
 quadripunctatus Stenocorus, J. Sturm, Catal. Ins. Samml. 1826, 199 [*n. n.*].  
 quadripunctatus Stenus, T. Say, Tr. Amer. Phil. Soc., n. s. IV (3) 1834, 459.  
 quadripunctatus Stiphilus, L. Buquet, Rev. Zool. (Soc. Cuv.) III. June 1840, 172.  
 quadripunctatus Strongylus, Ill.; J. Sturm, Catal. Ins. Samml. 1826, 200.  
 quadripunctatus Suhpalacsa (Burm.), A. Lefebvre, Magasin de Zool. (2) IV. 1842, text to pl. 92.—Ascalaphus.  
 quadripunctata Tephritis (L.), J. C. Fabricius, Syst. Antliat. 1805, 318.—Musca, 1767.  
 quadripunctata Tetrastemma (Q. & G.), A. S. Orsted, Plattwürm. 1844, 88.—Borlasia.  
 quadripunctata Tettigonia, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 59.  
 quadripunctatum Theridion (Fab.), C. A. Walckenaer, Tab. Aran. 1805, 73.—Aranea, L.  
 quadripunctatus Tillus, F. V. Melsheimer, Ins. Pennsylv. 1806, 33 [*n. n.*]. [1758].  
 quadripunctatus Trachinotus (Ruepp.), Cuvier & Valenc., H. N. Poiss. VIII. 1831, 434.—Caesiomorus.  
 quadripunctata Tricelis (Fab.), C. M. Diesing, Syst. Helminth. I. 1850, 190.—Planaria.  
 quadripunctata Urochela, W. S. Dallas, Tr. Entom. Soc. Lond., n. s. I (1) Feb. 1850, 3.  
 quadripunctata Zonitis, M. Adams in Tauscher, Mém. Soc. Imp. Nat. Moscou, III. 1812, 160. [1787].  
 quadripunctata Zonitis (Fab.), G. J. Billberg, Mon. Mylabrid. [1813], 73.—Mylabris,  
 quadripunctella Amaurosetia (Fab.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV) Jan. 1835, 354.—Tinea, 1781.  
 quadripunctella Chalybe (Eversm.), P. A. J. Duponchel, Cat. méth. Lepid. Europe (3) 1846, 329.—Ypomeneuta.  
 quadripunctella Chionodes, J. Huebner, Verz. bekannt. Schmett. 1826, 420.  
 quadripunctella Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 372.  
 quadripunctella Ypomeneuta, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 566.  
 quadripunctulus Heterothops (Grav.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 481.—Tachinus.  
 quadripunctulus Tachinus, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 24.  
 quadripustulatus Acupalpus, Dejean, Spec. gén. Coléopt. IV. 1829, 477.  
 quadripustulatus Alphitophagus, J. F. Stephens, Ill. Brit. Ent. (Mand. V.) Jan. 1832, 12.  
 quadripustulata Anaspis, P. W. J. Mueller, Mag. Entom. (Germar) IV. 1821, 212.  
 quadripustulatus Anaspis, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 19 [Anaspis, *n. n.*]; & Ill. Brit. Ent. (Mand. V.) Feb. 1832, 46.  
 quadripustulatus Anchomenus, Dejean, Spec. gén. Coléopt. V. 1831, 734.  
 quadri-pustulatus Anthicus, Dahl; Dejean, Catal. Coléopt. 1821, 72 [*n. n.*].  
 quadripustulatus Aplocnemus (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 317.—Dasytes; ? Hispa, 1798.  
 quadripustulatus Attelabus, J. C. Fabricius, Syst. Eleuth. II. 1801, 424.  
 quadripustulatus Aulacocheilus (Fab.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 247.—Erotylus.  
 quadripustulata Babia, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 434.

- quadripustulatum Bembidion (Dej.), Audinet-S., Faune Française (1 & 2) Coléopt. 1821, 80.—Lopha.
- quadripustulatum Bembidium (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 100.—Carabus,
- quadripustulatum Bembidium, Baudet-Lafarge, Carabiques, 1836, 226 [=126]. [1781.]
- quadri-pustulata Boletaria, T. Marsham, Coleopt. Brit., Sept. 1802, 138.
- quadripustulatus Brachinus, Dejean, Spec. gén. Coléopt. V. 1831, 432.
- quadripustulata Calandra, J. C. Fabricius, Syst. Eleuth. II. 1801, 435. [1795.]
- quadripustulata Calandra (Herbst), A. G. Olivier, Entom. V. 1807, 89.—Rhynchophorus,
- quadripustulatum Callidium, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 177 [*n. n.*].
- quadri-pustulatus Callistus, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 215.
- quadripustulatus Chlaenius, Schoenherr in Dejean, Spec. gén. Coléopt. V. 1831, 620.
- quadripustulatus Clerus, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 156.
- quadripustulata Clythra, Dejean, Catal. Coléopt. 1821, 126 [*n. n.*].
- quadripustulatum Colpocephalum, H. Burmeister, Handb. Ent. II (2) i, 1838, 438.
- quadripustulata Coptodera, Dejean, Spec. gén. Coléopt. I. 1825, 278.
- quadripustulatus Cryptohypnus (Fab.), E. F. Germar, Zeitschr. f. d. Entom. V. 1844, 142.—Elater, 1792.
- quadripustulatus Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 297. [1798.]
- quadri-pustulata Dasytes (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 12.—Hispa,
- quadri-pustulatus Dasytes, Fab.; Dejean, Catal. Coléopt. 1821, 39 (*vid. errata*) [*n. n.*].
- quadripustulatus Demetrias, Klug; Dejean, Spec. gén. Coléopt. I. 1825, 278.
- quadripustulatus Divales (Fab.), Laporte, Revue Entom. IV (1) 1836, 31.—Dasytes; Hispa, 1798.
- quadripustulata Doryphora, J. Sturm, Catal. Ins. Samml. 1826, 133 [*n. n.*].
- quadripustulatus Elater, G. Fischer v. W., Entom. Imp. Russ. II., *post Nov.* 1824, 202.
- quadripustulatus Erotylus, J. C. Fabricius, Syst. Eleuth. II. 1801, 6.
- quadripustulatus Eumorphus, J. Sturm, Catal. Ins. Samml. 1826, 140 [*n. n.*].
- quadripustulata Euryoda, C. H. Boheman, Ins. Caffr. I (1) 1848, 14.
- quadripustulatus Exochomus (L.), L. Redtenbacher, Disp. gen. et sp. Col. Pseudotrim. 1843, 15.—Coccinella, 1758.
- quadripustulata Faula, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 124. [June 1846, 57.]
- quadripustulata Hallomenus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. III (3)
- quadripustulata Haltica (Fab.), K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 168.—Crioceris, 1787.
- quadripustulatus Halys, J. C. Fabricius, Syst. Rhyng. 1803, 182.—Cimex, 1775.
- quadripustulatus Helops, J. C. Fabricius, Syst. Eleuth. I. 1801, 157.
- quadripustulatus Hypnoidus (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 261.—Elater, 1792.
- quadripustulatus Hypolithus (F.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 33.—Elater, 1792.
- quadripustulatus Laemosaccus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 73.—Attelabus.
- quadripustulatum Liotheum (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 321.—Colpocephalum.
- quadripustulatus Lipeurus, H. Burmeister, Handb. Ent. II (2) i, 1838, 434.
- quadripustulatus Lixus, J. C. Fabricius, Syst. Eleuth. II. 1801, 501.—Curculio, 1775.
- quadri-pustulata Lopha (Fab.), Dejean, Catal. Coléopt. 1821, 17.—Carabus, 1781.
- quadripustulata Lycoperdina (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 324.—Endomychus; Galleruca, 1792. [105.—Calandra.]
- quadripustulatus Madarus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
- quadri-pustulatus Megaderus, J. Sturm, Catal. Ins. Samml. 1826, 168 [*n. n.*].
- quadripustulata Mutilla, F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1821, 316.
- quadripustulatus Mycetophagus (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 8.—Chrysomela, 1761.
- quadri-pustulata Mycetophila, Dejean, Catal. Coléopt. 1821, 71 [*n. n.*].
- quadripustulata Nemoraea (Fab.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 103.—Tachina.

- quadri-pustulata** Nitidula, Sturm; Dejean, Catal. Coléopt. 1821, 44 [*n. n.*].
- quadripustulatus** Panagaeus, J. Sturm, Deutschl. Fauna (Insecten) III. 1815, 172.
- quadripustulata** Phalaena, E. Donovan, Brit. Ins. XIII. 1808, 63.
- quadripustulatus** Pheropsophus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 706.
- quadripustulatus** Philopterus, C. L. Nitzsch, Mag. Entom. (Germar) III. 1818, 293.
- quadri-pustulatus** Philopterus (Burm.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 353.—Lipeurus.
- quadripustulata** Phyllotreta (Fab.), H. C. Kuester, Käfer Europas, VIII. 1847, 95.—
- quadri-pustulatus** Prionus, Dejean, Catal. Coléopt. 1821, 104 [*n. n.*]. [Galleruca, 1792.
- quadripustulatus** Rhynchites (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 237.—  
Attelabus.
- quadri-pustulatus** Rhizophagus, Sturm; Dejean, Catal. Coléopt. 1821, 103 [*n. n.*].
- quadripustulatum** Scaphidium, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 13 [*n. n.*].
- quadripustulatum** Scaphidium, Knoch; T. Say, J. Acad. Nat. Sci. Philad. III. Dec. 1823, 198. [Curculio.
- quadripustulatus** Sphaeriestes (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 16.—
- quadripustulata** Tachina, J. C. Fabricius, Syst. Antliat. 1805, 309.—Musca, 1794.
- quadripustulata** Thyamis (Ill.), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 308.—Haltica.
- quadripustulata** Tiphia, W. Turton, Linnaeus, Syst. Nat. III. 1802, 504.
- quadri-pustulatus** Trichodes, Dejean, Catal. Coléopt. 1821, 42 [*n. n.*].
- quadripustulata** Winthemia (Fab.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 175.—Musca, 1794.
- quadriradiatus** Ananchites, H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 187.
- quadriradiata** Fissurella, L. Reeve, Conch. Icon. VI.—Fissurella, no. 108, Aug. 1850.
- quadriradiatus** Pecten, Lamarck, An. s. vert. VI (1) 1819, 173.
- quadriradiatus** Spirifer, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845,
- quadriramosa** Euprepia, V. Kollar in Hügel, Kaschmir, IV (2) 1844, 468. [150.
- quadriremis** Cassida, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (2) 1808, 223.
- quadriscopa** Antilope, C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm. IV., 261 (1827); Syn. 1827, 345.
- quadriscopa** Cephalopus, A. Smith (*ex* C. H. Smith MS), S. African Quart. Journ. II., no. 3 (1) June 1834, 214.
- quadriscriptus** Paradoxurus, B. H. Hodgson, J. Asiat. Soc. Bengal, XVI. 1847, 1128.
- quadrisculptus** Ichneumon, J. L. C. Gravenhorst, Mem. R. Acc. Sci. Torino, XXIV. 1820, 378.
- quadrisculptus** Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 250.—Ichneu-
- quadriscutis** Arius, Cuvier & Valenc., H. N. Poiss. XV. 1840, 111. [mon, 1820.
- quadrisectus** Odynerus, T. Say, Boston Journ. N. H. I (4) 1837, 385.
- quadriserialis** Phillipsia, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 162.
- quadriseriatus** Ammonites, W. de Haan, Mon. Ammon. 1825, 124.
- quadriseriatum** Cerithium, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 205.
- quadriseriata** Melania, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 10.
- quadriseriata** Oniscia, C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 145.
- quadriseriatum** Solarium, G. B. Sowerby, I., Q. J. Geol. Soc. London, VI. 1850, 51.
- quadriseriatus** Trochus (Turbo), H. E. Anton, Verz. Conch. 1839, 59.
- quadrisignata** Acalanthis, W. F. Erichson in Germar, Zeitschr. f. d. Entom. V. 1844, 446.
- quadrisignatus** Acupalpus, C. H. Boheman, Ins. Caffr. I (1) 1848, 220.
- quadri-signata** Altica, Dejean, Catal. Coléopt. 1821, 119 [*n. n.*].
- quadrisignatus** Anthicus, F. de La Ferté-S. in F. E. Guérin (*ex* Dej. Cat.), Spec. et Icon. Anim. artic. (9) 1849, 169 ["Mon. Anth." *poster. edit.*].
- quadrisignatus** Aphodius, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 172.
- quadrisignata** Apiodera (Dup.), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1) 1848, 40.—? Erotylus.
- quadrisignatus** Aulacoderus, F. de La Ferté-S., Mon. Anthicus, 1848 [*i.e.* 1849], 331.—  
Anthicus, 1849. [1837, 10.
- quadrisignatus** Axinopsophus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (3)

- quadrisignatus Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 659.  
quadrisignatum Bembidium (Dufts.), J. Sturm, Deutschl. Fauna (Insecten) VI. 1825, 153.—Elaphrus.
- quadrisignatus Brachycnemis (Boh.), C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 18.—Litomerus.
- quadrisignatus Carabus, Quensel in C. J. Schoenherr, Syn. Insect. I (1) 1806, 212.  
quadrisignatus Carphophilus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 257.
- quadri-signata Casnonia, Laporte, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 387.  
quadri-signata Cassida, Dejean, Catal. Coléopt. 1821, 116 [*n. n.*].  
quadri-signatus Catascopus, Laporte, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 392.  
quadri-signata Charadronota (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 619.—Diplognata.
- quadrisignata Cleothera, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 643.  
quadrisignatus Clerus, T. Say, Boston Journ. N. H. I (2) 1835, 162.  
quadrisignata Clythra, C. P. Forsberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 283.  
quadrisignata Clythra, F. Maerkel in Germar, Zeitschr. f. d. Entom. III. 1841, 221 & 223.  
quadrisignata Crioceris, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 8.  
quadrisignata Cryptarcha, H. C. Kuester, Käfer Europas, II. 1845, 15.  
quadri-signatus Cryptocephalus, Dejean, Catal. Coléopt. 1821, 127 [*n. n.*].  
quadrisignatus Cryptocephalus, E. Suffrian (*ex* Dej. Cat.), Linnaea Entom. II. July 1847, 16.  
quadrisignatus Cryptohypnus, H. C. Kuester, Käfer Europas, XVIII. 1849, 16. [192.  
quadrisignata Cymindis, E. Ménétriés, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2 = Sci. Nat. VI.) (1 & 2) Feb. 1848, 21.
- quadrisignata Diplognata, Gory & Percheron, Mon. Cétoines (1) 1833, 51; (4) 1834, 127.  
quadrisignata Dircaea, J. Sturm, Catal. Ins. Samml. 1826, 131 [*n. n.*].  
quadrisignata Doryphora, E. F. Germar, Ins. spec. novae, I. 1824, 580. [1825, 236.  
quadrisignatus Dromius, Dejean, Catal. Coléopt. 1821, 3 [*n. n.*]; Spec. gén. Coléopt. I. 1825, 236.  
quadrisignatus Elaphrus, Creutzer in K. Duftschmid, Fauna Austriae, II. 1812, 205.  
quadri-signatus Elater, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 302;  
quadri-signata Engis, Dejean, Catal. Coléopt. 1821, 44 [*n. n.*]. [& App. 1817, 139.  
quadrisignatus Erotylus, P. A. J. Duponchel, Mém. Mus. H. N. (Paris) XII [2] Sept. 1825, 166. [May 1841, 156.
- quadrisignatus Erotylus (Aulacocheilus), F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. 1825, 156.  
quadrisignatus Eudius, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 163.  
quadri-signata Galleruca, Dejean, Catal. Coléopt. 1821, 118 [*n. n.*].  
quadrisignata Haltica, Megerle in K. Duftschmid, Fauna Austriae, III. 1825, 259.  
quadrisignatus Harpacterus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 208.
- quadrisignata Ips, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 15 [*n. n.*].  
quadrisignatus Laccophilus, F. L. de Laporte, Etudes Entom. (2) 1835, 104.  
quadri-signata Lampyris, J. Sturm, Catal. Ins. Samml. 1826, 160 [*n. n.*].  
quadrisignata Lebia, L. Buquet, Ann. Soc. Ent. France, III (4) *post* Mar. 1835, 676.  
quadrisignata Lema, Dupont in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 534.
- quadrisignatus Litomerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 575. [228.—Mylabris q—maculata.
- quadrisignatus Lydus (Tausch.), G. Fischer v. W., Entom. Imp. Russ. II., *post* Nov. 1824, 1824.  
quadrisignatus Lydus, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5) Mar. 1835, 415.
- quadrisignata Megacephala, Boisduval in Dejean & B., Icon. Coléopt. I. 1829, 7.  
quadrisignata Mordella, L. A. A. Chevrolat, Coléopt. Mex. (3) Nov. 1834, no. 50.  
quadri-signatus Mycetophagus, Norw.; J. Sturm, Catal. Ins. Samml. 1826, 171.  
quadrisignata Mylabris, Gebler in G. Fischer v. W., Entom. Imp. Russ. II., *post* Nov. 1824, 226. [1840, 1.
- quadri-signatus Necrophorus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1825, 156.  
quadrisignatus Panagaeus, L. A. A. Chevrolat, Coléopt. Mex. (8) Sept. 1835, no. 187.  
quadrisignatum Pelonium, M. Spinola, Ess. mon. Clérites, I. 1844, 365.

- quadrisignatus** Platyomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840,  
**quadrisignata** Prioptera, C. H. Boheman, Mon. Cassid. I. 1850, 58. [188.  
**quadrisignatus** Ptinus, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 165.  
**quadrisignatus** Sphenophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2)  
**quadrisignatus** Stenocorus, J. Sturm, Catal. Ins. Samml. 1826, 199 [*n. n.*]. [1838, 907.  
**quadri-signatus** Tachys, Duft. ; Dejean, Catal. Coléopt. 1821, 16 [*n. n.*].  
**quadrisignatus** Taphroderes, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 127.  
**quadrisignata** Tetracha (Dej.), T. Lacordaire, Mém. Soc. R. Sci. Liège, I (1) 1843  
 [separata 1842], 101.—Megacephala. [Carabus.  
**quadrisignatus** Tetragonoderus (Schoenh.), Dejean, Spec. gén. Coléopt. IV. 1829, 491.—  
**quadri-signatum** Theridion, C. W. Hahn, Die Arachniden, I (4) Mar. 1833, 80. [236.  
**quadrisignatus** Trigonopeltastes, Schaum in Germar, Zeitschr. f. d. Entom. III. 1841,  
**quadra-signata** (*sic*) Typhlocyba, J. Hardy, Tr. Tyneside Nat. F. C. I (5) 1850, 418.  
**quadrisignata** Urodera, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 464.  
**quadrisignella** Gracilaria, P. C. Zeller, Isis (Oken), 1839, 209.  
**quadripilota** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 61.  
**quadri-spinis** Batrachus, G. Cuvier, Règne Anim., ed. 2, II. 1829, 253.  
**quadrispinosus** Alydus (L.), J. C. Fabricius, Syst. Rhyng. 1803, 251.—Cimex, 1758.  
**quadrispinosus** Ancistropterus, A. White, Zool. "Ereb. Terr." (Ins. 1846), 15.  
**quadrispinosus** Atractodes, Ratzeburg, Entom. Zeitung, Stettin, VIII (2) Feb. 1847, 61.  
**quadrispinosus** Cerasphorus, S. S. Haldeman, Tr. Amer. Phil. Soc., n. s. X (1) Nov. 1847,  
 32.  
**quadrispinosa** Cleodora, Rang in R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 248.  
**quadrispinosus** Falciger, T. Say, J. Acad. Nat. Sci. Philad. III. Mar. 1824, 310.  
**quadrispinosa** Gasterosteus, J. Crespon, Faune mérid. II. 1844, 283.  
**quadrispinosus** Hipporhinus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 492.—  
 Curculio, 1777.  
**quadrispinosa** Macrodonia (Schoen.), J. G. Audinet-S., Ann. Soc. Ent. France, I (2)  
*c.* July 1832, 140.—Prionus.  
**quadrispinosus** Megarhynchus, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 19.  
**quadrispinosus** Phytobius (Say), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 463.—  
 Rhynchaenus [*non est*].  
**quadri-spinosus** Prionus, C. J. Schoenherr, Syn. Insect. I (3) 1817, 346.  
**quadrispinosus** Scaphites, H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 116.  
**quadrispinosus** Scarus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 197.  
**quadrispinosus** Scolytus, T. Say, J. Acad. Nat. Sci. Philad. III. Ap. 1824, 323.  
**quadrispinosa** Squilla, Eydoux & Souleyet in Vaillant, Voy. "Bonite," Zool. I. 1842, 262.  
**quadrispinosus** Zelus, J. C. Fabricius, Syst. Rhyng. 1803, 287.—Reduvius, 1794.  
**quadrispinus** Phygadeuon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 674.  
**quadrisquamata** Volucella, F. v. P. Schrank, F. Boica, III (1) 1803, 134.  
**quadristigma** Buprestis, Herbst in Jablonsky, Nat. Ins. (Käfer) IX. 1801, 177.  
**quadristillatus** Pharus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 950.  
**quadri-striatum** Bembidium (Schr.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 31.—Carabus,  
**quadristriata** Crex, H. Lichtenstein in Forster, Anim. mar. Aust. 1844, 275. [1781.  
**quadristriatus** Eristalis, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 255.  
**quadri-striata** Eurina, Schummel, Uebers. Arb. schles. Ges. 1846 (1847), 167.  
**quadri-striatus** Hydroporus, Esch.; J. Sturm, Catal. Ins. Samml. 1826, 156.  
**quadristriatus** Hyphidrus, J. F. Eschscholtz, Mém. Soc. Imp. Nat. Moscou, VI. 1823,  
**quadristriata** Lumbriconereis, A. E. Grube, Actin. Adriat. 1840, 79. [107.  
**quadristriata** Melania, R. A. Philippi, Tertiärverst. Wilhelmshöhe, 1841, 19.  
**quadristriatus** Meligethes, A. Foerster, Verh. nat. Ver. pr. Rheinl. VI. 1849, 6.  
**quadristriata** Pleurotomaria, J. Phillips, Mem. Geol. Surv. Gt. Britain, II (1) 1848, 358.  
**quadristriatus** Saprinus (Payk.), W. F. Erichson, Jahrb. Insectenk. I. 1834, 194.—  
 Hister ? Th. 1794.  
**quadristriata** Serpentina, A. S. Orsted, Naturhist. Tidsskrift, IV (2) 1842, 134.  
**quadristriata** Serpula, G. A. Goldfuss, Petref. German. I (3) 1831, 232.  
**quadristriatum** Solarium, F. Du Bois de M., Conch. foss. Wolhyni, 1831, 42.  
**quadristriata** Tipula, T. E. Schummel, Beitr. Entom. Schlesien (3) 1833, 109.

- quadristriatus** Trechus, Dufts.; Dejean, Catal. Coléopt. 1821, 16 [*n. n.*].  
**quadristriatus** Trechus, Gyll.; Dejean, Catal. Coléopt. 1821, 16 [*n. n.*].  
**quadristriatus** Trochus, F. Du Bois de M., Conch. foss. Wolhyni, 1831, 41.  
**quadri-striata** Turritella, W. B. & H. D. Rogers, Tr. Amer. Phil. Soc., n. s. V (3) 1835, 331.  
**quadristrigata** Andrena (Latr.), M. Spinola, Ins. Liguriae, I. 1806, 122.—Halictus.  
**quadristrigatus** Chlorops (Don.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62.—Musca.  
**quadristrigata** Corethrura (Horsf.), G. R. Gray, Gen. Birds, III. Nov. 1846, 595.—Rallus.  
**quadristrigatus** Halictus, P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 364.  
**quadristrigata** Musca, E. Donovan, Brit. Ins. XIII. 1808, 72.  
**quadristrigatus** Rallus, T. Horsfield, Tr. Linn. Soc. London, XIII (1) 1821, 196.  
**quadristrigella** Tinea, F. v. P. Schrank, F. Boica, II (2) 1802, 120.  
**quadrisulcatus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 151.  
**quadrisulcata** Arca, J. De C. Sowerby, Min. Conch. V. 1824, 115.  
**quadrisulcatus** Belemnites, Hartmann in C. H. v. Zieten, Pétrif. Wurt. (4) 1831, 31.  
**quadrisulcatus** Brachycerus, G. Fischer, Bull. Soc. Imp. Nat. Moscou, II (2) 1830, 185.  
**quadrisulcatus** Cerithium, Lamarck, Ann. Mus. H. N. (Paris) III (17) Feb. 1804, 351.  
**quadri-sulcatus** Chlaenius (Ill.), Dejean, Catal. Coléopt. 1821, 8.—Carabus, Payk. 1790.  
**quadrisulcata** Cleonis, J. Sturm, Catal. Ins. Samml. 1826, 119 [*n. n.*].  
**quadrisulcata** Conularia, J. Sowerby, Min. Conch. III. 1820, 107.  
**quadrisulcata** Lucina, A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 584.  
**quadrisulcatus** Polycyrtus, M. Spinola, Ann. Soc. Ent. France, IX (2) *post* June 1840, 162.  
**quadrisulcatus** Trochus, R. A. Philippi, Zeitschr. f. Malakozool. (Aug.) 1848 [Mar. 1849], 124.  
**quadrisulcus** Gyrohypnus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 23 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Nov. 1833, 264.  
**quadritaeniator** Lamia (Plectrodera), A. White, Ann. Mag. N. H. XVIII. July 1846, 48.  
**quadritaeniata** Melyris, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 84.  
**quadrituberculatus** Anthribus, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 27.  
**quadrituberculata** Aphis, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 134.  
**quadrituberculatus** Aphodius, J. C. Fabricius, Syst. Eleuth. I. 1801, 75.—Scarab. 1798.  
**quadrituberculatus** Campylirhynchus (Gyll.), Dejean, Catal. Coléopt. 1821, 85.—Rhynchaenus, Fab. 1801.  
**quadrituberculatus** Ceutorhynchus (—), E. F. Germar, Ins. spec. novae, I. 1824, 222.—? Curculio, Don.  
**quadrituberculata** Cicada, V. Signoret, Ann. Soc. Ent. France [2] V (2) Aug. 1847, 297.  
**quadri-tuberculatus** Curculio, E. Donovan, Epit. N. H. Ins. New Holland, 1805.  
**quadrituberculata** Dundubia (Sign.), F. Walker, List Homopt. Coll. B. M. (1) 1850, 78.—Cicada. [1839, 361.  
**quadrituberculatus** Eurhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (1)  
**quadrituberculatus** Exechesops, C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 55.  
**quadrituberculatus** Geonemus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 216.  
**quadrituberculata** Hoplionota, F. E. Guérin-M., Iconographie, 1844, Ins., 287. [301.  
**quadrituberculatus** Leptops, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834,  
**quadrituberculatus** Lepyrus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 60 [*n. n.*].  
**quadrituberculatus** Macronychus, P. W. J. Mueller, Mag. f. Insektenk. (Illiger) V. 1806,  
**quadri-tuberculatus** Onthophagus, Dejean, Catal. Coléopt. 1821, 54 [*n. n.*]. [215.  
**quadrituberculata** Oplocephala, J. Curtis, Proc. Linn. Soc. London (21) June 1844, 201.  
**quadrituberculatus** Pagrus, C. Ranzani, N. Comm. Ac. Sci. Inst. Bonon. V. 1842, 348.  
**quadrituberculatus** Phileurus, H. Burmeister (*ex* Dej. Cat.), Handb. Ent. V. 1847, 162.  
**quadrituberculata** Phytobius (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 462.—Rhynchaenus.  
**quadrituberculatus** Pleuronectes, P. S. Pallas, Zoographia, III. 1814, 423. [*n. n.*].  
**quadrituberculatus** Pogonocherus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 72  
**quadrituberculatus** Pseudophyllus, J. O. Westwood, Cab. Orient. Entom. 1847, 34.  
**quadrituberculatus** Reduvius, Palisot de B., Ins. Afr. Amér. (—) 1806, 15.  
**quadrituberculatus** Rhinoncus (Fab.), C. J. Schoenherr, Isis (Oken), 1825, 586.—Rhynchaenus.

- quadrituberculatus** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 448.—Curculio, 1787.
- quadrituberculatus** Rhytirhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 426.
- quadrituberculatus** Scarabaeus, Palisot de B., Ins. Afr. Amér. (—) 1807, 42.
- quadrituberculatus** Sthereus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4) 1845, 375.
- quadrivalvis** Sulculeolaria, Lesueur in H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 126.
- quadriverrucatus** Chilocorus (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 18.—Coccinella, 1792.
- quadriverrucatus** Iassus, J. C. Fabricius, Syst. Rhyng. 1803, 87.—Cicada, 1794.
- quadri-verrucatus** Scymnus, J. Sturm, Catal. Ins. Samml. 1826, 194 [*n. n.*].
- quadriverrucata** Tettigonia (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 327.—Iassus.
- quadriverrucata** Urodera, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 451.
- quadrivirgatus** Coluber, H. Boie, Bijdr. Nat. Wetensch. II (1) 1827, 256.
- quadrivirgatus** Tropidonotus, Boie, Isis (Oken), 1826, 209.
- quadrivitta** Opomyza, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1115.
- quadrivittatus** Acmaeops (L.), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 322.—Leptura [*non comp.*].
- quadri-vittata** Altica, Ill.; Dejean, Catal. Coléopt. 1821, 119 [*n. n.*].
- quadrivittatus** Capsus, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- quadrivittatus** Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 52 [*n. n.*].
- quadrivittatus** Centrinus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 739.—Rhynchaenus. [Turritella.]
- quadrivittatum** Cerithium (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 271.—
- quadrivittata** Ceroxys, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 366.
- quadrivittata** Chlorops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 161.
- quadrivittata** Chrysomela, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1813), 36.
- quadrivittatus** Chrysops, T. Say, J. Acad. Nat. Sci. Philad. III. May 1823, 33.
- quadrivittata** Cleonis, Eschscholtz, Bull. Soc. Imp. Nat. Moscou, I (6) 1829, 161.
- quadrivittatus** Coluber, J. E. Holbrook, N. Amer. Herpet. I. 1836, 113.
- quadrivittatus** Cryptorhynchus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 324.—Rhynchaenus; ? Cetonia, 1789.
- quadrivittatus** Curculio, A. G. Olivier, Entom. V. 1807, 325.
- quadrivittatus** Eristalis, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 17.
- quadrivittatus** Exophthalmus (Ol.), C. J. Schoenherr, Isis (Oken), 1823, 1140.—Curculio.
- quadrivittata** Formicivora, J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 227.
- quadrivittata** Galeruca, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1813), 25.
- quadrivittatus** Grammistes, J. G. Schneider, Bloch, Syst. Ichth. 1801, 189.
- quadrivittata** Haltica, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 106.
- quadrivittatus** Helophilus (Wied.), F. Walker, List Dipt. Coll. B. M. (3) 1849, 604.—Eristalis.
- quadrivittata** Hilara, Wiedemann in J. W. Meigen, Syst. Besch. Zweifl. Insekt. III.
- quadrivittatus** Laccophilus, C. Aubé, Spec. gén. Hydroc. 1838, 438. [1822, 7.
- quadrivittata** Lebia, Dejean, Spec. gén. Coléopt. I. 1825, 268.
- quadri-vittata** Leptura, C. J. Schoenherr, Syn. Insect. I (3) 1817, 497.
- quadrivittata** Leptura, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 193. [1789.
- quadri-vittata** Macraspis (Ol.), W. S. Macleay, Horae Entom. I (1) 1819, 157.—Cetonia,
- quadrivittata** Macronota, H. Schaum (*ex* Parry MS), Tr. Entom. Soc. Lond. V (3) Jan. 1848, 68.
- quadrivittatus** Membracis, T. Say, J. Acad. Nat. Sci. Philad. VI. Ap. 1831, 300.
- quadrivittatus** Noterus (Hydrocanthus), C. H. Boheman, Ins. Caffr. I (1) 1848, 247.
- quadrivittatus** Parus, De Lafresnaye, Rev. Zool. (Soc. Cuv.) III. May 1840, 129.
- quadrivittatus** Pompilus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 426.



- quadrivittatus** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 445.  
**quadrivittata** Sarcophaga, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 259.  
**quadrivittatus** Sciurus, T. Say in Long, Exped. Rocky Mts. II. 1823, 45; & London ed. II. 1823, 349.  
**quadri-vittatus** Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 958.  
**quadrivittatus** Sphenophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 962.  
**quadrivittata** Spilogaster, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 320.  
**quadrivittata** Steirolepis, J. J. v. Tschudi, Arch. f. Naturg. XI (1) 1845, 156.  
**quadrivittata** Tamia (Say), R. P. Lesson, Man. Mamm., May 1827, 231.—Sciurus.  
**quadrivittata** Tettigonia, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 601.  
**quadrivittata** Tettigonia, T. Say, J. Acad. Nat. Sci. Philad. VI. Ap. 1831, 312.  
**quadrivittata** Tipula, C. Staeger, Naturhist. Tidsskrift, III (1) 1840, 21.  
**quadrivittata** Turritella, J. Phillips, Geol. Yorksh. I. 1829, 157 [*n. et f.*].  
**quadrivittata** Urophora, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 456.  
**quadrivulneratus** Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840, 339.  
**quadrivulneratus** Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 970.  
**quadrivulnerata** Urodera, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 466.  
**quadrizona** Helicella, G. Jan, Consp. méth. Testac. 1830, 4 [*n. n.*].  
**quadrizonata** Zemina, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 150.  
**quadro**→ *v. quadri*→.  
**quadrosa** Pleurocera, Rafinesque, Enum. obj. Cab., Nov. 1831, 3.  
**quadru**→ *v. et quadri*→.  
**Quadrula** C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 305.—L.  
**quadrulatum** Buccinum, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 165 [*n. n.*]; Tr. Amer. Phil. Soc., n. s. IX (3) Dec. 1846, 272.  
**quadrulifer** Apocyrtus, G. R. Waterhouse, Ann. Mag. N. H. IX. June 1842, 304.  
**quadrula** Avicula, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII., *post* Ap. 1842, 243.  
**quadrula** Monodonta, A. J. Michelotti, N. Jahrb. f. Min. 1846, 54 [*n. n.*].  
**quadrula** Obliquaria, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 307.  
**quadrula** Platax, J. Heckel, Ber. Mitth. Fr. Nat. Wien, III. 1847, 329 [*n. n.*].  
**quadrulus** Turbo, G. Michelotti, Ann. Sci. Lomb.-Ven. X. 1840, 154.  
**quadrula** Unio, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 307.  
**quadrum** Anthomyia (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 93.—Musca.  
**quadrum** Aricia (Fab.), H. Lucas, Explor. Algér. (Artic. III.) 1849, 489.—Musca.  
**quadrum** Arpedium (Grav.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 619.—Omalium.  
**quadrum** Athysanus, Zetterstedt in Boheman, Ofvers. K. Vet. Ac. Förh. II (6) 1845, 157.  
**quadrum** Cheiopachus (Fab.), J. O. Westwood, Zool. Journ. IV (13) July 1828, 23.—Diplolepis.  
**quadrum** Cleonymus (Fab.), C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 86.—Ichn. 1787.  
**quadrum** Diplolepis, J. C. Fabricius, Syst. Piezat. 1804, 152.—Ichneumon, 1787.  
**quadrum** Elater, Gyll.; J. Sturm, Catal. Ins. Samml. 1826, 137.  
**quadrum** Elater, L. Gyllenhal, Ins. Suecica, I (4) 1827, 357. [Musca.  
**quadrum** Hylemyia (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 316.—  
**quadrum** Hypolithus (Gyll.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 33.—Elater.  
**quadrum** Jassus, Herrich-S. in Panzer, Ins. Germ., heft 153, 1838, tab. 2.  
**quadrum** Musca, J. C. Fabricius, Syst. Antliat. 1805, 297.  
**quadrum** Mutilla, F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1821, 320.  
**quadrum** Omalium, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 213.  
**quadrum** Pteromalus (Fab.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 421.—Diplolepis.  
**quadrum** Spilogaster (Fab.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 295.—Musca. [1792.  
**quadrum** Tetragonoderus (Fab.), Dejean, Spec. gén. Coléopt. IV. 1829, 486.—Carabus,

- quadrum** Trypeta, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 507.
- quadrum** *v. et quadra.*
- quadrupedans** Hoplichnus, E. Hitchcock, Mem. Amer. Acad., n. s. III. 1848, 230.
- quadrupes** Podophis (L.), A. F. A. Wiegmann, Herpet. Mex. 1834, 11.—Anguis, 1766.
- quadruplella** Gracilaria, P. C. Zeller, Isis (Oken), 1839, 209.
- quadruplex** Cryptocephalus, E. Newman, Entomologist (5) Mar. 1841, 78.
- quadruplicata** Voluta, T. Brown, Tr. R. Soc. Edinb. VIII (2) 1818, 461.
- quadrupla** Libellula, T. Say, J. Acad. Nat. Sci. Philad. VIII., *post* Jan. 1840, 23.
- quaerendaria** Larentia, O. G. Costa, Fauna Regno Napoli, Lepidott., Geom., 104 (June 1850).
- quaerens** Aphis, F. Walker, The Zoologist, VII. 1849, App., p. xlviii. [1850].
- quaesitorius** Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 153.
- quaesita** Helix, G. P. Deshayes in A. E. Férussac, H. N. g. et p. Moll. I. 1850, 179.
- quaesitus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 13.
- [**quaestionis.**]
- questionis** Autographa (Fab.), J. Huebner, Verz. bekannt. Schmett. [1825], 251.—Noctua, 1794.
- questionis** Noctua, C. F. Freyer, Beitr. Gesch. europ. Schmett. (22) 1830, 118.
- quaestionis** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 318.
- questionis** Plusia, C. F. Freyer, Beitr. Gesch. europ. Schmett. (22) 1830, 118.
- questionis** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 12.
- quaestor** Conus, Lamarck, Ann. Mus. H. N. (Paris) XV (88) *inter* Ap.-Sept. 1810, 281.
- quoestor** (*sic*) Formicomus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 18 ["Mon. Anth." *poster. edit.*].
- quaestor** Ichneumon (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 259.—Ophion.
- quaestor** Monohammus, E. Newman, Entomologist (17) Mar. 1842, 276.
- quaestor** Ophion, J. C. Fabricius, Syst. Piezat. 1804, 132.
- quaestor** Rogas (Heterospilus), A. H. Haliday, Entom. Mag. IV (1) July 1836, 47.
- quagga** Asinus (Gm.), J. E. Gray, Zool. Journ. I (2) June 1824, 246.—Equus.
- quagga** Gobius, J. J. Heckel, Ann. Wiener Mus. II [1] 1839, 150.
- quacha** (*sic*) Hippotigris (L.), C. H. Smith, Horses (Nat. Libr. XXXI.) June 1841, 330.—Equus, 1785.
- quagga** Leptura, Zenker in E. F. Germar, Ins. spec. novae, I. 1824, 521.
- quagga** Strangalia (Germ.), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 332.—Leptura.
- qualenii** Terebratula, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XV. 1842 (2) 1842, 466.
- qualeniana** Panopaea, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug. 1845,
- qualteriatu** *v. gualteriatu*. [467.]
- quantius** Satyrus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 487.
- quao** Corvus, W. Fraser in A. Halliday, The West Indies, 1837, 220 [*n. n.*].
- quartinia** Estrela, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 461.
- quartus** Psilus, Jurine in M. Spinola, Ins. Liguriae, II. 1808, 235.
- quartzoa** Helix, Faure-B. & Sionest, C. R. Trav. Soc. Agric. Lyon, 1808, 42 [*n. n.*].
- quasje** Nasua, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–1811 (1815), 109 [*n. n.*].
- quaternarium** Aeolonais (Ehr.), P. Gervais, Bull. Ac. Roy. Brux. V. 1838, 14.—Aeolosoma.
- quaternarium** Aeolosoma, C. G. Ehrenberg in Hemprich & E., Sym. Phys. (Evert., Phyt. Turb.) (1) 1828, sign. *b*<sub>4</sub>.
- quaternaria** Planodes, E. Newman, Entomologist (20) June 1842, 323.
- quaternaria** Planulina, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 373.
- quaternaria** Rotalia, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1843, 257.
- quaternarium** Spondylomorom, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1848, 236.
- quaternata** Cistula (Lam.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 59.—Cyclostoma.
- quaternata** Cyclostoma, Lamarck, An. s. vert. VI (2) 1822, 147.
- quaternatus** Echinites, E. F. Schlotheim, Taschen. Min. 1813, 69.
- quaternata** Porospira, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 373.
- quaterno-cingillata** Delphinula, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 416
- quaternus** Argus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 358.

- quaternus** Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 452.
- quaterna** Geomyza, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62 [*n. n.*].
- quaterna** Sphinx, [Esper], Mag. n. ausl. Ins. (1) 1794, 2.
- quaterradiatus** Coluber, H. Schlegel, Essai phys. Serp. 1837, I., 148; II., 159.
- quatre**→, **quatri**→ *v.* **quadri**→.  
[**quattuor**→.]
- quatuor cinctum** Cerithium, B. Borson, Cat. coll. min. Mus. [Turin] 1830, 621 [*n. n.*].
- quattuordecim-aculeatus** Ostracion, Lacepède, Ann. Mus. H. N. (Paris) IV (21) May 1804, 211.
- quattuordecimguttata** Acmaeodera (Fab.), Laporte & Gory, H. N. Coléopt. I. 1835–1836, 12.—Buprestis, 1798.
- quattuordecim-guttata** Calvia (L.), E. Mulsant, H. N. Coléopt. France (Sécurip.) Sept. 1846, 140.—Coccinella, ? Poda, 1761.
- quattuordecimguttata** Lamia, C. J. Schoenherr, Syn. Insect. I (3) 1817, 396.
- quattuordecimguttatus** Mycotretus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 163.
- quattuordecimlaminatus** Echeneis, D. H. Storer, Rep. Ichth. Massach. 1839, 155; Boston Journ. N. H. II (3) 1839, 496.
- quattuordecimmaculata** Calandra, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 27.
- quattuordecim-maculata** Cassida, P. A. Latreille, Ann. Mus. H. N. (Paris) I (4) Feb. 1803, 298.
- quattuordecimmaculata** Galleruca, J. Sturm, Catal. Ins. Samml. 1826, 143 [*n. n.*].
- quattuordecimmaculatum** Imatidium, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.) 1809, 211.
- quattuordecimmaculata** Saperda, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 28.
- quadridecimmaculatus** (*sic*) Scarabaeus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 69.
- quattuordecimnotata** Chrysomela, F. V. Melsheimer, Ins. Pennsylv. 1806, 20 [*n. n.*].
- quattuordecimnotata** Cisseis, F. W. Hope, Ann. Mag. Nat. Hist. XVII (109) Jan. 1846, 64.
- quattuordecimnotata** Coccinella, Dejean, Catal. Coléopt. 1821, 130 [*n. n.*].
- quattuordecimnotatus** Oxybelus, L. Jurine, N. Méth. class. Hyménopt. 1807, 217 [*n. et f.*].
- quattuordecimnotatus** Oxybelus, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 513.
- quattuordecimoculata** Doryphora, M. Perty, Del. anim. artic. Brasil. (2) 1832, 106.
- quattuordecimplagiata** Poecilaspis, C. H. Boheman, Mon. Cassid. I. 1850, 420.
- quattuordecimpunctata** Aranea, F. v. P. Schrank, F. Boica, III (1) 1803, 237.
- quattuordecimpunctata** Cassida, A. G. Olivier, Entom. VI. 1808, 943.
- quattuordecimpunctata** Crioceris (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 352.—Lema, 1798. [1829, 52.]
- quattuordecimpunctata** Cyclocephala, Mannerheim, N. Mém. Soc. Imp. Nat. Moscou, I.
- quattuordecimpunctata** Gonioctena (Fab.), L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 559.—Chrysomela, L. 1767.
- quattuordecim-punctata** Melecta, G. Fischer de W., Magasin de Zool. (2) V. 1843, expl. pl. 122, p. 4.
- quattuordecimpunctata** Mylabris, Bilb.; Dejean, Catal. Coléopt. 1821, 74 [*n. n.*].
- quattuordecimpunctata** Mylabris, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 188.—Meloe, 1791. [Chrysomela, L. 1767.]
- quattuordecimpunctata** Podontia (Fab.), J. W. Dalman, Ephem. Entom. 1824, 24.—
- quattuordecim-punctata** Propylea (L.), E. Mulsant, H. N. Coléopt. France (Sécurip.) Sept. 1846, 152.—Coccinella, 1758.
- quattuordecimpustulata** Coccinella, Fab.; Dejean, Catal. Coléopt. 1821, 131 [*n. n.*].
- quattuordecim-signata** Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 741.
- quattuordecim-signata** Epilachna, L. Reiche in Ferret & Galinier, Voy. Abyssin. III [1850],
- quattuordecimsignata** Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 338. [418.]
- quattuordecim-spilota** Doryphora, F. E. Guérin-M., Iconographie, 1844, Ins., 299.
- quattuordecim-striatus** Dendrophilus, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 36 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Mar. 1835, 412.
- quattuordecim-striatus** Hister, L. Gyllenhal, Ins. Suecica, I. 1808, 83.
- quattuordecimstriatus** Hister, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 6 [*n. n.*].
- quattuordecim-striatus** Oodes, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 759.

- quattuorguttatus** Bembidion, P. A. Latreille in G. Cuvier, R. Anim. III. 1817, 204.
- quattuorguttatus** Eresus (Rossi), C. W. Hahn, Die Arachniden, I (2) Sept. 1832, 45.—  
Aranea, 1790.
- quatuorlineata** Trupanea, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 218.
- quattuor-maculata** Aricia (Fall.), J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1477.—Musca.
- quatuormaculata** Hylemyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 316.
- quatuornotatus** Tabanus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 51.
- quatuoroculus** Raja, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847,  
109.
- quatuor-punctata** Aricia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,  
II. 1830, 489. [II. 1830, 638.]
- quatuor-punctata** Lycia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,
- quatuorpunctatus** Psocus, P. A. Latreille, Bull. Soc. Philom. [Paris] 1803, 85'.
- quatuor-punctata** Sylvia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,  
II. 1830, 637. [Crioceris quadri—p→, 1775.]
- quatuorpustulata** Altica (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 9.—
- Quaxotus** C. S. Rafinesque, Analyse, 1815, 65.—A. [*n. n.*].
- quazonti** Cervus, G. Cuvier, Oss. Foss., ed. 2, V (2) 1824, 530.
- Quediis** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*]; Ill. Brit. Ent. (Mand. V.)  
June 1832, 215.—Col.
- quedlinburgense** Hysterotherium, Giebel, N. Jahrb. f. Min. 1847, 54 [*n. n.*].
- Quelea** H. G. L. Reichenbach, Avium Syst. Nat., pl. lxxvi (June 1850).—A. [*n. et f.*].
- Quelea** Reichenbach in C. L. Bonaparte, Consp. gen. Avium, I. 1850, 445.—A.
- quelea** Fringilla (L.), F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799  
[1802], 249.—Emberiza, 1758.
- quelea** Pyrgita, C. Dumont, Dict. Sci. Nat. XXXI. 1824, 546.
- quelen** Pimelodus, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 228.
- quemis** Capromys, J. B. Fischer, Add. ad Syn. Mamm. 1830, 389.
- quenselii** Amara (Schoen.), Dejean, Spec. gén. Coléopt. III. 1828, 481.—Carabus.
- quenselii** Arctia, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. V. 1837, 14.
- quenselii** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 83 (Fernaldo giudice  
1834-41) [*n. et f.*].
- quenseli** Carabus, C. J. Schoenherr, Syn. Insect. I (1) 1806, 201.
- quenseli** Carabus (*sic, sed* Celia) (Dej.), C. Zimmermann, Faunus, I (1) 1832, 26.—Amara.
- quenseli** Chelonia (Payk.), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. III  
(Noct.) 1836, 51.—Bombyx, 1793.
- quenselii** Harpalus (Schoen.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 134.—Carabus.
- quenselii** Pleuronectes, Hollberg, N. Handl. Gotheborg Wett. Witt. Samh. IV. 1821, 59.
- quenstedti** Ammonites, Schafhäutl, N. Jahrb. f. Min. 1846, 819.
- quenstedti** Ammonites, Rouillier & Vosinsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849  
(2) 1849, 359.
- quenstedti** Ammonites, Schafhäutl, Geogn. Unters. südbay. Alpengeb. 1850, 143.
- quenstedti** Ceriopora, v. Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 240
- quenstedti** Cheirurus, J. Barrande, Not. prélim. Silur. 1846, 50. [[*n. n.*].
- quenstedti** Nautilus, F. v. Hauer, Ber. Mitth. Freunde Naturw. Wien, IV (4) "Ap." 1848,  
377 [*n. n.*].
- quenstedtii** Pleurotomaria, G. A. Goldfuss, Petref. German. III (8) 1844, 71.
- quercalis** Pempelia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 369.—Tinea  
quercella, 1775.
- quercana** Halias (D. & S.), F. Treitschke, Schmett. Europa, VII. 1829, 227.—Tortrix, 1775.
- quercana** Hylophila (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 396.—Tortrix,  
1775. [1775.]
- quercana** Phibalocera (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—Pyrallis,
- quercana** Pseudoips, J. Huebner, Tentamen [me giudice 1806], 2 [*n. n.*]. [metra.]
- quercaria** Ennomos (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 429.—Geo-
- quercaria** Eugonia, J. Huebner, Verz. bekannt. Schmett. 1825, 292.—Geometra.
- quercaria** Geometra, J. Huebner, Europ. Schmett., Tab. Geom., 80 (Fernaldo giudice  
1808-18) [*n. et f.*].

- quercata** Altica (Fab.), A. G. Olivier, Entom. VI. 1808, 687.—Galleruca.
- quercata** Anthaxia (Fab.), Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 298.—
- quercata** Buprestis, J. C. Fabricius, Syst. Eleuth. II. 1801, 216. [Buprestis.]
- quercata** Colaspis, J. C. Fabricius, Syst. Eleuth. I. 1801, 417.
- quercata** Colaspoides (Fab.), Laporte, Revue Entom. I (1) Mar. 1833, 20.—Colaspis.
- quercata** Galleruca, J. C. Fabricius, Syst. Eleuth. I. 1801, 495.
- quercata** Haltica (Fab.), K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 103.—Galleruca.
- quercella** Phycis (D. & S.), Zincken, Mag. Entom. (Germar) III. 1818, 158.—Tinea, 1775.
- quercella** Talis, A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 324.
- quercens** Cirrospilus, F. Walker, Mon. Chalcid. I. 1839, 307. [1839.]
- quercens** Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 76.—Cirrospilus,
- quercetana** Phalaena Tortrix, G. L. Scharfenberg in Bechstein & S., Vollst. Nat. schädli. Forstinsect. III. 1805, 767.
- quercetella** Argyromiges (Zell.), H. T. Stainton, The Zoologist, VI (7) 1848, 2164.—
- quercetellum** (*sic*) Coriscium, P. C. Zeller, Isis (Oken), 1839, 210. [Coriscium.]
- quercetella** Elachista, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) [1843], 470.
- quercitella** Gracillaroides (Zell.), T. Bruand, Mém. Soc. Emul. Doubs, Vol. III. Tom. 3 (5 & 6) 1850, 53.—Coriscium.
- querceti** Amblypodia, E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 25 [*n. n.*].
- querceti** Anthomyia, P. F. Bouché, Nat. Ins. 1834, 82. [chaenus.]
- querceti** Ceutorhynchus (Gyll.), E. F. Germar, Ins. spec. novae, I. 1824, 221.—Rhyn-
- querceti** Cryptocephalus, E. Suffrian (*ex* Erichs. MS), Ann. Soc. Ent. France [2] VIII (3)
- querceti** Falciger, Gyl.; J. Sturm, Catal. Ins. Samml. 1826, 142. [*post* Sept. 1850, 290.]
- querceti** Ichneumon, F. v. P. Schrank, F. Boica, II (2) 1802, 304.
- querceti** Phytocoris, C. F. Fallen, Suppl. Cimic. Svec. 1826, 15.
- querceti** Rhynchaenus, L. Gyllenhal, Ins. Suecica, I (3) 1813, 149.
- quercetorum** Amblypodia, E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 25 [*n. n.*].
- quercetorum** Epeira, C. L. Koch, Uebers. Arachnidensyst. I. 1837, 3.
- quercea** Aphis, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 136.
- quercicola** Ceuthorhynchus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 540.—
- quercicola** Elater, F. V. Melsheimer, Ins. Pennsylv. 1806, 43 [*n. n.*]. [Rhynchaenus.]
- quercicola** Lucanus, F. V. Melsheimer, Ins. Pennsylv. 1806, 1 [*n. n.*].
- quercicola** Melolontha, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 4 [*n. n.*].
- quercicola** Nedyus (Payk.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio,
- quercicola** Platycerus, Melsh.; J. Sturm, Catal. Ins. Samml. 1826, 184. [1792.]
- quercicola** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 451.—Curculio, Payk. 1792.
- quercicolus** Rhyncolus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 281.
- quercicola** Thelaxes, J. O. Westwood, Introd. class. Insect. II. 1840, Syn., 118.
- quercicus** Bufo, J. E. Holbrook, N. Amer. Herpet. IV. 1840, 109.
- quercifoliella** Elachista, Fischer v. R. in Duponchel in J. B. Godart, H. N. Lépid. France, XI (Noct. 8) [*ante* Nov. 1840], 531.
- quercifolius** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 284.
- quercifolia** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 43 (Fernaldo iudice 1802-08) [*n. et f.*]. [191.—Phalaena, 1758.]
- quercifolia** Euthrix (Gm.), J. W. Meigen, Syst. Besch. Europ. Schmett. II (4) 1830,
- quercifolia** Eutricha, J. Huebner, Tentamen (me iudice 1806), 1 [*n. n.*].
- quercifolia** Gastropacha (L.), F. Ochsenheimer, Schmett. Europa, III. 1810, 247.—Phalaena, 1758. [1758.]
- quercifolium** Lasiocampa (L.), F. v. P. Schrank, F. Boica, II (2) 1802, 154.—Phalaena,
- quercifolia** Phylloidesma (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 190.—Phalaena, 1758. [Geometra, 1796.]
- quercinaria** Ennomos (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 429.—
- quercinaria** Eugonia (Borkh.), J. Huebner, Verz. bekannt. Schmett. 1825, 292.—Geometra; ? Phal. Hufn. 1767.
- quercinus** Agrilus, L. Redtenbacher, F. Austr. Käfer, 1849, 287.
- quercinum** Alcyonium, Lamarck, Mém. Mus. H. N. (Paris) I [2] *ante* Sept. 1815, 165.

- quercina** Ampullaria, J. B. v. Spix, Testac. Brasil. 1827, 2.
- quercinus** Callimome (Boh.), F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 17.—
- quercina** Chalcis, Lamarck, Syst. Anim. 1801, 266. [Torymus
- quercinus** Chiton, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 142.
- quercinus** Conus, D. Solander, Catal. Portland Mus. 1786, 67 & 155 [*n. n.*].
- quercina** Cyclocephala, H. Burmeister, Handb. Ent. V. 1847, 54. [1792.
- quercinus** Dendroconus (Hw.), W. Swainson, Treat. Malacol., May 1840, 312.—Conus,
- quercina** Dircaea (Payk.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 523.—Hypulus, 1798.
- quercinus** Elater, F. V. Melsheimer, Ins. Pennsylv. 1806, 44 [*n. n.*].
- quercinus** Elater, T. Say, Ann. Lyceum N. H. New York, I (8) June 1825, 262.
- quercinus** Glypticus, L. Agassiz, Cat. Ect. Ech. 1840, 13. [Melolontha.
- quercina** Lachnosterna (Knoch), J. L. Leconte in Agassiz, Lake Superior, 1850, 226.—
- quercina** Melolontha, A. W. Knoch, N. Beitr. Insectenkunde (1) 1801, 74.
- quercina** Melolontha, F. V. Melsheimer, Ins. Pennsylv. 1806, 5 [*n. n.*].
- quercinus** Myoxus (L.), F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 169.—Mus, 1766.
- quercinus** Torymus, C. H. Boheman, K. Vet. Ac. Handl. 1833 (1834), 373.
- quercus** Acalles, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 420.
- quercus** Acanthohermes, V. Kollar, Sitz. k. Ak. Wiss. (Wien) I. 1848, 191.
- quercus** Aplotarsus (Ol.), J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 272.—  
Elater, 1790.
- quercus** Bithys (L.), J. Huebner, Verz. bekannt. Schmett. 1818, 75.—Papilio, 1758.
- quercus** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 39 (Fernaldo judice 1802) [*n. et f.*].
- quercus** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 52 (Fernaldo judice 1802-08) [*n. et f.*].
- quercus** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 64 (Fernaldo judice 1818-22) [*n. et f.*].
- quercus** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 82 (Fernaldo judice
- quercus** Cetonia, Bon.; Dejean, Catal. Coléopt. 1821, 61 [*n. n.*]. [1834-41] [*n. et f.*].
- quercus** Ceutorhynchus (Fab.), E. F. Germar, Ins. spec. novae, I. 1824, 221.—Curculio, L. 1758. [chaenus.
- quercus** Coeliodes (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 283.—Rhyn-
- quercus** Copturus (Say), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 650.—Zygops.
- quercus** Corymbites (Gyll.), E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 64.—Elater.
- quercus** Cupido (L.), F. v. P. Schrank, F. Boica, II (1) 1801, 219.—Papilio, 1758.
- quercus** Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 29 [*n. n.*].
- quercus** Elater, Gyll.; Dejean, Catal. Coléopt. 1821, 32 [*n. n.*].
- quercus** Eriosoma, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 67 [*n. n.*].
- quercus** Eupteryx (Fab.), J. Curtis, Guide Brit. Ins. (6) 1831, 192.—Cicada, 1777.
- quercus** Falciger (Fab.), Dejean, Catal. Coléopt. 1821, 84.—Rhynchaenus. [1758.
- quercus** Gastropacha (L.), F. Ochsenheimer, Schmett. Europa, III. 1810, 266.—Phalaena,
- quercus** Hylecthrus, S. S. Saunders, Proc. Entom. Soc. Lond., n. s. I. Sept. 1850, 9.
- quercus** Lachnus (L.), H. Burmeister, Handb. Ent. II (1) 1835, 92.—Aphis, 1758.
- quercus** Laothoe (D. & S.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 288.—  
Sphinx, 1775.
- quercus** Lasiocampa (L.), F. v. P. Schrank, F. Boica, II (2) 1802, 154.—Phalaena, 1758.
- quercus** Lecanium (L.), H. Burmeister, Handb. Ent. II (1) 1835, 71.—Coccus.
- quercus** Lucanus, F. Weber, Obs. Ent. 1801, 85. [Elater, 1790.
- quercus** Ludius (Ol.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.—
- quercus** Lycaena (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 27.—Papilio, 1758.
- quercus** Melolontha, A. W. Knoch, N. Beitr. Insectenkunde (1) 1801, 72.
- quercus** Merinthus (Gm.), J. W. Meigen, Syst. Besch. Europ. Schmett. II (4) 1830, 150.—  
Sphinx, ? D. & S. 1775.
- quercus** Meristis (Fab.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 129.—Noctua,
- quercus** Nematus, T. Hartig, Adelfl. Deutschl. I. 1837, 188. [1775.
- quercus** Oedemera (Fab.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 450.—Necydalis, 1792.

- quercus** Orchestes (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio, 1758.
- quercus** Pachygastrina (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 186.—Phalaena, 1758.
- quercus** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 73 (Fernaldo judice 1799) [*n. et f.*].
- quercus** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 121 (Fernaldo judice 1805) [*n. et f.*].
- quercus** Phylloxera, Boyer de F., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 223.
- quercus** Platycerus (Web.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 331.—Lucanus.
- quercus** Pogonocherus, Sturm; Dejean, Catal. Coléopt. 1821, 107 [*n. n.*].
- quercus** Polymmatius (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 116.—Hesperia, 1793.
- quercus** Polyptychus (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1820], 141.—
- quercus** Psyche, F. v. P. Schrank, F. Boica, II (2) 1802, 93. [Sphinx, 1775.]
- quercus** Psylla (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 67.—Chermes, 1758.
- quercus** Ptinus, Péroud in A. Comolli, De coleopt. Novocomi, 1837, 19.
- quercus** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 455.—Curculio, L. 1758.
- quercus** Salius (L.), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 328.—Curculio, 1758.
- quercus** Saperda, T. v. Charpentier, Horae Ent. 1825, 224.
- quercus** Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 982. [1775.]
- quercus** Smerinthus (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 45.—Sphinx,
- quercus** Sphaerosoma, G. Samouelle, Entom. Compend. 1819, 394. [1775.]
- quercus** Sphaerosoma, J. F. Stephens (*ex* Leach MS), Nom. Brit. Ins., Aug. 1829, 19 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 238. [[*n. et f.*].]
- quercus** Sphinx, J. Huebner, Europ. Schmett., Tab. Sphinx, 25 (Fernaldo judice 1808–18)
- quercus** Tettigonia (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 325.—Cicada, 1777.
- quercus** Thecla (L.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 286.—Hesperia,
- quercus** Thylacites, Melsh.; J. Sturm, Catal. Ins. Samml. 1826, 202. [Fab. 1793.]
- quercus** Typhlocyba (Fab.), E. F. Germar, Revue Entom. I (4) *c.* Sept. 1833, 180.—Cicada, 1777.
- quercus** Zephyrus (L.), J. W. Dalman, K. Vet. Ac. Handl. 1816 (1) 1816, 90.—Papilio,
- quercus** Zygops, T. Say, Descr. N. Amer. Curcul., July 1831, 20. [1758.]
- quercus-castaneae** Cynips, Ruricola [= J. Curtis], Gardener's Chron. 6 Ap. 1844, 212.
- quercus folii** Diplolepis (L.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 307.—Cynips, 1758.
- quercus folium** Gorgonia, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 367.
- quercus-monticula** Aphis, S. S. Haldeman, Proc. Boston Soc. N. H. I (2–3) [1844–5], 168.
- quercus-radius** Cynips, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 37 [*n. n.*].
- quercus ramuli** Pteromalus (Boyer), C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 426.—Cynips, L. 1761.
- quercus tojae** Diplolepis, Boyer de F., Ann. Sci. Nat. XXVI (102) June 1832, 189.
- quercuum** Picus, C. L. Brehm, Isis, 1828, 1274 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831,
- querelans** Patrocles, Denys de Montfort, Conch. I. 1808, 219. [191.]
- querneus** Bombyx, A. H. Haworth, Lepidopt. Brit. (1) 1803, 104 [querna, Huebn.].
- querna** Arianta, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 41 [*n. n.*]. [[*n. et f.*].]
- querna** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 3 (Fernaldo judice 1802)
- quernea** (*sic*) Chaonia (Fab.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Nov. 1828, 31.—Bombyx querna, Huebn. [1775.]
- querna** Drymonia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1820], 144.—Bombyx,
- querna** Notodon (Gm.), J. W. Meigen, Syst. Besch. Europ. Schmett. II (4) 1830, 180.—Phalaena, ? Borkh. 1790. [1775.]
- querna** Notodonta (D. & S.), F. Ochsenheimer, Schmett. Europa, III. 1810, 84.—Bombyx,
- Querquedula** L. Oken, Isis, I. 1817, 1183.—A. [*teste* C. W. R.].
- Querquedula** J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824, 142.—A.
- querquedula** Querquedula (L.), J. Gisl, Nat. Thierr. 1848, p. viii.—Anas, 1758.
- quersolina** Oliva, P. L. Duclos, H. N. Coq. (Olive) 1835, pl. 10 [*n. et f.*].
- Querula** L. P. Vieillot, Analyse, 1816, 37.—A.

- querulans** Lenticulina, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 182.
- querula** Cetonia, E. Newman, Entomologist (11) Sept. 1841, 171.
- querulus** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 89.
- querula** Fringilla, T. Nuttall, Man. Orn., ed. 2, I. 1840, 555.
- querulus** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 208.
- querulus** Holcorhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 520.
- querula** Minturnia, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 530.
- querula** Muscicapa, L. P. Vieillot, Ois. Amér. sept. I. 1807, 68.
- querula** Muscicapa, A. Wilson, Amer. Ornith. II. 1810, 77.
- querulus** Picus, A. Wilson, Amer. Ornith. II. 1810, 103.
- querula** Sarcophaga, F. Walker, List Dipt. Coll. B. M. (4) 1849, 821.
- querula** Zonotrichia (Nutt.), W. Gambel, Journ. Acad. Nat. Sci. Philad. I (1) Dec. 1847, quest→ *v. quaest*→. [51.—Fringilla.]
- quetzpaleo** Stello, P. A. Latreille, s. à Deterville ed. Buffon, Rept. II. 1801, 268.
- quica** Didelphis, C. J. Temminck, Mon. Mamm. I. 1824, 36.
- quichua** Spirifer, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 37.
- quiebra** Chorinemus, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 396.
- quiebra** Lichia, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 365.
- quiescens** Uranidea, J. E. De Kay, N. H. New York (Fish) 1842, 61.
- quietus** Elater, T. Say, Tr. Amer. Phil. Soc., n. s. VI (2) 1839, 184.
- quieta** Erastria (Huebner), F. Ochseneimer, Schmett. Europa, IV. 1816, 92.—Noctua.
- quietus** Nematus, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (1) 1847, 17.
- quieta** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 103 (Fernaldo iudice 1808–18) [*n. et f.*].
- quieta** Odice, J. Huebner, Verz. bekannt. Schmett. 1825, 258.—Noctua.
- quimperiana** Campylaea (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 26.—Helix.
- quimperiana** Helix (Helicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 43 [*n. n.*].
- quimperiana** Theba (Fér.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 114.—Helix.
- quinaria** Phoracantha, E. Newman, Ann. Nat. Hist. V. Mar. 1840, 19 [*n. n.*].
- quinaria** Phoracantha, E. Newman, Entomologist (1) Nov. 1840, 3.
- quinciensis** Helix, L. Mauduyt, Tabl. Moll. Vienne, 1839, 53.
- quincuncialis** (*sic*) Alveolites, de Blainville, Dict. Sci. Nat. LX. 1830, 370.
- quincuncialis** Eunicea, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 362.
- quincuncialis** Gorgonia (Ehr.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 668.—Eunicea.
- quincuncialis** Lunulites, F. Dujardin, Ann. Sci. Nat. XV (60) Dec. 1828, 415.
- quincuncialis** Producta, J. Phillips, Geol. Yorksh. II. 1836, 214.
- quincuncialis** Sarcinula, H. Michelin, Icon. Zoophyt. (3) 1841, 26.
- quincuncialis** Ventriculites, J. T. Smith, Ann. Mag. N. H. (2) I. Mar. 1848, 207.
- quincunciatus** Tropidonotus, H. Schlegel, Essai phys. Serp. 1837, I., 167; II., 307.
- quinda** Inostemma, F. Walker, Ann. Mag. N. H. X. Dec. 1842, 273.
- quindecies-striatum** Dentalium, E. Eichwald, Paleont. Rossii, 1850, 80.
- quindecim-aculeata** Chromis, H. Cloquet, Dict. Sci. Nat. IX. 1817, 147.
- quindecimaculeatus** Labrus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 432.
- quindecimal** Cyrtoceras, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 114.
- quindecimalis** Pelates, J. L. R. Agassiz, Poiss. Foss. IV., 39 (1835) [*n. n.*]; 95 (1836).
- quindecim-maculata** Coccinella, Dejean, Catal. Coléopt. 1821, 130 [*n. n.*].
- quindecimmaculata** Coccinella, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 30.
- quindecim-maculata** Galleruca, Dejean, Catal. Coléopt. 1821, 118 [*n. n.*].
- quindecim-maculata** Hippodamia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 20.
- quindecim-maculata** Leis (Hope), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 246.—Coccinella.
- quindecim-punctata** Anatis (Ol.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 133.—Coccinella, Deg. 1775.
- quindecimpunctatus** Curculio, A. G. Olivier, Entom. V. 1807, 300.
- quindecimpunctata** Elis, F. Klug, Beitr. zur Naturkunde, II. 1810, 175.
- quindecimpunctata** Galeruca, E. F. Germar, Ins. spec. novae, I. 1824, 600.



- quindecimpunctatus** Prepodes (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 22.—  
Curculio.
- quindecim-spilota** Coccinella, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 30.
- quindecim-spilota** Leis (Hope), É. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 248.—  
Coccinella.
- quindens** Kölga, G. v. Muenster, Beitr. zur Petref. (2) 1839, 61.
- quindensis** Bacteria, Goudot, Magasin de Zool. (2) V. 1843, pl. 125.
- quinnat** Salmo, J. Richardson, F. Bor.-Amer. (3) 1836, 219.
- quinqualis** Anania, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 27.
- quinqualis** Anania, J. Huebner, Verz. bekannt. Schmett. 1826, 360.
- quinguangularis** Cellepora, F. v. Hagenow, N. Jahrb. f. Min. 1839, 275.
- quinguangulare** Cerithium, J. Thurmann, Mém. Soc. H. N. Strasbourg, I (2) 1833, 17
- quinguangularis** Cyathocrinites, J. S. Miller, N. H. Crinoidea, 1821, 92. [[*n. n.*].
- quinguangulare** Dentalium, E. Forbes, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 188.
- quinguangularis** Eugeniocrinites, J. S. Miller, N. H. Crinoidea, 1821, 111.
- quinguangularis** Isocrinites, T. Austin, Ann. Mag. N. H. X. Oct. 1842, 108 [*n. n.*].
- quinguangularis** Poteriocrinites, T. Austin, Ann. Mag. N. H. X. Oct. 1842, 108 [*n. n.*].
- quinguangularis** Poteriocrinites, T. & T. Austin, Ann. Mag. N. H. XI. Mar. 1843, 196.
- quinguangularis** Rhodocrinites, J. S. Miller, N. H. Crinoidea, 1821, 109.
- quinguangularis** Serpula, G. A. Goldfuss, Petref. German. I (3) 1831, 230.
- quinqueangulatus** Echinus, de Blainville, Dict. Sci. Nat. XXXVII. 1825, 79.
- quinguangulatus** Euomphalus, *id. ac* pentangulatus, Sow.; G. A. Goldfuss, Petref.  
German. III (8) 1844, 87.
- quinguangulata** Serpula, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 18.
- quinguangulosa** Astrea, de Blainville, Dict. Sci. Nat. LX. 1830, 341.
- quinquaria** Eupisteria (Huebner), Boisduval, Gen. Index Europ. Lepid. 1840, 192.—  
Geometra.
- quinquaria** Fidonia (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, VII (2)  
(Noct. 4, pt. 2), 431, 1829.—Geometra, 1818–22.
- quinquaria** Geometra, J. Huebner, Samml. europ. Schmett. (Geom.) Tab. 100 [Fernaldo  
judice, 1818–22].
- quinquaria** Perconia, J. Huebner, Verz. bekannt. Schmett. 1825, 296.—Geometra, 1818–22
- quinque** Tropicodonotus, T. Cantor, Proc. Zool. Soc. London, VII (75) July 1839, 54.
- quinqueaculeata** Raia, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 200.
- quinqueannulatus** Calanus, H. Krøyer, Naturhist. Tidsskrift [2] II (5) 1848, 545.
- quinquecanaliculatus** Belemnites, Hartmann in C. H. v. Zieten, Pétrif. Wurt. (4) 1831, 32.
- quinquecarinatus** Astacus, J. E. Gray in E. J. Eyre, Journ. Centr. Austral. I. 1845, 410.
- quinquecarinata** Cyclura, J. E. Gray, Zool. Miscell. (Gray) (4) May 1842, 59. [1842.
- quinquecarinatus** Enyaliosaurus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 192.—Cyclura,
- quinquecarinata** Mabuya (Kuhl), L. J. Fitzinger, Neue Classif. Rept. 1826, 52.—Scincus;  
? Tropidosaura.
- quinquecarinata** Serpula, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 102.
- quinquecarinatus** Tropidosaura, Kuhl in Férussac, Bull. Sci. IX. 1826, 236 [*n. n.*].
- quinquecella** Beris, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 175.
- quinquecinctus** Allantus, Gimmerthal, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 124.
- quinquecinctus** Arpactus (Fab.), L. Jurine, Litt. Zeitg. (Erlangen) Intell.-blatt, 1801,  
164.—Mellinus, 1793.
- quinquecincta** Cerceris (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 34.—Phil-  
anthus, 1790.
- quinquecinctum** Cerithium, S. Borson, Cat. coll. min. Mus. [Turin] 1830, 621 [*n. n.*].
- quinquecinctus** Ceropales (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 340.—  
Mellinus, 1793.
- quinquecinctus** Chaetodon, G. Cuvier, Règne Anim., ed. 2, II. 1829, 192.
- quinquecinctus** Cheilinus, E. Rueppell, Neue Wirbelth. Abyssin. (4) 1835, 19.
- quinquecinctus** Cteniscus (Grav.), A. H. Haliday, Ann. Nat. Hist. II. Oct. 1838, 113.—  
Tryphon.
- quinque-cinctus** Culex, J. Curtis, Guide Brit. Ins. (7) 1831, 201 [*n. n.*].
- quinque-cincta** Elis (Fab.), M. Spinola, Ins. Liguria, I. 1806, 78.—Scolia, 1793.

- quinquecinctus** Gorytes (F.), P. A. Latreille, *Nouv. Dict. H. N.* XXIV (Tab.) 1804, 180.—Mellinus, 1793.
- quinquecinctus** Hoplisus (Fab.), *Le Peletier de S. F., Ann. Soc. Ent. France*, I (1) c. Ap. 1832, 61.—Mellinus, 1793. [374.]
- quinquecinctus** Ichneumon, J. L. C. Gravenhorst, *Mem. R. Acc. Sci. Torino*, XXIV. 1820,
- quinquecincta** Larra (F.), Lamarck, *An. s. vert.* IV. 1817, 118.—Mellinus, 1793.
- quinquecincta** Nerinea, Muenster in G. A. Goldfuss, *Petref. German.* III (8) 1844, 42.
- quinquecinctus** Pleurotomaria (Ziet.), A. d'Orbigny, *Prodr. Paléont.* II [Nov.] 1850, 10.—Trochus.
- quinquecinctus** Pomacanthus, Cuvier & Valenc., *H. N. Poiss.* VII. 1831, 210.
- quinquecincta** Tarpa, F. Klug, *Entom. Mon.* 1824, 193.
- quinquecinctus** Trochus, C. H. v. Zieten, *Pétrif. Wurt.* (6) 1832, 46.
- quinquecinctus** Trochus, G. A. Goldfuss, *Petref. German.* III (8) 1844, 50.
- quinquecinctus** Tryphon, J. L. C. Gravenhorst, *Ichneum. Europ.* II. 1829, 165.—Ichneumon, 1820.
- quinquecinctus** Turbo (Goldf.), A. d'Orbigny, *Prodr. Paléont.* I. 1849 [Jan. 1850], 67.—Trochus.
- quinquecincta** Turritella, G. A. Goldfuss, *Petref. German.* III (8) 1844, 106.
- quinque-cinctus** Urichthys, W. Swainson, *N. H. Fishes etc.* II. July 1839, 224.
- quinquecirrha** Pelagia, E. Desor, *Proc. Boston Soc. N. H.* III. 1851 (1848), 76.
- quinquicolor** Certhia, J. M. Bechstein in Latham, *Vögel*, IV (1) 1811, 194.
- quinquicolor** Merops, H. Boie, *N. Staatsburg. Mag. (Schleswik)* I (2) 1832, 473 [*n. n.*].
- quinquecolor** *v. et* quinticolor.
- quinquecornuatum** Scyllia, v. Hasselt, *Algem. Konst. Letter-Bode*, 1823 (20) May 1823,
- quinque-cornutum** Scyllium, v. Hasselt, *Bull. des Sci. Nat.* II. 1824, 89. [315.]
- quinquecostatus** Ammonites, [T. A. Catullo], *App. al Catal. Amm. Alpi Venete*, 1847, 1.
- quinquecostata** Avicula, G. v. Muenster, *Beitr. zur Petref.* (5) 1842, 118.
- quinquecostata** Blaps, G. Fischer de W., *Bull. Soc. Imp. Nat. Moscou*, XVII. 1844 (1)
- quinquecostatum** Cardium, G. v. Muenster, *Beitr. zur Petref.* (3) 1840, 63. [1844, 76.]
- quinque-costatus** Cixius, L. Dufour, *Mém. présentés Ac. Roy. Sci. Inst. France*, IV. 1833, 224.
- quinquecostata** Janira (Sow.), A. d'Orbigny, *Pal. Franç., Crét.* III (Lam.) 1847, 632.—Pecten. [Pecten.]
- quinquecostatus** Neithea (Sow.), Agassiz in Sowerby, *Min. Conch. (Germ. ed.)*, 87 (1840).—
- quinquecostata** Orthis, F. M'Coy in Griffith, *Syn. Silurian foss. Ireland*, 1846, 33.
- quinquecostata** Pecten, J. Sowerby, *Min. Conch.* I. 1814, 122.
- quinquecostatus** Pecten, G. P. Deshayes in Bory de St V., *Exp. Morée (Moll.)* 1833, 121.
- quinquecostatus** Pectinites (Sow.), J. F. Krueger, *Gesch. d. Urwelt* (2) 1823, 520.—Pecten.
- quinquecostata** Spirigera (Muenst.), A. d'Orbigny, *Prodr. Paléont.* I. 1849 [Jan. 1850], 204.—Terebratula.
- quinquecostatus** Taphrostethus, F. X. Fieber, *Entom. Monogr.* 1844, 41.
- quinquecostata** Terebratula, G. v. Muenster, *Beitr. zur Petref.* (4) 1841, 59.
- quinquecristata** Serpula, Muenster in G. A. Goldfuss, *Petref. German.* I (3) 1831, 226.
- quinquidens** Jaminia, T. Brown, *Ill. Conch. G. B.* I. 1827, pl. li, f. 11 [*n. et f.*].
- quinquedens** Mantis, W. S. MacLeay in P. P. King, *Narr. Surv. Australia*, II. 1827 [*i.e.* Ap. 1826], 454.
- quinque-dentatus** Brachystethus, M. Spinola, *Ess. Ins. Hémipt.* 1837, 344.
- quinquedentatus** Bulimus (Meg.), L. Pfeiffer, *Symb. Helic.* I. 1841, 84.—Pupa.
- quinquedentatus** Fusus, Grateloup, *Actes Soc. Linn. Bordeaux*, VI (32) 1833, 43.
- quinquedentata** Gonodon (Meg.), F. Held, *Isis (Oken)*, 1837, 918.—Pupa. [1836.]
- quinquedentata** Othonia, T. Bell, *Tr. Zool. Soc. London*, II (1) Nov. 1836, 56.—Pitho,
- quinquedentata** Pitho, T. Bell, *Proc. Zool. Soc. London*, III (35) Feb. 1836, 172.
- quinquedentata** Pupa, Megerle in C. T. Menke, *Syn. meth. Moll.* 1828, 19 [*n. n.*].
- quinquedentata** Pupa (Born), L. Pfeiffer, *Mon. Helic.* II. 1848, 345.—Turbo, 1778.
- quinquedentatum** Tetragona, Quoy & Gaimard in H. D. de Blainville, *Dict. Sci. Nat.* LX. 1830, 125.
- quinquedentata** Turritella, L. A. G. Bosc, s. à Deterville ed. Buffon, *Moll.* IV. 1801, 83.
- quinquedentatus** Xantho, F. Krauss, *Südafrik. Crust.* 1843, 30.

- quinquefaria Scutella, T. Say, J. Acad. Nat. Sci. Philad. V. Feb. 1826, 228.
- quinquefasciatus Aetheocerus, Bourlet, Mém. Soc. R. Agric. Douai, 1841-2 (1843), 111.
- quinquefasciata Altica, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1813), 20.
- quinque-fasciata Anthrax, Pallas in C. R. W. Wiedemann, Zoologisches Magazin, I (2) 1818, 14.
- quinquefasciatus Arpactus (Panz.), L. Jurine, N. Méth. class. Hyménopt. 1807, 194.—Mellinus, 1798.
- quinquefasciatus Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 396.
- quinquefasciata Cassida, J. C. Fabricius, Syst. Eleuth. I. 1801, 401.
- quinquefasciata Cassida, M. Perty, Del. anim. artic. Brasil. (2) 1832, 103.
- quinquefasciatus Cephus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 31 [*n. n.*]; & Ill. Brit. Ent. (Mand. VII.) Sept. 1835, 104.
- quinquefasciatus Cerambyx, W. Turton, Linnaeus, Syst. Nat. II. 1802, 308.
- quinquefasciata Cerceris, Bosc, Ann. Agric. Franç. LIII. 1813, 376.
- quinquefasciatus Cerceris (Rossi), P. L. Vander Linden, N. Mém. Ac. Roy. Brux. V. 1829, 117.—Crabro, 1792.
- quinquefasciatus Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, sed me judice
- quinquefasciata Coccinella, J. Sturm, Catal. Ins. Samml. 1826, 82. [1836], 101.
- quinquefasciatus Culex, T. Say, J. Acad. Nat. Sci. Philad. III. Ap. 1823, 10.
- quinquefasciatum Cyclostoma, C. B. Adams, Contr. to Conch. (1) Sept. 1849, 12. [219.
- quinquefasciata Draco, Hardwicke & Gray, Zool. Journ. III (10) July [*i. e.* Sept.] 1827,
- quinquefasciatus Dracunculus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 235.—Draco, 1827.
- quinque-fasciatus Erychthys, W. Swainson, N. H. Fishes etc. II. July 1839, 226.
- quinquefasciatus Galerites, Bory de St V., Ency. Méth. (Vers) 1824, 143 [*n. et f.*].
- quinquefasciatus Gorytes (Panz.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 33.—Mellinus, 1798.
- quinque-fasciata Helix, R. Sheppard, Tr. Linn. Soc. London, XIV (1) 1823, 163.
- quinquefasciata Melipona, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836 [1835], 418.
- quinquefasciata Mutilla, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 60.
- quinquefasciatus Odynerus (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 34.—Vespa, 1793.
- quinquefasciata Orchesella (Bourl.), H. Lucas, Ann. Soc. Ent. France [2] I (4) Mar. 1844, 289.—Aetheocerus.
- quinquefasciata Poecilaspis (Perty), C. H. Boheman, Mon. Cassid. I. 1850, 405.—Cassida.
- quinquefasciatus Pterochilus, T. Say in Keating, Exp. Peter River, II. 1824, 347; & ed. London, 1825 (App.), 79.
- quinquefasciatum Rygchium, T. Say, Boston Journ. N. H. I (4) 1837, 384.—Pterochilus,
- quinquefasciata Scalaria, I. Lea, Contrib. to Geol. 1833, 116. [1824.
- quinquefasciatus Scarus, J. W. Bennett, Fishes Ceylon (5) 1830, no. 23.
- quinquefasciata Tephritis, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 464.
- quinquefasciata Tephritis, F. Walker, Tr. Linn. Soc. London, XVII (3) 1836, 357.
- quinquefissa Ophiotrix, P. Duchassaing, Anim. rad. Antilles [1850], 6.
- quinquefora Echinus (Scutella), F. S. Voigt in Cuvier, Thierreich, VI. 1843, 50.
- quinquefora Mellita (Lam.), L. Agassiz, Mon. Ech. II. 1841, 36.—Scutella.
- quinquefora Scutella, Lamarck, An. s. vert. III. 1816, 9.
- quinqueguttatus Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 626.
- quinqueguttatus Latrodectus, J. Krynicki, Bull. Soc. Imp. Nat. Moscou, 1837 (5) 1837, 75.
- quinquejugis Chrysomela, T. Marsham, Coleopt. Brit., Sept. 1802, 173.
- quinquelabiatus Echinoclypeus (Leske), H. D. de Blainville, Dict. Sci. Nat. LX. 1830,
- quinquelamellata Jaminia, A. Risso, H. N. Europe, IV. 1826, 91. [189.—Clypeus, 1778.
- quinquelamellata Pupa (Risso), L. Pfeiffer, Mon. Helic. II. 1848, 366.—Jaminia.
- quinquelineata Altica, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.) 1809, 375.
- quinque-lineata Anthomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 671.
- quinque-lineata Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1475.—Anthomyza, 1838.

- quinquelineata** Borlasia, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 285. [1817, 312.]
- quinquelineatus** Bostrichus, M. Adams, Mém. Soc. Imp. Nat. Moscou, V [post 12 Dec.]
- quinquelineatus** Cheilodipterus, Cuvier & Valenc., H. N. Poiss. II. 1828, 167.
- quinquelineata** Chordodera (Fab.), H. Burmeister, Handb. Ent. III. 1842, 202.—Cetonia, 1781.
- quinquelineata** Cleonis, Herbst; J. Sturm, Catal. Ins. Samml. 1826, 119.
- quinque-lineatus** Coluber, G. Raddi, Mem. Soc. Ital. Sci. XVIII. 1820, 339.
- quinquelineatus** Diacope (Bl.), G. Cuvier, R. Anim. II. 1817, 275.—Holocentrus, 1790.
- quinquelineatus** Diplolepis, T. Say, Boston Journ. N. H. I (3) 1836, 266. [Coluber.
- quinquelineata** Duberria (Raddi), L. J. Fitzinger, Neue Classif. Rept. 1826, 56.—
- quinquelineata** Empis, T. Say, J. Acad. Nat. Sci. Philad. III. June 1823, 95.
- quinquelineata** Flata, T. Say, J. Acad. Nat. Sci. Philad. VI. Aug. 1830, 241.
- quinquelineata** Galeruca, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II.
- quinquelineata** Haltica, J. Sturm, Catal. Ins. Samml. 1826, 147 [n. n.]. [1813], 70.
- quinque-lineata** Harmonia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 89.
- quinquelineatus** Hydroporus (Zett.), C. Aubé in Dejean & Boisduval, Icon. Coléopt. V. 367.—Hyphydrus.
- quinque-lineatus** Hyphydrus, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 234.
- quinquelineata** Lacerta, F. M. Daudin, Sonnini's Buffon, Rept. III (1802), 243.
- quinquelineata** Lacerta, J. Green [non Daud.], J. Acad. Nat. Sci. Philad. I (12) Aug. 1818, 348. [126.—Cetonia, 1781.]
- quinquelineata** [Lophorrhina] (Fab.), J. O. Westwood, Arcana Entom. (8) July 1842,
- quinquelineata** Mabuya (Daud.), L. J. Fitzinger, Neue Classif. Rept. 1826, 52.—Scincus.
- quinquelineatus** Mesoprion, Cuvier & Valenc., H. N. Poiss. II. 1828, 445.
- quinquelineatus** Paradoxurus, J. E. Gray, Mag. Nat. Hist., n. s. I. Nov. 1837, 579.
- quinquelineatus** Pecten, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 98.
- quinquelineatus** Pelates, Cuvier & Valenc., H. N. Poiss. III. 1829, 148.
- quinquelineatum** Plestiodon (Gm.), Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 707.—Lacerta, L. 1766.
- quinquelineata** Rhizophomyia (Say), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 7.—Empis.
- quinquelineata** Sciarra, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 149.
- quinquelineatus** Scincus, F. M. Daudin in Latreille, s. à Deterville ed. Buffon, Rept. II.
- quinquelineatus** Scincus, J. G. Schneider, Hist. Amph. II. 1801, 201. [1801, 74.]
- quinquelineata** Scincus (Green), T. Say, J. Acad. Nat. Sci. Philad. I (14) Oct. 1818, 405.—Lacerta.
- quinquelineatus** Tabanus, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 200.
- quinquelineatus** Tiliqua (L.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn., 69.—Lacerta, 1766.
- quinquelineatus** Trochus, H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 130.
- quinquelineata** Turritella, Jos. Mueller, Amt. Ber. Vers. deutsch. Nat. u. Aerzte, 1847 (1849), 237.
- quinquelineata** Vermilia, R. A. Philippi, Arch. f. Naturg. X (1) 1844, 193.
- quinquelineata** Vespa, W. Turton, Linnaeus, Syst. Nat. III. 1802, 529.
- quinquelineatus** Xyloterus (Adams), W. F. Erichson, Arch. f. Naturg. II (1) 1836, 60.—
- quinquella** Microsetia, P. H. Vaughan, The Zoologist, VI (1) 1848, 1986. [Bostrichus.
- quinqueloba** Asterias, G. A. Goldfuss, Petref. German. I (3) 1831, 209. [191.—Asterias.
- quinqueloba** [Goniaster] (Goldf.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836),
- quinqueloba** Odontopleura, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 156.
- quinqueloba** Pentetagonaster, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 274.
- quinqueloba** Polypothechia, E. Benett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831, 9
- quinqueloba** Scutella, F. Eschscholtz, Zool. Atlas, IV. 1831, 18. [[n. et f.].
- quinqueloba** Spirifera, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 134.
- quinquelobata** Scyphia, d'Archiac, Mém. Soc. géol. France (2) III (2) 1850, 413.
- Quinqueloculina** A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 301.—Rh.
- quinquemaculata** Angela (Stoll), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 171.—Mantis.

- quinquemaculatus Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 14 ["Mon. Anth." *poster. edit.*].
- quinque-maculata Anthomyia, J. Macquart in Webb & Berthelot, Canaries (Dipt.) 1840, 116.
- quinquemaculata Asterias, S. d. Chiaje, Mem. An. s. vert. Napoli, IV. 1829 [1831], 197.
- quinquemaculatus Blepharipus, Le Peletier de S. F. & Brullé, Ann. Soc. Ent. France, III (4) *post* Mar. 1835, 738.
- quinque-maculatus Borborus, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1130.
- quinquemaculatus Canthon, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 69.
- quinquemaculatus Cerambyx, W. Turton, Linnaeus, Syst. Nat. II. 1802, 337.
- quinquemaculata Cercopis, Hoffmannsegg, Mag. Entom. (Germar) IV. 1821, 43.
- quinquemaculata Ceroxys, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 439.
- quinque-maculatus Clytus, F. Gebler, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. III (7) June 1844, 104.
- quinquemaculata Coryphaena, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 218.
- quinquemaculatus Crenilabrus (Bl.), H. Cloquet, Dict. Sci. Nat. XI. 1818, 392.—Labrus, Crioceris, J. C. Fabricius, Syst. Eleuth. I. 1801, 452. [1792.
- quinquemaculata Doryphora, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 156.
- quinquemaculata Galleruca, Fab.; Dejean, Catal. Coléopt. 1821, 118 [*n. n.*]. [214.
- quinquemaculatus Hemipteronotus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802,
- quinquemaculata Ips, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 14 [*n. n.*].
- quinquemaculata Lema, T. Lacordaire (*ex* Dej. Cat.), Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 428.
- quinquemaculata Mantis, M. Houttyn in Stoll, Spoken (Index Phasm. [1813]), 79.
- quinquemaculatus Mastostethus, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 628.
- quinquemaculata Melazycera, F. E. Guérin-M., Iconographie, 1844, Ins., 270.
- quinque-maculata Membracis, L. Fairmaire, Ann. Soc. Ent. France [2] IV (2) Oct. 1846,
- quinquemaculata Metastemma, H. Lucas, Explor. Algér. (Artic. III.) 1849, 53. [250.
- quinquemaculata Nesaea, C. L. Koch, Deutsch. Crust., heft 9, 1836, tab. 13.
- quinquemaculata Ophiotrix (Chiaje), Joh. Mueller & Troschel, Syst. Asterid. 1842, 112.—Asterias.
- quinquemaculata Ophiura, S. d. Chiaje, Descr. An. invert. Sicilia, IV. 1841, 63.
- quinquemaculata Ortalis, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 435.
- quinquemaculata Sapromyza, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,
- quinque-maculatus Sphinx, A. H. Haworth, Lepidopt. Brit. (1) 1803, 59. [402.
- quinquemaculata Spilogaster, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 294.
- quinquemaculata Tetraopes, Le Conte in S. S. Haldeman, Tr. Amer. Phil. Soc., n. s. X (1) 1847, 53.
- quinquemaculata Tettigonia, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 67.
- quinquemaculata Thespis (Ol.), J. G. Audinet-S., Ann. Sci. Nat. XXII (85) Jan. 1831, 55.—Mantis, Man. 1792.
- quinquemaculatus Typophorus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 163.
- quinque-maculata Uroctea, L. Dufour, Ann. gén. Sci. Phys. (Bruxelles) V. Aug. 1820, 200.
- quinquemaculata Urophora, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 339.
- quinquemaculata Vespa, W. Turton, Linnaeus, Syst. Nat. III. 1802, 529.
- quinquenarius P[olynemus], J. Minding, Lehrb. Naturg. Fische, 1832, 130.
- quinque-nervis Locusta (Phaneroptera), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 193.
- quinque-nodosus Prynus, C. J. Schoenherr, Isis (Oken), 1823, 1139 [*n. n.*].
- quinquenodosus Prynus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 493.
- quinquenotata Cleothera, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 548.
- quinquenotata Coccinella, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 19 [*n. n.*] & *var.* parenthesis, F. V. M. [*n. n.*].
- quinque-notata Coccinella, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 230.
- quinque notatus Crabro, L. Jurine, N. Méth. class. Hyménopt. 1807, 212 [*n. et f.*].

- quinque-notata** Leptura, Dejean, Catal. Coléopt. 1821, 112 [*n. n.*].  
**quinquenotata** Ortalis, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 348.  
**quinque-notatus** Photinus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I.  
**quinquenotatus** Pompilus, T. Say, Boston Journ. N. H. I (3) 1836, 304. [1840, 269.  
**quinquenotatus** Pselaphacus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 78.  
**quinque-notata** Sibiria, C. G. Mannerheim in A. D. Hummel, Essais Entom. I (4) 1824, 32.  
**quinquenotata** Thamnotettix, C. H. Boheman, Ofvers. K. Vet. Ac. Förh. II (6) 1845, 159.  
**quinque ocellatus** Gobius, Cuvier & Valenc., H. N. Poiss. XII. 1837, 95.  
**quinquepartitus** Attus, C. A. Walckenaer, Tab. Aran. 1805, 25 [*n. n.*].  
**quinquepartita** Dia (Walck.), C. L. Koch, Uebers. Arachnidensyst. V. 1850, 64.—Attus.  
**quinquepartita** Euophrys (Walck.), C. L. Koch, Uebers. Arachnidensyst. I. 1837, 33.—  
 Attus.  
**quinquepartitus** Rhodocrinites, G. A. Goldfuss, Petref. German. I (3) 1831, 199.  
**quinquepartius** Salticus (Walk.), C. W. Hahn, Die Arachniden, II (4) Oct. 1834, 41.—Attus.  
**quinqueplicata** Chondrula, Megerle in H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 87.  
**quinqueplicatus** Chondrus, Meg.; Jan, Cat. Mus. (II a, Conch.) 1832, 5 [*n. n.*].  
**quinqueplicata** Marginella, Lamarck, An. s. vert. VII. 1822, 356. [ginella.  
**quinqueplicata** Porcellana (Eyd.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 74.—Mar-  
**quinqueplicata** Pupa (C. & J.), Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 163.—  
**quinqueplicata** Terebratula, C. H. v. Zieten, Pétrif. Wurt. (7) 1832, 55. [Chondrus.  
**quinquepunctalis** Botys, J. A. Boisduval, F. Ent. Madag. (8) 1833, 117. [265.  
**quinquepunctalis** Botys, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833,  
**quinque-punctatum** Agonum, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb.  
 V (1-3) Nov. 1844, 137.  
**quinquepunctatus** Anchomenus (Motsh.), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou,  
 XXIII. 1850 (3) 1850, 122.—Agonum.  
**quinquepunctata** Calandra, T. Say, Amer. Entom. I. 1824, pl. ix.  
**quinquepunctata** Cassida, J. Sturm, Catal. Ins. Samml. 1826, 112 [*n. n.*].  
**quinquepunctatus** Clytus, H. Lucas, Ann. Soc. Ent. France [2] VI (3) Jan. 1849, p. xlviiii.  
**quinquepunctata** Ephydra, B. A. Gimmerthal, Bull. Soc. Imp. Nat. Moscou, XX. 1847  
 (3) 1847, 201.  
**quinquepunctata** Eschara, v. Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2)  
 1850, 246 [*n. n.*].  
**quinquepunctata** Galleruca, J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 48.  
**quinquepunctata** Geniates, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 37 [*n. n.*].  
**quinquepunctata** Haltica, J. Sturm, Catal. Ins. Samml. 1826, 147 [*n. n.*].  
**quinquepunctata** Heleomyza, T. Say, J. Acad. Nat. Sci. Philad. III. July 1823, 101.  
**quinquepunctatum** Himatidium, J. Sturm, Catal. Ins. Samml. 1826, 152 [*n. n.*].  
**quinquepunctata** Lema, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 553.  
**quinquepunctata** Mutilla, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 58.  
**quinque-punctata** Ophiura, C. S. Rafinesque-S., Précis Som. 1814, 33.  
**quinquepunctatus** Pseudocryobius, V. v. Mochulski, Kaefer Russl., *post* May 1850, 54.  
**quinquepunctatus** Rhynchaenus (L.), J. C. Fabricius, Syst. Eleuth. II. 1801, 482.—  
 Curculio, 1758. [Scolia, 1781.  
**quinquepunctata** Sapyga (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 346.—  
**quinquepunctatus** Scaphidomorphus (Fab.), F. W. Hope, Rev. Zool. (Soc. Cuv.) IV.  
 Ap. 1841, 111.—Erotylus, 1775.  
**quinque-punctata** Sibiria (Fab.), Dejean, Catal. Coléopt. 1821, 83.—Rhynchaenus.  
**quinquepunctata** Sphenoptera, Laporte & Gory, H. N. Coléopt. II. 1839, 26.  
**quinquepunctatus** Stiretrus, E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 20.  
**quinquepunctatus** Tychius (L.), E. F. Germar, Mag. Entom. (Germar) II. 1817, 340.—  
 Curculio, 1758.  
**quinquepunctatus** Ypsolophus, A. H. Haworth, Lepidopt. Brit. (4) 1828, 544.  
**quinquepustulatus** Badister, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 58.  
**quinquepustulatus** Stenolophus (Wied.), Dejean, Spec. gén. Coléopt. IV. 1829, 414.—  
 Badister.  
**quinqueradiatus** Productus, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 88.  
**quinqueradiata** Seriola, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1845), 115.

- quinquerugatus** Pectunculus, T. A. Conrad, Amer. J. Sci. XLI (2) Oct. 1841, 346.
- quineserrata** Plectana, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837
- quineseta** Terebella, Lamarck, Syst. Anim. 1801, 324. [[1841], 157.
- quinesignata** Cassida, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 95 [*n. n.*].
- quinesignata** Coccinella, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 230.
- quinesignatus** Hemirhipus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840, 234. [Coccinella.
- quinesignata** Hemisphaerica (Kirby), F. W. Hope, Coleopt. Manual, III. 1840, 157.—
- quinesignata** Hippodamia (Kirby), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 15.—Coccinella.
- quinesignata** Stenura, H. C. Kuester, Käfer Europas, VI. 1846, 94.
- quinespinosus** Gerris, J. C. Fabricius, Syst. Rhyng. 1803, 261.
- quinespinosus** Lygaeus, T. Say, J. Acad. Nat. Sci. Philad. IV. Mar. 1825, 323.
- quinespinosus** Nysson, T. Say, Western Quart. Reporter, II (1) 1823, 78.
- quinespinosa** Rophites, M. Spinola, Ins. Liguriae, II. 1808, 72.
- quinespinosus** Zelus, J. C. Fabricius, Syst. Rhyng. 1803, 286.—Reduvius, 1781.
- quinespatriatus** Androctonus, C. G. Ehrenberg, Sym. Phys., Arach. 1831 (pls. 1828), sign. *a*.
- quinespatriatus** Androctonus (Leiurus), Hemprich & Ehrenberg, Ges. Nat. Fr. Berlin, Verh. I (6) 1829, 353.
- quinespatriatum** Bembidium, L. Gyllenhal, Ins. Suecica, I (2) 1810, 34.
- quinespatriatus** Eristalis, J. C. Fabricius, Syst. Antliat. 1805, 245.—Syrphus, 1794.
- quinespatriata** Musca, W. Turton, Linnaeus, Syst. Nat. III. 1802, 642.
- quinespatriatus** Scorpio (H. & E.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 46.—Androctonus.
- quinespatriata** Tiliqua, J. E. Gray, Ann. Nat. Hist. II. Dec. 1838, 290.
- quinespatriata** Euryomphala, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 8 [*n. n.*].
- quinespatriata** Gobius, Cuvier & Valenci., H. N. Poiss. XII. 1837, 134.
- quinesulcatus** Belemnites, H. D. de Blainville, Mém. Bélem. 1827, 83.
- quinesulcata** Chlamys, V. Kollar, Mon. Chlamydom, 1824, 35. [857.—Chlamys.
- quinesulcata** Exema (Koll.), T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848,
- quinesulcatus** Mitylus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 312.
- quinesulcata** Serpula, Muenster in G. A. Goldfuss, Petref. German. I (3) 1831, 226.
- quinesulcata** Euprepis (Licht.), J. Wagler, Nat. Syst. Amph. 1830, 162.—Scincus.
- quinesulcata** Mabuya (Licht.), L. J. Fitzinger, Neue Classif. Rept. 1826, 52.—Scincus.
- quinesulcata** Scincus, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 103.
- quinesulcatus** Pteronotus (Sp. & Ag.), W. Swainson, N. H. Fishes etc. II. July 1839, 309.—Heterobranchus sextentaculatus.
- quinesulcatus** Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 448. [297.
- quinesulcatus** Coeliodes, Munck in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
- quinesulcatus** Cryptorhynchus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 716.—Rhynchaenus t—cutus.
- quinesulcata** Lamia, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 328.
- quinesulcata** Pterygia, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846,
- quinesulcatus** (*sic*) Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 447. [266.
- quinesulcata** Hydrachna, S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (15, 16) July
- quinesulcata** Lepas, J. Mawe, Linnaean Syst. of Conch. 1823, 8 [*n. et f.*]. [1842, 184.
- quinesulcata** Tropidosaura, Kuhl in Férussac, Bull. Sci. IX. 1826, 236 [*n. n.*].
- quinesulcata** Altica, T. Say, J. Acad. Nat. Sci. Philad. IV. Aug. 1824, 85.
- quinesulcata** Disonycha (Say), J. L. Leconte in Agassiz, Lake Superior, 1850, 238.—
- quinesulcata** Empis, J. Macquart, Ins. dipt. N. France (3) 1827, 129. [Altica.
- quinesulcata** Eristalis, Macquart in H. Lucas, Explor. Algér. (Artic. III.) 1849, 465.
- quinesulcata** Fringilla, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 15
- quinesulcata** Grammistes, J. G. Schneider, Bloch, Syst. Ichth. 1801, 187. [[*n. n.*].
- quinesulcata** Helomyza, J. Macquart in Webb & Berthelot, Canaries (Dipt.) 1840, 117.
- quinesulcata** Julis, Lay & Bennett, Zool. "Blossom," 1839, 66.



- quinquevittata** Lacerta, E. Ménériés, Cat. Rais. Zool. Caucase, 1832, 61.
- quinquevittatus** Tabanus, C. R. W. Wiedemann, Dipt. exot. 1821, 84.
- quinquevittata** Thereva, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 65.
- quintessis** Gulo, H. R. Schinz in Cuvier, Thierreich, I. 1821, 203.
- quinticolor** Amadina (Vieill.), G. R. Gray, Gen. Birds, II. June 1849, 370.—Fringilla.
- quinticolor** Cinnerys, R. P. Lesson, Man. Orn. II. June 1828, 45.
- quinticolor** Coccothraustes, L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 538.
- quinticolor** Fringilla, L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 183.
- quinticolor** Loxia, L. P. Vieillot, Ois. Chanteurs (9) *post* 1807, 85.
- quinticolor** Merops, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 21.
- quinticolor** Munia (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 452.—Loxia.
- quinticolor** *v. et quinquecolor.*
- quintilia** Colombella, P. L. Duclos in Chenu, Illustr. Conch. (77 & 78) 1848, pl. 19 [*n. et f.*].
- quiqui** Viverra (L.), G. Shaw, Gen. Zool. (Mamm.) I (2) 1800, 432.—Mustela, Mol. 1782.
- Quirinus** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 439.—Col. [*n. n.*].
- quirina** Acraea (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 231.—Papilio, 1781.
- quirina** Colius, H. R. Schinz, Nat. Abb. Vögel, 1831-3 [1832], 151.
- quiriquina** Calyptraea (Calypeopsis), R. P. Lesson in A. d'Orbigny, Amér. Mérid. (Moll.) 1841, 458. [397.]
- quiriquinae** Calyptraea (Calypeopsis), R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831,
- Quiscal** M. H. K. Lichtenstein, Abh. ph.-Kl. K. pr. Ak. Wiss. 1816-1817 (1819), 151.—A.
- Quiscalis** C. S. Rafinesque, Analyse, 1815, 68.—A. [*n. n.*].
- Quiscalus** L. P. Vieillot, Analyse, 1816, 36.—A.
- Quiscalus** Raf. 1815; *sic* Waterhouse, Ind. gen. Av. 1889, 193, *sed err. pro* Quiscalis, *q.v.*
- quiscala** Quiscalus (L.), C. Bonaparte, J. Acad. Nat. Sci. Philad. III. Ap. 1824, 364.—Gracula, 1758.
- quiscula** Icterus (L.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. liv.—Gracula, 1758.
- quisqualis** Clavatula, R. B. Hinds, Proc. Zool. Soc. London, XI (122) Oct. 1843, 44.
- quisqualis** Pleurotoma (Hinds), L. Reeve, Conch. Icon.—Pleurotoma, no. 230, Nov. 1845.—Clavatula.
- quisquiliarius** Philonthus (Gyll.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 469.—Staphylinus.
- quisquiliarius** Staphylinus, L. Gyllenhal, Ins. Suecica, I (2) 1810, 335.
- quisquiliarum** Aleochara, L. Gyllenhal, Ins. Suecica, I (2) 1810, 398.
- quisquiliarum** Bolitochara (Gyll.), Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 494.—Aleochara.
- quisquiliarum** Erythraeus (Herm.), P. A. Latreille in Cuvier G., R. Anim. III. 1817, 118.—Trombidium.
- quisquiliarum** Homalota (Gyll.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 317.—
- quisquiliarum** Monotoma, L. Redtenbacher, F. Austr., Käfer, 1849, 203. [Aleochara.
- quisquiliarum** Rhyncholophus (Herm.), C. L. Koch, Deutsch. Crust., heft 16, 1837, tab. 11.—Trombidium.
- quisquiliarum** Trombidium, J. F. Hermann, Mém. Aptér. 1804, 32. [Scarabaeus, 1761.
- quisquiliium** Cercyon (L.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 153.—
- quisquilius** Crypticus, Payk.; Dejean, Catal. Coléopt. 1821, 66 [*n. n.*].
- quisquilius** Crypticus (L.), J. F. Stephens, Ill. Brit. Ent. (Mand. V.) Feb. 1832, 21.—Tenebrio, 1761.
- quisquilius** Dermestes (L.), T. Marsham, Coleopt. Brit., Sept. 1802, 71.—Scarabaeus, 1761.
- quisquilius** Hister, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 9 [*n. n.*]; & Ill. Brit. Ent. (Mand. III.) Aug. 1830, 151.
- quisquilia** Limosina, A. H. Haliday, Entom. Mag. III (4) Jan. 1836, 330.
- quitensis** Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, XV (179) Mar. 29, 1848, 230.
- quitensis** Grallaria, R. P. Lesson, Echo Monde Savant, XI. 26 Dec. 1844, 847 & 848.
- quitensis** Gulo, Humboldt, Voy. Intér. Amér. (Obs. Zool. I. 1812), 347.
- quitensis** Mephitis (Humb.), R. P. Lesson, Man. Mamm., May 1827, 152.—Gulo.
- quitensis** Thiosmus (Humb.), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 66.—Gulo.
- quiteria** Brassolis (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 50.—Papilio, 1780.
- quitzinensis** Scyphia, F. v. Hagenow, N. Jahrb. f. Min. 1840, 641.



- quixensis** Odynerus, M. Spinola in G. Osculati, *Esplor. Reg. Equat.* 1850, 201 [*n. n.*].
- quixensis** Orcus, G. Osculati, *Esplor. Reg. Equat.* 1850, 125 [*n. n.*].
- quixensis** Phyllostomus, G. Osculati, *Esplor. Reg. Equat.* 1850, 146 [*n. n.*].
- quixensis** Thamnophilus, E. Cornalia, *Vert. Syn. Mediolan.* 1849, 12.
- quixensis** Vespertilio, G. Osculati, *Esplor. Reg. Equat.* 1850, 302.—*vide* Phyllostomus.
- qobticum** Phalangium, *v. copticum*.
- quopopa** Polysticte, A. Smith, *Rept. Exp. C. Afr.* 1836, 54.
- quoraea** Pristipoma, G. Cuvier, *Règne Anim.*, ed. 2, II. 1829, 176.
- quoyana** Ampullacera, Potiez & Michaud, *Gal. Moll. Douai*, I. Oct. 1838, 288.
- quoyana** Atlanta, L. Souleyet in Vaillant, *Voy. "Bonite," Zool.* II. 1852, 383.
- quoyana** Firola, A. d'Orbigny, *Amér. Mérid. (Moll.)* 1836, 150.
- quoyanus** Hippolyte, H. M. Edwards (Roret's Suite à Buffon), *Crustacés*, II. 1837, 375.
- quoyanus** Octopus (Philonexis), A. d'Orbigny, *Amér. Mérid. (Moll.)* 1835, 17.
- quoyana** Orchestia, H. M. Edwards (Roret's Suite à Buffon), *Crustacés*, III. 1840, 17.
- quoianus** Palemon, H. M. Edwards (Roret's Suite à Buffon), *Crustacés*, II. 1837, 393.
- quoyanus** Philonexis, A. d'Orbigny in A. E. Férussac & A. d'O., *H. N. Céph. acétab.* 1840, 96.—Octopus, 1835.
- quoyana** Pterotrachea (Orb.), J. E. Gray, *Figs. Moll. Anim.* IV. 1850, 100.—Firola.
- quoyanus** Serranus, Cuvier & Valenc., *H. N. Poiss.* VI. 1830, 519.
- quoiana** Sphaeroma, H. M. Edwards (Roret's Suite à Buffon), *Crustacés*, III. 1840, 206.
- quoyanus** Tremoctopus (Orb.), J. E. Gray, *Cat. Moll. Coll. B. M.* (1) 1849, 27.—Octopus.
- quoyi** [Ailurops] (Frey.), J. Wagler, *Nat. Syst. Amph.* 1830, 26.—Phalangista, Q. & G. 1824.
- quoyi** Alveolina, A. d'Orbigny, *Ann. Sci. Nat.* VII (27) Mar. 1826, 307.
- quoyi** Amphistegina, A. d'Orbigny, *Ann. Sci. Nat.* VII (27) Mar. 1826, 304 [*n. n.*].
- quoyii** Apolemia, R. P. Lesson (Roret's Suite à Buffon), *Acalèphes*, 1843, 529.
- quoyi** Arca, B. C. Payraudeau, *Cat. Moll. Corse*, 1826, 62.
- quoyi** Attus, C. A. Walckenaer (Roret's Suite à Buffon), *Aptères*, I. 1837 [1836], 476.
- quoyi** Balaena, J. B. Fischer, *Syn. Mamm.* 1829, 526.
- quoyi** Barita, R. P. Lesson in Férussac, *Bull. Sci.* X. 1827, 289.
- quoyii** Beroe, R. P. Lesson, *Ann. Sci. Nat.* [2] (Zool.) V. Ap. 1836, 256.
- quoyii** Buccinum, L. C. Kiener, *Spec. Coquilles (Buccinum)* 1834, 16.
- quoyii** Bulla, J. E. Gray in Dieffenbach, *Trav. N. Z.* II. 1843, 243.
- quoyi** Calcarina, A. d'Orbigny, *Ann. Sci. Nat.* VII (27) Mar. 1826, 276 [*n. n.*].
- quoyi** Cestracion, De Fréminville, *Magasin de Zool.* (2) II. 1840, pl. 3.
- quoyi** Chiton, G. P. Deshayes in Lamarck, *H. N. Anim. s. Vert.*, ed. 2, VII. Jan. 1836, 509.
- quoyi** Cracticus (Less.), J. Gould, *Birds of Australia*, II (28) 1847, pl. 53.—Barita.
- quoyii** Cuscus (Gaim.), R. P. Lesson, *Man. Mamm.*, May 1827, 220.—Phalangista, Q. & G.
- quoyi** Cytherea, Hanley, *Ill. Catal., Expl. Table, Suppl.* 11, 1846.
- quoy** Echinus, de Blainville, *Dict. Sci. Nat.* XXXVII. 1825, 96.
- quoyi** Ersaea, J. F. Eschscholtz, *Syst. Acalephen*, 1829, 128.
- quoyi** Eulamprus (D. & B.), L. Fitzinger, *Syst. Rept.* 1843, 22.—Lygosoma.
- quoyi** Goniastrea, Edwards & Haime, *Ann. Sci. Nat.* [3] (Zool.) XII. Sept. 1849, 162.
- quoyi** Goniocidarid, Valenciennes in Agassiz & Desor, *Ann. Sci. Nat.* [3] (Zool.) VI. Nov. 1846, 337.
- quoyi** Helix, G. P. Deshayes in Lamarck, *H. N. Anim. s. Vert.*, ed. 2, VIII. June 1838, 105.
- quoyi** Hemiramphus, Cuvier & Valenc., *H. N. Poiss.* XIX. 1846, 35.
- quoyii** Hyla, Bory de St V., *Dict. Class. H. N.* XIV. 1828, 453.
- quoyii** Janira, R. P. Lesson (Roret's Suite à Buffon), *Acalèphes*, 1843, 103.—Beroe, 1836.
- quoyii** Leiodomus, W. Swainson, *Treat. Malacol.*, May 1840, 302.
- quoyi** Lygosoma, Duméril & Bibron (Roret's Suite à Buffon), *Erpét.* V. Nov. 1839, 728.
- quoyii** Mesodesma, G. P. Deshayes, *Ency. Méth. (Vers)* II (2) 1832, 443 (Kkk\*).
- quoyi** Mitra, G. P. Deshayes in Lamarck, *H. N. Anim. s. Vert.*, ed. 2, X. Nov. 1844, 326.
- quoyi** Mitra, G. P. Deshayes in Lamarck, *H. N. Anim. s. Vert.*, ed. 2, X. Nov. 1844, 348.
- quoyi** Narica, C. A. Récluz, *Proc. Zool. Soc. London*, XI (129) Mar. 1844, 137.
- quoyi** Nerita, Le Guillou, *Rev. Zool. (Soc. Cuv.)* IV. Nov. 1841, 344.
- quoyi** Peltocephalus, J. J. Tschudi, *Classif. Batrach.* 1838.—*ex* *Mém. Soc. Sci. Nat. Neuchâtel*, II. 1839 [1840], 81.

- quoy** Phalanger, H. M. Edwards, etc. in Cuvier, Règne Anim., disciples' ed., Mamm., 215
- quoy** Phalangista, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 58. [(1845).]
- quoyi** Phylloptera, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Sept. 1841, 294.
- quoui** Pilumnus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 418.
- quoyi** Pleurotoma, C. Des Moulins, Actes Soc. Linn. Bordeaux, XII (39 = 60) 1842, 167.
- quoyi** Pleurotoma, G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, IX. Nov. 1843, 364.
- quoyi** Prionastrea, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849, 130.
- quoyi** Purpura, L. Reeve, Conch. Icon. III.—Purpura, no. 71, Oct. 1846.
- quoyii** Purpura, J. E. Gray, Figs. Moll. Anim. IV. 1850, 70.
- quoyi** Sarcinula, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Dec. 1848, 316.
- quoyi** Scarus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 273.
- quoyi** Scyllaea, J. E. Gray, Figs. Moll. Anim. IV. 1850, 106.
- quoyi** Triton, L. Reeve, Conch. Icon. II.—Triton, no. 93, June 1844.
- quoyi** Truncatella, L. Pfeiffer, Zeitschr. f. Malakozool., Dec. 1846, 187.
- quoyi** Turbo, L. C. Kiener, Spec. Coquilles (Turbo), pl. xxix (1847-8) [text = 1873].
- quoy** Venericardia, J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 256.
- Quoyia** J. E. Gray in Beechey, Zool. "Blossom," 1839, 125.—G. [Ency. Méth. (Vers) II. 1830, Table 553 (*vernac.*)]. [1811, 70]
- qvebiensis** Psittacus, *id. ac* guebiensis, Gm.; J. M. Bechstein in Latham, Vögel, IV (1)
- 
- raaltenii** Perdix, S. Mueller in Temminck, Verh. nat. ges. Ned. overz. bezitt. (Land- en Volkenk.) (5) 1842, 158.
- realtenii** (*sic*) Perdix, M. & S.; G. R. Gray, Gen. Birds, III. Jan. 1846, 506.
- raalteri** Malurus, H. Boie, N. Staatsburg. Mag. (Schleswik) I (2) 1832, 489 [*n. n.*].
- rabaji** Holocentrus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 724.
- rabdo**→ *v. rhabdo*→.
- Rabdophorus** W. Swainson, N. H. Fishes etc. II. July 1839, 170 & 211.—P.
- Rabdota** Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 100.—Col. [*n. n.*].
- Rabdotus** J. C. Albers, Die Heliceen, 1850, 164.—G.
- rabe** Lycaena, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 173.
- rabe** Lycaena, J. A. Boisduval, F. Ent. Madagas. (2) 1833, 25.
- rabena** Aterica, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 195.
- rabena** Aterica, J. A. Boisduval, F. Ent. Madagas. (3) 1833, 47.
- rabena** Catonephele, J. Huebner, Exot. Schmett. III. Tab. [*n. et f.*].
- rabica** Cytherea, A. Leymerie, Mém. Soc. géol. France (2) I (2) 1846, 361.
- rabidus** Anoplius, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 460.
- rabida** Sarcophaga, F. Walker, List Dipt. Coll. B. M. (4) 1849, 823.
- Rabienus** J. E. Gray, London Med. Repos. XV. 1821, 299.—M. [*teste* C. O. W.].
- rabirius** Cirrospilus, F. Walker, Mon. Chalcid. I. 1839, 305.
- rabirius** Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 77.—Cirrospilus,
- rabirrubia** Anthias, J. G. Schneider, Bloch, Syst. Ichth. 1801, 309. [1839.]
- rabouroup** Lamprotornis, C. Dumont, Dict. Sci. Nat. LI. 1827, 83.
- rabuscula** Actineda, C. L. Koch, Deutsch. Crust., heft 17, 1838, tab. 9.
- Racama** G. R. Gray, List Gen. Birds, 1840, 1.—A.
- Racemides** L. Agassiz, Nom. Zool. (Acal.) 1842, 6.—Med. [*vernac.* Cuv. 1829].
- Racemis** S. d. Chiaje, Mem. An. s. vert. Napoli, IV. 1829 [1830], 30.—Coel.
- racemosa** Acephalocystis, Désormeaux & Cloquet, Bull. Sci. Soc. Philom. Paris, 1822 (Jan.), 16.
- racemosa** Acephalocystis, H. Cloquet, Faune des Médecins, 1822, Acéphal.; Ann. Sci. Nat. XXIX. 1833, 278.
- racemosa** Alveopora, H. Michelin, Icon. Zoophyt. (9-12) 1844, 110.
- racemosus** Botryllus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835),
- racemosus** Brachiolites, J. T. Smith, Ann. Mag. N. H. (2) I. May 1848, 364. [620.]
- racemosa** Campanularia, H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II. Aug. 1836, 134.

- racemosa** Coccinella, E. F. Germar, *Linnaea Entom.* III. Ap. 1848, 245.
- racemosus** Coccus, Ratzeburg, *Entom. Zeitung, Stettin*, IV (7) July 1843, 204.
- racemosus** Coccus (Lecanium), J. T. C. Ratzeburg, *Forst-Insekten*, III. 1844, 192.
- racemosa** Dendraroea (Mich.), A. d'Orbigny, *Prodr. Paléont.* II [Nov.] 1850, 37.—  
Alveopora.
- racemosum** Eudendrium (Cav.), C. G. Ehrenberg, *Abh. ph.-Kl. K. pr. Ak. Wiss.* 1832  
[1834], 296.—Sertularia, ? Gm. 1790.
- racemosa** Goniopora (Mich.), F. M'Coy, *Ann. Mag. N. H.* (2) II. Dec. 1848, 419.—  
Alveopora.
- racemosa** Millepora (Goldf.), H. M. Edwards in Lamarck, *H. N. Anim. s. Vert.*, ed. 2,  
II. Aug. 1836, 313.—Nullipora.
- racemosa** Nullipora, G. A. Goldfuss, *Petref. German.* I (1) 1826, 21.
- racemosa** Spongites, F. T. Kuetzing, *Polyp. calcif.* 1841, 32.
- racemosa** Taenia, C. A. Rudolphi, *Entoz. Syn. Mant.* 1819, 692.
- racemosa** Turbinella, R. P. Lesson in Duperry, *Voy. "Coquille," Zool.* II (2) 2 (1838), 133.
- racemus** Brachycerus, Gyllenhal in C. J. Schoenherr, *Gen. et Sp. Curc.* V (2) 1840, 673.
- racemus** Millepora, Lamarck, *An. s. vert.* II. 1816, 203. [pora.]
- racemus** Nullipora (Lam.), E. Deslongchamps, *Ency. Méth. (Zoop.)* 1827, 577.—Mille-
- Rachava** Amyot & Serville (Roret's Suite à Buffon), *Hémiptères*, 1843, 114.—Hem.
- rachel** Pieris, Boisduval (Roret's Suite à Buffon), *Lépid.* I. Ap. 1836, 469.
- Rachicentron** J. J. Kaup, *Isis (Oken)*, 1827, 624.—P. [124.—Dipt. [*n. n.*].
- Rachicerus** A. H. Haliday, F. Walker (*ex Haliday MS*), *List Dipt. Coll. B. M.* (1) 1848,
- Rachidion** J. G. Audinet-S., *Ann. Soc. Ent. France*, III (1) *post Mar.* 1834, 54.—Col.
- rachineum** Diplostoma, Joh. Mueller, *Arch. Anat. Phys.* 1842; *teste S. & H., sed non comp.*
- Rachiodes** C. J. Schoenherr, *Gen. et Sp. Curc.* III (1) 1836, 361.—Col. [Rhachiodes, 1833].
- Rachiodon** Jourdan, *Le Temps*, 13 June 1833.—R.—[*teste G. A. B., Cat. Snakes Coll.*
- Rachis** J. C. Albers, *Die Heliceen*, 1850, 182.—G. [B. M. II. 1894, 353].
- Rachistus** A. Foerster, *Linnaea Entom.* II. July 1847, 203.—Hym.
- Rachites** T. Cocteau, *C. R. Ac. Sci. (Paris)* IV. 1837, 16.—R. [*n. n.*].
- Rachitia** J. D. Dana, *Amer. J. Sci.* (2) IX (25) Jan. 1850, 131.—Cr.
- rachitis** Cardium, G. P. Deshayes, *Descr. Coq. foss. Paris*, I. 1829, 175.
- Rachus** C. A. Walckenaer (Roret's Suite à Buffon), *Aptères*, IV. 1847, 459.—Ar.
- Rachycentron** J. J. Kaup, *Isis (Oken)*, 1826, 89.—P.
- Rachys** Hope in Dejean, *Catal. Coléopt.*, ed. 3 (1-4) July 1836, 271.—Col.
- racilia** Musca, F. Walker, *List Dipt. Coll. B. M.* (4) 1849, 884.
- racilla** Cirrospilus, F. Walker, *Mon. Chalcid.* I. 1839, 312.
- racilla** Tetrastichus, F. Walker, *List Hymenopt. Coll. B. M.* (2) 1848, 149.—Cirrospilus,
- rackettii** Cardium, E. Donovan, *Nat. Repository*, IV., pl. 124 (Sept. 1825). [1839.]
- racketti** Trochus, B. C. Payraudeau, *Cat. Moll. Corse*, 1826, 128.
- Raclitia** J. E. Gray, *Zool. Miscell. (Gray)* (4) May 1842, 67.—R.
- Racoma** M'Clelland & Griffith, *Calcutta Journ. Nat. Hist.* II (8) Jan. 1842, 576.—P.
- Raconda** J. E. Gray, *Zool. Miscell. (Gray)* (1) Feb. 1831, 9.—P.
- Racophorus** Kuhl in Férussac, *Bull. Sci.* IX. 1826, 239.—R. [*n. n.*].
- radaca** Syrphus, F. Walker, *List Dipt. Coll. B. M.* (3) 1849, 590.
- radactus** Tabanus, F. Walker in Saunders, *Ins. Saund.* I (1) Oct. 1850, 66.
- radakensis** Callichroma, Esch.; J. Sturm, *Catal. Ins. Samml.* 1826, 107.
- radackensis** Holothuria, Chamisso & Eysenhardt, *N. A. Ac. Caes. Leop. Car.* X (2) 1821,  
[radama = a king of Madagascar.] [352.]
- radama** Helix, R. P. Lesson, *Cent. Zool.* (1-3) *ante Nov.* 1830, 38.
- rhadama** Junonia (Boisd.), E. Doubleday in D. & Westwood, *Gen. diurn. Lepidopt.* I  
(1849), 210.—Vanessa.
- rhadama** Steropes, J. A. Boisduval, *N. Ann. Mus. H. N. (Paris)* II [2] 3rd qtr. of 1833, 217.
- rhadama** Steropes, J. A. Boisduval, *F. Ent. Madagas.* (5) 1833, 69.
- rhadama** Vanessa, J. A. Boisduval, *N. Ann. Mus. H. N. (Paris)* II [2] 3rd qtr. of 1833, 192.
- rhadama** Vanessa, J. A. Boisduval, *F. Ent. Madagas.* (3) 1833, 44.
- radamanthus** *v.* rhadamanthus.
- Radamas** G. v. Muenster, *Beitr. zur Petref.* (6) 1843, 52.—P. [1793.]
- raddaella** Epityphia, J. Huebner, *Verz. bekannt. Schmett.* 1826, 416.—Phalaena Tinea,

- raddella** Adela (Huebn.), F. Treitschke, Schmett. Europa, VIII. 1830, 300.—Phalaena,  
**raddiana** Hyla, L. J. Fitzinger, Neue Classif. Rept. 1826, 63. [1793.]  
**raddoni** Euprepis, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 112.  
**raddoni** Monophlebus, J. O. Westwood, Arcana Entom. (2) July 1841, 22.  
**raddoni** Panagaeus, F. W. Hope, Ann. Mag. N. H. X. Oct. 1842, 93.  
**raddoni** Prioscelis, J. O. Westwood, Proc. Zool. Soc. London, IX (103) Mar. 1842, 67.  
**raddonianus** Maechidius, J. O. Westwood, Ann. Mag. Nat. Hist. VIII (53) Feb. 1842, 457.  
**rade** Buccinum, Goldfuss in F. A. Alberti, Beitr. Bunter, 1834, 237.  
**radenii** Caradrina, C. F. Freyer, Neuere Beitr. Schmett. II (31) 1836, 147.  
**radhea** Psittacus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 337.  
**radia** *v.* radius.  
**radialis** Agnostus, J. Phillips, Geol. Yorksh. II. 1836, 240.  
**radialis** Atrypa (Ph.), F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 18.—  
Terebratula.  
**radialis** Chlidonia, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 157, 1838, tab. 24<sup>2</sup>.  
**radialis** Cyclus (Ph.), L. de Koninck, N. Mém. Ac. Roy. Brux. XIV. 1841, 13.—Agnostus.  
**radialis** Dacnusa, J. Curtis, Guide Brit. Ins. (4) 1829–30, 106 [*n. n.*].  
**radialis** Diapria, C. G. Nees *v.* E., Hymenopt. Ichn. aff. II. 1834, 334.  
**radialis** Emphytus, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (1) 1847, 28.  
**radialis** Eucarphia, J. Huebner, Verz. bekannt. Schmett. 1826, 364.  
**radialis** Leptaena (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 145.—Spirifera.  
**radialis** Monotis (Ph.), W. King, Catal. Org. Rem. Perm. (19 Aug.) 1848, 9.—Pecten  
[*nom. non comp.*].  
**radialis** Orthis (Ph.), F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 126.—  
Spirifer.  
**radialis** Serranus, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 316.  
**radialis** Spirifera, J. Phillips, Geol. Yorksh. II. 1836, 220.  
**radialis** Terebratula, J. Phillips, Geol. Yorksh. II. 1836, 223.  
**radians** Actinobolus, J. O. Westwood, Ann. Mag. Nat. Hist. VIII (53) Feb. 1842, 455.  
**radians** Alcyonium, J. V. F. Lamouroux, Ency. Méth. (Zooph.) 1824, 27.  
**radians** Anomia, O. G. Costa, Atti R. Accad. Sci. [Napoli] V (2) 1844, 39.  
**radians** Antipathes, Lamarck, Mém. Mus. H. N. (Paris) I [6] Mar. 1816, 475.  
**radians** Antipathes, Lamarck, An. s. vert. II. Mar. 1816, 308.  
**radians** Aptychus, Coquand, Bull. Soc. géol. France, XII. 1841, 389.  
**radians** Arca, P. H. Nyst, Mém. Ac. Roy. Belg. XXII. 1848, 58.  
**radians** Astarte, T. A. Conrad, Foss. Med. Tert. U. S. (3) Jan. 1845, 77.  
**radians** Astrea, L. Oken, Lehrb. Nat. III (1) 1815, 65.  
**radians** Astrea (Pall.), de Blainville, Dict. Sci. Nat. LX. 1830, 335.—Madrepora, 1766.  
**radians** Beryx, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 55 (1835); IV., 4 (1838), 118 (1839).  
**radians** Buprestis, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 69.  
**radians** Buprestis, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 63.  
**radians** Calamopora, Castelnau, Ess. Silur. Amér. sept. 1843, 46.  
**radians** Calyptraea (Lam.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VII.  
**radians** Caphyra, J. Barrande, Not. prélim. Silur. 1846, 32. [Jan. 1836, 626.—Trochus.  
**radians** Chaetetes, G. Fischer *v.* W., Oryct. Moscou, 1830, sign. *d*<sup>4</sup>.  
**radians** Chama, Lamarck, An. s. vert. VI (1) 1819, 96.  
**radians** Chrysodema (Guér.), Laporte & Gory, H. N. Coléopt. I. 1837, 3.—Buprestis.  
**radians** Cicindela, Chevrolat, Magasin de Zool. (2) III. 1841, pl. 57.  
**radians** Crepidula (Lam.), A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab.  
Pls. 1846).—Trochus.  
**radians** Cypraea, Lamarck, Ann. Mus. H. N. (Paris) XVI (92) *post* Oct. 1810, 102.  
**radians** Dendrosoma, C. G. Ehrenberg, Mitth. Ges. Nat. Fr. Berlin, II. 1837 (1838), 36  
**radians** Dendrosoma, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1840, 199. [[*n. n.*].  
**radians** Donax, Lamarck, An. s. vert. V. 1818, 547.  
**radians** Euomphalus, L. G. de Koninck, Descr. Anim. foss. (10) *extremo* 1843, 442.  
**radians** Flustra, O. G. Costa, Corrip. Zool. I. 1839, 186 [*n. n.*].  
**radians** Haliomma, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1840, 200 [*n. n.*].  
**radians** Haliomma, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1839 (1841) [1840], 154.

- radians** Harmodites, G. Fischer v. W., Progr. Séance Publ. Soc. Imp. Nat. Moscou, 1828
- radians** Hemicidaris, Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 339. [20.]
- radians** Hornera, DeFrance, Dict. Sci. Nat. XXI. 1821, 433. [Retepora]
- radians** Idmonea (Lam.), H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) IX. Ap. 1838, 237.—
- radians** Infundibulum (Lam.), G. B. Sowerby, Zool. "Blossom," 1839, 148.—Trochus.
- radians** Lottia, G. B. Sowerby, II., Gen. Shells (42) 1834.
- radians** Lucina, Bory de St V., Ency. Méth. (Vers) 1824, 154 [*n. et f.*].
- radians** Lucina, T. A. Conrad, Amer. J. Sci. XLI (2) Oct. 1841, 347.
- radians** Lucina, Melleville, Ann. Sci. Géol. II (2) Feb. 1843, 80.
- radians** Monotis, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (1) Feb. 1846, 22.—
- radians** Nautilus, I. C. M. Reinecke, Maris Protog. 1818, 71. [Pterinea, 1842]
- radians** Noctua (Apatela), J. O. Westwood, Cab. Orient. Entom. 1847, 58.
- radians** Obelia, Lamouroux in Quoy & Gaimard, Voy. "Uranie" (Zool.) 1826, 633.
- radians** Ogygia, F. M'Coy, Ann. Mag. N. H. (2) IV. Dec. 1849, 408.
- radians** Orbitolites, d'Archiac, Mém. Soc. géol. France (2) III (2) 1850, 405.
- radians** Orthis, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 639.
- radians** Ostrea, T. A. Conrad, Foss. Shells Tert. N. Amer. (2) Dec. 1832, 27.
- radians** Oxytricha, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 420.
- radians** Pecten, Nyst & Westendorp, Bull. Ac. Roy. Brux. VI (2) 1839, 407.
- radians** Pectunculus, Lamarck, An. s. vert. VI (1) 1819, 54.
- radians** Pentelasmis, J. C. Chenu, Illustr. Conch. I (14-15) 1843, pl. 4 [*n. et f.*].
- radians** Pholidophorus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 11 (1834); II (2), 288 (1844).
- radians** Pleurotomaria, Wissmann in G. v. Muenster, Beitr. zur Petref. (4) 1841, 112.
- radians** Pleurotomaria, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VIII. 1849, 103.
- radians** Proteus, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 204.
- radians** Psilopus, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 450.
- radians** Pterinea, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII., *post* Ap. 1842, 252.
- radians** Radipora, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 25.
- radians** Retepora, Lamarck, An. s. vert. II. 1816, 183.
- radians** Scarus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 206.
- radians** Schizostoma, F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 33.
- radians** Serranus, Quoy and Gaimard, Voy. "Uranie" (Zool.) 1824, 313.
- radians** Solarium, L. G. de Koninck in Omalius d'H., Précis élém. de Géol. 1843, 517 [*n. n.*].
- radians** Solecurtus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 158.
- radians** Spondylus, Lamarck, An. s. vert. VI (1) 1819, 193. [Euomphalus.]
- radians** Straparolus (Kon.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 120.—
- radians** Strombus, Duclos in J. C. Chenu, Illustr. Conch. II., Strombus, 1844, 5.
- radians** Symphyllia (*ex* Valenc. MS), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. Ap. 1849, 255.
- radians** Terebratula, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 114.
- radians** Thecidea, DeFrance in Cuvier & Brongniart in Cuvier, Oss. foss., ed. 2, II (2) June 1822, 325.
- radians** Trochita (Orb.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 84.—Crepidula, ? Val.
- radians** Trochus, Lamarck, Ency. Méth. (Vers) 1816, pl. 445, Liste, p. 10 [*n. et f.*].
- radiana** Glyphiptera (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6) 1835, 146.—Tortrix.
- radiana** Lopas, J. Huebner, Verz. bekannt. Schmett. 1826, 384.—Tortrix.
- radiana** Peronea (Huebner), J. Curtis, Brit. Entom. I (4) Ap. 1824, no. 16; & ed. 2, *ibid.* 1835-9, p. 5.—Tortrix. [[*n. et f.*].]
- radiana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 28 (Fernaldo *judice* 1797)
- radiatalis** Cynaeda, J. Huebner, Verz. bekannt. Schmett. 1826, 346.—Pyralis, 1796.
- radiatana** Phoxopteris, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 988.
- radiatellus** Chaetochilus (Don.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Dec. 1834, 338.—Phalaena, 1794.
- radiatellus** Ypsolophus (Don.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 51.—Phalaena,
- radiatilis** Lunulites, P. Calcara, Rev. Zool. (Soc. Cuv.) VIII. Aug. 1845, 282. [1794.]
- radiatilis** Patella, Hombron & Jacquinot, Ann. Sci. Nat. [2] (Zool.) XVI. Sept. 1841, 191.

- radiato-punctatus** Pholidophorus, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 371 [*n. n.*];  
Poiss. Foss. II (1), 287 (1844).
- radiato-punctatus** Strophodus, J. L. R. Agassiz, Poiss. Foss. III., 128 (1838).
- radiatula** Helix, J. Alder, Trans. N. H. Soc. Northumb. I (1) 1830, 38.
- radiatula** Tellina, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847, 19.
- radiatulus** Trochus, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 120.
- radiatulus** Zonites (Ald.), J. E. Gray in W. Turton, Man. L. & F. W. Shells, ed. 2, May 1840, 173.—Helix.
- radiatus** Accipiter (Lath.), J. Gould, Ann. Mag. N. H. XI. May 1843, 335.—Falco.
- radiata** Achatinella, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1845), 27.
- radiata** Achatinella, L. Pfeiffer, Proc. Zool. Soc. London, XIII (150) Jan. 1846, 89.
- radiata** Acinia (Fab.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 472.—  
Tephritis.
- radiata** Acmaea, M. H. Rathke in F. Eschscholtz, Zool. Atlas, V. 1833, 20.
- radiata** Actinia, Frey & Leuckart, Beitr. Kennt. wirbelloser Thiere, 1847, 138.
- radiata** Aequorea, R. Templeton, Mag. Nat. Hist. IX. June 1836, 301.
- radiatus** Aganides (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 180.—
- radiata** Agaricia, A. Risso, H. N. Europe, V. 1826, 359. [Goniatites.
- radiata** Alasmodonta, T. A. Conrad, Amer. J. Sci. XXV (2) Jan. 1834, 341.
- radiatum** Alcyonium, E. J. C. Esper, Pflanzenth. III (14-15) [*inter* 1805-1810], 39.
- radiata** Ambonychia, J. Hall, N. H. New York (Pal. I.) 1847, 292.
- radiata** Ammonites, F. de Roissy, Sonnini's Buffon, Moll. V (1805), 27.
- radiatus** Ammonites, W. Smith, Strat. Syst. Org. Foss. 1817, 101.
- radiatus** Ammonites, M. Simpson, Mon. Amm. 1843, 47.
- radiata** Amphidesma, T. Say, J. Acad. Nat. Sci. Philad. V. Feb. 1826, 220.
- radiata** Amphiroa (Lam.), de Blainville, Dict. Sci. Nat. LX. July 1830, 515.—Corallina.
- radiatus** Ampyx (Mur.), H. F. Emmrich, De Trilobitis, 1839, 52.—Trinucleus.
- radiata** Anatina, P. Calcara, Effem. Sci. Lett. Sicilia, XXX. July 1840, 35.
- radiata** Anatina, P. Calcara, Mon. gen. Clausilia e Bulimo, 1840, 40.
- radiatus** Ancyclus, L. Guilding, Zool. Journ. III (12) Ap. 1828, 536.
- radiatus** Ancyclus, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 24.
- radiatus** Anodon, J. B. v. Spix, Testac. Brasil. 1827, 31.
- radiatus** Anodontites (Müll.), G. L. Duvernoy, Dict. Sci. Nat. (ed. 1) II. 1804, 184.—  
Mytilus, 1774.
- radiatus** Anolius, F. S. Voigt in Cuvier, Thierreich, II. 1832, 70.
- radiata** Anomia, J. S. Schroeter, Archiv Zool. (Wiedemann) III (2) 1803, 33.
- radiata** Anomia, G. Brocchi, Conch. Subap. 1814, 463.
- radiata** Anomia, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 338.
- radiata** Anomia, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847, 35.
- radiatus** Anops (Müll.), L. Oken, Lehrb. Nat. III (1) 1815, 358.—Lernaea, 1776.
- radiata** Aplysia, E. A. Crouch, Ill. Introd. Lamarck's Conch. 1827, 44.
- radiata** Aplysia, C. G. Ehrenberg, Sym. Phys., Moll. 1831 (pls. 1828), sign. k.
- radiata** Aquaria, G. Perry, Conchology, Ap. 1811, pl. 52.
- radiata** Arbacia (Hoen.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836),  
190.—Echinus.
- radiata** Arca, J. S. Schroeter, Archiv Zool. (Wiedemann) III (1) 1802, 130.
- radiata** Arca, G. Fischer, Mus. Démid. III. 1807, 267.
- radiata** Arca, Muenster in G. A. Goldfuss, Petref. German. II (6) 1837, 143.
- radiata** Arca, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. xxv.
- radiata** Arca, L. Reeve, Conch. Icon. II.—Arca, no. 40, Feb. 1844.
- radiata** Arcopagia, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 412.
- radiatus** Arges, Goldfuss, N. Jahrb. f. Min. 1843, 544.
- radiata** Artemis, L. Reeve, Conch. Icon. VI.—Artemis, no. 37, Mar. 1850.
- radiata** Arytaina, A. Foerster, Verh. nat. Ver. pr. Rheinl. V. 1848, 70.
- radiata** Ascidia, Péron & Lesueur, J. Acad. Nat. Sci. Philad. III. Ap. 1823, 8 [*n. n.*].
- radiata** Astarte, Nyst & Westendorp, Bull. Ac. Roy. Brux. VI (2) 1839, 400.
- radiata** Astrea (S. & E.), Lamarck, An. s. vert. II. 1816, 258.—Madrepora, 1786.
- radiata** Astropyga (Leske), J. E. Gray, Ann. Phil. XXVI. 1825, 426.—Cidaris, 1778.

- radiatus** Astur (Shaw), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 29.—  
Falco, ? Lath.
- radiatus** Athene (Tick.), E. Blyth, J. Asiat. Soc. Bengal, XII. 1843, 313.—Strix.
- radiata** Avicula, W. E. Leach, Zool. Miscell. I. 1814, 98.
- radiata** Avicula, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 102.
- radiata** Avicula, J. Phillips, Geol. Yorksh. II. 1836, 211.
- radiata** Avicula, H. B. Geinitz, Char. Schicht. sächs.-böhm. Kreidegeb. (2) 1840, 56.
- radiata** Avicula, Leach *v. canarina*; R. A. Philippi, Zeitschr. f. Malakozool. (Feb.) [May]
- radiatus** Balanus, A. Risso, H. N. Europe, IV. 1826, 381. [1849, 22.
- radiata** Balistes, S. Bowdich in T. E. Bowdich, Excur. Madeira, 1825, 233.
- radiatus** Bellerophon, A. d'Orbigny in A. E. Férussac & A. d'O., H. N. Céph. acétab. 1840,
- radiatus** Bombyx, A. H. Haworth, Tr. Entom. Soc. Lond. I (3) 1812, 336. [216.
- radiata** Botrylloides, Alder & Hancock, Tr. Tyneside Nat. F. C. I (2) 1848, 206.
- radiata** Branchionereis (Viv.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1818 (Feb.),
- radiatus** Brontes, G. v. Muenster, Beitr. zur Petref. (3) 1840, 40. [83.—Nereis.
- radiatus** Bulimus, H. D. de Blainville, Man. Malac. 1825, 455.
- radiatus** Bulimus, Drap. *varr.* radiatus; albinos; major; J. de Charpentier, N. D. Allg.  
Schweiz. Gesellsch. I. 1837, 14.
- radiatus** Calobates, C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, p. 53.
- radeata** (*sic*) Calymnata, O. G. Costa, Prosp. nuova divis. metod. gen. Coccus [1828], 6.
- radiatus** Calypticus, O. G. Costa, Fauna Regno Napoli, Atteri, 12 (*die indet.* ? 1839).
- radiata** Calyptraea, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 171.
- radiata** Calyptraea, W. J. Broderip, Proc. Zool. Soc. London, II (17) July 1834, 36.
- radiatus** Capulus, M. Sars, Nyt Mag. for Naturvid. VI (2) 1850, 184.
- radiata** Cardiomorpha, L. G. de Koninck, Descr. Anim. foss. (3) Mar. 1842, 109.
- radiata** Cardita, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (25) Mar. 1833,  
195.
- radiatum** Cardium (Don.), J. E. Gray, App. Parry's Voy. 1819–20, 1824, p. ccxlv.—
- radiatum** Cardium, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 224. [Mactra.
- radiatum** Cardium, L. Reeve, Conch. Icon. II.—Cardium, no. 89, Mar. 1845.
- radiatus** Carpococcyx (Temm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 97.—  
Calobates.
- radiata** Carpophaga (Q. & G.), G. R. Gray, Gen. Birds, II. Sept. 1844, 469.—Columba.
- radiata** Centrastraea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 207.
- radiatus** Ceraphron, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 141.
- radiatus** Ceratites (Brug.), W. de Haan, Mon. Ammon. 1825, 156.—Ammonites, 1789.
- radiatus** Cercocebus, E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 98.
- radiata** Ceriopora, G. A. Goldfuss, Petref. German. I (1) 1826, 40.
- radiata** Chaetetes (Stein.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 108.—  
Flustra.
- radiatus** Cheilinus, C. G. Ehrenberg in Cuvier & Valenc., H. N. Poiss. XIV. 1839, 91.
- radiatus** Cheirurus, J. Barrande, Nouv. Trilob., Suppl. à Not. prélim. Silur. 1846, 6.
- radiata** Chenendopora (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],
- radiata** Chimaera, F. Ochseneimer, Schmett. Europa, II. 1808, 5. [391.—Tragos.
- radiata** Chrysaora (Goldf.), A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 64.—Ceriopora.
- radiata** Chrysaora, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 318.
- radiata** Cidarites (Leske), Lamarck, An. s. vert. III. 1816, 59.—Cidaris, 1778.
- radiatum** Cladonema, F. Dujardin, Echo Monde Savant, X. 15 June 1843, 1072.
- radiatum** Cladonema, F. Dujardin, Rev. Zool. VI. 1843, 156.
- radiata** Cliona, A. Hancock, Ann. Mag. N. H. (2) III. May 1849, 334.
- radiata** Coccinella (Epilachna), F. E. Guérin-M., Iconographie, 1844, Ins., 318.
- radiata** Coccothraustes (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 538.—  
Loxia [*vernac.*].
- radiatus** Coelognathus (Reinw.), L. Fitzinger, Syst. Rept. 1843, 26.—Coluber.
- radiatus** Coelopleurus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 357.
- radiatus** Coluber, Reinwardt in Férussac, Bull. Sci. IX. 1826, 237 [*n. n.*].
- radiatus** Coluber, H. Schlegel, Essai phys. Serp. 1837, I., 144; II., 135.
- radiata** Columba, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. I. 1830, 244.

- radiata** Conia, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 378.
- radiata** Corallina, Lamarck, An. s. vert. II. 1816, 335.
- radiata** Corbula, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1824, 58.
- radiata** Corbula, G. B. Sowerby, I., Proc. Zool. Soc. London, I (1-3) May 1833, 36.
- radiata** Crania, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 316.
- radiata** Crassatella, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App., p. ii.
- radiata** Creusia, J. C. Chenu, Illustr. Conch. I (14 & 15) 1843, pl. 1 [n. et f.].
- radiatus** Ctenodus, E. Eichwald, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (4) 1844, 827.
- radiata** Cuspidaria, Nardo, Atti riun. Sci. Ital. I. 1839 (1840), 175.
- radiatum** Cyathophyllum (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 105.—Petraia.
- radiata** Cyclas, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 336.
- radiata** Cyclolites (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 275.—Fungia.
- radiata** Cymbulia, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 375.
- radiatum** Cyphosoma, L. A. Sornet, Oursins foss. Eure, Ap. 1850, 28. [1841, 53.
- radiata** Cypricardites, T. A. Conrad, [5 A. Rep. N. Y. Geol. Surv.] Assembl. no. 150,
- radiata** Cyrena, S. Hanley, Proc. Zool. Soc. London, XII (140) Feb. 1845, 159.
- radiata** Cyrena, Parreys in R. A. Philippi, Abb. Conch. II (3) 1846, 78.
- radiata** Cytherea, G. B. Sowerby, I., Proc. Zool. Soc. London, III (26) Ap. 1835, 23.
- radiata** Dasybatis (Don.), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 13.—Raja.
- radiata** Delphax, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 84.
- radiata** Delphinula, L. C. Kiener, Spec. Coquilles (Delphinula), 1838-39, 7.
- radiata** Delthyris (Sow.), J. Hall, N. H. New York (Geol. 4 dist.) 1843, 106.—Spirifer.
- radiatum** Diadema (Lam.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837,
- radiatus** Dichocrinus, G. v. Muenster, Beitr. zur Petref. (1) 1839, 2. [158.—Cidarites.
- radiata** Discopora, S. Woodward, Geol. Norf. 1833, 46. [427.
- radiatum** Distoma, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844],
- radiata** Domopora (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 267.—  
Chrysaora.
- radiata** Donax, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1827),  
221.
- radiata** Doris, v. Hasselt, Alg. Konst. Letter-Bode, 1824 (2-4), 21; Bull. des Sci. Nat.
- radiatus** Echinites, E. F. v. Schlotheim, Die Petref. 1820, 309. [III. 1824, 238.
- radiatus** Echinus, Hoeninghaus in G. A. Goldfuss, Petref. German. I (2) 1829, 124.
- radiatus** Echinus, L. Agassiz, Cat. Ect. Ech. 1840, 12.
- radiata** Eleotris, Quoy & Gaimard in Cuvier & Valenc., H. N. Poiss. XII. 1837, 250.
- radiata** Entomoda (Müll.), Lamarck, An. s. vert. III. 1816, 233.—Lernaea, 1776.
- radiata** Epilachna, Guér.; E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 701.—Coccinella
- radiata** Eschara, J. P. C. Moll, Esch. Zooph. 1803, 63 & no. xiv. [(Epilachna).
- radiata** Eschara, J. P. C. Moll, Die Seerinde, 1803, 70.
- radiata** Escharina (Moll.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II.  
Aug. 1836, 232.—Eschara.
- radiata** Escharina, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 13.
- radiata** Eunomia, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 83.
- radiatus** Euomphalus, G. A. Goldfuss in Dechen in De la Beche, Handb. Geogn. 1832,  
532; Petref. Germ. III (8) 1844, 83.
- radiatus** Euomphalus, K. T. Menke, Zeitschr. f. Malakozool., Nov. 1850 [Ap. 1851], 170.
- radiata** Euterpe, V. Kollar, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 359.
- radiata** Explanaria (S. & E.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832  
(1834), 307.—Madrepora, 1786.
- radiatus** Falco, J. Latham, Index Orn., Suppl. 1801, p. xii.
- radiata** Favosites (Lamx.), de Blainville, Dict. Sci. Nat. LX. 1830, 367.—Eunomia.
- radiata** Fissurella, Lamarck, Syst. Anim. 1801, 69.
- radiata** Flustra, J. Steininger, Verst. Uebergangsgeb. Eifel, 1831, 6.
- radiata** Frondicularia, A. d'Orbigny, Mém. Soc. géol. France, IV (1) 1840, 19.
- radiata** Fungia, G. A. Goldfuss, Petref. German. I (1) 1826, 47.
- radiata** Fungia, G. A. Goldfuss, Petref. German. I (1) 1826, 49.
- radiata** Galathea, Lamarck, Ann. Mus. H. N. (Paris) V (30) Feb. 1805, 433.



- radiata** Glauconome, L. Reeve, Conch. Icon. II.—Glauconome, no. 3, Ap. 1844.
- radiatus** Glaucus (Gm.), A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 42.—Doris, 1790.
- radiatus** Glyptocephalus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 491 [n. n.]; Poiss. Foss. II (2), 264 (1844).
- radiatus** Goniatites, A. v. Klipstein, Beitr. geol. östl. Alpen (1) 1843, 140.
- radiatus** Gryllus (Locusta), M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 13.
- radiatus** Gyrodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 119 (1839); II (2), 232 (1844).
- radiatus** Halesus, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 120 [n. n.].
- radiatus** Halictus, T. Say, Boston Journ. N. H. I (4) 1837, 394.
- radiatus** Helicella, A. Risso, H. N. Europ. IV. 1826, 69.
- radiatus** Helicites, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 179. [Planorbis.
- radiatus** Helicocryptus (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 151.—
- radiata** Helicogena (Müll.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 40.—Helix,
- radiatus** Heliocrinites, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 191. [1774.
- radiata** Helix (Risso), L. Pfeiffer, Mon. Helic. I (2) 1848, 430.—Helicella.
- radiata** Helix (Cochlogena) (Brug.), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 57.—? Bulimus, 1789.
- radiatus** Hemipneustes (Lam.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 184.—Spatangus.
- radiata** Hipponyx, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 297.
- radiata** Hipponyx, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 454.
- radiata** Hipponix, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 275 (Mm\*).
- radiata** Hipponyx, Gray in G. B. Sowerby, I., Proc. Zool. Soc. Lond., III (25) Ap. 1835, 5.
- radiata** Hornera (Lam.), de Blainville, Dict. Sci. Nat. LX. 1830, 384.—Retepora radians.
- radiata** Hydrodroma, C. L. Koch, Deutsch. Crust., heft 14, 1837, tab. 11.
- radiatus** Inuus (Geoff.), J. A. Wagner in Schreber, Säugth., Suppl. I. 1839, 140.—Simia.
- radiata** Lamia, H. Gory, Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 141.
- radiata** Larentia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 441.—Geometra badiata, D. & S. 1775.
- radiatus** Leiurus (Bowd.), W. Swainson, N. H. Fishes etc. II. July 1839, 326.—Balistes.
- radiatus** Lepadites, E. F. v. Schlotheim, Die Petref. 1820, 172.
- radiata** Lepas, W. Wood, General Conch. 1815, 50.
- radiatus** Lepidotus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 30 (1835); II (1), 256 (1837).
- radiata** Leptoena (Conr.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 35.—Strophomena.
- radiata** Lerneæ (Les.), J. E. De Kay, N. H. New York (Cr.) 1844, 60.—Lerneocera.
- radiata** Lernentoma (Müll.), H. D. de Blainville, Journ. de Phys. XCV (12) Dec. 1822, 440.—Lernæa, 1776.
- radiata** Lerneocera, C. A. Lesueur, J. Acad. Nat. Sci. Philad. III. Feb. 1824, 288.
- radiata** Lessonia, L. Souleyet in Vaillant, Voy. "Bonite," Zool. II. 1852, 643.
- radiata** Lima, G. A. Goldfuss, Petref. German. II (5) 1836, 79.
- radiata** Limnephila, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 479.
- radiatus** Limnephilus, W. E. Leach in J. Curtis, Lond. & Edinb. Phil. Mag., 3rd ser. IV (20) Feb. 1834, 125.
- radiata** Limopsis, A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850, 234.
- radiata** Linyphia, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841],
- radiatus** Lithodomus, C. G. Giebel, De Geogn. Hercyn. 1848, 27 [n. n.]. [262.
- radiata** Littorina, L. Souleyet in Vaillant, Voy. "Bonite," Zool. II. 1852, 562.
- radiata** Locusta (Tragocephalus), T. W. Harris, Rep. Insects Massach. 1841, 148.
- radiatus** Lophius, S. L. Mitchill, Amer. Monthly Mag. II (5) Mar. 1818, 326.
- radiatus** Lumbricus, S. d. Chiaje, Mem. An. s. vert. Napoli, II (—) 1827, 428.
- radiata** Lunulites, Lamarck, An. s. vert. II. Mar. 1816, 195.
- radiata** Lunulites, Lamarck, Ency. Méth. (Vers) 1816, pl. 479, Liste, p. 15 [n. et f.].
- radiata** Lunulites, P. Calcara, Giorn. Osserv. I [?], 175; & Cenne Moll. Sicilia, Dec. 1845, 46.
- radiatus** Macacus (Geoff.), A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 64.—
- radiata** Macronota, C. R. W. Wiedemann, Anal. Entom. 1824, 8. [Cercocebus.
- radiata** Mactra, L. Spengler, Skr. nat. Selsk. [Copen.] V (2) 1802, 107.

- radiata* Mactra, E. Donovan, Brit. Shells, 1803, pl. clxi.  
*radiatus* Maena (Osborn), G. Cuvier, R. Anim., ed. 2, II. 1829, 187.—Sparus, L. 1766.  
*radiatus* Malacanthus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835),  
*radiata* Margaritana (Con.), I. Lea, Syn. Naiades, 1836, 44.—Alasmodonta. [717.  
*radiata* Marginella, Lamarck, An. s. vert. VII. 1822, 356.  
*radiata* Meandrina, H. Michelin, Icon. Zoophyt. (24-27) 1847, 294.  
*radiata* Medusa, W. G. Tilesius, Jahrb. Naturg. I. 1802, 177.  
*radiata* Meleagrina (Leach), S. Hanley, Ill. Cat. Biv. Shells (3) *extr.* 1843, 264.—Avicula.  
*radiata* Meleagrina (Ph.), F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 80.—  
 Avicula.  
*radiata* Melobesia, Audouin in Savigny, Egypte, Explic. 1826, 235; 1828, 69 [*teste*  
*radiata* Melolontha, C. J. Schoenherr, Syn. Insect. I (3) 1817, 182. [S.F.H.].  
*radiatum* Mesostomum (Müll.), Diesing, Syst. Helminth. I. 1850, 222.—Fasciola, 1774.  
*radiatus* Microdon, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 137 (1841); II (2), 208 (1844).  
*radiata* Mitra, C. F. Schoenherr, Essai Vers test. 1817, 238.  
*radiata* Modiola, T. Brown, Ill. Conch. G. B. I. 1827, pl. xxix, f. 5 [*n. et f.*].  
*radiatus* Myacites, E. F. v. Schlotheim, Die Petref. 1820, 179.  
*radiatus* Myacites, Muenster in G. A. Goldfuss, Petref. German. II (7) 1840, 260.  
*radiata* Myoconcha, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 370.  
*radiatus* Mytilus (Leach), L. W. Dillwyn, Catal. Shells, 1817, 302.—Avicula.  
*radiatus* Mytilus, Muenster in G. A. Goldfuss, Petref. German. II (6) 1837, 178.  
*radiatus* Nautilus, J. Sowerby, Min. Conch. IV. 1822, 78.  
*radiata* Nereis, D. Viviani, Phosph. maris, 1805, 11.  
*radiata* Nerita, C. A. Récluz, Rev. Zool. (Soc. Cuv.) IV. May 1841, 149.  
*radiatus* Neritites, E. F. v. Schlotheim, Die Petref. 1820, 111.  
*radiata* Neuropora (Goldf.), H. G. Bronn, Index Pal. 1848, 809.—Ceriopora.  
*radiata* Nucula, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 430.  
*radiata* Nucula, J. E. De Kay, N. H. New York (Moll.) 1843, 179.  
*radiata* Nucula, S. Hanley in Forbes & H., Hist. Brit. Moll. II. 1849, 220.  
*radiata* Nuculites, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII., *post* Ap. 1842, 248.  
*radiata* Nummulina (Montf.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 296.—  
*radiata* Nummulites, F. de Roissy, Sonnini's Buffon, Moll. V (1805), 58. [Rotalites.  
*radiata* Obelia, Chiaje, Mem. Reg. Napoli, III. 1828, pl. 66, ff. 6 & 11 [*mihî non visum*].  
*radiata* Obelia, de Blainville, Dict. Sci. Nat. LX. 1830, 389 [*n. n.*].  
*radiata* Ocellaria (Mant.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 284.—Ventricu-  
*radiata* Odatelia, C. S. Rafinesque, Atlantic Journ. (4) 1832, 154. [lites.  
*radiata* Orbicula, J. Phillips, Geol. Yorksh. I. 1829, 130 [*n. et f.*].  
*radiata* Orbiculoidea (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 378.—  
*radiata* Orbitolina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 280. [Orbicula.  
*radiata* Orthotetes, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850,  
*radiata* Ostrea, Lamarck, An. s. vert. VI (1) 1819, 214. [493.  
*radiatus* Palpares, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 369.  
*radiata* Parastrea (Esp.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849,  
 169.—Madrepora.  
*radiata* Patella, S. de Cicero, Atti Acc. Gioenia, XIII. 1839, 30.  
*radiatus* Pecten, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 264.  
*radiatus* Pectinites, E. F. Schlotheim, Tasch. Min. 1813, 92.  
*radiata* Peribolites, G. Fischer, Mus. Démid. III. 1807, 308.  
*radiata* Petraia, G. v. Muenster, Beitr. zur Petref. (1) 1839, 42.  
*radiata* Petrolepis, G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846, 214.  
*radiata* Phalaena, A. H. Haworth, Lepidopt. Brit. (2) 1809, 348.  
*radiata* Pholadomya, G. A. Goldfuss, Petref. German. II (7) 1840, 265.  
*radiata* Phryganea, T. Say in Keating, Exp. Peter River, II. 1824, 308; & ed. London,  
*radiatus* Pileolus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 7. [1825 (App.), 48.  
*radiata* Pileopsis, de Blainville, Dict. Sci. Nat. XL. 1826, 462.  
*radiata* Pinna, Muenster in G. A. Goldfuss, Petref. German. II (6) 1837, 165.  
*radiatus* Planorbis, J. Sowerby, Min. Conch. II. 1816, 92. [Myacites.  
*radiatus* Pleuromya (Muenst.), J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 234.—

- radiatum** Pleurostoma, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 5.
- radiata** Pleurotomaria (A. & V.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 70.—Schizostoma.
- radiata** Plicatula, G. A. Goldfuss, Petref. German. II (5) 1836, 102.
- radiatus** Pollicipes, G. v. Muenster, N. Jahrb. f. Min. 1835, 445.
- radiatus** Pollicipes, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 335.
- radiatus** Pollicipes, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith. 1837, 35.
- radiatus** Pollicipes, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 103.
- radiatus** Polyboroides (Scop.), G. R. Gray, List Gen. Birds, 1840, 5.—Vultur, 1786.
- radiatus** Porcellia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 71.—Bellerophon, [1840].
- radiata** Porpita, Bory de St V., Voy. îles afriq. I. 1804, 99.
- radiata** Porpita, J. F. Brandt, Prod. anim. Mertens. I. 1835, 40.
- radiata** Posidonia, G. A. Goldfuss, Petref. German. II (5) 1836, 119.
- radiatus** Poteriocrinites, T. Austin, Ann. Mag. N. H. X. Oct. 1842, 108 [*n. n.*].
- radiatus** Poteriocrinites, T. & T. Austin, Ann. Mag. N. H. XI. Mar. 1843, 196.
- radiata** Psammobia, W. Dunker in R. A. Philippi, Abb. Conch. I (8) Jan. 1845 [1844],
- radiata** Pterinea, G. A. Goldfuss, Petref. German. II (5) 1836, 135. [194.
- radiata** Pterois, Cuvier & Valenc., H. N. Poiss. IV. 1829, 369.
- radiatus** Pteropterus, W. Swainson, N. H. Fishes etc. II. July 1839, 264.
- radiatus** Ptychocephalus, J. L. R. Agassiz, Poiss. Foss. V (2), 139 (1844) [*n. n.*].
- radiata** Pycnodonte, G. Fischer, Bull. Soc. Imp. Nat. Moscou, VIII. 1835, 119.
- radiata** Raja, E. Donovan, N. H. British Fishes, V., pl. 114 (1807).
- radiata** Rissoa, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 151.
- radiata** Robulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 288.
- radiatus** Rotalites, Denys de Montfort, Conch. I. 1808, 163.
- radiatus** Sanguinolites, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 50.
- radiata** Schizostoma (Goldf.), d'Archiac & de Verneuil, Bull. Soc. géol. France, XII. 1841, 158.—Euomphalus.
- radiata** Scutella, H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 201. [lites.
- radiata** Scyphia (Mant.), A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 74.—Ventricu-
- radiata** Siliqua (L.), Megerle, Ges. Nat. Fr. Berlin, Mag. V. 1811, 44.—Solen, 1758.
- radiata** Simia (Geoff.), J. B. Fischer, Syn. Mamm. 1829, 27.—Cercocebus.
- radiata** Siphonaria, G. B. Sowerby, I., Proc. Zool. Soc. London, III (25) Ap. 1835, 6.
- radiata** Siphonaria, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 69.
- radiatum** Solarium, G. Fischer, Mus. Démid. III. 1807, 214.
- radiatum** Solarium, S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821 [? 1822], 335.
- radiatus** Solecurtus, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 351.
- radiata** Soletellina, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 350.
- radiatus** Sorex, G. Shaw, Gen. Zool. (Mamm.) I (2) 1800, 531.
- radiatus** Spatangus (Gm.), Lamarck, An. s. vert. III. 1816, 33.—Echinus, 1790.
- radiata** Spilosoma (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Dec. 1828, 77.—
- radiatus** Spirifer, J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 9. [Bombyx.
- radiatus** Spondylus, G. A. Goldfuss, Petref. German. II (5) 1836, 98.
- radiatus** Spongia (Mant.), J. Fleming, Hist. Brit. Anim. 1828, 526.—Ventriculites.
- radiatus** Storilus, Denys de Montfort, Conch. I. 1808, 131.
- radiatus** Straparollus (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 65.—  
Euomphalus.
- radiata** Strix, S. R. Tickell, J. Asiat. Soc. Bengal, II. 1833, 572.
- radiatum** Strongylostoma (Müll.), A. S. Orsted, Naturhist. Tidsskrift, IV (6) 1843, 564.—  
Fasciola, 1774.
- radiatus** Strongylus, K. A. Rudolphi, Archiv Zool. (Wiedemann) III (2) 1803, 13.
- radiatus** Strophodus, G. v. Muenster, Beitr. zur Petref. (7) 1846, 47.
- radiata** Strophomena, G. Fischer v. W., Oryct. Moscou, 1830, sign. c<sup>2</sup>.
- radiata** Strophomena, T. A. Conrad in Vanuxem, N. H. New York (Geol. 3 distr.) 1842,
- radiata** Strophomenes, DeFrance, Dict. Sci. Nat. LI. 1827, 151. [122.
- radiata** Syndosmya, S. Loven, Ofvers. K. Vet. Ac. Förh. III (6) 1846, 198.
- radiata** Sypho, T. Brown, Ill. Conch. G. B. I. 1827, pl. xxxvi, f. 20.
- radiata** Talpa, G. Shaw, Gen. Zool. (Mamm.) I (2) 1800, 523.

- radiata** Tapes, C. F. Schumacher, Essai Vers test. 1817, 136.
- radiata** Tellina, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 334.
- radiatus** Tellinites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 468.
- radiata** Tephritis, J. C. Fabricius, Syst. Antliat. 1805, 319.—Musca, 1798.
- radiata** Terebra (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. V. 1801, 21.—
- radiata** Terebratula, Lamarck, An. s. vert. VI (1) 1819, 257. [Buccinum, Gm. 1790.
- radiatus** Terebratulites, E. F. v. Schlotheim, Die Petref. 1820, 273.
- radiata** Testudo, G. Shaw, Gen. Zool. (Amph.) III (1) 1802, 22.
- radiatus** Tetragonolepis, J. L. R. Agassiz, Poiss. Foss. II (1), 201 (1836).
- radiatus** Thamnophilus, L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 315.
- radiatus** Thamnophilus, J. B. v. Spix, Avium Brasil. II. 1825, 24.
- radiatus** Tharsis, C. G. Giebel, Fauna d. Vorwelt, I (3) 1848, 146.
- radiata** Thecidea, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 302.
- radiatus** Trachinus, Cuvier & Valenc., H. N. Poiss. III. 1829, 250.
- radiatus** Trachinus, A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 15.
- radiatum** Tragos, G. A. Goldfuss, Petref. German. I (2) 1829, 96 [*duae species eodem nomine*].
- radiatus** Tretaspis (Murch.), F. M'Coy, Ann. Mag. N. H. (2) IV. Dec. 1849, 411.—Trinucleus.
- radiata** Trigona, J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 55.
- radiata** Trigona, J. E. Gray, The Analyst, VIII (24) July 1838, 305.
- radiata** Trigonia, E. Benett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831, 5 [*n. et f.*].
- radiatus** Trinucleus, R. I. Murchison, Silurian System, Jan. 1839, 660.
- radiatus** Trochus (Turbo), H. E. Anton, Verz. Conch. 1839, 57.
- radiata** Trypeta (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 343.—
- radiatus** Tubipora, J. Fleming, Hist. Brit. Anim. 1828, 529. [Musca, 1798.
- radiatus** Tubiporites, W. Martin, Petr. Derb. 1809, pl. 18.
- radiata** Unio (Gm.), Lamarck, An. s. vert. VI (1) 1819, 73.—Mya, 1790.
- radiata** Unio (Conr.), S. Hanley, Ill. Cat. Bivalve Shells (3) *extremo* 1843, 212.—
- radiata** Uniopsis, W. Swainson, Treat. Malacol., May 1840, 289. [Alasmodonta.
- radiata** Urellia (Fab.), F. Walker, Entom. Mag. III (1) Ap. 1835, 74.—Musca, 1798.
- radiata** Urophora, Macquart in H. Lucas, Explor. Algér. (Artic. III.) 1849, 496.
- radiatus** Ventriculites, G. A. Mantell, Foss. South Downs, May 1822, 168.
- radiata** Venus, J. S. Schroeter, Archiv Zool. (Wiedemann) II (2) 1802, 145.
- radiata** Venus, G. Perry, Conchology, Ap. 1811, pl. 58.
- radiata** Venus, G. Brocchi, Conch. Subap. 1814, 543.
- radiata** Venus (*ex* Chemn.), L. W. Dillwyn, Catal. Shells, 1817, 189.
- radiata** Venus (Lam.), W. Wood, Suppl. Index Test. 1828, 39.—Galathea.
- radiatus** Vermetus (Sow.), J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 242.—Planorbis.
- radiatus** Volvox, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 11.
- radiatus** Xantho, H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 398.
- radiatus** Ypsolophus, A. H. Haworth, Lepidopt. Brit. (4) 1828, 543.—Phal. radiatella, Don. 1794.
- radiatus** Zebrina (Brug.), F. Held, Isis (Oken), 1837, 917.—Bulimus, 1789.
- radiatus** Zonites, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 269.
- radicans** Ctenoptychius, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 490 [*n. n.*].
- radicans** Cyathophyllum, G. A. Goldfuss, Petref. German. I (1) 1826, 55.
- radicans** Hercoles, Denys de Montfort, Conch. II. 1810, 275.—? G.
- radicans** Petalodus, J. L. R. Agassiz, Poiss. Foss. III., 174 (1843) [*n. n.*].
- radicans** Physosphora, W. G. Tilesius, K. Vet. Ac. Handl. 1814 (2) 1815, 186.
- radicans** Pterorrhiza (Goldf.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 312.—Cyathophyllum.
- radicans** Serpula, E. Eichwald, Paleont. Rossii, 1850, 42.
- radicatum** Alcyonium (Pall.), J. V. F. Lamouroux, Hist. Polyp. 1816, 350.—Gorgonia,
- radicata** Astrea, de Blainville, Dict. Sci. Nat. LX. 1830, 340 [*n. n.*]. [1766.
- radicatum** Haliomma, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1844, 83.
- radicatus** Murex, R. B. Hinds, Proc. Zool. Soc. London, XI (128) Mar. 1844, 128.

- radiceus** Calobates, C. J. Temminck in T. & Laugier, Pls. color. (91) Dec. 1832.
- radiceus** Carpococyx (Temm.), G. R. Gray, List Gen. Birds, 1840, 56.—Calobates.
- radicicola** Helix, W. H. Benson, Ann. Mag. N. H. (2) II. Sept. 1848, 161.
- radiciforme** Achilleum, G. v. Muenster, Beitr. zur Petref. (4) 1841, 27.
- radiciformis** Amorphospongia (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 392.—Scyphia.
- radiciformis** Ceriopora, G. A. Goldfuss, Petref. German. I (1) 1826, 34.
- radiciforme** Cyathophyllum, G. v. Muenster, Beitr. zur Petref. (4) 1841, 38.
- radiciforme** Cyathophyllum, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 290.
- radiciformis** Hippalimus (Ph.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 286.—Spongia.
- radiciformis** Leiospongia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 209.—Achilleum.
- radiciformis** Montlivaltia (Muenst.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 259.—Cyathophyllum.
- radiciformis** Pustulopora (Goldf.), de Blainville, Dict. Sci. Nat. LX. 1830, 383.—Ceriopora.
- radiciformis** Scyphia, G. A. Goldfuss, Petref. German. I (1) 1826, 10.
- radiciformis** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (120) *inter* Feb.—Oct. 1814,
- radiciformis** Spongia, J. Phillips, Geol. Yorksh. I. 1829, 118 [*n. et f.*]. [458.]
- radicis** Trama, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 211.
- radicula** Dentalium, Lamarck, An. s. vert. V. 1818, 345.
- radicula** Lithocampe, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839],
- radicula** Murex, C. T. Menke, Syn. meth. Moll. 1828, 38. [130.]
- radicula** Nodosaria (L.), Lamarck, Ency. Méth. (Vers) 1816, pl. 465, Liste, p. 13.—Nautilus, 1758.
- radicula** Orthoceras, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 192.
- radicularis** Dentalina (Roem.), H. G. Bronn, Index Pal. 1848, 412.—Nodosaria (D.),
- radicularis** Nodosaria, G. v. Muenster, N. Jahrb. f. Min. 1838, 382. [Muenst.]
- radicum** Anthomyia (L.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 168.—Musca, 1758.
- radicum** Aphis, Boyer de Fonscolombe, Ann. Soc. Ent. France, X (3) Nov. 1841, 195.
- radicum** Aricia (L.), J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1582.—Musca, 1758.
- radicum** Nemoreaa (Fab.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 100.—Musca, L. 1758.
- radicum** Nemorea (Meig.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 303.—Tachina.
- radicum** Tachina (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 249.—
- radicum** Termes, P. A. Latreille, Bull. Soc. Philom. [Paris] 1803, 84'. [Musca, L. 1758.]
- radicum** Volucella, F. v. P. Schrank, F. Boica, III (1) 1803, 131.
- radicum-graminis** Coccus, Boyer de F., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 212.
- radicum-graminis** Porphyrophora, F. v. Baerensprung, Zeitung f. Zool. I (22) May 1849,
- radiellus** Chilo (Huebn.), Zincken, Mag. Entom. (Germar) II. 1817, 83.—Tinea. [176.]
- radiellus** Crambus, J. Curtis, Brit. Entom. III (27) Mar. 1826, no. 109. = radiella, Huebn.
- radiella** Fumea (Curt.), Humphreys & Westwood, Brit. Moths, I. 1840-1, 82.—Psyche.
- radiella** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (153) Feb. 1846, 125.
- radiella** Psyche, J. Curtis, Brit. Entom. VII (83) Nov. 1830, no. 332.
- radiella** Tinea, J. Huebner, Samml. europ. Schmett. (Tinea), tab. 47, f. 325 [Fernaldo]
- radiicollis** Gymnetis, H. Burmeister, Handb. Ent. V. 1847, 552. [judice 1811-1817].
- radiolana** Teras, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 520.
- radiolata** Ardea, J. Wagler, Syst. Avium, I. 1827, sign. 1215.
- radiolata** Aurelia, Lamarck, An. s. vert. II. 1816, 514.
- radiolatus** Bulimus (Partula), L. Pfeiffer, Proc. Zool. Soc. London, XIV (158) July 1846,
- radiolatus** Centurus (Wagl.), G. R. Gray, Gen. Birds, II. Sept. 1846, 442.—Picus. [39.]
- radiolata** Chelodina (Mik.), L. J. Fitzinger, Neue Classif. Rept. 1826, 45.—Emys.
- radiolata** Chelys (Hydraspis) (Mikan), J. E. Gray in Griffith's Cuvier, Anim. Kingd.,
- radiolata** Emys, J. C. Mikan, Del. Brasil. (1) 1820. [Rept. 1830, Syn., 16.—Emys.]
- radiolata** Erycina, Lamarck, Ann. Mus. H. N. (Paris) VII (37) Dec. 1805, 54.
- radiolata** Hydraspis (Mik.), J. E. Gray, Syn. Rept. 1831, 41.—Emys.
- radiolata** Medusa (Lam.), J. F. Eschscholtz, Syst. Acalephen, 1829, 66.—Aurelia.

- radiolata** Nummulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 296 [*n. n.*].
- radiolata** Partula (Pf.), L. Reeve, Conch. Icon. VI.—Partula, no. 6, Ap. 1850.—Bulimus.
- radiolatus** Picus, J. Wagler, Syst. Avium, I. 1827, sign. 2<sub>12</sub>. [1835, 412.—Emys.
- radiolata** Platemys (Mik.), Duméril & Bibron (Roret's Suite à Buffon), Erpét. II. May
- radiolata** [Rhinemys] (Mik.), J. Wagler, Nat. Syst. Amph. 1830, 135.—Emys.
- radiolatus** Sorites (Orb.), H. G. Bronn, Index Pal. 1848, 1157.—Nummulina.
- radiolellus** Crambus, Herrich-S., Syst. Bearb. Schmett. Europ. IV (—) 1848, 62.
- Radiolites** Lamarck, Syst. Anim. 1801, 130.—L.
- Radiolithes** L. Oken, Lehrb. Zool. III (1) 1815, p. vii.—L.
- radiolitum** Idmonea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 200.
- radiolus** Apion (Marsh.), W. Kirby, Tr. Linn. Soc. London, IX. 1808, 73.—Curculio.
- radiola** Calyptraea, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 173.
- radiolus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 247.
- radiola** Emarginula, Lamarck, Ann. Mus. H. N. (Paris) I (5) Mar. 1803, 384.
- radiola** Fissurella, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1830, 136 (R\*).
- radiola** Plicatula, Lamarck, An. s. vert. VI (1) 1819, 185.
- Radiopora** A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Oct. 1849, 502.—Polyz.
- radiosa** Amoeba, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 39 [*n. n.*]; *ibid.* 1831 (1832), 80. [1796.
- radiosa** Anarta (Esp.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 90.—Phalaena,
- radiosa** Calyptraea, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 161.
- radiosa** Cloantha (Tr.), Boisduval, Gen. Index Europ. Lepid. 1840, 151.—Xylina.
- radiusum** Cyclostoma, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 22.
- radiosa** Fissurella, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 441.
- radiosa** Helix, Ziegler in Rossmassler, Icones Iconogr. Moll. I (1) 1835, 55.
- radiosa** Hippurites, C. Des Moulins, Bull. H. N. Soc. Linn. Bordeaux, I (5) 1827, 288; ed. 2, 1830, 141.
- radiosa** Holothuria, Reynaud in R. P. Lesson, Cent. Zool. (4-12) *ante* Mar. 1831, 58.
- radiosa** Mactra, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 425.
- radiosa** Ostrea, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1832, 359.
- radiosa** Ploesconia, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 442.
- radiosa** Pomatia (Ziegl.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 43.—Helix.
- radiosa** Sparsispongia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 109.
- radiosa** Synapta, G. F. Jaeger, De Holothur. 1833, 15.
- radiusus** Turbo, Lamarck, Ann. Mus. H. N. (Paris) IV (20) Ap. 1804, 106.
- radiosa** Xylina (Esp.), F. Treitschke, Schmett. Europa, V (3) 1826, 73.—Phalaena, 1796.
- Radipora** H. F. Link, Beschr. Nat. Samml. Univ. Rostock (4) 1807, 25.—Cor.
- radisensis** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1850, 536.
- radisensis** Cryptocoenia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 33.
- radisensis** Lasmophyllia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 30.
- radisensis** Millericrinus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 29.
- radisensis** Opis, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 15.
- Radius** Denys de Montfort, Conch. II. 1810, 627.—G.
- Radius** C. F. Schumacher, Ess. Vers test. 1817, 79 & 259.—G.
- radius** Bombyx, A. H. Haworth, Prod. Lep. Brit. 1802, 10.
- radius** Diorymerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 285.
- radius** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 309, Mar. 1845.
- radia** Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 223.—Bombyx, 1802.
- Radix** Denys de Montfort, Conch. II. 1810, 266.—G.
- radix** Centronotus (Gm.), W. Swainson, Zool. Illust. (2) III (25) 1833, pl. 113.—Murex,
- radix** Cerithium, H. Dufo, Ann. Sci. Nat. [2] (Zool.) XIV. July 1840, 62. [1790.
- radix** Hybodus, C. G. Giebel, Fauna d. Vorwelt, I (3) 1848, 317.
- radix** Muricanthus, W. Swainson, Treat. Malacol., May 1840, 296.
- radix** Pterocerus, Al. Brongniart, Mém. terr. Vicentin, 1823, 74.
- radjabau** Holocentrus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 335.
- radjah** Anas, R. P. Lesson, Man. Orn. II. June 1828, 417.
- radjah** Tadorna (Dup.), T. C. Eyton, Mon. Anatidae, 1838, 106.—Anas.
- radobojana** Nitidula, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 37.

- Radsia** J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 126.—Chitonidae.
- Radula** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 147.—G. [*n. n.*; *ex Klein et aliis*].
- Radula** A. Valenciennes in Bronn, Ind. Pal. 1848, 1076.—G.
- radula** Aluco (L.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 130.—
- radula** Anatifa, T. Brown, Ill. Conch. G. B. I. 1827, pl. v, f. 3. [Murex, 1758.
- radula** Avicula, L. G. de Koninck, Descr. Anim. foss. (3) Mar. 1842, 135.
- radula** Balistes, Solander in J. Richardson, Zool. "Samarang" (Fish, 1848), 22.
- radula** Batis, C. L. Bonaparte, Selach. tab. 1838, 7; N. Ann. Sci. Nat. II. 1838, 204.—  
Raia, ? Delar.
- radula** Bodianus (L.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 335.—Perca, 1758.
- radula** Buccinum, D. Solander, Catal. Portland Mus. 1786, 102 [*n. n.*].
- radula** Cardita, L. Reeve, Conch. Icon.—Cardita, no. 2, June 1843.
- radula** Cardium, Broderip & G. B. Sowerby, I., Zool. Journ. IV (15) Jan. 1829, 366.
- radula** Cardium, G. P. Deshayes in Bory de St V., Exp. Morée (Moll.) 1833, 106.
- radula** Ceutorhynchus, Schueppel in E. F. Germar, Ins. spec. novae, I. 1824, 238.
- radulus** Dasybatus (Delar.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (July), 120.—  
Raia.
- radula** Distoma, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 433.
- radula** Exoleta, T. Brown, Ill. Conch. G. B. I. 1827, pl. xx, f. 1.
- radula** Helix, L. Pfeiffer in R. A. Philippi, Abb. Conch. I (6) 1844, 155.
- radula** Hispa, F. Klug, Insect. Doublet. Z. M. Berlin, 1829, 7.
- radula** Holocentrus (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 328.—Perca,
- radula** Hydriophora, E. Eichwald, Nat. Lithuaen, 1830, 187. [1758.
- radula** Loripes (Mont.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 272.—Tellina.
- radula** Lucina (Mont.), Lamarck, An. s. vert. V. 1818, 541.—Tellina.
- radula** Neritopsis (Born), J. E. Gray, Zool. "Blossom," 1839, 138.—Nerita, L. 1758.
- radulus** Pecten (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 261.—Ostrea,  
1758.
- radula** Pentelasmis, T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 120.—Anatifa, 1827.
- radula** Pimelia, Dejean, Catal. Coléopt. 1821, 63 [*n. n.*].
- radula** Pimelia, A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 136.
- radula** Pleurotoma, R. B. Hinds, Proc. Zool. Soc. London, XI (122) Oct. 1843, 38.
- radula** Pleurotomaria, L. G. de Koninck, Descr. Anim. foss. (8) July 1843, 371.
- radula** Proscopia, J. C. F. Klug, Horae phys. Berol. 1820, 20.
- radula** Raia, Delaroche, Ann. Mus. H. N. (Paris) XIII (77) June 1809, 321.
- radula** Spondylus, Lamarck, Ann. Mus. H. N. (Paris) VIII (47) *inter* June–Sept. 1806,
- radula** Tellina, G. Montagu, Test. Brit. I. 1803, 68. [351.
- radula** Terebra, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 27.
- radula** Terebra, R. B. Hinds, Proc. Zool. Soc. London, XI (130) June 1844, 155.
- radula** Trochus (Diloma), Parreyss, Zeitschr. f. Malakozool. (Aug.) 1848 [Mar. 1849], 124.
- radula** Trox, W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 235.
- radula** Turritella, L. C. Kiener, Spec. Coquilles (Turritella) 1843–44, 13.
- radula** Uroplata, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 18 [*n. n.*].
- radula** Venus, Solander in L. W. Dillwyn in Lister, Index Conch., ed. 3, 1823, 18.
- radula** Voluta, E. Forbes (*ex* Sow. MS), Tr. Geol. Soc. London [2] VII. 1846, 133.
- radulaeformis** Muricites, E. F. v. Schlotheim, Die Petref. 1820, 147.
- radularis** Dentalites, E. F. v. Schlotheim, Die Petref. 1820, 95.
- radulirostris** Claeoderes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 363.
- radzayanus** Spathius, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 43.
- Raeboscelis** A. Chevrolat, Revue Entom. V (2) *c.* Sept. 1838, 103.—Col.
- raenarius** Attus, Hahn; *v.* arenarius.
- raeuperi** Heteroclita, H. Burmeister (*ex* Dej.), Handb. Ent. III. 1842, 604.
- raeuperi** Ischnostoma, H. R. Schaum, Anal. Entom. 1841, 48.
- rafanella** Enchelis, Bory de St V., Ency. Méth. (Zooph.) 1824, 321.
- rafcht** Testudo, G. A. Olivier, Voy. Othoman, VI (1807), 328.
- rafeht** (*sic*) Tyrse (Ol.), J. E. Gray, Cat. Tortoises etc. Coll. B. M. 1844, 49.—Testudo.
- rafflesii** Anas, P. P. King, Zool. Journ. IV (13) July 1828, 97.
- rafflesii** Bucco, R. P. Lesson, Rev. Zool. (Soc. Cuv.) II. May 1839, 137.



- rafflesii** Chaetodon, E. T. Bennett in S. Raffles, Mem. T. S. Raffles, 1830, 689.
- rafflesii** Chloropicoides (Vig.), A. Malherbe, Mém. Ac. Metz, XXX (*post* May) 1849, 347.—
- rafflesii** Cyanopterus (King), T. C. Eyton, Mon. Anatidae, 1838, 38 & 132.—Anas. [Picus.]
- rafflesii** Cyclostoma, Broderip & G. B. Sowerby, I., Zool. Journ. V (17) Feb. 1830, 50.
- rafflesi** (*sic*) Erinaceus (Gymnurus), H. D. de Blainville, Ostéogr., Insectiv. 1840, 112.
- rafflesii** Gymnura, R. P. Lesson, Man. Mamm., May 1827, 171.
- rafflei** (*sic*) Hylobates, E. Geoffroy St H., Cours Hist. Nat., 7<sup>e</sup> leçon, June 1828, 34.
- rafflesii** Leiopsis, E. T. Bennett in S. Raffles, Mem. T. S. Raffles, 1830, 688.
- rafflesi** Lucanus, F. W. Hope, Ann. Mag. Nat. Hist. XVII (109) Jan. 1846, 59.
- rafflesii** Picus, Vigors & Horsfield in S. Raffles, Mem. T. S. Raffles, 1830, 669.
- rafflesii** Platycrana, G. R. Gray, Syn. Phasmidae, 1835, 37.
- rafflesii** Sciurus, Vigors & Horsfield, Zool. Journ. IV (13) July 1828, 113.
- rafflesii** Simia (Geoff.), J. B. Fischer, Add. ad Syn. Mamm. 1830, 334.—Hylobates.
- rafflesii** Systella, J. O. Westwood, Arcana Entom. (1) May 1841, 12.
- rafflesii** Tiga (Vig.), G. R. Gray, Gen. Birds, II. July 1846, 441.—Picus.
- rafflesiana** Macronota, J. O. Westwood, Arcana Entom. (7) May 1842, 104.
- rafflesius** Bucco, H. Boie, N. Staatsburg. Mag. (Schleswik) I (2) 1832, 488 [*n. n.*].
- rafflesia** Calyptomina, W. Swainson, Anim. in Menag., Dec. 1837, 296.
- rafflesia** Euschemon (McLeay), E. Doubleday in J. L. Stokes, Discov. in Australia, I. 1846, 514.—Hesperia.
- rafflesia** Hesperia, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [*i. e.* Ap. 1826], 463.
- rafflesius** Megalaima (Boie), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 144.—Bucco. [rafinesque→.]
- rafinesquea** Helix, Fér.; L. Pfeiffer, Symb. Helic. I. 1841, 39.
- rafinesquea** Helix (Helicodonta), *emend. pro* rafinesquia Helix (Helicostyla); A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 72.
- rafinesquia** Helix (Helicostyla), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821,
- rafinesquia** Purpura, A. Risso, H. N. Europe, IV. 1826, 167. [50.]
- rafinesqui** Lepadogaster, O. G. Costa, Fauna Regno Napoli, Pesci, I., Lepadogaster, 5 (Mar. 1840).
- rafineskii** Livoneca, W. E. Leach, Dict. Sci. Nat. XII. 1818, 352.
- rafinesquii** Micropteryx (Risso), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 73.—Seriola.
- rafinesquii** Myctophum (Cocco), C. L. Bonaparte, Icon. Faune Ital. (27) 1840.—Nyctophus.
- rafinesquii** Nyctophus, A. Cocco, N. Ann. Sci. Nat. II. 1838, 180.
- rafinesquii** Nycticeus, R. P. Lesson, H. N. Mamm. Ois. depuis 1788, V. 1836, 115.
- rafinesquii** Plecotus, R. P. Lesson, Man. Mamm., May 1827, 96.
- rafinesquii** Scaphirhynchus, J. J. Heckel, Ann. Wiener Mus. I [1] 1835, 72.
- rafinesquii** Scopelus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 444.
- rafinesquii** Seriola, A. Risso, H. N. Europe, III. 1826, 425.
- rafinesquii** Tylodina, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 114.
- Ragacheila** *emend. pro* Rayacheila, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (2) 1845, "corrections."
- Ragas** F. Walker, Entom. Mag. IV (3) Jan. 1837, 229.—Dipt.
- Raglius** C. J. B. Amyot, Ann. Soc. Ent. France, IV (1) 1846, 89.—Hem. [*non binom.*].
- Ragonycha** F. Eschscholtz, Bull. Soc. Imp. Nat. Moscou, II (1) 1830, 64.—Col.
- ragusana** Anthophila, C. F. Freyer, Neuere Beitr. Schmett. V (73) 1844, 92.
- ragusana** Oberea, H. C. Kuester (*ex* Dej. Cat.), Käfer Europas, I. 1844, 55.
- ragusanum** Opatrum, H. C. Kuester, Käfer Europas, XIX. 1849, 52.
- ragusana** Saperda, Dejean, Catal. Coléopt. 1821, 109 [*n. n.*].
- ragusensis** Pachygaster, Dejean, Catal. Coléopt. 1821, 90 [*n. n.*].
- rahel** Terias (Fab.), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 673.—Papilio,
- Rahippterus** *err. pro* Rhapsipterus; O. Des Murs in Gay, Chili (Aves) 1847, 458. [1787.]
- rahira** Acraea, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 181.
- rahira** Acraea, J. A. Boisduval, F. Ent. Madagas. (3) 1833, 33.
- rahria** Cyrestis, J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 262
- rahtii** Crocodilus, H. v. Meyer, N. Jahrb. f. Min. 1843, 393. [[*n. n.*].]
- rahti** Glyphisodon, Cuvier & Valenc., H. N. Poiss. V. 1830, 456.



- rahtii** *Helix*, C. Thomae, Jahrb. Ver. Nat. Nassau, II. 1845, 140.
- Raia** *id. ac* Raja, L.; G. Cuvier, Tab. Élém. 1798, 314; Delaroché, Ann. Mus. H. N. (Paris)
- raiae** *v. rajae*. [XIII (77) June 1809, 321.]
- raiellus** *v. rayellus*.
- raigii** *Cellepora*, V. Audouin in Savigny, Egypte, I (4) (Expl. pl. Polyyps) 1826, 238.
- raii** *v. et rayi*.
- Rainieiria** *err. pro* Rainieria; C. Rondani, N. Ann. Sci. Nat. [3] II. 1850 [Nov.], 180.
- Rainieria** C. Rondani, N. Ann. Sci. Nat. X. 1843 [Oct.], 40.—Dipt.
- raitaboura** *Muraena*, F. Hamilton, Fish. Ganges, 1822, 25.
- raitborua** *Ptyobranchus* (Ham.), J. M'Clelland, Calcutta Journ. Nat. Hist. V (18) July
- raja** *Psittacus*, *v. rajah*. [1844, 222.—*Muraena*.
- rajae** *Anthosoma*, Basoches in de Brébisson, Mém. Soc. Linn. Calvados, 1825 (1825), 263.
- rajae** *Distoma*, C. A. Rudolphi, Entoz. II (1) 1809, 435.
- rajae** *Fusaria*, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 124.
- rajae** *Ophiostoma* (Müll.), K. A. Rudolphi, Archiv Zool. (Wiedemann) II (1) 1801, 48.—
- rajae batis** *Taenia*, C. A. Rudolphi, Entoz. II (2) 1810, 213. [Ascaris *raiae*, 1776.]
- rajah** *Chrysochroa*, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 53.
- rajah** *Chrysomella* (*Plagiadora*), F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) III. Feb. 1840, 41.
- rajah** *Fulgora*, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) II. June 1839, 183.
- rajah** *Harpalus*, C. R. W. Wiedemann, Anal. Entom. 1824, 7.
- raja** *Psittacus*, G. Shaw, Gen. Zool. (Aves) VIII (2) 1812, 537.
- rajah** *Trochus*, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 120.
- rajahensis** *Unio*, I. Lea, P. Amer. Phil. Soc. II (17) Ap. 1841, 30.
- rajanorum** *Barbus*, J. J. Heckel in Russegger, Reise, I (2) 1843, 1049.
- rajellus** *v. rayellus*.
- raji** *v. rayi*.
- rakeli** *Acraea*, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 180.
- rakeli** *Acraea*, J. A. Boisduval, F. Ent. Madagas. (2) 1833, 32.
- Raleta** J. E. Gray, Syn. Cont. Brit. Mus., ed. 44, 1842, 78 & 91.—L.
- Ralia** J. E. Gray, Syn. Cont. Brit. Mus., ed. 44, 1842, 89.—G.
- ralli** *Ascaris*, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 55 [*n. n.*].
- ralli** *Distoma*, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 120 [*n. n.*].
- ralli** *Docophorus*, H. Denny, Mon. Anoplur. 1842, 75.
- ralli** *Halysis*, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 377.
- ralli** *Philopterus* (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),  
Aptères, III. 1844, 335.—*Docophorus*.
- ralli** *Spiroptera*, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 642.
- Rallina** H. G. L. Reichenbach, Avium Syst. 1849, pl. xx.—A.
- rallinus** *Nirmus*, H. Denny, Mon. Anoplur. 1842, 137.
- rallinus** *Philopterus* (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),  
Aptères, III. 1844, 347.—*Nirmus*.
- Rallites** Pucheran, Rev. Zool. (Soc. Cuv.) VIII. Aug. 1845, 277.—A.
- ralloides** *Ardeola* (Scop.), F. Boie, Isis (Oken), 1822, 559.—*Ardea*, 1769.
- ralloides** *Brachyptallus*, De Lafresnaye, Rev. Zool. (Soc. Cuv.) III. Aug. 1840, 232.
- ralloides** *Buphus* (Scop.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 48.—*Ardea*, 1769.
- ralloides** *Muscipeta*, A. d'Orbigny, Amér. Mérid. (Ois.) 1840, 322.
- ralloides** *Myrmothera*, H. Boie, N. Staatsburg. Mag. (Schleswik) I (2) 1832, 493 [*n. n.*].
- Ralus** L. P. Vieillot, Gal. Ois. II. 1825, 168 [*err. pro* Rallus, L.].
- rama** *Calamodyta* (Sykes), G. R. Gray, Gen. Birds, I. Aug. 1848, 172.—*Sylvia*.
- rama** *Diplognatha*, W. Bainbridge, Ann. Mag. Nat. Hist. VI. no. 39, Feb. 1841, 481.
- rama** *Phyllopneuste* (Sykes), E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845, 594.—*Sylvia*.
- rama** *Pimelodus*, F. Hamilton, Fish. Ganges, 1822, 176.
- rama** *Sylvia*, W. H. Sykes, Proc. Comm. Sci. Zool. Soc. London (18) July 1832, 89.
- rama** *Thecla*, V. Kollar in Hügel, Kaschmir, IV (2) 1844, 412.
- ramada** *Mugil*, A. Risso, H. N. Europe, III. 1826, 390.
- ramak** *Lethrinus* (Forsk.), E. Rueppell, Neue Wirbelth. Abyssin. (12) 1838, 117.—*Sciaena*,  
1775. [1775.]
- ramak** *Sparus* (Forsk.), B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 34.—*Sciaena*,

- ramalis** Euclita, J. Huebner, Verz. bekannt. Schmett. 1826, 347.—Pyralis, Vill. 1789.
- ramalis** Hercyna (Huebn.), F. Treitschke, Schmett. Europa, VI (2) 1828, 318.—Pyralis, Vill. 1789.
- Ramamus** C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 123.—Hem. [*non binom.*].
- ramana** Phoxopterus (Froel.), F. Treitschke, Schmett. Europa, VIII. 1830, 235.—Tortrix.
- ramana** Tortrix, F. Froelich, Enum. Tortric. Wuerth. 1828, 100.
- ramanatek** Thymele, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833,
- ramanatek** Thymele, J. A. Boisduval, F. Ent. Madagas. (4) 1833, 62. [210.]
- ramburaria** Chemerina, Boisduval, Gen. Index Europ. Lepid. 1840, 193.
- ramburi** Adesmia, A. J. J. Solier, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 529.
- ramburi** Asida, A. J. J. Solier, Ann. Soc. Ent. France, V (3) *post* Aug. 1836, 438.
- ramburi** Cryptocephalus, E. Suffrian, Ann. Soc. Ent. France [2] VII (2) Oct. 1849, 156.
- ramburi** Libellula, De Selys, Rev. Zool. (Soc. Cuv.) XI. Jan. 1848, 16.
- ramburi** Misolampus, F. de Brême, Rev. Zool. (Soc. Cuv.) V. Mar. 1842, 82.
- ramburi** Misolampus, F. de Brême, Mon. Coleop. 1842, 11.
- ramburi** Misolampus, Dejean in Baudi & Truqui, Studi Ent. I. 1848, 186.
- ramburi** Noctua, Boisduval in J. P. Rambur, Ann. Sci. Observ. II (2) May 1829, 265.
- ramburi** Percus, Laporte, Ann. Soc. Ent. France, I (4) *c.* Jan. 1833, 394. [1838], 355.
- ramburi** Platyblemmus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 493.
- ramburi** Tentyria, A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 327.
- ramburialis** Hydrocampa, Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2) (Noct. 5, pt. 2) 1834, 343. [83.]
- ramburiellus** Crambus, Duponchel in J. B. Godart, H. N. Lépid. France, X (Noct. 7) 1836,
- ramburiellus** Euchromius (Dup.), A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 324.—Crambus.
- ramcarata** Apterygia, J. E. Gray, Ill. Indian Zool. II (19, 20) Feb. 1835 (pl. 92).
- ramcarati** Mystus, F. Hamilton, Fish. Ganges, 1822, 233.
- Ramea** C. J. B. Amyot, Ann. Soc. Ent. France, III (4) 1846, 476.—Hem. [*non binom.*].
- ramealis** Pteromalus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 111.
- ramentaceus** Arilus, E. F. Germar, Revue Entom. V (3) 1840, 123.
- ramentaceus** Lutjanus (Forsk.), B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 183.—*Labrus ramentosus*, 1775.
- ramentaceus** Sparus (L.), G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 460.—*Labrus ramentosus*, Forsk. 1775.
- ramentosus** Bagrus (Bagrus), Joh. Mueller & Troschel, Horae Ichthyol. (3) 1849, 7.
- [**rameus**, -a, -um.]
- ramea** Alecto, de Blainville, Dict. Sci. Nat. LX. 1830, 428 [*n. n.*]; Man. Actin. 1834,
- ramea** Aplysia, G. D. Nardo, Isis (Oken), 1833, 521 [*n. n.*]. [464.]
- ramea** Caryophyllia (L.), Lamarck, Syst. Anim. 1801, 370.—Madrepora, 1758.
- ramea** Cladocora (Esp.), H. G. Bronn, Index Pal. 1848, 304.—Madrepora, L. 1758.
- ramea** Dendrophyllia (L.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 320.—Madrepora, 1758.
- rameum** Eudendrium (Pall.), G. Johnston, Hist. Brit. Zooph., ed. 2, 1847, 45.—Tubularia, 1766. [1766.]
- rameum** Halecium (Pall.), J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 67.—Tubularia,
- rameum** Lithodendron (Esp.), A. F. Schweigger, Handb. Naturges. 1820, 416.—Madre-
- rameus** Madreporites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 270. [pora, L. 1758.]
- ramea** Noctua, F. v. P. Schrank, F. Boica, II (1) 1801, 343.
- ramea** Oculina (Lam.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 304.—Caryophyllia.
- ramea** Spongia, H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 264.
- ramea** Stomatopora (Bl.), H. G. Bronn, Index Pal. 1848, 1202.—Alecto. [407.]
- ramicornis** Bracon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hymenopt. IV. 1846,
- ramicornis** Bruchus, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 567.
- ramicornis** Cephalodendron (Klug), P. A. Latreille, Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 166.—Eucnemis, ? MS

- ramicornis** Ceraphron, C. H. Boheman, K. Vet. Ac. Handl. 1831 (1832), 329.
- ramicornis** Chalcis (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 316.—Diplolepis.
- ramicornis** Chariessa, M. Perty, Del. anim. artic. Brasil. (2) 1832, 109.
- ramicornis** Cynips (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 314.—Ichneumon, 1781.
- ramicornis** Diplolepis, J. C. Fabricius, Syst. Piezat. 1804, 153.—Ichneumon, 1781.
- ramicornis** Elater, Palisot de B., Ins. Afr. Amér. (—) 1806, 10.
- ramicornis** Elater, Palisot de B., Ins. Afr. Amér. (—) 1813–20, 214.
- ramicorne** Enoplium (Perty), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 363.—
- ramicornis** Eurhipis, Klug; Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 85. [Chariessa.
- ramicornis** Ptilogyna (Walker), J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser. VI (34) Ap. 1835, 280.—Tipula.
- ramicornis** Tipula, F. Walker, Entom. Mag. II (5) Jan. 1835, 469.
- ramiculosa** Madrepora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 463.
- ramidulus** Anomalon (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 116.—Ophion,
- ramifera** Cidaris, A. Gras, Bull. Soc. stat. Isère, IV. 1846 (May 1848), 309. [1798.
- ramifer** Corymbites (Esch.), E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 60.—Ludius.
- ramifera** Dundubia, F. Walker, List Homopt. Coll. B. M. (1) 1850, 53.
- ramifer** Ludius, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.
- ramifera** Porpita, J. F. Eschscholtz, Isis (Oken), 1825, 745.
- ramiger** Ophisaurus, A. Valenciennes in d'Orbigny, Amér. Mérid. (Poiss.) 1847, 11.
- ramipalpe** Phalangium, Schummel, Uebers. Arb. schles. Ges. 1829 [1830], 56.
- ramistriana** Peronea, J. Curtis (*ex* Haw. MS), Brit. Entom. I (4) Ap. 1824, no. 16 [*n. n.*]; & ed. 2, *ibid.* 1835–9, p. 5 [ramostriana].
- rammelsbergii** Mugil, J. J. Tschudi, Fauna Peru. (Ichth.) 1846, 20.
- rammelsbergii** Ophiothrix, Joh. Mueller & Troschel, Syst. Asterid. 1842, 113.
- ramni** *v.* **rhamni**. [1826, 93.
- ramondi** Amphithoe (Gammarus), V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Crust.)
- ramondi** Helix, Al. Brongniart, Ann. Mus. H. N. (Paris) XV (89–90) Oct. 1810, 378.
- ramondi** Nummulites, DeFrance, Dict. Sci. Nat. XXXV. 1825, 226.
- ramoniana** Trogon, E. Deville & Des Murs, Rev. et Mag. de Zool. (2) I. July 1849, 331.
- ramonis** Helix, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 142.
- ramosana** Sarrothripa (Hueb.), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) [1842], 119.—Tortrix, 1796.
- ramosana** Sarrothripus, J. Curtis, Brit. Entom. I (7) July 1824, no. 29.
- ramosellus** Crambus, E. Doubleday in Dieffenbach, Trav. N. Z. II. 1843, 288.
- ramosissima** Bidiastopora, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 317.
- ramosissima** Ceriopora, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 323.
- ramosissima** Entalophora, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 109.
- ramosissima** Nullipora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 29.
- ramosissima** Terebellaria, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 84.
- ramosissima** Vorticella, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 551.
- ramospongia** Dichotomaria, Lamarck, An. s. vert. II. 1816, 148.
- ramosa** Agaricia, G. v. Muenster, Beitr. zur Petref. (4) 1841, 32.
- ramosum** Alcyonidium, J. V. F. Lamouroux, Ency. Méth. (Zooph.) 1824, 40.
- ramosum** Alcyonum, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 275.
- ramosa** Alecto, H. M. Edwards, Ann. Sci. nat. (Zool.) (2) XI. 1838, [207] 238 [=ramea, de Bl.; *teste* S. F. H.].
- ramosa** Alveolites, de Blainville, Dict. Sci. Nat. LX. 1830, 369.
- ramosus** Alveolites, J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 11.
- ramosa** Amiba, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 239.
- ramosa** Ammothea (Q. & G.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II. Aug. 1836, 629.—Alcyonum.
- ramosa** Amorhospongia (Mant.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 289.—
- ramosa** Amphitrite, A. Risso, H. N. Europe, IV. 1826, 410. [Spongia.
- ramosa** Antennularia, Lamarck, An. s. vert. II. 1816, 123.
- ramosa** Ascidia, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, I. 1801, 105.
- ramosa** Astrea, G. Fischer, Mus. Démid. III. 1807, 294.

- ramosa** Astrea, DeFrance, Dict. Sci. Nat. XLII. 1826, 381.
- ramosa** Astrea, J. De C. Sowerby, Trans. Geol. Soc. London [2] III (2) 1833, 417.
- ramosa** Astrocoenia (Sow.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 298.—Astrea.
- ramosum** Astropodium, DeFrance, Dict. Sci. Nat. (ed. 2) III (Suppl.) 1816, 74.
- ramosa** Aulopora, F. v. Hagenow, N. Jahrb. f. Min. 1839, 291.
- ramosa** Bidiastopora, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 114.
- ramosus** Borborus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62 [*n. n.*].
- ramosus** Brachysphoenus (Ol.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 401.—Erotylus.
- ramosa** Calliergis (Esp.), J. Huebner, Verz. bekannt. Schmett. [1825], 244.—Bombyx, 1786.
- ramosa** Callimorpha (Fab.), J. B. Godart, H. N. Lépid. France, IV (Noct. 1), 385, 1824.—Bombyx, 1793.
- ramosa** Caunopora (Brass.), J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 19.—
- ramosa** Cellepora, F. v. Hagenow, N. Jahrb. f. Min. 1839, 272. [Favosites.
- ramosa** Ceriopora, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 56.
- ramosa** Ceriopora, C. G. Giebel, Zeitung f. Zool. I (3) Jan. 1848, 18. [Heteropora.
- ramosa** Ceriopora (Mich.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 323.—
- ramosus** Cervus, H. D. de Blainville, Journ. de Physique, XCIV. May 1822, 276.
- ramosus** Cervus, Croizet & Jobert, Oss. foss. Puy de Dôme, expl. pls. 5, livr. 1826.
- ramosus** Cheilio, L. Jenyns, Zool. "Beagle" (Fish, 1842), 102.
- ramosus** Chicoreus (L.), Denys de Montfort, Conch. II. 1810, 611.—Murex, 1758.
- ramosa** Cicindela, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 46 [*n. n.*].
- ramosa** Cicindela, J. Sturm, Catal. Ins. Samml. 1826, 118 [*n. n.*].
- ramosa** Cicindela, A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1837, 7.
- ramosa** Cliona, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 289.
- ramosa** Coccinella, A. G. Olivier, Entom. VI. 1808, 996.
- ramosa** Coccinella, F. Faldermann, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 71.
- ramosa** Copris, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 13.
- ramosa** Coryne, Chamisso & Eysenhardt, N. A. Ac. Caes. Leop. Car. X (2) 1821, 370.
- ramosa** Crocisa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 451.
- ramosus** Cyathocrinus (Schl.), H. B. Geinitz, Verst. Zechsteingeb. (1) 1848, 16.—En-
- ramosum** Cyathophyllum, G. G. Pusch, Geogn. Besch. Polen, I. 1833, 113. [crinites.
- ramosa** Cymodocea, J. V. F. Lamouroux, Hist. Polyp. 1816, 216.
- ramosa** Dactylacis, A. d'Orbigny, Note Polyp. foss., Oct. 1849, 11.
- ramosa** Daphnia (De G.), C. L. Koch, Deutsch. Crust., heft 35, 1844, tab. 18.—Monoculus (Pediculus ramosus), 1778.
- ramosa** Dendraræa (Mich.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 11.—Alveopora
- ramosa** Diastopora, H. Michelin, Icon. Zoophyt. (20-23) 1846, 203. [? racemosa.
- ramosa** Dispotæa, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (3) June 1841, 31.
- ramosa** Doris, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 383.
- ramosa** Enallocoenia (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 205.—Astrea.
- ramosus** Encrinites, E. F. v. Schlotheim, Die Petref. 1820, 330.
- ramosa** Endrosa (Fab.), J. Huebner, Verz. bekannt. Schmett. [1822], 167.—Bombyx,
- ramosus** Erotylus, A. G. Olivier, Entom. V. 1807, 480. [1793.
- ramosa** Eschara, J. W. Vanclève, P. Amer. Assoc. 1848 (1849), 23 [*n. n.*].
- ramosum** Eudendrium (L.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 296.—Tubularia, 1758.
- ramosa** Fasciculipora, A. d'Orbigny, Amér. Mérid. (Zooph.) 1846, 21.
- ramosa** Favosites, J. S. Miller, Tr. Geol. Soc. London [2] III. 1829, 36 [*n. n.*].
- ramosa** Favosites, W. Lonsdale (*ex* Brassart MS), Trans. Geol. Soc. London, V (3) 1840, 737 & 738.
- ramosa** Fenestella (King), R. Howse, Tr. Tyneside Nat. F. C. I (3) 17 Aug. 1848, 261.—Hornera [MS *teste* Bronn].
- ramosus** Graptolithus, J. Hall, N. H. New York (Pal. I.) 1847, 270.
- ramosa** Halichondria (Mont.), J. Fleming, Hist. Brit. Anim. 1828, 523.—Spongia.
- ramosa** Harmodites, G. Fischer v. W., Progr. Séance Publ. Soc. Imp. Nat. Moscou, 1828, 22.

- ramosa** Hemicellaria, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. May 1850, 170.
- ramosa** Heteropora, F. A. Roemer, Verst. norddeutsch. Kreidegeb. (1) 1840, 24.
- ramosa** Heteropora, H. Michelin, Icon. Zoophyt. (20-23) 1846, 244.
- ramosa** Hispa, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 2; & App. 1817, 6.
- ramosa** Idalia (Cantr.), R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 76.—Doris.
- ramosus** Inoceramus, H. G. Bronn, Jahrb. f. Min. 1832, 174.
- ramosa** Inversaria, v. Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 244.—Ceriopora, 1839 [? Cellepora].
- ramosa** Latomeandra, A. d'Orbigny, Note Polyp. foss., Oct. 1849, 8.
- ramosa** Leptosmilia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 268.
- ramosa** Lithosia (Fab.), F. Ochseneimer, Schmett. Europa, III. 1810, 151.—Bombyx,
- ramosa** Millepora, J. Fleming, Hist. Brit. Anim. 1828, 529. [1793.]
- ramosa** Millepora, W. Hisinger, Lethaea Svecica, 1837, 103.
- ramosa** Millepora, Pallas; J. D. Dana, Wilkes, U. S. Exped., Zooph., c. May 1848, 544.—  
M. alcicornis, var. ram.
- ramosa** Monticulipora, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 25.
- ramosus** Murex, H. D. de Blainville, Faune Française (20) Malac. 1829, 133.
- ramosa** Mysia (Fald.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 139.—Coccinella.
- ramosa** Nemertesia, J. V. F. Lamouroux, Hist. Polyp. 1816, 164.
- ramosa** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 51 (Fernaldo judice 1802)  
[n. et f.].
- ramosa** Obelia, Lamouroux in Quoy & Gaimard, Voy. "Uranie" (Zool.) 1826, 633.
- ramosa** Obelia, Quoy & Gaimard, Ann. Sci. Nat. XIV (55) July 1828, 251 [n. n.].
- ramosa** Ocellaria, W. Lonsdale, Q. J. Geol. Soc. London, I. 1845, 510.
- ramosa** Ocellaria, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 186.
- ramosus** Orodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 94 (1836); III., 97 (1838).
- ramosa** Phalena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 220.
- ramosa** Pleurotoma, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 63.
- ramosa** Plicatula, Lamarck, An. s. vert. VI (1) 1819, 184.
- ramosa** Pseudocoenia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 34.
- ramosa** Ptilodictya (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 21.—
- ramosa** Retepora, DeFrance, Dict. Sci. Nat. XLV. 1827, 283. [Stictopora.]
- ramosa** Retepora, W. Hisinger, Lethaea Svecica, 1837, 103.
- ramosa** Reticulipora, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 113.
- ramosus** Rhombus, Michahelles, Isis (Oken), 1831, 199.
- ramosa** Sarcinula, A. Eaton, Geol. Text Book, ed. 2, 1832, 41.
- ramosa** Scyphia, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 11.
- ramosa** Septastrea (DeFr.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept.  
1849, 164.—Astrea.
- ramosa** Sertularia (Antennularia), J. G. Dalyell, Rare Anim. Scotland, I. 1847, 202.
- ramosa** Silpha, T. Say, J. Acad. Nat. Sci. Philad. III. Dec. 1823, 193.
- ramosa** Siphonia, H. Michelin, Icon. Zoophyt. (9-12) 1844, 141.
- ramosa** Sparsispongia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 107.
- ramosa** Spondylus (Lam.), W. Wood, Suppl. Index Test. 1828, 49.—Plicatula.
- ramosa** Spongia, G. Montagu, Mem. Werner. N. H. Soc. II (1) May 1814, 84.
- ramosa** Spongia, G. A. Mantell, Foss. South Downs, May 1822, 162.
- ramosa** Spongia, J. Steininger, Bemerk. Verst. Eifel, 1831, 21.
- ramosa** Spongia, C. G. Ehrenberg, Monatber. K. pr. Ak. Wiss. Berlin, 1841, 144 [n. n.].
- ramosa** Spongia, J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 295.
- ramosa** Spongilla, Lamarck, An. s. vert. II. 1816, 100.
- ramosa** Spongolithis (Ehr.), H. G. Bronn, Index Pal. 1848, 1195.—Spongia.
- ramosus** Stenocorus, J. Sturm, Catal. Ins. Samml. 1826, 199 [n. n.].
- ramosa** Stictopora, J. Hall, N. H. New York (Pal. I.) 1847, 51.
- ramosa** Stipula (Fab.), M. Sars, Bidr. soedyr. Naturh. 1829, 4.—Hydra, 1780.
- ramosa** Synastrea (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 208.—  
Agaricia.
- ramosa** Syncoryna (Sars), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834),
- ramosa** Talpina, F. v. Hagenow, N. Jahrb. f. Min. 1840, 671. [295.—Stipula.]

- ramosa** Terebripora, A. d'Orbigny, Amér. Mérid. (Zooph.) 1846, 23.
- ramosa** Thecosmilia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 292.
- ramosa** Tibiana, Lamarck, An. s. vert. II. Mar. 1816, 149.
- ramosum** Tragos, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 283.
- ramosus** Triplex (L.), G. Perry, Arcana, 1810, sign. S 6.—Murex, 1758.
- ramosa** Tritonia, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, I. 1801, 90.
- ramosa** Tupha (Mont.), J. E. Gray in S. F. Gray, Brit. Plants, 1821, 355.—Spongia.
- ramosum** Xanthidium, H. H. White, Micros. Journ. II. 1842, 37. [1786.]
- ramosa** Xylena (Esp.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 87.—Bombyx,
- ramosa** Zonopora (Roem.), A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 171.—
- Ramphalax** C. S. Rafinesque, Analyse, 1815, 66.—A. [*n. n.*]. [Heteropora.]
- Ramphanodus** C. S. Rafinesque, Analyse, 1815, 66.—A. [*n. n.*].
- Ramphichthys** Joh. Mueller, Abh. ph.-Kl. K. pr. Ak. Wiss. 1844 (1846), 194.—P.
- Ramphidiona** Schumacher, Essai nouv. class. Test. 1817, 96.—Cr.
- Ramphidium** C. Geyer in Huebner, Zuträge z. Exot. Schmett. V. 1837, 30.—Lep.
- Ramphimatus** C. S. Rafinesque, Analyse, 1815, 65.—A. [*n. n.*].
- Ramphisma** C. S. Rafinesque, Analyse, 1815, 65.—A. [*n. n.*].
- Ramphistoma** Raf. 1815; *sic* Jordan, Gen. Fishes, 1917, *sed err. pro* Raphistoma, *q.v.*
- Ramphistoma** W. Swainson, H. N. Class. Fish, I. 1838, 295 & 300.—P.
- Ramphocaenus** L. P. Vieillot, N. Dict. H. N., ed. 2, XXIX. 1819, 6.—A.
- Ramphocelus** L. P. Vieillot, Ency. Méth. (Orn.) II. 1823, 796.—A. [*non* Desm. 1805, *vernac.*].
- Ramphocinclus** De Lafresnaye, Rev. Zool. (Soc. Cuv.) VI. Mar. 1843, 66.—A.
- Ramphocoenus** L. P. Vieillot, N. Dict. H. N. XXIX. 1819, 5.—A.
- Ramphocoris** C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXXI. 1850, 423.—A.
- Ramphocorys** Bonap. 1850; *sic* Waterhouse, *sed* R—coris *in prim.*
- Ramphodon** R. P. Lesson, Traité Ornith. (4) Sept. 1830, 287.—A.
- Ramphodon** R. P. Lesson, H. N. Colibris, Jan. 1832, 18 & 20.—A.
- Ramphogordius** H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 237.—Verm.
- Ramphomicron** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 79.—A.
- Ramphomyia** T. Say, J. Acad. Nat. Sci. Philad. VI. July 1829, 159.—Dipt.
- Ramphopis** L. P. Vieillot, Analyse, 1816, 32.—A.
- Ramphorhynchus** H. v. Meyer, N. Jahrb. f. Min. 1846, 463.—R.
- Ramphosaurus** L. Fitzinger, Syst. Rept. 1843, 23.—R. [C. W. R.; *sine typo*].
- Ramphosteon** C. S. Rafinesque, Amer. Monthly Mag. IV (2) Dec. 1818, 106.—A. [*teste*
- Ramphostoma** J. G. Wagler, Syst. Amph. 1830, 350.—R. [*vide* Rhamph→].
- Ramphosus** J. L. R. Agassiz, Poiss. Foss. IV., 37 [1835].—P. [*vide* Rhamphosus].
- Ramphotyphlops** L. Fitzinger, Syst. Rept. 1843, 24.—R.
- Ramphus** A. G. Olivier, Entom. V. 1807, 40.—Col.
- Ramphus** C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 107.—Col.
- ramph→** *v.* **rhamph→**.
- ramulorum** Pteromalus, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 201.
- ramulosa** Agaricia, H. Michelin, Icon. Zoophyt. (20–23) 1846, 224.
- ramulosa** Botrylloides, Alder & Hancock, Tr. Tyneside Nat. F. C. I (2) 1848, 207.
- ramulosa** Ceriopora (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 184.—
- ramulosus** Chaetites, H. Michelin, Icon. Zoophyt. (20–23) 1846, 202. [Chaetites.]
- ramulosa** Eunicea, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 363.
- ramulosa** Favosites, J. Phillips, Mem. Geol. Surv. Gt. Britain, II (1) 1848, 385.
- ramulosa** Gorgonia (Ehr.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 665.—Eunicea.
- ramulosus** Harmodites (Park.), A. Keyserling, Wiss. Beob. Petschora, 1846, 174.—Tubipora.
- ramulosa** Harmodites (Goldf.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. Sept. 1849, 261.—Syringopora.
- ramulosus** Herpyllus, N. M. Hentz, Boston Journ. N. H. V (4) 1847, 459.
- ramulosus** Hippocampus, W. E. Leach, Zool. Miscell. I. 1814, 105.
- ramulosus** Homaeosolen, W. Lonsdale in F. Dixon, Geol. Sussex, 1850, 307.
- ramulosum** Lithodendron, H. Michelin, Icon. Zoophyt. (24–27) 1847, 304.

- ramulosa** Lucina, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 255.
- ramulosa** Monticulipora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 279.
- ramulosus** Murex, A. Risso, H. N. Europe, IV. 1826, 192.
- ramulosa** Pleurocora (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May 1849, 311.—Lithodendron.
- ramulosa** Syringopora, G. A. Goldfuss, Petref. German. I (1) 1826, 76.
- ramulosa** Trypeta, H. Loew in Germar, Zeitschr. f. d. Entom. V. 1844, 407.
- ramulosa** Tubipora, J. Parkinson, Org. Rem. II. 1808, 18.
- ramulosa** Tubulipora (Esp.), G. A. Goldfuss, Handb. Zool. (1) 1820, 97.—Cellepora.
- ramusis** Hesperia (Cr.), P. A. Latreille, Ency. Méth. IX (2) (Ins.) 1824, 745.—Papilio, 1781.
- ramusis** Talides (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 106.—Papilio, 1781.
- rana** Biplex, G. Perry, Conchology, Ap. 1811, pl. 5.
- rana** Brissus, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 161.
- rana** Buccinum, D. Solander, Catal. Portland Mus. 1786, 4 & 134 [*n. n.*].
- rana** Byrsops, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 406.
- rana** Cholus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 13.—Litomerus.
- rana** Fidicina, F. Walker, List Homopt. Coll. B. M.; (1) 1850, 88.
- rana** Gematis, Dejean, Catal. Coléopt. 1821, 58 [*n. n.*]. [Murex, 1758.
- rana** Gyryneum (L.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 123.—
- rana** Hemiaster (Forbes), Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 19.—Brissus.
- rana** Litomerus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 21.—Rhynchaenus.
- rana** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 459.
- rana** Tritonium (L.), L. Pfeiffer, Rev. Zool. (Soc. Cuv.) VI. May 1843, 135.—Murex, 1758.
- ranaceum** Acridium, H. Burmeister, Handb. Ent. II (2) 1, 1838, 630.
- ranaceus** Gryllus (Locusta), M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 13.
- ranae** Trematodum, Valentin, Repert. 1843, 90 [*sic* Diesing, Syst. Helminth. I. 1850, 472].
- ranae bombynae** Echinorhynchus, Westrumb, De helminth. acanth. 1821, 18 [*teste* S. & H.].
- ranae esculentae** Distoma, C. M. Diesing (*ex* Val.), Syst. Helminth. I. 1850, 388.
- ranae esculentae** Filaria, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 10 [*n. n.*].
- ranae esculentae** Trichina, Chaussat, C. R. Soc. Biol. [Paris] I. 1850 [1849], 85.
- ranaeiceps** Sericaria, J. A. Boisduval in F. E. Guérin-M., Iconographie, 1844, Ins., 511.
- ranaeiformis** Calamita (Laur.), B. Merrem, Tent. Syst. Amph. 1820, 170.—Hyla, 1768.
- Ranaria emend. pro** Rana, L.; C. S. Rafinesque, Specchio d. Sci. II (10) Oct. 1814, 102.
- ranarum** Anodonta, P. M. A. Morelet, Descr. Moll. Portugal, July 1845, 104.
- ranarum** Bodo, C. G. Ehrenberg, Infusionsthier. 1838, 34.
- ranarum** Bodo (Cercomonas), Ehr.; C. M. Diesing, Syst. Helminth. I. 1850, 45.
- ranarum** Bursaria, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 110.
- ranarum** Opalina, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 462.
- ranatriformis** Phasmodes, J. O. Westwood, Arcana Entom. II (16) Nov. 1843, 56.
- ranavalona** Acraea, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 178.
- ranavalona** Acraea, J. A. Boisduval, F. Ent. Madagas. (2) 1833, 30.
- ranavalona** Telchinia, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. V. 1837, 31.
- ranavorans** Falco, J. Wilkes, Ency. Londin. VII. 1805, 186.—*err. pro* ranivorus, Daud., 1800.
- Rancana** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 67.—A. [*? vernac.*].
- Rancana** Less. 1831; *sic* Agassiz, Nom. Zool. (Aves) 1842, 67, *sed vernac.*
- randa** Dexia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 852.
- Randasia** J. E. Gray, Ann. Mag. N. H. XX (132) Sept. 1847, 195.—Ast.
- Ranella** Lamarck, Ency. Méth. (Vers) 1816, pl. 414, Liste, p. 4.—G. [*vernac.* 1812].
- ranella** Cytherea, Lamarck, An. s. vert. V. 1818, 578.
- ranelliformis** Triton, P. P. King & Broderip, Zool. Journ. V (19) Sept. 1831 [*i.e.* July 1832],
- ranelliforme** Triton, E. Sismonda, Atti 7 Riun. Sci. Ital. 1846, 1115. [347.
- ranelloides** Fusus, T. A. Conrad, Foss. Shells Tert. N. Amer. (4) Oct. 1833, 43.
- ranelloides** Murex, G. G. Pusch, Polens Paleont. (2) 1837, 136.
- ranelloides** Triton, L. Reeve, Conch. Icon. II.—Triton, no. 10, Mar. 1844.
- ranelloides** Triton, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46 [*vero propius* 1847], expl. pl. xxix, f. 22.

- ranelloides** Tritonium (Grat.), H. G. Bronn, Index Pal. 1848, 1293.—Triton.
- ranelloideum** Cerithium, H. E. Anton, Verz. Conch. 1839, 65.
- ranga** Ambassis (Ham.), Cuvier & Valenci., H. N. Poiss. II. 1828, 183.—Chanda.
- ranga** Chanda, F. Hamilton, Fish. Ganges, 1822, 113.
- [rang→.]
- rangii** Atlanta, A. d'Orbigny, Amér. Mérid. (Moll.) 1836, 176.
- rangii** Carocolla (Desh.), Catlow & Reeve, Conch. Nomen. 1845, 139.—Helix.
- rangii** Cyclostoma, Férussac, Bull. Sci. X. 1827, 409.
- rangii** Dendritina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 285 [*n. n.*].
- rangii** Heliconoides, A. d'Orbigny in Webb & Berthelot, Canaries (Moll.) 1839, 37.—Atlanta, 1836.
- rangii** Helix, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 305.
- rangii** Helix, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 259 (Kk\*).
- rangii** Holopus, A. d'Orbigny, Magasin de Zool. VII. 1837, pl. 3.
- rangii** Hyalea, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 310 (Qq\*).
- rangii** Melania, G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VIII. June 1838, 442.
- rangii** Mitra, R. P. Lesson, Prod. Méduses [*auct. typ.*] 1837, 10; (Roret's Suite à Buffon), Acalèphes, 1843, 280.
- rangii** Oxygyrus (Eyd.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 101.—Atlanta.
- rangii** Pristipoma, Cuvier & Valenci., H. N. Poiss. IX. 1833, 484.
- rangii** Ungulina, G. L. Duvernoy, Ann. Sci. Nat. [2] (Zool.) XVIII. Aug. 1842, 113.
- Rangia** C. Des Moulins, Actes Soc. Linn. Bordeaux, V (25) 1832, 50.—L.
- Rangia** T. A. Conrad, Amer. Marine Conch. (4) [? 1832], 56.—L.
- rangiana** Achatina, L. Pfeiffer, Proc. Zool. Soc. London, XIV (166) Jan. 26, 1847, 115.
- rangiana** Aplysia, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 210.
- rangianus** Arion, Férussac, Bull. Sci. X. 1827, 300. [Helix.]
- rangiana** Carocollina (Michaud), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 28.—
- rangianus** Clypeaster, C. Des Moulins, Actes Soc. Linn. Bordeaux, VII (41) 1835, 228.
- rangiana** Helix, A. G. L. Michaud, Compl. Moll. Draparnaud, 1831, 40.
- rangiana** Nerita, C. A. Récluz, Rev. Zool. (Soc. Cuv.) IV. Nov. 1841, 339.
- rangianus** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s. VI (1) 1838, 95.
- Rangifer** C. H. Smith, Griffith's Cuvier, Anim. Kingd., Mamm., Syn. 1827, 304.—M.
- Rangifer** J. Gistl, Nat. Thierr. 1848, pp. viii & 131.—Col.
- Rangifer** J. Gistl, Handb. Naturges. 1850 [1847], 430.—Col.
- rangifer** Lucanus, C. J. Schoenherr, Syn. Insect. I (3) 1817, 322.
- rangifer** Tarandus, C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 144.
- rangoonensis** Dicrurus (Gould), J. M'Clelland, Proc. Zool. Soc. London, VII (82) Mar. 1840, 158.—Edolius.
- rangoonensis** Dicrurus (Gould), Jardine & Selby, Ill. Orn., pl. 38, n. s. (1840).—Edolius.
- rangoonensis** Edolius, J. Gould, Proc. Zool. Soc. London, IV (37) Ap. 1836, 5.
- rangus** Mesoprion, Cuvier & Valenci., H. N. Poiss. II. 1828, 481.
- Raniceps** Oken, Isis, 1817, [1182 a].—P.
- Raniceps** H. R. Schinz in Cuvier, Thierreich, II. 1822, 366.—P. [*non* Cuvier *vernac.*].
- raniceps** Asaphus, J. Phillips, Geol. Yorksh. II. 1836, 240.
- raniceps** Delphax, C. H. Boheman, K. Vet. Ac. Handl. 1847 (1849), 52.
- raniceps** Phillipsia (Ph.), J. Morris, Cat. Brit. Foss. 1843, 76.—Asaphus.
- Raniletta** Barthélemy, Atti 3 Riun. Sci. Ital. 1841, 313.—Cr.
- Ranilia** H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 195.—Cr.
- Ranina** Lamarck, Syst. Anim. 1801, 156.—Cr.
- Raninoides** H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 196.—Cr.
- raninus** Antennarius (Tiles.), T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1184.—Lophius.
- raninus** Coluber (Natrix), Bonnat.; B. Merrem, Tent. Syst. Amph. 1820, 106.
- raninus** Coronella (Merr.), F. Boie, Isis (Oken), 1827, 525.—Natrix.
- raninus** Lepadogaster, G. D. Nardo (*ex* Chiereghini MS), Sin mod. spec. Lag. Veneto, 1847,
- raninus** Lophius, W. G. Tilesius, Mém. Soc. Imp. Nat. Moscou, II. 1809, 245. [113.]
- raninus** Mononyx, Klug in Herrich-S., Wanzenart. Ins. IX (1) Oct. 1849, 28.



- ranina** Phycis (L.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 57.—Blennius, 1758.
- raninus** Pimelodus, Cuvier & Valenc., H. N. Poiss. XV. 1840, 157.
- raninus** Pyrophorus, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 32.
- ranina** Ranella, Lamarck, Ency. Méth. (Vers) 1816, pl. 412, Liste, p. 4 [*n. et f.*].
- raninus** Ranina (L.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 29.—Cancer, 1758.
- ranivorus** Buteo (Lath.), C. Dumont, Dict. Sci. Nat. (ed. 1) V. 1806, 462.—Falco, Daud. 1800.
- ranivorus** Circus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 456.—Falco, Daud. 1800.
- rankinei** Amblypterus (Ag.), C. G. Giebel, Fauna d. Vorwelt, I (3) 1848, 253.—Gyrolepis.
- rankini** Gyrolepis, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 491; Poiss. Foss. II (1), 303 (1844), rankinei [*n. n.*].
- rankinei** Pleurodus, J. L. R. Agassiz, Poiss. Foss. III., 174 (1843) [*n. n.*].
- Ranoidea** J. J. Tschudi, Classif. Batrach. 1838.—*ex* Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 [1840], 35 & 76.—R.
- ranoides** Enydrobius (Spix), J. Wagler, Nat. Syst. Amph. 1830, 202.—Hyla.
- ranoides** Hyla, J. B. v. Spix, Ranar. Brasil. 1824, 8.
- ranoides** Hyldes, L. J. Fitzinger, Neue Classif. Rept. 1826, 64 [*n. n.*].
- ransomi** Eudynamis, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 101.
- Rantus** Eschscholtz in Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 54.—Col.
- Ranula** C. F. Schumacher, Ess. Vers test. 1817, 77 & 253 (Ranularia).—G.
- Ranularia** *v.* **Ranula**.
- ranunculacea** Fringilla, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 23.
- ranunculi** Anthobium (Grav.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 25.—Omalium.
- ranunculi** Aphis, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 69.
- ranunculi** Cecidomyia, J. J. Bremi, N. D. Allg. Schweiz. Gesellsch. IX. 1847, 29.
- ranunculi** Cleopus, Mul.; Dejean, Catal. Coléopt. 1821, 83 [*n. n.*].
- ranunculi** Hydrellia, A. H. Haliday, Ann. Nat. Hist. III. Aug. 1839, 402.
- ranunculi** Milesia (Panz.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 239.—
- ranunculi** Omalium, J. L. C. Gravenhorst, Coleopt. micr. 1802, 118. [Syrphus.]
- ranunculi** Pemphigus, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 185.
- ranunculi** Syrphus, G. W. F. Panzer, Ins. Germ., heft 91, 1804, tab. 21.
- ranunculi** Volucella, F. v. P. Schrank, F. Boica, III (1) 1803, 140.
- ranunculus** Adoretus, H. Burmeister, Handb. Ent. IV (1) 1844, 474.
- ranvillensis** Natica, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 299.
- ranvilliana** Arca, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 311.
- ranvilliana** Defrancia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 317.
- ranvilliana** Eschara, H. Michelin, Icon. Zoophyt. (20-23) 1846, 243.
- ranvillianus** Mitylus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 312.
- ranvillianum** Unicardium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 310.
- ranym** Cancer, G. I. Molina, Sag. stor. nat. Chili, ed. 2, 1810, 187.
- Ranzania** L. Nardo, Atti 1 Riun. Sci. Ital., ed. 2, 1840, 165.—P.
- [ranzani→.]
- ranzani** Helix, O. G. Costa, Fauna Regno Napoli, Moll., Helix, 32 (May 1839).
- ranzani** Lycastis, S. d. Chiaje, Descr. An. invert. Sicilia, III. 1841, 96.
- ranzani** Nereis, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 175.
- ranzanj** Nodosaria, G. Michelotti, Mem. Soc. Ital. Sci. XXII. 1841, 276.
- ranzani** Thermophila, J. Bertoloni, N. Comm. Ac. Sci. Inst. Bonon. X. 1849, 386.
- Rapa** O. Fabricius, Fortegnelse, 1823, 79.—Gast. undefined, but Herrmannsen says = Rapana. The following *n. n.* are appended: umbilicata; bezoar; dentata; galeata; acutangulus; scalaris.
- Rapa** Megerle, Cat. MS; Scudder, Suppl. List, 1882, 290.—G.
- rapa** Helix (Helicella), Müll.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 46.
- rapa** Lima, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 546.
- rapa** Nanina (Müll.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 3.—Helix, 1774.
- rapa** Nodosaria, Lamarck in A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 253.
- rapa** Plicatula, Coquand & Bayle, Bull. Soc. géol. France (sér. 2) VII. 1850, 235 [*n. n.*].
- rapa** Purpura, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab. Pls. 1846).

- rapa** *Pyrula* (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. IV. 1801, 195.—*Bulla*,  
**rapa** *Pyrula* (L.), G. Fischer, Mus. Démid. III. 1807, 204.—*Murex*, 1758. [1767.]  
**rapa** *Rapana* (L.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 68.—*Bulla*, 1767.  
**rapa** [*Rapella*], W. Swainson, Treat. Malacol., May 1840, 85.  
**rapa** *Turbinella*, Lamarck, Ency. Méth. (Vers) 1816, pl. 43 *bis*, Liste, p. 7 [*n. et f.*].  
**rapa** *Volema* (L.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 116.—*Murex*,  
 1758.  
**rapae** *Allantus* (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 55.—*Tenthredo*, L.  
**rapae** *Aphis*, J. Curtis, Guide Brit. Ins., ed. 2, 1837, 218 [*n. n.*]. [1767.]  
**rapae** *Catophaga* (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 93.—*Papilio*, 1758.  
**rapae** *Ceuthorhynchus*, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 547.  
**rapae** *Eucoila*, J. O. Westwood, Mag. Nat. Hist. VIII. Mar. 1835, 178.  
**rapae** *Ganoris* (L.), J. W. Dalman, K. Vet. Ac. Handl. 1816 (1) 1816, 87.—*Papilio*, 1758.  
**rapae** *Haltica*, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 76 & 174.  
**rapae** *Macrocnema* (Ill.) J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 319.—  
*Haltica*.  
**rapae** *Papilio*, J. Huebner, Europ. Schmett.; Tab. *Papilio*, 80 (Fernaldo judice 1799)  
 [*n. et f.*].  
**rapae** *Pieris* (L.), F. v. P. Schrank, F. Boica, II (1) 1801, 165.—*Papilio*, 1758.  
**rapae** *Pontia* (L.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 283.—*Papilio*,  
**rapae** *Psylliodes* (Ill.), H. C. Kuester, Käfer Europas, II. 1845, 68.—*Haltica*. [1758.]  
**rapae** *Tachyptera*, E. Herold, Teutsch. Schmetterlinge, 1844, 120.  
**rapae** *Tenthredo* (*Allantus*), L.; F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (2) 1817, 127.  
**rapae** *Tenthredo* (*Macrophya*), L.; Klug in A. G. Dahlbom, Conspect. Tenthred. 1835, 11.  
**rapaeformis** *Cellepora*, F. v. Hagenow, N. Jahrb. f. Min. 1839, 271.  
**rapaeformis** *Leptoxis*, S. Haldeman in J. C. Chenu, Illustr. Conch. III., *Leptoxis*, pl. 4  
**Rapana** C. F. Schumacher, Ess. Vers test. 1817, 65 & 214.—G. [(1846) [*n. et f.*].]  
**Rapanus** *id. ac Rapana*, Schum.; de Blainville, Dict. Sci. Nat. XLIV. 1826, 452.  
**Rapanus** G. B. Sowerby, II. [*non* Schum.], Conch. Man. 1839, 92.—G.  
**Rapara** J. E. Gray, Ann. Phil. XXVI. Sept. 1825, 210.—R.  
**rapax** *Anceus*, H. M. Edwards (*Roret's Suite à Buffon*), Crustacés, III. 1840, 196.  
**rapax** *Aphodius*, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 256.  
**rapax** *Aquila* (Temm.), R. P. Lesson, Traité Ornith. (1) Feb. 1830, 37.—*Falco*.  
**rapax** *Aspius*, L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 38.  
**rapax** *Caligus*, H. M. Edwards (*Roret's Suite à Buffon*), Crustacés, III. 1840, 453.  
**rapax** *Campoplex*, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 568.  
**rapax** *Cyprinus*, P. S. Pallas, Zoographia, III. 1814, 311.  
**rapax** *Dermestes*, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 30 [*n. n.*].  
**rapax** *Diastatomma*, P. Rambur (*Roret's Suite à Buffon*), Névroptères, 1842, 169.  
**rapax** *Dryinus*, J. Curtis (*ex* Hal. MS), Brit. Entom. V (51) Mar. 1828, no. 206.  
**rapax** *Euscelida*, J. O. Westwood, Tr. Entom. Soc. Lond. V (9) Feb. 1850, 232.  
**rapax** *Falco*, C. J. Temminck in T. & Laugier, Pls. color. (76) *extremo* 1827.  
**rapax** *Formica*, J. C. Fabricius, Syst. Piezat. 1804, 398.  
**rapax** *Gonatopus* (Hal.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 37.—*Dryinus*.  
**rapax** *Heterostoma*, F. L. P. Gervais in Walckenaer (*Roret's Suite à Buffon*), Aptères, IV.  
 1847, 248.  
**rapax** *Hydropardus*, J. Reinhardt, Vid. Medd. nat. Foren. Kjöbenhavn, 1849, 46.  
**rapax** *Lambrus*, A. White, List Crustacea Coll. B. M. 1847, 124 [*n. n.*].  
**rapax** *Lycosa*, J. Blackwall, Tr. Linn. Soc. London, XVIII (4) 1841, 609.  
**rapax** *Muscicapa*, A. Wilson, Amer. Ornith. II. 1810, 81.  
**rapax** *Myrmeleon*, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 123.  
**rapax** *Pteromalus*, A. Foerster, Beitr. Monogr. Pteromal. 1841, 12.  
**rapax** *Pterostichus*, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3)  
**rapax** *Sarcophaga*, F. Walker, List Dipt. Coll. B. M. (4) 1849, 818. [Nov. 1844, 155.]  
**rapax** *Typhis*, H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 395.  
**rape** *Viverricula*, B. H. Hodgson, Ann. Nat. Hist. I (2) Ap. 1838, 152 [*n. n.*].  
**Rapella** W. Swainson, Treat. Malacol., May 1840, 82 & 307.—G.  
**rapensis** *Raia*, *err. pro capensis*, Gm.; W. Turton, Linnaeus, Syst. Nat. I. 1802, 930.

- Raphanella** Bory de St V., Ency. Méth. (Zooph.) 1827, 665.—Inf.  
**raphanella** Amiba, Bory de St V., Dict. Class. H. N. I. 1822, 261.  
**raphanella** Enchelis, Bory de St V., Dict. Class. H. N. VI. 1824, 159.  
**raphani** Anthomyia, T. W. Harris, Treat. Ins. N. England, 1842, 415.  
**raphani** Aphis, F. v. P. Schrank, F. Boica, II (1) 1801, 119. [1792.  
**raphani** Ceutorhynchus (Fab.), E. F. Germar, Ins. spec. novae, I. 1824, 219.—Curculio,  
**raphani** Curculio (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 146.—Rhyn-  
 chaenus.  
**raphani** Falciger (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 142.—Rhynchaenus.  
**raphani** Gastrophysa (Fab.), H. C. Kuester, Käfer Europas, VII. 1846, 88.—Galleruca,  
 1792. [Galleruca, 1792.  
**raphani** Phaedon (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 336.—  
**raphani** Pieris (Fab.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 129.—Papilio, 1787.  
**raphani** Pontia (Fab.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 31.—Papilio, 1787.  
**raphani** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 485.—Curculio, 1792.  
**Raphanister** Denys de Montfort, Conch. I. 1808, 338.—L.  
**Raphanistes** H. G. Bronn, Leth. Geogn. 1838, 633 [*err. pro* R—er, Montf.].  
**raphanistes** Hippurites, C. Des Moulins, Bull. H. N. Soc. Linn. Bordeaux, I (5) 1827, 294;  
 ed. 2, 1830, 147.  
**raphanoides** Fusus, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII., *post* Sept. 1834, 144.  
**raphanoides** Fusus, J. E. Gray, Zool. "Blossom," 1839, 116.  
**raphanoides** Orthocera, Lamarck, Syst. Anim. 1801, 103.  
**raphanula** Terebra, Lamarck, An. s. vert. VII. 1822, 288.  
**Raphanulina** A. Zborzewski, N. Mém. Soc. Imp. Nat. Moscou, III. 1834, 311.—Rh.  
**raphanus** Buccinum (Lam.), Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II  
 (1833), 428.—Fusus.  
**raphanus** Fusus, Lamarck, Ency. Méth. (Vers) 1816, pl. 435, Liste, p. 8 [*n. et f.*].  
**raphanus** Marginulina (L.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 258.—  
 Nautilus, 1758.  
**raphanus** Orthoceras, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 192.  
**raphanus** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (120) *inter* Feb.—Oct. 1814, 444.  
**raphanus** Thyone, Duben & Koren, Ofvers. K. Vet. Ac. Förh. II (3) 1845, 76.  
**rapheidolabis** Macropetalichthys, J. G. Norwood & D. D. Owen, Proc. Acad. Nat. Sci.  
 Philad. III (2) Ap. 1846, 30.  
**Raphia** J. Huebner, Verz. bekannt. Schmett. [1822], 212.—Lep.  
**Raphicerus** C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm., Syn. 1827, 342.—M.  
**raphidioides** Ophites, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 628.  
**Raphidogaster** H. Lucas, Explor. Algér. (Artic. III.) 1849, 91.—Hem. [? = Rhaphigaster,  
**Raphidognathus** J. Gistel, Nat. Thierr. 1848, 200.—Cr. [Lap.].  
**raphidoma** Belone, C. Ranzani, N. Comm. Ac. Sci. Inst. Bonon. V. 1842, 359.  
**raphidoma** Belone, C. Ranzani, De Nov. Pisc. (4) 1842, 23.  
**Raphidopalpa** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 378.—Col. [*sine*  
**Raphidopalpa** E. Blanchard (*ex* Chevr.), Hist. Insect. II. 1845, 189.—Col. [*typo*].  
**Raphidophora** T. W. Harris, Rep. Ins. Massach. 1841, 126.—Orth.  
**Raphigaster** J. O. Westwood in Hope, Cat. Hemipt. 1837, 31; M. Spinola, Ess. Ins.  
 Hémipt. 1837, 350.—Hem. [? Rhaphigaster, Lap.].  
**Raphiglossa** S. S. Saunders, Tr. Entom. Soc. Lond., n. s. I (3) Nov. 1850, 71.—Hym.  
**Raphiglossa** S. S. Saunders, The Zoologist, VIII. 1850, 2861.—Hym.  
**Raphignathus** A. Dugès, Ann. Sci. Nat. [2] (Zool.) I. Jan. 1834, 15.—Ar.  
**Raphignatus** *id. ac* Raphignathus; A. Dugès, Ann. Sci. Nat. [2] (Zool.) I. Jan. 1834, 15.—  
**raphilinea** Cleonis, Sieber; J. Sturm, Catal. Ins. Samml. 1826, 119. [Ar.  
**Raphiocera** J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 253.—Dipt.  
**Raphiodon** J. Mueller & Troschel, Arch. f. Naturg. X (1) 1844, 93.  
**raphiodon** Odontaspis, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 55 (1835) [*n. n.*].  
**Raphiorrhynchus** Wiedemann; *sic* Scudder, *sed* Raphiorhynchus *in prim.*  
**Raphiosaurus** R. Owen, 11 Rept. Brit. Assoc. (Plym. 1841) 1842, 145.—R. [*n. n.*].  
**Raphiosaurus** R. Owen, Tr. Geol. Soc. London [2] VI. 1842, 413.—R.  
**Raphipterus** C. Gay, Hist. Chile, Atlas [1844], pl. "Zoologia No."—A. [Anatidae].

- Raphirhinus** Laporte, Ann. Soc. Ent. France, I (4) c. Jan. 1833, 413.—Hem.
- Raphirhynchus** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 243.—Col. [*sine typo*].
- Raphirhynchus** *v.* **Rhaphirhynchus**; C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 504.
- Raphirus** W. E. Leach in J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23.—Col.
- Raphistoma** C. S. Rafinesque, Analyse, 1815, 89.—P. [= *Belone*, Gr.].
- Raphistoma** J. Hall, N. H. New York (Pal. I.) 1847, 28.—G.
- Raphitelus** L. Agassiz, Nom. Zool. (Hym.) 1845, 29; *emend. pro* Rhapitelus, Walk., *q.v.*
- Raphitoma** L. Bellardi, Mem. R. Acc. Sci. Torino [2] IX. 1848, 538 & 612.—G.
- Raphitome** Hall, 1847; *teste* Marschall, Nom. Zool. 1873, 136; ? *err. pro* Raphistoma.
- Raphium** Latreille in Cuvier, Règne Anim. IV. 1829, 472 [= *Rhaphium*, Meig.].
- rapi** Tachyptera, E. Herold, Teutsch. Schmetterlinge, 1844, 120.
- rapicauda** Platydactylus (Houtt.), F. H. Troschel in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 648.—Gecko, 1782. [Lacerta, 1788.]
- rapicauda** Thecadactylus (Gm.), J. E. Gray, Phil. Mag., n. s. II (7) July 1827, 56.—
- rapida** Aphirape, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 67.—Euophrys, 1846.
- rapida** Aricia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 291.—
- rapidus** Capsus, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831. [Mydaea.]
- rapida** Carcelia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 180.
- rapida** Cassidaemyia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 164.—Feburia.
- rapida** Clelia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 255.
- rapida** Empis, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 86.
- rapida** Euophrys, C. L. Koch, Die Arachniden, XIII (6) June 1846, 214. [1824.]
- rapida** Exorista, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 255.—Tachina,
- rapida** Feburia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 257.
- rapida** Gesneria, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- rapida** Metopia, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 663. [379.]
- rapidus** Micropalpus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 218. [480.]
- rapida** Mydaea, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- rapida** Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 360.
- rapidus** Ochthedromus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July
- rapida** Phora, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 412. [1847, 460.]
- rapida** Phorocera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 132.
- rapida** Rhinophora (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 244.—
- rapida** Sterna, P. A. J. Drapiez, Dict. class. Sci. Nat. X. 1845, 137. [Feburia.]
- rapida** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 326.
- rapida** Tachydromia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 81.
- rapiformis** Actinia, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I. no. 8, Dec. 1817, 171.
- rapinator** Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 133.
- rapo** Cirrospilus, F. Walker, Ann. Nat. Hist. III. Aug. 1839, 415.
- rapo** Eucharis, F. Walker, Mon. Chalcid. II. 1839, 66.
- rapo** Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 76.—Cirrospilus, 1839. [rapp→.]
- rappii** Delphinus, H. G. L. Reichenbach, Synop. Mamm. 1845, 13.
- rappii** Doris, F. Cantraine, N. Mém. Ac. Roy. Brux. XIII. 1841, 58.
- rapta** *v.* **raptus** -a -um.
- raptator** Goniosoma, F. L. P. Gervais, Magasin de Zool. (2) IV. 1842, pl. 4.
- raptatorius** Reduvius, T. Say, J. Acad. Nat. Sci. Philad. IV. Mar. 1825, 327.
- raptensis** Carbo, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 86 [*n. n.*].
- Raptor** Megerle in Dejean, Catal. Coléopt. 1821, 9.—Col.
- Raptor** J. Gistel, Nat. Thierr. 1848, p. viii.—Cr.
- Raptor** J. Gistel, Nat. Thierr. 1848, pp. ix & xi.—Col.
- raptor** Chelifera, J. Macquart, Rec. Trav. Soc. amat. Sci. Lille, I. 1823, 151.

- raptor** Chiroleptes, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 281.
- raptor** Gadus, S. Nilsson, Prod. Ichth. Skand. 1832, 46.
- raptor** Lota (Nilss.), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 44.—Gadus.
- raptor** Oxybelus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 219.
- raptor** Phenes, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 176.
- raptor** Philanthus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 38.
- raptor** Porizon, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 395.
- raptor** Ptinus, J. Sturm, Deutschl. Fauna (Insecten) XII. 1837, 53.
- raptorius** Alcides, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 610.
- raptorius** Atelocerus, E. F. Germar, Revue Entom. V (3) 1840, 163.
- raptorius** Coelosternus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 200.
- raptorius** Galgulus, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 271.
- raptoria** Hemerodromia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 341.
- raptoria** Lycisca, M. Spinola, Magasin de Zool. (2) II. 1840, pl. 43.
- raptoria** Lycisca, M. Spinola, Rev. Zool. (Soc. Cuv.) III. Jan. 1840, 18.
- raptoria** Lycosa, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 338.
- raptoria** Mononyx (Fab.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832,
- raptoria** Naucoris, J. C. Fabricius, Syst. Rhyng. 1803, 111. [16.—Naucoris.
- raptricula** Acronyctia (Tr.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (2) 1831, 76.—Bryophila.
- raptricula** Bryophila (Huebner), F. Treitschke, Schmett. Europa, V (1) 1825, 71.—Noctua, D. & S. 1775. [1775.
- raptricula** Euthales (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 205.—Noctua,
- raptricula** Poecilia (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 64.—Noctua,
- rapta** Oscinis, A. H. Haliday, Ann. Nat. Hist. II (9) Nov. 1838, 187. [1775.
- rapuliformis** Ascidia, Péron & Lesueur, J. Acad. Nat. Sci. Philad. III. Ap. 1823, 8 [n. n.].
- rapulum** Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 83, Dec. 1846.
- rapula** Nerita, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847, 97.
- rapulum** Pyrula, J. E. Portlock (*ex* Sow. MS), Rept. Geol. Londonderry, Jan. 1843, 421.
- rapunculi** Heriades, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 406.
- rapunculoides** Raphanella, Bory de St V., Ency. Méth. (Zooph.) 1827, 667.
- raquinianus** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1845, 332.
- rara** *v.* rarus.
- rare**→ *v.* rari→.
- raricolor** Hyaena, E. Griffith; *vide* varicolor.
- raricosta** Delthyris, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII., *post* Ap. 1842, 262.
- raricosta** Lima, Coquand & Bayle, Bull. Soc. géol. France (sér. 2) VII. 1850, 235 [n. n.].
- raricosta** Marginulina, A. d'Orbigny, Mém. Soc. géol. France, IV (1) 1840, 51.
- raricosta** Mitra, Lamarck, Ann. Mus. H. N. (Paris) II (1) May 1803, 59.
- raricosta** Oolina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 20.
- raricosta** Ostrea, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 299 (Pp\*).
- raricosta** Patella, de Blainville, Dict. Sci. Nat. XXXVIII. 1825, 110.
- raricosta** Pleurotoma, H. D. de Blainville, Faune Française (20) Malac. 1829, 101.
- raricosta** Pleurotoma, L. Bellardi, Mem. R. Acc. Sci. Torino [2] IX. 1848, 609.
- raricosta** Scalaria, Lamarck, An. s. vert. VI (2) 1822, 228.
- raricosta** Sulcoretopora (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],
- raricosta** Turbinolia, G. Michelotti, Spec. Zoophyt. diluv. 1838, 68. [152.—Vincularia.
- raricosta** Uvigerina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 53.
- raricosta** Vincularia, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 198.
- rariostatus** Ammonites, C. H. v. Zieten, Pétrif. Wurt. (3) 1831, 18. [189.—Planaxis.
- rariostatium** Buccinum (Risso), H. D. de Blainville, Faune Française (23) Malac. 1829,
- rarecostata** Cellepora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 83.
- rariostatus** Hamites, J. Phillips, Geol. Yorksh. I. 1829, 123 [n. et f.].
- rariostatus** Hamites, S. Woodward, Geol. Norf. 1833, 53 [teste L.R.C.].
- rariostata** Hamulina (Ph.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 115.—
- rariostata** Harpa, A. Risso, H. N. Europe, IV. 1826, 180. [Hamites.
- rariostatus** Hybodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 113 (1838); III., 187
- rariostatus** Pecten, G. v. Muenster, Beitr. zur Petref. (4) 1841, 72. [(1843).

- rariocostata** Planaxis, A. Risso, H. N. Europe, IV. 1826, 174.  
**rariocostata** Scalaria, W. Wood, Suppl. Index Test. 1828, 52.—Turbo, 1828.  
**rariocostata** Scalaria, G. B. Sowerby, II., Thes Conch. I (4) *ante* 11 Ap. 1844, 93.  
**rariocostatus** Trochocyathus (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 309.—Turbinolia.  
**rariocostata** Turbinolia, A. J. Michelotti, N. Jahrb. f. Min. 1846, 52 [*n. n.*].  
**rariocostatus** Turbo, W. Wood, Suppl. Index Test. 1828, 19 [*n. et f.*].  
**raridentata** Arca, S. V. Wood, Mag. Nat. Hist., n. s. IV. May 1840, 232.  
**rariflamma** Petricola, G. P. Deshayes in Cuvier, Règne Anim., disciples' ed., Moll. descr. to pl. 106 (? 1843).  
**rariflamma** Petricola, G. P. Deshayes, Traité élém. Conch. I (2) 2, 1850, 494.  
**rariflamma** Pullastra (Lam.), Catlow & Reeve, Conch. Nomen. 1845, 41.—Venus.  
**rariflamma** Venus, Lamarck, An. s. vert. V. 1818, 597.  
**rareguttata** Helix, A. Mousson, Land-Mollusk. Java, 1849, 112.  
**rarik** Apatura, F. Eschscholtz in Kotzebue, Entdeck. Reise Süd-See, III. 1821, 208.  
**rarilamella** Ostrea, Melleville, Ann. Sci. Géol. II (2) Feb. 1843, 88.  
**rarilineatus** Trochus, Michaud, Bull. H. N. Soc. Linn. Bordeaux, III (18) 1829 [? 1830], 266.  
**rarinus** Strombus, *err. pro* raninus; L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. IV. 1801, 250.  
**raripectus** Pectunculus, L. Reeve, Proc. Zool. Soc. London, XI (122) Oct. 1843, 34.  
**raripilosus** Chiton, de Blainville, Dict. Sci. Nat. XXXVI. 1825, 547.  
**rariopilum** Ceresium, E. Newman, Entomologist (20) June 1842, 322.  
**raripectus** Spirifer, Braun in G. v. Muenster, Beitr. zur Petref. (4) 1841, 66.  
**rariPLICATA** Helix, L. Pfeiffer (*ex* Benson MS), Zeitschr. f. Malakozool. (May) [Nov.] 1849, 71.  
**rariPLICATA** Helix, W. H. Benson, Ann. Mag. N. H. (2) VI. Oct. 1850, 254.  
**rariPLICATA** Unio, Lamarck, An. s. vert. VI (1) 1819, 71.  
**rariPORA** Entalophora, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 114.  
**rarepunctata** Cellepora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 87.  
**raropunctata** Natica, A. Sassi, Giorn. Ligustico, I (5) Sept. 1827, 477.  
**rarisPINA** Acrosalenia, F. M'Coy, Ann. Mag. N. H. (2) II. Dec. 1848, 411.  
**rarisPINA** Ancyloceras (B. & S.), A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1850, 583.—  
**rarisPINA** Calcarina, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 164. [Toxoceras.  
**rarisPINA** Murex, Lamarck, An. s. vert. VII. 1822, 158.  
**rarisPINA** Nerita, C. A. Récluz, Rev. Zool. (Soc. Cuv.) IV. Oct. 1841, 311.  
**rarisPINA** Neritina, A. Mousson, Mitth. nat. Ges. Zuerich, I (3) no. 30, 1848 [1849], 269.  
**rarisPINUS** Pecten, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 181.  
**rarisPINA** Plicatula, DeFrance, Dict. Sci. Nat. XLI. 1826, 401.  
**rarisPINUS** Salmacis, Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 359.  
**rarisPINA** Scolopendra, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 270.  
**rarisPINA** Spondylus, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1830, 321.  
**rarisPINA** Spondylus, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 173.  
**rarisPINA** Toxoceras, Baugier & Sauzé, Mém. Soc. Stat. Deux-Sèvres, VII. 1843, 135.  
**rarisPINA** Udora, G. v. Muenster, Beitr. zur Petref. (2) 1839, 71.  
**rarisPINA** Voluta, Lamarck, Ann. Mus. H. N. (Paris) XVII (97) Ap. 1811, 79.  
**rarisPINA** Volutilithes (Lam.), W. Swainson, Treat. Malacol., May 1840, 121 & 318.—  
**raroSPIRA** Clymenia, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 108. [Voluta.  
**raristella** Astraea, DeFrance, Dict. Sci. Nat. XLII. 1826, 378.  
**raristella** Diplhelia (Defr.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XIII. Feb. 1850, 87.—Oculina.  
**raristella** Madrepora (Defr.), A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 27.—  
**raristella** Oculina, DeFrance, Dict. Sci. Nat. XXXV. 1825, 356. [Astraea.  
**raristella** Pocillopora, H. Michelin, Icon. Zoophyt. (24-27) 1847, 276.  
**raristella** Pocillopora (Defr.), H. Michelin, Icon. Zoophyt. (28-29) 1848, *addenda*.—Astraea.  
**raristella** Stylophora (Defr.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XIII. Feb. 1850, 105.—Astraea.  
**rarestriatus** Ammonites, F. v. Hauer, Ber. Mitth. Fr. Nat. Wien, IV. 1848, 378 [*n. n.*].  
**rare-striatus** Ammonites, F. v. Hauer, Naturw. Abhandl. (Haidinger) III (1) 1850, 11.

- raristriatus** Conus, Bellardi & Michelotti, Mem. R. Acc. Sci. Torino [2] III. 1841, 153.
- raristriatum** Solarium (Mell.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 313.—Turbo.
- raristriatus** Turbo, Melleville, Ann. Sci. Géol. II (2) Feb. 1843, 102.
- raresulcatus** Ammonites, A. de Leymerie, Mém. Soc. géol. France, IV (2) 1841, 320 [*n. n.*];  
*ibid.* V (1) 1842, 15.
- raresulcatus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 288.
- rarisulcatus** Fusus, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 556.
- rarisulcata** Unio, Lamarck, An. s. vert. VI (1) 1819, 72.
- raro**→ *v. rari*→.
- [**rarus**, -a, -um.]
- rarus** Alectryonia, G. Fischer, Mus. Démid. III. 1807, 269.
- rarus** Attus, N. M. Hentz, Boston Journ. N. H. V (3) 1846, 358.
- rara** Helix, De Boissy, Rev. Zool. (Soc. Cuv.) Mar. 1839, 74.
- rara** Milesia, J. C. Fabricius, Syst. Antliat. 1805, 193.
- rara** Mniotilta (Wils.), G. R. Gray, Gen. Birds, I. Dec. 1848, 196.—Sylvia.
- rara** Neritina, H. Dufo, Ann. Sci. Nat. [2] (Zool.) XIV. Oct. 1840, 195.
- rarus** Ontophagus, F. E. Guérin-M., Iconographie, 1844, Ins., 77.
- rara** Plaesiacomia, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 55.
- rarus** Scydmaenus, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 38.
- rara** Sylvia, A. Wilson, Amer. Ornith. III. 1811, 119.
- rarus** Trochus, H. Dufo, Ann. Sci. Nat. [2] (Zool.) XIV. Sept. 1840, 188.
- vara** (*sic*) Xylota (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 214.—  
Milesia rara, 1822.
- rara** Xylotaaja (Fab.), C. Rondani, N. Ann. Sci. Nat. [2] II. 1844 [Jan. 1845], 457.—
- rasa** Anisoplia, B. Zubkov, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 324. [Milesia.]
- rasa** Exorista, J. Macquart, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850, 368.
- rasaces** Callimome, F. Walker, Ann. Mag. N. H. XIV. Sept. 1844, 181.
- Rasahus** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 325.—Hem.
- rasbora** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 329. [Cyprinus.]
- rasobora** [Leuciscus] (Ham.), J. M'Clelland, Asiat. Researches, XIX (2) 1839, 292.—
- rasbora** Opsarius (Ham.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1043.—Cyprinus.
- rascassa** Scorpaena, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 259.
- rasi** Acanthurus, Cuvier & Valenc., H. N. Poiss. X. 1835, 203.
- rasilis** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 782.
- rasolia** Colombella, P. L. Duclos, H. N. Coq. (Colombelle) 1840, pl. 10 [*n. et f.*].
- rasor** Serranus, J. Richardson, Proc. Zool. Soc. London, VII (78) Nov. 1839, 95.
- rasoumowskii** *v. razumovskii*.
- Raspaila** G. D. Nardo, Prosp. Fauna mar. Veneto, 1847, 3.—Sp. [*n. n.*, Raspelia, 1833].
- [**raspail**→.]
- raspailii** Ammonites, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 331.
- raspailii** Arca, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 196.
- raspailii** Campylaea (Payr.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 26.—Helix.
- raspailii** Helix, B. C. Payraudeau, Cat. Moll. Corse, 1826, 102.
- raspailii** Spirozoites, Beckhuis, Bijdr. Nat. Wetensch. VII (1) 1832, 282.
- Raspailia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Raspelia, Nardo.
- Raspelia** Nardo, Isis (Oken), 1833, 522.—Sp.
- rasse** Viverra, T. Horsfield, Zool. Researches Java (6) 1823.
- rassa** Viverricula, B. H. Hodgson, J. Asiat. Soc. Bengal, X. 1841 (1842), 909 [*n. n.*].
- rastellaris** Ostrea, Muenster in G. A. Goldfuss, Petref. German. II (4) 1833, 8.
- rastellata** Formica, P. A. Latreille, H. N. Fourmis, etc., May 1802, 130.
- rastellina** Meandrina, H. Michelin, Icon. Zoophyt. (8) 1843, 99. [Meandrina.]
- rastellina** Myriophyllia (Mich.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 8.—
- rastellinum** Pecten, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab. Pls. 1846).
- rastellum** Chrysis, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 32.
- rastellum** Eyryomphala, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 8; & 'sp. nov.', 8
- rastellum** Helicella, *v. rastellum* Eyryomphala. [(Helicella).]
- rastellus** Lactistes, J. C. Schiodte, Naturhist. Tidsskrift [2] II (5) 1848, 457.
- rastellum** Ostrea (Pecten), F. S. Voigt in Cuvier, Thierreich, III. 1834, 447.

- rastellum** Pecten, Lamarck, An. s. vert. VI (1) 1819, 166.
- rastellum** Spondylus, Lamarck, An. s. vert. VI (1) 1819, 193.
- rastellum** Tellina, S. Hanley, Proc. Zool. Soc. London, XII (134) Sept. 1844, 59.
- rastricornis** Chauliodes, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 444.
- Rastrites** J. Barrande, Grapt. Bohême, 1850, 64.—Coel.
- rastrum** Cardium, L. Reeve, Conch. Icon. II.—Cardium, no. 82, Jan. 1845.
- Rataboura** J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 9.—P.
- ratan** Gobius, A. v. Nordmann in Démidoff, Voy. Russie, III. 1840, 416.
- ratana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 37 (Fernaldo judice 1811-18)
- Rataria** J. F. Eschscholtz, Syst. Acalephen, 1829, 166.—Coel. [[*n. et f.*].
- Ratasa** Herrich-S., Syst. Bearb. Schmett. Europ. IV (44) 1851, 93.—Lep.
- ratek** Thymele, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 209.
- ratek** Thymele, J. A. Boisduval, F. Ent. Madagas. (4) 1833, 61.
- ratel** Gulo, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Mamm., Syn. 1827, 118.
- ratel** Mellivora (Sparr.), J. E. Gray, List Mamm. Coll. B. M. 1843, 68.—Viverra.
- ratel** Viverra, Sparrmann, K. Vet. Ak. Handl. 1777, 147 [*ratel vernac. est, non usu spec.*].
- ratelii** Crocodilus, A. Pomel, Bull. Soc. géol. France (sér. 2) III. 1846, 372 [*n. n.*].
- rateli** Diplocynodon, A. Pomel, Bull. Soc. géol. France (sér. 2) IV. 1847, 385.
- Ratellus** "Cuv.," J. E. Gray, Griffith's Cuvier, Anim. Kingd., Mamm., Syn. 1827, 118.—M.
- Ratellus** *id. ac* Ratelus, Benn.; A. Smith, S. African Quart. Journ. II. no. 1 (3) Dec. 1833,
- Ratelus** E. T. Bennett, Gard. Menag. Zool. Soc. I (Quad.) 1830, 13.—M. [83.
- Ratelus** J. A. Wagner in Schreber, Säugth. (Suppl.) II. 1840, 209.—M.
- rathboni** Sylvia, J. J. Audubon, Birds of Amer., pl. 65 (1829); Orn. Biogr. I. 1831, 333 (rathbonia).
- rathbonii** Sylvicola, J. J. Audubon, Synopsis, 1839, 58.—Sylvia, 1829.
- rathbonia** Mniotilta (Aud.), G. R. Gray, Gen. Birds, I. Dec. 1848, 196.—Sylvia rathboni.
- rathbonia** Rhimamphus (Aud.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 311.—
- rathbonia** Sylvia, T. Brown, Ill. Amer. Orn. 1835, Syst. Index, p. i. [Sylvia rathboni.
- rathieri** Acanthocoenia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 175.
- rathieri** Apiocrinus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 29.
- rathieri** Clypeus, H. G. Cotteau, Bull. Soc. Sci. Yonne, III. 1849, 241.
- rathieri** Enallhelia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 174.
- rathieri** Prionastrea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 35.
- rathieri** Voluta, E. Hébert, Bull. Soc. géol. France (sér. 2) VI. 1849, 472.
- rathieriana** Ditremania, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 9.
- rathieriana** Myoconcha, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 370.
- rathierianus** Turbo, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 9. [rathke→.]
- ratkeana** Salpa, W. G. Tilesius, Ann. Wetterau. Ges. Nat. III (2) 1814, 364.
- rathkii** Amphithoe, E. G. Zaddach, Syn. Crust. Pruss. 1844, 6.
- rathkii** Cetotherium, J. F. Brandt, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. I (10-12)
- rathkii** Cuma, H. Krøyer, Naturhist. Tidsskrift, III (6) 1841, 513. [Jan. 1843, 148.
- rathkei** Pachybdella, C. M. Diesing, Syst. Helminth. I. 1850, 435.
- rathkii** Phyllodoce, A. E. Grube, Actin. Adriat. 1840, 78.
- rathkii** Porcellio, J. F. Brandt, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 177.
- Rathkia** J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (24) Jan. 1837, 187.—Med.
- Rathumoutes** R. Templeton, Trans. Ent. Soc. London, III. 1843, 306.—Collemb.
- Rathymus** Dejean, Spec. gén. Coléopt. V. 1831, 783.—Col.
- Rathymus** J. Gistel, Nat. Thierr. 1848, p. x.—Ech.
- Ratis** R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838), 60.—Coel.
- ratisonensis** Gryphites, E. F. Schlotheim, Tasch. Min. 1813, 105.
- ratisonensis** Ptinella (Gillm.), V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (2) 1848, 568, Table.—Trichopt.
- ratisonensis** Trichopteryx, C. J. F. Gillmeister, Trichopterygia, 1845, 61.
- ratlamouchi** Ichneumon, A. Smith, Rpt. Exp. C. Afr. 1836, 42.
- ratlamuchi** Mangusta, [A. Smith], Cat. S. A. Mus. 1837, 22 [*n. n.*].
- Ratoria** Eschscholtz, Bull. Soc. Imp. Nat. Moscou, I (2) 1829, 23.—Med. [*n. n.*].
- Rattelus** L. Agassiz, Nom. Zool. (Mamm.) *err. pro* Ratellus, Sw.



- ratti** Taenia, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 170 [*n. n.*]. [June 1841, 33.]
- ratticeps** Arvicola, Keyserling & Blasius, Bull. Sci. Ac. Imp. Sci. St Pétersb. IX (2 & 3)
- ratticeps** Hypudaeus (K. & B.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1843, 573.—Arvicola.
- rattoides** Mus, F. J. Pictet & C. Pictet, Not. Anim. nouv. Mus. Genève (Rats Bahia) 1844,
- rattoides** Mus, B. H. Hodgson, Ann. Mag. N. H. XV. Ap. 1845, 267. [45.]
- Rattulus** Lamarck, An. s. vert. II. 1816, 23.—Rot.
- rattulus** Mus, K. L. Koch in Fürnrohr, Fauna Ratisbon. III. 1840, 7.
- Rattus** E. Donovan, Nat. Repos. III. Ap. 1824, expl. pl. 73.—M. [*vide* Palmer, Ind. Gen. Mamm. 1904, 602].
- Rattus** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 53.—M.
- rattus** Cysticercus, H. D. S. Goodsir, Anat. Path. Obs. 1845, 103.
- rattus** Monocerca (Müll.), C. G. Ehrenberg, Sym. Phys., Phyt. 1831 (pls. 1828), sign. *e.*—
- rattus** Thylacites, Hellw.; J. Sturm, Catal. Ins. Samml. 1826, 202. [Trichoda, 1776.]
- rattus** Trichocerca (Müll.), Lamarck, Syst. Anim. 1801, 394.—Trichoda, 1776.
- Ratulus** Bory de St V., Ency. Méth. (Zooph.) 1827, 667 [*err. pro* Rattulus].
- ratwa** Cervus, B. H. Hodgson, Asiat. Researches, XVIII (2) 1833, 139.
- ratwa** Stylocerus, B. H. Hodgson, Calcutta Journ. Nat. Hist. II (6) July 1841, 220 [*n. n.*].
- Ratyeris** *err. pro* Platyeris; F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 78 & 88.
- ratzeburgi** Alyson, A. G. Dahlbom, Hymenopt. Europaea (1) 1844, 145.
- ratzeburgii** Bostrichus, F. A. Kolenati, Melet. Entom. (3) Jan. 1846, 39.
- ratzeburgii** Erotylus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 449.
- ratzeburgi** Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 119.
- ratzeburgi** Pipiza, J. W. Zetterstedt, Dipt. Scand. II. 1843, 843.
- ratzeburgii** Porcellio, J. F. Brandt, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 175.
- ratzeburgii** Tenthredo, Dahlbom in J. T. C. Ratzeburg, Forst-Insekten, III. 1844, 80.
- ratzeburgi** Zenoria, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 898.
- raucus** Brachyrhinus (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 161.—
- raucus** Cryptorhynchus, Dejean, Catal. Coléopt. 1821, 85 [*n. n.*]. [Curculio, 1777.]
- rauca** Gematis (Fab.), Dejean, Catal. Coléopt. 1821, 58.—Melolontha, 1781.
- raucus** Lobarhynchus (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 165.—Curculio, 1777.
- rauca** Machla, A. J. J. Solier, Ann. Soc. Ent. France, V (3) *post* Aug. 1836, 478.
- raucus** Otiorhynchus (Fab.), E. F. Germar, Ins. spec. novae, I. 1824, 349.—Curculio, 1777.
- raucus** Pachygaster, Fab.; Dejean, Catal. Coléopt. 1821, 91 [*n. n.*].
- raucus** Sargus, I. Geoffroy St H. in Savigny, Egypte, I (1) (Poiss. Mer Rouge) 1827, 311.
- rauca** Sphenoptera (Fab.), Laporte & Gory, H. N. Coléopt. II. 1839, 13.—Buprestis, 1787. [*raulini*→.]
- raulineus** Opis, A. Buvignier in Sauvage & B., Stat. min. géol. Ardennes, 1842, 532.
- raulini** Arca (Leym.), A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 204.—Cucullaea.
- raulini** Astrea, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Aug. 1849, 110.
- raulini** Cardium, E. Hébert, Bull. Soc. géol. France (sér. 2) VI. 1849, 465.
- raulinii** Ceriopora, H. Michelin, Icon. Zoophyt. (1) 1841, 2.
- raulini** Cerithium, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840–46 [*vero propius* 1847], Cérites, pl. ii.
- raulini** Cucullaea, A. de Leymerie, Mém. Soc. géol. France, IV (2) 1841, 342 [*n. n.*]; *ibid.* V (1) 1842, 7.
- raulini** Echinopora (Mich.), A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Oct. 1849, 503.—
- raulini** Holecypus, H. G. Cotteau, Bull. Soc. Sci. Yonne, III. 1849, 233. [Ceriopora.]
- raulini** Latomeandra (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. May 1849,
- raulinii** Meandrina, H. Michelin, Icon. Zoophyt. (8) 1843, 99. [271.—Meandrina.]
- raulinii** Microphyllia (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 40.—Me-
- raulini** Schizaster, Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 22. [andrina.]
- raulinii** Trachytherium, F. L. P. Gervais, C. R. Ac. Sci. (Paris) XXVIII. May 1849, 644 [*n. n.*].
- raulinii** Trachytherium, F. L. P. Gervais, Mém. Ac. Montpellier, I (3) 1849, 217 [*n. n.*].
- raulini** Turbo, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 341.
- raulinianus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 238.

- rauliniana** Arcopagia, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 411.  
**rauliniana** Avicula, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1846, 474.  
**raulinianum** Cardium, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 25.  
**raulinianus** Hamites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 546.  
**rauliniana** Lima, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 542.  
**rauliniana** Lingula, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1848, 10.  
**rauliniana** Natica, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 160.  
**rauliniana** Ostrea, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1848, 708.  
**raulinianus** Pecten, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 595.  
**rauliniana** Perna, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1846, 497.  
**rauliniana** Pholadomya, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 353.  
**rauliniana** Scalaria, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1842, 57.  
**rauliniana** Turritella, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1842, 39.  
**raulinsi** *v.* **rawlinsi**.  
**Raulinsia** W. E. Leach, Edinb. Ency. VII. 1814, 436.—Myr. [*rectius* Rawlinsia].  
**Rauna** G. v. Muenster, Beitr. zur Petref. (2) 1839, 78.—Cr. [ararauna, L. 1758].  
**rauna** Macrocercus (Lath.), P. A. J. Drapiez, Dict. class. Sci. Nat. I. 1837, 280.—Psittacus  
**rauracum** Lithodendron, J. Thurmann, Mém. Soc. H. N. Strasbourg, I (2) 1833, 15.  
**rava** *v.* **ravus**.  
**ravalis** Hypena, Herrich-S., Syst. Bearb. Schmett. Europ. II (—) 1850–51, 425.  
**ravenelii** Pomotis, Cuvier & Valenc., H. N. Poiss. VII. 1831, 465.  
**raveneli** Tellina, T. A. Conrad, Amer. J. Sci. (2) I (3) May 1846, 400.  
**raveneli** Unio, T. A. Conrad, New F. W. Shells U. S. 1834, 39.  
**raveneliana** Margaritana, I. Lea, Tr. Amer. Phil. Soc., n. s. V (1) 1834, 106.  
**ravenelianus** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s. V (1) 1834, 32.  
**ravergiensis** Helix, Férussac, Bull. Zoologique, 1835, sect. 2, 21.  
**ravergieri** Coluber, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 69.  
**ravicularis** Lixus, J. Sturm, Catal. Ins. Samml. 1826, 163 [*n. n.*].  
**ravida** Ancylonycha, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 136.  
**ravidum** Cerithium, R. A. Philippi, Abb. Conch. III (4) 1849, 15. [1836, 18.  
**ravida** Clausilia, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (3) Mar.  
**ravidus** Epicaerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 277.  
**ravida** Graphiphora (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 68.—  
**ravida** Helix, W. H. Benson, Ann. Mag. Nat. Hist. IX. 1842, 486. [Noctua, 1775.  
**ravida** Natica, L. Souleyet in Vaillant, Voy. "Bonite," Zool. II. 1852, 582. [1775.  
**ravida** Ogygia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 225.—Noctua,  
**ravida** Spaelotis (Huebner), Boisduval, Gen. Index Europ. Lepid. 1840, 106.—Noctua,  
**ravilla** Epeira, C. L. Koch, Die Arachniden, XI (3) 1844, 73. [? D. & S. 1775.  
**ravilla** Homalota, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 88.  
**ravindra** Myrina, T. Horsfield, Cat. Lepidopt. Ins. Mus. E. I. C. (2) 1829, 117.  
**ravindra** Papilio (Horsf.), T. Brown, Book of Butterfl. III. 1834, 56.—Mijena [? Myrina].  
**ravindra** Thecla, T. Horsfield, Cat. Lepidopt. Ins. Mus. E. I. C., expl. pl. i (1828).  
**ravistellus** Unio, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 29.  
**ravnii** Otala, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 36 [*n. n.*].  
**ravoisiaei** Salticus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 165.  
**ravola** Isosoma, F. Walker, Mon. Chalcid. II. 1839, 4.  
**ravulana** Paedisca, Herrich-S., Syst. Bearb. Schmett. Europ. IV (48) 1851, 241.  
**ravula** Hapalotis, J. Huebner, Verz. bekannt. Schmett. [1825], 254.—Noctua.  
**ravula** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 98 (Fernaldo iudice 1808–18) [*n. et f.*].  
**rava** Apamea (Haw.), J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829 (2), 86.—Noctua.  
**rava** Clavatula, R. B. Hinds, Proc. Zool. Soc. London, XI (122) Oct. 1843, 39.  
**ravus** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 347.  
**ravus** Linopodes, C. L. Koch, Deutsch. Crust., heft 1, 1835, tab. 17.  
**rava** Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 209.  
**rava** Pleurotoma (Hinds), Catlow & Reeve, Conch. Nomen. 1845, 242.—Clavatula.  
**rawakensis** Callimorpha, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 558.

- rawackensis** Cristellaria, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 292 [*n. n.*].
- rawacensis** [Helix] (Cochlodonta), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 63 [*n. n.*].
- rawackensis** Quinqueloculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 302 [*n. n.*].
- rawakensis** Scorpaena, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 325.
- rawackensis** Valvulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 270 [*n. n.*].
- [**rawlins**→.]
- raulinsii** Craspedosoma, W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 407.
- Rawlinsia** *v.* **Raulinsia**.
- rawsoni** Nautilus, J. Inglis, Proc. Geol. Polyt. Soc. Yorksh. II [1843], 182.
- Raya** Hollberg, N. Handl. Gotheborg Wett. Witt. Samh. III. 1819, expl. pl.—P.
- Raya** B. H. Hodgson, J. Asiat. Soc. Bengal, VIII. 1839 (Feb.), 35.—A.
- Rayacheila** V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 40.—
- rayellae** Ichneumon, F. v. P. Schrank, F. Boica, II (2) 1802, 295. [Col.]
- [**rayellus**.]
- raiella** Apis, W. Kirby, Mon. Apum Angl. II. 1802, 367.
- rajella** Argyromiges (L.), J. Curtis, Brit. Entom. VI (71) Nov. 1829, no. 284.—Phal. Tinea, 1758.
- rayella** Argyromis (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Phal. Tinea, 1758.
- raiellus** Bombus (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 169.—Apis.
- rayella** Elachista (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, XI (Noct. 8) [ante Nov. 1840], 541.—Phalaena, L. 1758.
- rajella** Lithocolletis (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 423.—Phalaena, 1758.
- rayellus** Nemapogon (L.), F. v. P. Schrank, F. Boica, II (2) 1802, 167.—Phal. Tinea, 1758.
- rayella** Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 377.
- rajella** Phyllonorycter, J. Huebner, Tentamen (me judice 1806), 2 [*n. n.*].
- rajella** Yponomeuta (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 250.— [Tinea rajella, 1775.]
- [**ray**→.]
- rayii** Anodonta, D. Dupuy, Cat. extramar. Galliae Test., Feb. 1849, 3; H. N. Moll. France (6) 1851-2, 614.
- raii** Astur, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 180.
- raii** Blennius, J. G. Schneider, Bloch, Syst. Ichth. 1801, 171.
- raji** Brama (Bloch), J. G. Schneider, Bloch, Syst. Ichth. 1801, 99.—Sparus raii, 1791.
- rayi** Budytes, W. Macgillivray, Hist. Brit. Birds, II. 1839, 212.
- raii** Gymnorhynchus, C. A. Rudolphi in Risso, H. N. Europe, V. 1826, 265.
- raii** Monoceros, J. G. Schneider, Bloch, Syst. Ichth. 1801, 181.
- rayi** Motacilla (Bon.), W. Yarrell, Hist. Brit. Birds, I (8) Sept. 1838, 379.—Budytes.
- raymondii** Helix, Moquin-T. in A. Saint-Simon, Misc. Malac. I. 1848, 9.
- raynaldi** Pimelepterus, Cuvier & Valenc., H. N. Poiss. VII. 1831, 274.
- raynaldi** Platax, Cuvier & Valenc., H. N. Poiss. VII. 1831, 219.
- raynaudii** Livoneca, H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 262.
- raynaudii** Phyllosoma, F. E. Guérin, Magasin de Zool. III. 1833, pl. 13.
- raynaudii** Pontia, H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 420.
- Rayneria** G. Nardo, Isis (Oken), 1833, 519 & 522.—Sp. [*vide Reniera*].
- raynerianum** Distoma, G. D. Nardo, Zeitschr. f. d. org. Phys. 1827, 68 [*teste S. & H.*].
- raynerium** Distoma, Nardo, Isis (Oken), 1833, 524.
- raynoldiana** Natica, C. A. Récluz, Proc. Zool. Soc. London, XI (130) June 1844, 212.
- raytal** Alauda, Hamilton, J. Asiat. Soc. Bengal, XIII. 1844 (1845), 962.
- razamola** Oliva, P. L. Duclos, H. N. Coq. (Olive) 1835, pl. 6 [*n. et f.*].
- razoumovskii** Ammonites, Rouillier & Vosinsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (2) 1849, 366.
- rasoumowskii** Hemicropturus, J. Green, Monogr. Trilob. N. Amer. [Oct.] 1832, 20.
- readii** Leiochiton, J. Curtis, Brit. Entom. VIII (87) Mar. 1831, no. 346.
- Realia** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 149 [*n. n.*]; Proc. Zool. Soc. London,
- realmuri** *v.* **reaumuri**. [XVII (200) Jan.—June 1850, 167.—G.]
- realteni** *v.* **raalteni**.
- Reasia** J. E. Gray in Todd, Cyclop. Anat. III (1843), 546.—Myr.

- reate** Encyrtus, F. Walker, Ann. Mag. N. H. XX. July 1847, 22  
[reaumur→.] [1775.]
- reamurella** Adela (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 417.—Alucita,  
**reamurella** Nemotois (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 417.—Phalaena,  
1758.
- reamurii** Cecidomyia, J. J. Brems, N. D. Allg. Schweiz. Gesellsch. IX. 1847, 19.
- realmuri** (*sic*) Cephea, L. Oken, Lehrb. Nat. III (1) 1815, 117.
- reamuri** Cephea, G. A. Goldfuss, Handb. Zool. (1) 1820, 113.
- reamurii** Ceroplastus, L. Dufour, Ann. Sci. Nat. [2] (Zool.) XI. Ap. 1839, 200.
- reamurii** Drosophila, L. Dufour, Mém. Soc. R. Sci. Lille, 1845, 1845, 1846, 204.
- reamurii** Neuroterus, T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. II (1) 1840, 192.
- reamurii** Odynerus, L. Dufour, Ann. Sci. Nat. [2] (Zool.) XI. Feb. 1839, 90.
- reamurii** Otiocerus, W. Kirby, Tr. Linn. Soc. London, XIII (1) 1821, 18.
- reamuri** Pepsis, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 465.
- reamurii** Porcellio (Aud.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840,  
170.—Oniscus [*vernac.*].
- reamuri** Rhynchophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838,
- reamuri** Sargus, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 142. [822.]
- reamuri** Schizoneura, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 175.
- reamurii** Spatangus, C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 232.
- reamuri** Tetraphyllus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,  
224. [1830, 770.]
- reamurii** Urophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- reamuri** Zophosis, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 630.
- Reamura** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 79.—  
Dipt.
- reamuriana** Lavigno, Récluz in J. C. Chenu, Illustr. Conch. I., Lavigno, 1844-5, 10.
- reba** Cirrhina, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 292.
- reba** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 280.
- reba** [Gobio] (Ham.), J. M'Clelland, Asiat. Researches, XIX (2) 1839, 276.—Cyprinus.
- reba** Isocephalus (Ham.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1029.—Cyprinus.
- rebdorfensis** Scorpio, P. Trost, Kleiner Beytr. Entom. 1801, 58.
- rebecca** Satyrus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 484.—Papilio, 1793.
- rebellis** Anisobas, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 145.
- reboris** Papilio, Esper, Die Schmett., Suppl. 1 Abschn., Tagschm. 1793, 59 [*teste* A.F.H.].
- reboudii** Clausilia, D. Dupuy, H. N. Moll. France (4) Dec. 1850, 356.
- reboulii** Cervus, P. M. T. de Serres, Geogn. Terr. tert. 1829, p. lxx.
- reboulii** Helix, A. Leufroy, Ann. Sci. Nat. XV (60) Dec. 1828, 406.
- reboulii** Helix, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 276. [261.]
- recaranus** Cyrestis, J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850),
- recedens** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XVII (198) Jan.—June 1850, 129.
- recedens** Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 147.
- recens** Dixia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 85.
- recens** Elephas, Anonymous, Amer. J. Sci. XXXIV (2) July 1838, 363.
- recens** Emphytus, T. Say, Boston Journ. N. H. I (3) 1836, 221.
- recens** Gynaephora (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 161 [*non* L., *sed*  
*recens* Mytulites, E. F. v. Schlottheim, Die Petref. 1820, 296. [Huebner.].
- recens** Venus (*ex* Chemn.), L. W. Dillwyn, Catal. Shells, 1817, 182.
- recentior** [Halidracon] (Park.), J. Wagler, Nat. Syst. Amph. 1830, 60.—Plesiosaurus.
- recentior** Plesiosaurus, J. Parkinson, Introd. 1822, 295.
- recentissimus** Ichneumon, G. Cuvier, Revue Entom. I (5) c. Nov. 1833, 202.
- Receptacules** Defrance, Dict. Sci. Nat. XLV. 1827, p. 7.—? Sp.
- Receptaculites** Defr. 1827; *sic* Scudder, *sed non est, vide* Receptacules.
- Receptaculites** E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 203.—? Sp.
- receptricula** Bryophila (Huebner), F. Treitschke, Schmett. Europa, V (1) 1825, 68.—
- receptricula** Cryphia, J. Huebner, Verz. bekannt. Schmett. [1822], 205. [Noctua.]
- receptricula** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 6 (Fernaldo *judice* 1802).
- receptricula** Noctua, J. Huebner, Europ. Schmett. (Ziefer) [*me judice* 1805], 164.

- receptricula** Poecilia (Huebn.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 64.—Noctua.
- Recervus** J. E. Gray, Cat. Hodgson Coll. B. M. 1846, 33.—M. [Rucervus, 1838].
- rechila** Danais, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 183.
- Rechodes** W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 255.—Col.
- reciprocans** Holothuria (Synapta), F. S. Voigt in Cuvier, Thierreich, VI. 1843, 74.
- reciprocans** Synapta (Forsk.), F. Eschscholtz, Zool. Atlas, II. 1829, 12.—Fistularia, 1775.
- reciproca** Linnobia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 50.
- reciproca** Mycetophila, F. Walker, List Dipt. Coll. B. M. (1) 1848, 95.
- recissus** Pectunculus, DeFrance, Dict. Sci. Nat. XXXIX. 1826, 224.
- recitaria** Eupithecia, Boisduval, Gen. Index Europ. Lepid. 1840, 209.
- reckii** Aeria, J. Huebner, Verz. bekannt. Schmett. 1816, 9.
- reckia** Nereis, J. Huebner, Exot. Schmett., Tab. Nereis [*n. et f.*].
- Reckur** G. v. Muenster, Beitr. zur Petref. (5) 1842, 77.—Cr.
- reclamator** Bessonornis (Vieill.), G. R. Gray, List Gen. Birds, ed. 2, 1841, 36.—Turdus.
- reclamator** Cossyphus (Vieill.), G. R. Gray, List Gen. Birds, 1840, 26.—Turdus.
- reclamator** Turdus, L. P. Vieillot, N. Dict. H. N., ed. 2, XX. 1818, 280.
- reclinata** Actinia, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, II. 1801, 221.
- reclinata** Ascaris, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 657.
- reclinata** Gonambonites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 80.
- reclinata** Hoplophora, E. F. Germar, Revue Entom. III (5) 1835, 243.
- reclinatus** Phacops, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 106.
- reclinata** Umbonia (Germ.), L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 276.—Hoplophora.
- reclivatus** Lygaeus, T. Say, J. Acad. Nat. Sci. Philad. IV. Mar. 1825, 321.
- reclivatus** Theodoxus, T. Say, J. Acad. Nat. Sci. Philad. II. Aug. 1822, 257.
- reclusa** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 22 (Fernaldo iudice 1802) [*n. et f.*].
- reclusa** Ichthyura (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 162.—Bombyx, 1775.
- reclusa** Laria (D. & S.), F. v. P. Schrank, F. Boica, II (2) 1802, 152.—Bombyx, 1775.
- reclusa** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 212.
- reclusa** Pygaera (D. & S.), F. Ochsenheimer, Schmett. Europa, III. 1810, 228.—Bombyx,
- reclusus** Trochus, T. A. Conrad, J. Acad. Nat. Sci. Philad. VI. Aug. 1830, 219. [1775.]
- [recluz→.]
- recluzianum** Aspergillum, J. C. Chenu, Illustr. Conch. I., Aspergillum, 1843, 4.
- reclusiana** Auricula, S. Petit de la S., Proc. Zool. Soc. London, X (119) Feb. 1843, 201.
- recluziana** Bulimus, L. Pfeiffer, Zeitschr. f. Malakozool., June 1847, 82.
- recluzianum** Cyclostoma, L. Partiot, Mém. Cyclost. 1848, 29.
- reclusiana** Elasmatina, S. Petit de la S., Proc. Zool. Soc. London, XI (120) July 1843, 2.
- reclusiana** Helix, S. Petit de la S., Rev. Zool. (Soc. Cuv.) IV. Ap. 1841, 99.
- recluziana** Helix, Le Guillou, Rev. Zool. (Soc. Cuv.) V. May 1842, 137.
- reclusiana** Natica, G. P. Deshayes, Rev. Zool. (Soc. Cuv.) II. Dec. 1839, 361.
- recluziana** Nerita, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Nov. 1841, 345.
- recluziana** Partula, Petit de la S., Journ. de Conch. I (2) Ap. 1850, 170.
- reclusiana** Streptaxis (Petit), R. A. Philippi, Abb. Conch. II (5) 1846, 128.—Helix.
- recluziana** Tornatellina (Petit), L. Pfeiffer, Symb. Helic. III. 1846, 60.—Elasmatina.
- recoarensis** Tetracrinites, T. A. Catullo, N. Ann. Sci. Nat. [2] V. 1846 [Mar.], 99.
- recognitus** Caprinus, Denys de Montfort, Conch. II. 1810, 143.
- reconditor** Opius, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 134.
- reconditus** Ammonites, Nyst & Galeotti, Bull. Ac. Roy. Brux. VII (2) 1840, 218.
- reconditus** Anthribus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 51 [*n. n.*].
- reconditum** Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 432.
- recondita** Astarte (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 276.—Pullastra.
- reconditus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 549, Aug. 1849.
- reconditus** Euomphalus, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 202.
- recondita** Homalota, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 123.
- reconditus** Larinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 19.

- reconditus** Microgaster, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 174.
- reconditus** Pecten (Sol.), J. De C. Sowerby, Min. Conch. VI. 1827, 146.—Ostrea, 1766.
- reconditus** Pecten, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 172.
- reconditus** Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 126.
- recondita** Pholas, J. Phillips, Geol. Yorksh. I. 1829, 127 [*n. et f.*].
- reconditus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 13.
- recondita** Pullastra, J. Phillips, Geol. Yorksh. I. 1829, 150 [*n. et f.*].
- reconditus** Straparolus (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 191.—Euomphalus.
- recordata** Hyperaspis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 679.
- recreator** Cryptus, J. C. Fabricius, Syst. Piezat. 1804, 85. [264.—Cryptus.
- recreator** Ichneumon (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822,
- recrescens** Cladocora, W. Lonsdale, Q. J. Geol. Soc. London, I. 1845, 517.
- recta** *v.* **rectus**, -a, -um.
- rectalis** Herminia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XV. 1842 (3) 1842, 558.
- rectangularis** Avicula, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839,
- rectangularis** Blaps, A. J. J. Solier in Baudi & Truqui, Studi Ent. I. 1848, 316. [603.
- rectangularis** Cicindela, F. Klug in Ehrenberg, Sym. Phys., Ins. III (1832), sign. *a.*
- rectangularis** Cypricardia (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 130.—Nucula.
- rectangularis** Diplograpsis, F. M'Coy, Ann. Mag. N. H. (2) VI. Oct. 1850, 271.
- rectangularis** Dolabra, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 66.
- rectangularis** Elater, T. Say, Ann. Lyc. N. H. New York, I (8) June 1825, 263.
- rectangularis** Lestes, T. Say, J. Acad. Nat. Sci. Philad. VIII., *post* Jan. 1840, 34.
- rectangularis** Lima, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 308.
- rectangularis** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 159 (Fernaldo iudice 1826-33) [*n. et f.*].
- rectangularis** Noctua, C. Geyer in Huebner, Europ. Schmett. (4 Horde) 1834, 10.
- rectangularis** Nucula, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 71.
- rectangularis** Ophiusa (Huebner), F. Treitschke, Schmett. Europa, X (2) 1835, 156.—Noctua *rectangula*, D. & S. 1775.
- rectangularis** Ostrea, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 24.
- rectangularis** Ptilocera, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 172.
- rectangularis** Rhinophora (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 211.—Ptilocera.
- rectangularis** Toxocampa (Huebner), A. Guénée, Ann. Soc. Ent. France, X (2) July 1841, 77.—Noctua *rectangula*, D. & S. 1775.
- rectangularia** Eupithecia, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet C (Nov. 1849),
- rectangularia** Ptilocera, J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 235. [19.
- rectangulata** Chlorocystis (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 323.—Phalaena, 1758. [1758.
- rectangulata** Eupithecia (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Phalaena,
- rectangulata** Larentia (L.), F. Treitschke, Schmett. Europa, V (2) 1825, 441.—Phalaena,
- rectangulatus** Philopterus, C. L. Nitzsch, Mag. Entom. (Germar) III. 1818, 294. [1758.
- rectangula** Agrotis (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 66.—
- rectangulus** Balistes, J. G. Schneider, Bloch, Syst. Ichth. 1801, 465. [Noctua, 1775.
- rectangulum** Bothriocephalus (Bl.), C. A. Rudolphi, Entoz. II (2) 1810, 49.—Taenia, 1782.
- rectangulus** Carabus, G. Cuvier, Revue Entom. I (5) *c.* Nov. 1833, 194.
- rectangula** Chersotis (Fab.), Boisduval, Gen. Index Europ. Lepid. 1840, 103.—Noctua, ? D. & S. 1775.
- rectangulus** Colon, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (3) 1845,
- rectangulus** Coluber, J. E. Gray, Ill. Indian Zool. II (17, 18) Oct. 1834 (pl. 82). [201.
- rectangulum** Dibothrium (Bl.), C. M. Diesing, Syst. Helminth. I. 1850, 592.—Taenia, 1782.
- rectangula** Epeira, H. Nicolet in Gay, Chili, III (Arach.) 1849, 500.
- rectangula** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (153) Feb. 1846, 130.
- rectangula** Kolpoda (Müll.), Bory de St V., Ency. Méth. (Zooph.) 1827, 476.—Gonium, 1786. [Noctua, 1775.
- rectangula** Metaxyja (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 223.—

- rectangulum** Mutilla, M. Spinola, Ann. Soc. Ent. France, X (2) July 1841, 91.  
**rectangulum** Ocreale (Gm.), L. Oken, Lehrb. Nat. III (1) 1815, 381.—Sabella, 1790.  
**rectangulus** Pecten, F. Du Bois de M., Conch. foss. Wolhyni, 1831, 72.  
**rectangula** Perla, F. J. Pictet, H. N. Ins. Neuropt., Perlides, 1841, 159.  
**rectangula** Phaneroptera, H. Burmeister, Handb. Ent. II (2) 1, 1838, 691.  
**rectangula** Plusia, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 306.  
**rectangulum** Rhytis (Bl.), J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 296.—Taenia, 1782.  
**rectangulum** Serpula (L.), G. A. Goldfuss, Handb. Zool. (1) 1820, 154.—Sabella, Gm. 1790.  
**rectangulus** Spirifer, S. Kutorga, Verh. Russ.-Kais. min. Ges. St Pétersb. 1844 (1844) [1845], 90.  
**rectangulus** Tarus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 40.  
**rectaria** Ellopia, C. F. Freyer, Neuere Beitr. Schmett. VI (89) 1849, 87.  
**recte**→ *v.* **recti**→.  
**rectella** Phycis, A. Guénéé, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 316.  
**Rectes** H. G. L. Reichenbach, Avium Syst. Nat., pl. lxx (Mar. 1850).—A. [*n. et f.*].  
**rectiannulatum** Orthoceras, J. Hall, N. H. New York (Pal. I.) 1847, 34.  
**recticameratum** Orthoceras, J. Hall, N. H. New York (Pal. I.) 1847, 46.  
**recticauda** Anguillula, C. G. Ehrenberg, Sym. Phys., Ent. 1831 (pls. 1828), sign. a.  
**recticaudus** Callipteryx, J. L. R. Agassiz, Poiss. Foss. IV., 40 (1835), 12 (1838), 198 (1839).  
**recticauda** Neptunea, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (4) 1807, 12.  
**recticauda** Vibrio (Ehr.), A. Pritchard, N. H. Animalcules, 1834, 80.—Anguillula.  
**recticaudatum** Fusus (Buv.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 10.—Triton.  
**recticaudata** Philometra, Costa, 1845 [*teste* S. & H., *sed* ? reticulatum, *q.v.*].  
**recticaudatum** Triton, A. Buvignier, Mém. Soc. Philom. Verdun, II. 1843, 248.  
**recticaudis** Cynocephalus, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–1811 (1815), 76 [*n. n.*].  
**recticollis** Cratonychus, J. L. Leconte in Agassiz, Lake Superior, 1850, 227 [*n. n.*].  
**recticollis** Elater, T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 168.  
**recticonus** Otodus, J. L. R. Agassiz, Poiss. Foss. III., 275 (1843).  
**recticornis** Antilope, M. de Serres, Ann. Sci. Nat. [2] (Zool.) IX. May 1838, 284.  
**recticorne** Apion, Dejean, Catal. Coléopt. 1821, 82 [*n. n.*]. [1838, 49.  
**recticornis** Athyreus, F. E. Guérin-M., Ins. de la "Favorite" in Magasin de Zool. VIII.  
**recticornis** Bolboceras (Guér.), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1843 (1845), 43.—Athyreus.  
**recticornis** Bolbocerus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 348.  
**recticornis** Onthophagus (Leske), E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 139.—Scarabaeus, 1785.  
**recticornis** Passalus, H. Burmeister, Handb. Ent. V. 1847, 508.  
**recticornis** Tipula, T. E. Schummel, Beitr. Entom. Schlesien (3) 1833, 80.  
**recticosta** Cylindrella, L. Pfeiffer in R. A. Philippi, Abb. Conch. II (2) 1845, 48.  
**recticosta** Pleurotoma, Bellardi in G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 299.  
**recticosta** Voluta, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 188.  
**recticostatus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 134.  
**recti-costatus** Bellerophon, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 472.  
**recticostata** Pinna, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 245.  
**rectecostatus** Turbo, F. v. Hauer, Denkschr. k. Ak. Wiss. (Wien) II. 1851 [1850], 117.  
**rectidens** Carcharias, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 124 (1839).  
**rectidens** Carcharodon, J. L. R. Agassiz, Poiss. Foss. III., 250 (1843).  
**rectofasciana** Cnephasia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.—Tortrix.  
**rectifasciana** Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 465.  
**rectifasciata** Odontomyia, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 195.  
**rectifrons** Isotelus, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 298.  
**rectifrons** Labrus, De Blainville, N. Dict. H. N., ed. 2, XXVII. 1818, 351.  
**rectifrons** Naseus, J. L. R. Agassiz, Poiss. Foss. IV., 35 (1835), 13 (1838), 213 (1842).  
**rectoimpressus** Procrustes, V. v. Mochulski, Kaefer Russl., *post* May 1850, 88. [693.  
**rectilatera** Cicindela, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843,

- rectilateralis** Lingula, E. Emmons, N. H. New York (Geol. 2 dist.) 1842, 399.
- rectilateris** Strophomena, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII., *post* Ap. 1842, 255.  
[**rectilinea.**]
- rectilinea** Aegocera, Boisduval, Suite à Buffon (Lép.) I. 1836, expl. pl. xiv.
- rectilineum** Buccinum, J. Phillips, Geol. Yorksh. II. 1836, 230. [19.—Buccinum.
- rectilineus** Chrysodomus (Ph.), F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842,
- rectilineus** Goniaster (Goniodiscus), F. M'Coy, Ann. Mag. N. H. (2) II. Dec. 1848, 408.
- rectilinea** Hyppa (Esp.), P. A. J. Duponchel, Cat. méth. Lépid. Europe (2) 1845, 162.—  
Noctua, 1792.
- rectilinea** Lithomoia (Esp.), J. Huebner, Verz. bekannt. Schmett. [1825], 244.—  
Phalaena, 1796.
- rectilineus** Macrocheilus (Phil.), F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844,  
29.—Buccinum.
- rectilinea** Oegocera, J. A. Boisduval in F. E. Guérin-M., Iconographie, 1844, Ins., 498.
- rectilinea** Xylena (Esp.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 87.—Phal.  
Noctua, 1796.
- rectilinea** Xylina, J. W. Meigen, Syst. Besch. Europ. Schmett. III (4) 1832, 188.
- rectilinea** Xylophasia (Huebner), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) June 1829,  
179.—Noctua, Esp. 1792.
- rectilinearis** Erycina, T. A. Conrad, Foss. Shells Tert. N. Amer. (4) Oct. 1833, 42.
- rectilinearis** Triquetra, T. A. Conrad, Amer. J. Sci. (2) I (2) Mar. 1846, 218.—Erycina, 1833.
- rectilineatus** Graphipterus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (3) 1837, 12.
- rectimandibularis** Euchymius, J. Gistel, Nat. Thierr. 1848, 119.
- rectimandibularis** Euchymius, J. Gistel, Handb. Naturges. 1850 [1847], 391.
- rectinervis** Orillia, J. B. Robineau-D., Ann. Soc. Ent. France [2] VI (4) May 1849, 475.
- rectipennis** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (9)  
1849, 144 ["Mon. Anth." *poster. edit.*].
- rectiplicata** Atrypa, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII., *post* Ap. 1842, 265.
- rectirostra** Certhia, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 194.
- rectirostris** Acontistes (Sw.), C. J. Sundevall, K. Vet. Ac. Handl. 1835 (1836), 95.—  
Troglodytes..
- rectirostris** Antliarhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 825.
- rectirostris** Ardea, J. Gould, Proc. Zool. Soc. London, XI (121) July 1843, 22.
- rectirostris** Balaninus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 376.
- rectirostris** Certhia, G. Shaw, Gen. Zool. (Aves) VIII (1) 1812, 247.
- rectirostris** Cinnyrus (Vieill.), Cuvier, Règne Anim. I. 1817, 412.—Certhia, Sh.
- rectirostris** Colluricincla, Jardine & Selby, Ill. Orn., pl. 31, n. s. (1839).
- rectirostris** Dendrocopus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 119.
- rectirostris** Furnarius (Wied), G. R. Gray, Gen. Birds, I. Feb. 1846, 132.—Opetiorynchos.
- rectirostris** Limnornis, J. Gould, Zool. "Beagle" (Birds, 1839), 80.
- rectirostris** Madarus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 106.
- rectirostris** Moina (Müll.), W. Baird, N. H. Brit. Entom. (Ray Soc.) 1850, 101.—Daphne,  
1776.
- rectirostris** Murex, G. B. Sowerby, II., Proc. Zool. Soc. London, VIII (94) July 1841, 138.
- rectirostris** Nectarinia (Sh.), G. R. Gray, Gen. Birds, I. June 1847, 98.—Certhia.
- rectirostris** Opetiorynchos, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 679.
- rectirostris** Palaemon, E. G. Zaddach, Syn. Crust. Pruss. 1844, 1. [1776.
- rectirostris** Pasithea (Müll.), C. L. Koch, Deutsch. Crust., heft 35, 1844, tab. 24.—Daphne,
- rectirostris** Psittacaria, F. J. F. Meyen, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 95.
- rectirostris** Psittacus (Meyen), H. C. Kuester in Hahn, Ornith. Atlas (16) Oct. 1840, 96.—  
Psittacaria.
- rectirostris** Rhynchites, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 220.
- rectirostris** Rostellaria, Lamarck, An. s. vert. VII. 1822, 192.
- rectirostris** Rostellaria, Adams & Reeve, Zool. "Samarang" (Moll. 1848), 35.
- rectirostris** Sterna, T. R. Peale in Wilkes, U. S. Expl. Exped. VIII. 1848, 281.
- rectirostris** Taenia, Creplin, Arch. f. Naturg. XII (1) 1846, 136 [*n. n.*].
- rectirostris** Thriothurus (Sw.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1)  
1826, 195.—Troglodytes.



- rectirostris** Troglodytes, W. Swainson, Zool. Illust. (1) III (29) Feb. 1823, pl. 140.
- rectispina** Cyphonia, L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) Mar. 1847, 502.
- rectispina** Daphnia, H. Krøyer, Afhandl. K. Danske Vid. Selsk. VII. 1838, 319.
- rectistylum** Gonia, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 81.
- rectiuscula** Dentalina, W. Macgillivray, Hist. Moll. Aberdeen, 1843, 322.
- recto**→ *v. recti*→.
- rector** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 268.
- rectunguis** Centropus, H. E. Strickland, Proc. Zool. Soc. London, XIV (165) Jan. 26, 1847,
- rectus** Aetobates, F. Dixon, Geol. Sussex, 1850, 201. [104.]
- recta** Anthophila, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 338.
- rectus** Aradus, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- recta** Asterias (Astropecten), F. M'Coy, Ann. Mag. N. H. (2) II. Dec. 1848, 408.
- recta** Avicula, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 84.
- rectus** Balaninus, T. Say, Descr. N. Amer. Curcul., July 1831, 16.
- recta** Bulla, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1841, 131.
- rectum** Calyptraea (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. (21) 1843, 102.—Infundi-
- recta** Cardinia, J. D. Dana, Amer. J. Sci. (2) IV (10) July 1847, 156. [bulum.]
- recta** Cicindela, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 36.
- recta** Cleobis, J. D. Dana, Amer. J. Sci. (2) IV (10) July 1847, 154.
- rectus** Coelorrhynchus, J. L. R. Agassiz, Poiss. Foss. V (1), 92 (1844) [*n. n.*].
- rectus** Colymbetes (Agabus), C. C. Babington, Ann. Nat. Hist. VI. Sept. 1840, 54.
- recta** Cristellaria, A. d'Orbigny, Mém. Soc. géol. France, IV (1) 1840, 28.
- recta** Cypricardites, T. A. Conrad [5 A. Rep. N. Y. Geol. Surv.], Assembl. no. 150, 1841,
- recta** Cytherina, A. E. Reuss, Naturw. Abhandl. (Haidinger) III (1) 1850, 52. [52.]
- recta** Escharopora, J. Hall, N. H. New York (Pal. I.) 1847, 73, & *var. nodosa*.
- recta** Feronia, T. Say, Tr. Amer. Phil. Soc., n. s. II. 1825, 58.
- recta** Fidicina, F. Walker, List Homopt. Coll. B. M. (1) 1850, 79.
- rectus** Galeocerdo, O. G. Costa, Atti Accad. Pontan. V (5) 1850, 341.
- recta** Gonambonites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 80.
- rectus** Hamites, T. Brown, Ill. Foss. Conch. G. B. I. (1) 1837, 3.
- rectus** Harpedactylus, E. Hitchcock, Mem. Amer. Acad., n. s. III. 1848, 209.
- rectum** Infundibulum, J. Sowerby, Min. Conch. I. 1815, 220.
- recta** Leptaena (Con.), J. Hall, N. H. New York (Pal. I.) 1847, 113.—Strophomena.
- recta** Ligumia (Lam.), W. Swainson, Treat. Malacol., May 1840, 378.—Unio.
- recta** Lumbricaria, Muenster in G. A. Goldfuss, Petref. German. I (3) 1831, 223.
- recta** Macropterna, E. Hitchcock, Mem. Amer. Acad., n. s. III. 1848, 235.
- recta** Maeonia, J. D. Dana, Wilkes, U. S. Exped. X. Geol., Oct. 1849, 698.—Cleobis, 1847.
- recta** Modiola, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII., *post* June 1837, 243.
- rectus** Modiola, T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 174.
- recta** Musca (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 308.—  
Pollénia.
- recta** Mussa, J. D. Dana, Wilkes, U. S. Exped., Zooph., *c.* Mar. 1848, 186.
- recta** Myopsis (Orb.), J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 254.—Panopaea.
- rectus** Nautilus, G. Montagu, Test. Brit. I. 1803, 197.
- recta** Nucula, R. B. Hinds, Proc. Zool. Soc. London, XI (126) Dec. 1843, 100.
- rectus** Onchus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 494 [*n. n.*]; Poiss. Foss. III.,  
177 (1843) [*n. n.*].
- rectus** Ornithopus, E. Hitchcock, Mem. Amer. Acad., n. s. III. 1848, 195.
- recta** Orthocera, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. V. 1801, 198.
- recta** Panopaea, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 334.
- rectum** Perteretum, C. D. E. König, Icones foss. 1825, pl. 17 [*n. et f.*].
- rectus** Petalodus, J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 495 [*n. n.*]; Poiss. Foss.  
III., 174 (1843) [*n. n.*].
- rectus** Petalodus, L. Agassiz in J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 468.
- recta** Pleurotoma, H. E. Anton, Verz. Conch. 1839, 74.
- rectus** Pogonus, T. Say, Tr. Amer. Phil. Soc., n. s. IV (3) 1834, 421.—Feronia, 1825.
- recta** Pollenia, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 270.

- recta** Porambonites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 97.
- recta** Porites, C. A. Lesueur, Mém. Mus. H. N. (Paris) VI [4-6] Ap. 1821, 288.
- rectus** Psilopus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 225.
- recta** Ptilodictya (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 21.—  
Escharopora.
- rectus** Rhynchophorus, T. Say, Descr. N. Amer. Curcul., July 1831, 22.
- recta** Serpula, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. xxv.
- recta** Sesarma, J. W. Randall, J. Acad. Nat. Sci. Philad. VIII., *post* Jan. 1840, 123.
- recta** Silpha, T. Marsham, Coleopt. Brit., Sept. 1802, 117.
- rectus** Sphenophorus (Say), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 966.—  
Rhynchophorus.
- rectus** Spirifer (Pand.), E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug.  
1845, 140.—Porambonites.
- rectus** Stenoderus, E. Newman, Entomologist (6) Ap. 1841, 95.
- rectus** Strombodes, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 210.
- recta** Strophomena, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (33) Dec. 1843, 332.
- recta** Styliola, J. E. Gray, Figs. Moll. Anim. IV. 1850, 123.
- recta** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 257.
- rectus** Telephorus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (12) Dec. 1845, 305.
- recta** Tetanocera, H. Loew, Dipterologische Beiträge, I. 1845, 40.
- rectus** Trochus, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 16.
- recta** Unio, Lamarck, An. s. vert. VI (1) 1819, 74.
- recta** Vagina, Megerle, Ges. Nat. Fr. Berlin, Mag. V. 1811, 44.
- recurbistrotris** *v.* **recurvirostris**.
- Recurvaria** A. H. Haworth, Lepidopt. Brit. (4) 1828, 548.—Lep.
- Recurvaria** Herrich-S., Syst. Bearb. Schmett. Europ. II. 1845, 374.—Lep.
- recurvatus** Capulus, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 527 [*n. n.*].
- recurvata** Chama, J. Sowerby, Min. Conch. I. 1813, 69.
- recurvata** Chama, F. W. Hoeninghaus, Jahrb. f. Min. 1830, 471; 1831, 164 [*n. n.*].
- recurvata** Cyrena, A. Valenciennes in F. Eydoux, Moll. de la "Favorite" in Magasin de  
Zool. VIII. 1838, pl. 119.
- recurvata** Exogyra (J. Sow.), J. De C. Sowerby, Min. Conch. VI. 1829, 218.—Chama.
- recurvata** Fissurella, O. G. Costa, Fauna Regno Napoli, Moll., Scudibranchi, 20 (Oct.  
1838).
- recurvata** Gonambonites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 79. [1838].
- recurvata** Gryphaea (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 149.—Chama.
- recurvatus** Lepyrolobus, F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 26 [*n. n.*].
- recurvatum** Pentastomum, C. M. Diesing, Syst. Helminth. I. 1850, 610.
- recurvatus** Spirifer, L. G. de Koninck, Descr. Anim. foss. (6) Mar. 1843, 261.
- recurvatum** Xanthidium Tubiferum, H. H. White, Trans. Micros. Soc. London, I. 1844, 83.
- recurvatus** Zelus, J. C. Fabricius, Syst. Rhyng. 1803, 286.
- recurvella** Phycis, Zincken, Mag. Entom. (Germar) III. 1818, 143.
- recurvella** Rhodophaea, A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 312.
- recurvicauda** Ichneumon, G. Cuvier, Revue Entom. I (5) c. Nov. 1833, 206.
- recurvicaudatus** Vertagus, F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 17 [*n. n.*].
- recurviceps** Leuciscus, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 295.
- recurvidens** Carcharodon, A. J. Michelotti, N. Jahrb. f. Min. 1846, 56 [*n. n.*].
- recurvidens** Varanus, S. Kutorga, Geogn. Pal. Dorpat's, ed. 2, 1837, 31.
- recurvirostra** Anas, L. P. Vieillot, N. Dict. H. N., ed. 2, V. 1816, 167.
- recurvirostra** Atrypa, J. Hall, N. H. New York (Pal. I.) 1847, 140.
- recurvirostra** Avocetta, P. Boddaert, Tab. Planch. Enl. 1783, 21.
- recurvirostra** Limosa, P. S. Pallas, Zoographia, II. 1811, 181.
- recurvirostra** Ostrea, E. Benett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831, 4  
[*n. et f.*].
- recurvirostra** Sayris, C. S. Rafinesque-S., Car. n. gen. 1810, 61.
- recurvirostra** Thycidea, Defrance, Dict. Sci. Nat. LIII. 1828, 435. [1829, 100.
- recurvirostra** Turbinella, G. H. Schubert & J. A. Wagner in Mart. & Chem., Conch. XII.
- recurvirostrae** Ricinus (L.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 108.—  
Pediculus, 1758.

- recurvirostris** Avocettinus (Sw.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 75.—Trochilus.
- recurvirostris** Hippolyte, H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 12.
- recurvirostris** Histiopterus, J. Richardson, Zool. "Ereb. Terr." (Fish, 1845), 34.
- recurvirostris** Hylocharis (Sw.), G. R. Gray, Gen. Birds, I. Dec. 1848, 114.—Trochilus.
- recurvirostris** Mellisuga (Sw.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 248.—Trochilus.
- recurvirostris** Murex, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (24) Jan. 1833,
- recurvirostris** Oedionemus, G. Cuvier, Règne Anim., ed. 2, I. 1829, 500. [174.
- recurvirostris** Ornismya (Sw.), R. P. Lesson, H. N. Colibris, Jan. 1832, 166.—Trochilus.
- recurvirostris** Perilampus, J. M'Clelland, Asiat. Researches, XIX (2) 1839, 290.
- recurvirostris** (*sic*) Podiceps, C. L. Brehm, Handb. Nat. Vögel Deutschl. 1831, 1013.
- recurvirostris** Todiramphus, De Lafresnaye, Rev. Zool. (Soc. Cuv.) V. May 1842, 134.
- recurvirostris** Trochilus, W. Swainson, Zool. Illust. (1) II (21) June 1822, pl. 105.
- recurvirostrum** Cassis (Wood), L. Reeve, Conch. Icon. V.—Cassis, no. 16, Sept. 1848.—Buccinum, Gm. 1790. [ramphus r—tris].
- recurvirostrum** Todirostrum, Lafr.; G. R. Gray, Gen. Birds, I. Aug. 1846, 257 [=Todi-
- recurva** Acrotreta, S. Kutorga, Verh. Russ.-Kais. min. Ges. St Petersburg. 1847 (1848), 277.
- recurvus** Alydus, Herrich-S., Wanzenart. Ins. VIII (5) Oct. 1846, 98.
- recurvum** Amphidesma, J. Phillips, Geol. Yorksh. I. 1829, 128 & 140 [*n. et f.*].
- recurva** Amphidesma, Zieten, Pétrif. Wurt. (11) 1833, 84 [? *non* Phil.].
- recurvus** Anomalon, T. Say, Boston Journ. N. H. I (3) 1836, 243.
- recurvum** Apioceras, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (3) 1848,
- recurva** Astarte, I. Lea, Contrib. to Geol. 1833, 61. [133.
- recurvum** Balantium, J. G. Children, Q. Journ. Sci. (R. Inst.) XV. July 1823, 220.
- recurva** Cetonia, J. C. Fabricius, Syst. Eleuth. II. 1801, 138. [1832, 115
- recurva** Columbella, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (19) Aug.
- recurvus** Conus, W. J. Broderip, Proc. Zool. Soc. London, I (4) May 1833, 54.
- recurvus** Cryptocephalus, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 439.
- recurvus** Curculio, J. C. Fabricius, Syst. Eleuth. II. 1801, 535.
- recurva** Cypricardites, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII., *post* Ap. 1842, 245.
- recurvum** Distoma, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844],
- recurvus** Dytiscus, T. Marsham, Coleopt. Brit., Sept. 1802, 424. [410
- recurva** Edessa, Herrich-S., Wanzenart. Ins. IX (6) Nov. 1851, 312.
- recurva** Enchophora (Ol.), M. Spinola, Ann. Soc. Ent. France, VIII (1 & 2) *post* June 1839, 222.—Fulgora.
- recurva** Fissurirostra (Defr.), A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 133.—Terebratula.
- recurvus** Fusus, F. C. L. Koch in R. A. Philippi, Abb. Conch. II (4) 1846, 119.
- recurvus** Hipporhinus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 467.—
- recurvus** Lixus, A. G. Olivier, Entom. V. 1807, 237. [Curculio.
- recurva** Lutraria, J. E. Gray, Mag. Nat. Hist., n. s. I. July 1837, 375.—Mactra, ? Wood, 1828. [desma.
- recurva** Lutraria (Ziet.), G. A. Goldfuss, Petref. German. II (7) 1840, 257.—Amphi-
- recurva** Lyonsia (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 335.—Amphi-
- recurva** Mactra, W. Wood, Suppl. Index Test. 1828, 4 [*n. et f.*]. [desma.
- recurva** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 297, Mar. 1845.
- recurvus** Mytilus, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 320.
- recurvus** Nasalis, Vigers & Horsfield, Zool. Journ. IV (13) July 1828, 110.
- recurvus** Notidanus, J. L. R. Agassiz, Poiss. Foss. III., 220 (1843).
- recurva** Nucula, T. A. Conrad, J. Acad. Nat. Sci. Philad. VI. Ap. 1831, 262.
- recurvum** Ovulum, Adams & Reeve, Zool. "Samarang" (Moll. 1848), 21.
- recurvus** Parexus, J. L. R. Agassiz, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 194 [*n. n.*].
- recurvus** Parexus, J. L. R. Agassiz, Poiss. Foss. I. Tableau (1844) xxxiii [*n. n.*]; Poiss. F. V. G. R., 120 (1845).
- recurva** Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) ii, 1845, 115.
- recurva** Phoracantha, E. Newman, Entomologist (1) Nov. 1840, 4. [Amphidesma.
- recurva** Pleuromya (Phill.), J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 235.—

- recurva** Ricinula, L. Reeve, Conch. Icon. III.—Ricinula, no. 53, Oct. 1856.
- recurva** Scatopse, H. Loew, Linnaea Entom. I. Feb. 1846, 330.
- recurvus** Semnopithecus (V. & H.), W. C. L. Martin, Mag. Nat. Hist., n. s. II. Aug. 1838,
- recurva** Terebratula, DeFrance, Dict. Sci. Nat. LIII. 1828, 161. [440.—Nasalis.
- recurva** Terebratula, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835),
- recurva** Thracia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 117. [554.
- recussa** Metaxyja, J. Huebner, Verz. bekannt. Schmett. [1822], 223.
- recussa** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 138 (Fernaldo judice 1808—18) [*n. et f.*].
- redactor** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 273.
- redacta** Caradrina (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) May 1829, 155.—
- redacta** Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 206. [Noctua.
- redactus** Pteromalus, F. Walker, Entom. Mag. II (5) Jan. 1835, 492.
- redcarensis** Ammonites, Young & Bird, Geol. Surv. Yorksh. Coast, 1822, 248.
- redempta** Natica, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 157.
- Redenus** Walker in J. Curtis, Guide Brit. Ins. (4) 1829—30, 114.—Hym. [*n. n.*].
- redfieldi** Catopterus, P. de M. Grey Egerton, Q. J. Geol. Soc. London, III. 1847, 276 & 278.
- redfieldii** Ornithoidichnites, E. Hitchcock, Amer. J. Sci. XLVII (2) Oct. 1844, 304.
- redfieldi** Planorbis, C. B. Adams, Contr. to Conch. (3) Oct. 1849, 43.
- redfieldianum** Argozoum, E. Hitchcock, Mem. Amer. Acad., n. s. III. 1848, 185.—Ornithoidichnites redfieldii, 1844.
- redfieldianum** Cyclostoma, C. B. Adams, Contr. to Conch. (1) Sept. 1849, 10.
- redfieldiana** Helix, C. B. Adams, Contr. to Conch. (7) Ap. 1850, 107.
- redfieldianum** Stoastoma, C. B. Adams, Mon. Stoast. 1849, 13.
- [redi→.]
- Redia** F. de Filippi, Bibl. Ital. LXXXVII. 1837, 336.—Verm.
- redianus** Bothriocephalus, C. A. Rudolphi, Entoz. syn. mant. 1819, 143 [*sic S. & H., sed gadi redianus in orig.*].
- rediana** Formica, W. E. Leach, Zool. Journ. II (7) Oct. 1825, 291.
- redii** Attus, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Arach.) 1826, 172.
- redi** Orthragoriscus, C. Ranzani, N. Comm. Ac. Sci. Inst. Bonon. III. 1839, Dispositio.
- redi** Vipera, P. A. Latreille, s. à Deterville ed. Buffon, Rept. III. 1801, 304.
- redimicola** Fissurella, T. Say, J. Acad. Nat. Sci. Philad. IV. Nov. 1824, 132.
- redimitana** Stigmonota, A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 184.
- redimitella** Tinea, P. C. Zeller, Isis (Oken), 1846, 271.
- redimitus** Sciurus, H. C. van der Boon Mesch, N. Verh. I. Cl. k.-Ned. Inst. II. 1829, 243.
- redimita** Steatoda (L.), C. L. Koch, Uebers. Arachnidensyst. I. 1837, 9.—Aranea, 1758.
- redimitum** Theridion (Clerck), C. A. Walckenaer, Tab. Aran. 1805, 73.—Araneus, 1757.
- redimitum** Theridium (L.), C. L. Koch, Die Arachniden, XII (6) 1845, 133.—Aranea, 1758.
- Redium** S. d. Chiaje, Descr. An. invert. Sicilia, VIII. 1844, 27.—G.
- rediviva** Callidina, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1840, 218.
- rediviva** Egle, J. Barrande, Not. pré. Silur. 1846, 34.
- rediviva** Furcularia, Lamarck, An. s. vert. II. 1816, 39.
- rediviva** Harpes, W. Gambel, Proc. Acad. Nat. Sci. Philad. II (10) Aug. 1845, 264.
- rediviva** Mimus (Gamb.), G. R. Gray, Gen. Birds, III. App. 1849, 10.—Harpes.
- redivivus** Nautilus, F. v. Hauer, Ber. Mitth. Fr. Nat. Wien, I. 1847, 175 [*n. n.*].
- redivivus** Rotifer, Du Trochel, Ann. Mus. H. N. (Paris) XIX (113) *inter* Jan.—July 1813,
- rediviva** Sarcophaga, F. Walker, List Dipt. Coll. B. M. (4) 1849, 823. [379.
- rediviva** Toxostoma, W. Gambel, Journ. Acad. Nat. Sci. Philad. I (1) Dec. 1847, 42.—
- rediviva** Urceolaria, Lamarck, Syst. Anim. 1801, 389. [Harpes, 1845.
- redmani** Livoneca, W. E. Leach, Dict. Sci. Nat. XII. 1818, 352.
- redmani** Monophyllus, W. E. Leach, Tr. Linn. Soc. London, XIII (1) 1821, 76.
- redmanni** (*sic*) Phyllostoma (Leach), H. R. Schinz, Syst. Verz. Säug. I. 1844, 238.—Monophyllus.
- redoutei** Cellepora, V. Audouin in Savigny, Egypte, I (4) (Expl. pl. Polyyps) 1826, 238.
- redtenbacheri** Curculionites, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 199.
- redtenbacheri** Formica, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI 1850 [1849], 129.

- redtenbacheri** Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 280.
- redtenbacheri** Scymnus, E. Mulsant, H. N. Coléopt. France (Sécurip.) Sept. 1846, 240.
- redtenbacheri** Zeuzera (Cossus), K. E. Hammerschmidt, Naturw. Abhandl. (Haidinger) reducta Platyleura, F. Walker, List Homopt. Coll. B. M. (1) 1850, 11. [II. 1848, 151.]
- reductaria** Eupithecia, Boisduval, Gen. Index Europ. Lepid. 1840, 209.
- Redunca** C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm., Syn. 1827, 337.—M.
- Reduncina** Wagner in Schreber, Säugth. (Suppl.) IV. 1844, 373.—M.
- redunca** Cemas, L. Oken, Lehrb. Nat. III (2) 1816, 741. [(May), 75.—Antilope, 1767.]
- redunca** Cervicapra (Pall.), H. M. D. de Blainville, Bull. Sci. Soc. Philom. Paris, 1816
- reduncus** Eleotragus (H. Smith), J. E. Gray, List Mamm. Coll. B. M. 1843, 165.—Antilope, ? Pall. 1767.
- redunca** Salpina, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832) [1830], 46 [n. n.]; *ibid.* 1831 (1832), 134.
- redundans** Aphis, F. Walker, The Zoologist, VII. 1849, App., p. xxxii.
- reduviana** Plectana, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841],
- reduvii** Sporadina (Ramd.), F. Stein, Arch. Anat. Phys. 1848, 223.—Vibrio. [201.]
- reduvinus** Anthocoris, Herrich-S., Wanzenart. Ins. IX (5) Sept. 1850, 222.
- Reduviolus** W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 279.—Hem.
- reduvius** Cynorhaestes, J. F. Hermann, Mém. Aptér. 1804, 66.
- redux** Orthosia, J. Barrande, Naturw. Abhandl. (Haidinger) II. 1848, 201.
- redux** Sarcophaga, F. Walker, List Dipt. Coll. B. M. (4) 1849, 812.
- reedmanni** [*sic pro redmani*, Leach] Monophyllus, de Blainville, C. R. Acad. Sci. (Paris) [reeve→.] [V. 1837, 821.]
- reeveana** Achatina, L. Pfeiffer, Proc. Zool. Soc. London, XVI (187) Ap. 25, 1849, 111.
- reeveana** Arca, A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 635.
- reeveana** Arca, P. H. Nyst, Mém. Ac. Roy. Belg. XXII. 1848, 60.
- reeveanum** Buccinum, W. Dunker, Zeitschr. f. Malakozool., Ap. 1847, 62.
- reeveana** Clausilia, L. Pfeiffer, Proc. Zool. Soc. London, XVII (198) Jan.—June 1850, 140.
- reeviana** Cyclostrema (Hinds), A. Adams, Proc. Zool. Soc. London, XVIII (203) Nov. 12, 1850, 42.—Delphinula.
- reeviana** Delphinula, R. B. Hinds in L. Reeve, Conch. Icon.—Delphinula, no. 17, Oct. 1843.
- reeveana** Helicina, L. Pfeiffer, Proc. Zool. Soc. London, XVI (188) Ap. 25, 1849, 123.
- reeveana** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIV (158) July 1846, 42.
- reevei** Achatinella, C. B. Adams, Contr. to Conch. (8) Oct. 1850, 128.
- reevii** Bulimus (Brod.), L. Reeve, Conch. Syst. II. 1842, 80.—Helix.
- reevei** Conus, L. C. Kiener, Spec. Coquilles (Conus) 1847, 115. [(131) 1837, 3.]
- reevei** Cypraea, J. E. Gray in G. B. Sowerby, I., Conch. Illustr. (8) 1832, f. 52; Catal.
- reevei** Fasciolaria, Jonas in R. A. Philippi, Abb. Conch. III (6) 1850, 121.
- reevii** Helix, W. J. Broderip, Proc. Zool. Soc. London, IX (99) Oct. 1841, 34.
- reevei** Mitra, R. A. Philippi, Zeitschr. f. Malakozool., Feb. [Ap.] 1850, 23.
- reevei** Pecten, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 73.
- reevei** Pleurotoma, L. Bellardi, Mem. R. Acc. Sci. Torino [2] IX. 1848, 583.
- reevii** Pleurotoma, C. B. Adams, Contr. to Conch. (4) Jan. 1850, 54.
- reevii** Turbo, R. A. Philippi in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Turbo (65) [reeves→.] [1847, 48.]
- reevesii** Alosa, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 305.
- reevesii** Callionymus, J. Richardson, Zool. "Sulphur," 1844, 60. [65.—Cervus.]
- reevesii** Cervulus (Og.), J. E. Gray, Glean. Menag. Knowsley, Hoof. Quadr., Aug. 1850,
- reevesii** Cervus, W. Ogilby, Proc. Zool. Soc. London, VI (68) Feb. 1839, 105.
- reevesii** Clemmys (Gray), L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 124.—Emys.
- reevesii** Emys, J. E. Gray, Syn. Rept. 1831, 73.
- reevesii** Gecko, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn., 48.
- reevesii** Hinulia, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 76.—Tiliqua, 1838.
- reevesii** Leiolepis, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 263.—Uromastix, 1830
- reevesii** Leopardus, J. E. Gray, List Mamm. Coll. B. M. 1843, 44 [n. n.].
- reevesii** Leucosoma, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 4.
- reevesii** Mactra, J. E. Gray, Mag. Nat. Hist., n. s. I. July 1837, 372.

- reevesii** Muntjacus (Og.), J. E. Gray, Zool. "Samarang" (Vert. 1849), 41.—Cervus.
- reevesi** Muraena, J. Richardson, Zool. "Sulphur," 1845, 109.
- reevesii** Onchidella, J. E. Gray, Figs. Moll. Anim. IV. 1850, 117.
- reevesii** Ostracion, J. E. Gray, Ann. Nat. Hist. I (2) Ap. 1838, 111.
- reevesii** Otolithus, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 224.
- reevesii** Phasianus, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Aves, III. 1829, 25.
- reevesii** Phoenicura, E. Blyth (*ex* Gray MS), J. Asiat. Soc. Bengal, XII. 1843, 963.
- reevesii** Platydactylus (Gray), L. Fitzinger, Syst. Rept. 1843, 101.—Gecko.
- reevesii** Rutilicilla (J. E. Gray), G. R. Gray, Gen. Birds, I. May 1846, 180.—Phoenicura.
- reevesii** Rutilicilla (Gray), G. R. Gray, Cat. Hodgson Coll. B. M. 1846 [Jan. 1847], 67.—
- reevesi** Salanx, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 363. [Phoenicura.
- reevesii** Serranus, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 232.
- reevesii** Sylvia (Phoenicurus), J. Reeves, Zool. Miscell. (Gray) (1) Feb. 1831, 1.
- reevesii** Syrromaticus (Hardw.), J. G. Wagler, Isis (Oken), 1832, 1229.—Phasianus, Gray.
- reevesii** Tiliqua, J. E. Gray, Ann. Nat. Hist. II. Dec. 1838, 292.
- reevesii** (*sic*) Uromastyx, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn., 62.
- referens** Sepsis, F. Walker, List Dipt. Coll. B. M. (4) 1849, 999.
- reflectens** Xylophagus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 129.
- reflexicollis** Blaps, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844, 82.
- reflexicollis** Calathus, Ménétrés in F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, VI. 1839, 1.
- reflexicollis** Coprobis, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 33 [*n. n.*].
- reflexicollis** Eleodes, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 270.
- reflexicollis** Lebia, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 703.
- reflexicollis** Malachus, F. Gebler, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. I (1-3) Sept. 1842, 38.
- reflexicollis** Poecilus, F. Gebler, N. Mém. Soc. Imp. Nat. Moscou, II. 1832, 35.
- reflexilabris** Auricula, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 326.
- reflexilabris** Clausilia, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 381.
- reflexilabris** Pythia (Orb.), H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 104.—Auricula.
- reflexilabrum** Cerithium, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 382.
- reflexilabrum** Delphinula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 229.
- reflexiuscula** Helix, L. Pfeiffer, Symb. Helic. II. 1842, 98; Mon. Helic. I (2) 1848, 327.
- reflexulus** Syroma[s]tes, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- reflexus** Agaricophilus, T. Victor, Bull. Soc. Imp. Nat. Moscou, 1838 (2) 1838, 177.
- reflexa** Ampullaria, W. Swainson, Phil. Mag. LXI (301) May 1823, 377.
- reflexus** Aphodius, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 35 [*n. n.*].
- reflexum** Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 290.
- reflexus** Argas (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 66.—Acarus,
- reflexa** Ascaris, Nitzsch in Ersch & Gruber, Allg. Ency. VI. 1821, 47. [1794.
- reflexa** Besseria, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 233.
- reflexa** Blabera (Thunb.), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 82.—Blatta.
- reflexa** Blatta, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. X. 1826, 278.
- reflexa** Bothrorrhina (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 201.—Cetonia.
- reflexus** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 620.
- reflexus** Bulimus, L. Pfeiffer, Symb. Helic. III. 1846, 56.—Succinea, 1842.
- reflexa** Cetonia, Gory & Percheron, Revue Entom. III (3) 1835, 123.
- reflexa** Chama, L. Reeve, Conch. Icon. IV.—Chama, no. 16, Dec. 1846. [Turritella.
- reflexa** Chemnitzia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 185.—
- reflexa** Clausilia, Ziegler in C. T. Menke, Syn. meth. Moll. 1828, 17 [*n. n.*]. [1836, 15.
- reflexa** Clausilia, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (3) Mar.
- reflexa** Clausina (Lask.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xix, f. 12.—Venus, Mont.
- reflexus** Craspedophorus (Fab.), F. W. Hope, Coleopt. Manual, II. 1838, 91.—Carabus,
- reflexus** Cucujus, J. Sturm, Catal. Ins. Samml. 1826, 128 [*n. n.*]. [1781.
- reflexus** Cychrus, J. C. Fabricius, Syst. Eleuth. I. 1801, 166.—Carabus, 1781.

- reflexa** Cymindis, J. L. Leconte in Agassiz, Lake Superior, 1850, 203.
- reflexus** Dicaelus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (10 & 11) July 1847, [430.
- reflexa** Discina (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 377.—Orbicula. [430.
- reflexum** Distoma, F. C. H. Creplin, Obs. de Entozois (1) 1825, 54.
- reflexa** Donax, E. Eichwald, Nat. Lithuaen, 1830, 208.
- reflexa** Echinopora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 280.
- reflexus** Eutoxus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 104.
- reflexus** Harpes, F. W. Hoeninghaus, [Harpes reflexus], 1847.
- reflexus** Hyphaereon, W. S. Macleay, Annulosa Javanica, 1825, 22.
- reflexus** Jonotus, H. v. Meyer, Palaeontographica, I (4) May 1848, 182.
- reflexum** Laganum, L. Agassiz, Mon. Ech. II. 1841, 113.
- reflexus** Lathridius, J. L. Leconte in Agassiz, Lake Superior, 1850, 223 [*n. n.*].
- reflexa** Leptis, F. Walker, List Dipt. Coll. B. M. (1) 1848, 216.
- reflexa** Limnophysa (Say), H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 110.
- reflexus** Lyctus, T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 262.
- reflexus** Lymneus, T. Say, J. Acad. Nat. Sci. Philad. II. Dec. 1821, 167.
- reflexa** Mya, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 163 [*n. n.*]; Tr. Amer. Phil. Soc., n. s. IX (3) Dec. 1846, 236. [1830, 676.
- reflexa** Myopina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- reflexa** Obliquaria, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 306.
- reflexa** Oculina, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 45.
- reflexa** Ocyptera (Rob.-S.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 187.—Besseria.
- reflexus** Odynerus, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 89.
- reflexus** Onthophagus (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 178.—Scarabaeus, 1787.
- reflexa** Orbicula, G. B. Sowerby, I., Zool. Journ. II (7) Oct. 1825, 321.
- reflexa** Orbiculoidea, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 258.
- reflexus** Panagaeus (F.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 293.—Carabus, 1781.
- reflexa** Panopaea, T. Say, J. Acad. Nat. Sci. Philad. IV. Nov. 1824, 153.
- reflexus** Pecten, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 236. [1798.
- reflexa** Pentatoma (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 187.—Cimex,
- reflexa** Perispongia, A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Nov. 1849, 548.
- reflexa** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 212.
- reflexa** Phyllotoma (Fab.), W. E. Leach in T. E. Bowdich, Miss. Ashanti, 1819, 495.—Melolontha, 1781.
- reflexa** Plaesiorrhina (G. & P.), J. O. Westwood, Arcana Entom. (8) July 1842, 126.—Cetonia.
- reflexa** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 252, Dec. 1845.
- reflexus** Pollicipes, J. De C. Sowerby, Min. Conch. VI. 1829, 222.
- reflexa** Rhamphomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 566.
- reflexa** Rhinyptia, Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 157 [*n. n.*].
- reflexa** Rhinyptia, H. Burmeister (*ex* Dej. Cat.), Handb. Ent. IV (1) 1844, 229.
- reflexus** Rhyncolus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 1072.
- reflexus** Scyphius, C. L. Koch, Deutsch. Crust., heft 17, 1838, tab. 23.
- reflexa** Succinea, L. Pfeiffer, Symb. Helic. II. 1842, 56.
- reflexa** Succinea, L. Pfeiffer, Proc. Zool. Soc. London, X (119) Feb. 1843, 187.
- reflexa** Tellina, F. E. Edwards, London Geol. Journ. (3) 1847, 107.
- reflexa** Tellina, E. Eichwald, Paleont. Rossii, 1850, 71.—Donax, 1830.
- reflexus** Tenebrio, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 203.
- reflexa** Tentyria, F. Gebler, N. Mém. Soc. Imp. Nat. Moscou, II. 1832, 55.
- reflexa** Terebratula, L. G. de Koninck, Descr. Anim. foss. (7) June 1843, 298.
- reflexa** Trachys, J. Gené, Mem. R. Acc. Sci. Torino [2] I. 1839, 54.
- reflexus** Turbo, G. v. Muenster, Beitr. zur Petref. (4) 1841, 115.
- reflexa** Turritella, G. v. Muenster, Beitr. zur Petref. (4) 1841, 118.
- reflexa** Unio, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 306.
- reflexa** Venerupis, J. E. Gray in Dieffenbach, Trav. N. Z. II. 1843, 250.

- reflexa** Venus, G. Montagu, Test. Brit. Suppl. 1808, 40.
- reflexa** Voluta, W. Turton, Conch. Dict. 1819, 251.
- refractus** Ammonites (Rein.), W. de Haan, Mon. Ammon. 1825, 132.—Nautilus.
- refractus** Nautilus, I. C. M. Reinecke, Maris Protog. 1815, 66.
- refractus** Scaphites (Rein.), F. W. Hoeninghaus, Jahrb. f. Min. 1830, 450.—Nautilus.
- refuga** Helix, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 99.
- refulgens** Ailurus, F. Cuvier in E. Geoffroy St H. & F. Cuvier, Hist. Nat. Mamm., Table gén. 1842, 3.
- refulgens** Calleida, R. F. Sahlberg, Acta Soc. Sci. Fennicae, II (2) 1845, 507.
- refulgens** Carabus, M. de Chaudoir, Enum. Carab. 1846, 95.
- refulgens** Chrysis, M. Spinola, Ins. Liguriae, I. 1806, 8.
- refulgens** Chrysis, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. *e*.
- refulgens** Cibicides, Denys de Montfort, Conch. I. 1808, 123.
- refulgens** Draconura (Schleg.), A. A. Berthold, Goettingen gelehrte Anz. 1840, 899; Abh. k. Ges. Wiss. Gottingen, I. 1843, 64.—Anolis.
- refulgens** Euplocomus (Temm.), K. Tyzenhaus, Orn. powsz. III. 1846, 22.—Lophophorus.
- refulgens** Hoplistocerus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 210.
- refulgens** Impeyanus (Lath.), R. P. Lesson, Traité Ornith. (7) Ap. 1831, 488.—Phasianus [*non comp.*, ? Lophophorus, Temm.].
- refulgens** Lamprosoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 582.
- refulgens** Lophophorus, C. J. Temminck, Fig. et Gallin. II., *post* June 1813, 355.
- refulgens** Pelecion, F. E. Guérin, Magasin de Zool. I. 1831, 23.
- refulgens** [Pyronota], Dupont in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 214.
- refulgens** Spintharis, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), pl. xlv.
- refulgens** Tetragnatha, A. Adams, Ann. Mag. N. H. XX. Nov. 1847, 293.
- refulgens** Truncatulina (Montf.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 279.—
- refus** Cygnus, C. T. Wood, Orn. Guide, 1835, 74. [Cibicides.]
- regalata** Phalaena, [A. H. Haworth], Prod. Lepidopt. Brit. 1802, 25 [*n. n.*].
- regalis** Accipiter, P. S. Pallas, Zoographia, I. 1811, 358.
- regalis** Archibuteo, G. R. Gray, List Birds Coll. B. M. I. 1844, 19 [*n. n.*].
- regalis** Archibuteo, G. R. Gray, Gen. Birds, I. June 1849, 12 & pl. vi.
- regalis** Asopia (D. & S.), F. Treitschke, Schmett. Europa, VI (2) 1828, 316.—Pyralis, 1775.
- regalis** Astropecten, J. E. Gray, Ann. Nat. Hist. VI. Nov. 1840, 181.
- regalis** Baridius, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 93 [*n. n.*].
- regalis** Brachyrhinus (L.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 158.—
- regalis** Byrrhus, G. A. Steffahn, Tent. Monog. Byrrh. 1842, 13. [Curculio, 1767.]
- regalis** Byrrhus, Dahl in Germar, Zeitschr. f. d. Entom. IV. 1843, 13.
- regalis** Calaspidea, C. H. Boheman, Mon. Cassid. I. 1850, 213.
- regalis** Callimome, F. Walker, Entom. Mag. I (2) Jan. 1833, 119. [1775.]
- regalis** Calliphara (Fab.), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 127.—Cimex,
- regalis** Carabus, Boeber in G. Fischer v. W., Entom. Imp. Russ. I (Ent. Ruthen.) *post* May 1822, 100.
- regalis** Caria (Ol.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 238.—Coccinella.
- regalis** Catascopus, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 84.
- regalis** Cetonia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, no. 1, Cetoniidae, Nov.
- regalis** Chariesterus, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 22. [1842, 1.]
- regalis** Chlorima (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 115.—Curculio, L. 1767.
- regalis** Chrysomela, A. G. Olivier, Entom. V. 1807, 538.
- regalis** Chrysomya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- regalis** Cicindela, Dejean, Spec. gén. Coléopt. V. 1831, 251. [1830, 449.]
- regalis** Cidarites, G. A. Goldfuss, Petref. German. I (2) 1829, 116.
- regalis** Coccinella, A. G. Olivier, Entom. VI. 1808, 1020.
- regalis** Copturus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 105.
- regalis** Cryptocephalus, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 208.
- regale** Cybium (Bl.), G. Cuvier, R. Anim., ed. 2, II. 1829, 200.—Scomber, 1793.
- regalis** Dexia (Guér.), F. Walker, List Dipt. Coll. B. M. (4) 1849, 862.—Rutilia.
- regalis** Dolichopus, J. W. Meigen, Syst. Besch. Zweif. Insekt. IV. 1824, 75.



- regalis** Dorycampa (Fab.), J. Duncan, Exot. Moths (Nat. Libr. XXXIII.) Dec. 1841, 161.—Bombyx.
- regalis** Enchelyopus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 53.
- regalis** Endymion (Cr.), W. Swainson, Zool. Illust. (2) II (18) — 1831, pl. 85.—Papilio.
- regalis** Falco, G. Shaw, Gen. Zool. (Aves) VII (1) 1809, 56. [1775.]
- regalis** Falco, C. J. Temminck, Man. Orn. 1815, 10.
- regalis** Glaucopsis, Boisduval, S. à Buffon (Lép.) I. 1836, expl. pl. xvi.
- regalis** Goniodoris, E. Forbes, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 186.
- regalis** Hedobia (Dufts.), J. Sturm, Deutschl. Fauna (Insecten) XII. 1837, 27.—Ptinus.
- regalis** Helix, W. H. Benson, Ann. Mag. N. H. (2) V. Mar. 1850, 215. [? Dej.]
- regalis** Heteropora, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 335.
- regalis** Holothuria, Griffith's Cuvier, Anim. Kingd., Moll. etc. 1834, 452.
- regalis** Hypsopygia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 348.—Pyralis.
- regalis** Johnius, J. G. Schneider, Bloch, Syst. Ichth. 1801, 75. [1775.]
- regalis** Lissonotus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 69 [*n. n.*].
- regalis** Lucilia (Meig.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 164.—Musca.
- regalis** Lycus (Dictyopterus), L. Buquet, Rev. Zool. (Soc. Cuv.) V. Jan. 1842, 6.
- regalis** Lygaeus, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [*i. e.* Ap.]
- regalis** Malachus, Charpentier, Mag. Entom. (Germar) III. 1818, 232. [1826], 467.
- regalis** Megacephala (Apterna), C. H. Boheman, Ins. Caffr. I (1) 1848, 2.
- regalis** Merulina, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 273.
- regalis** Milvus, L. P. Vieillot, Faune Française (5 & 6) Oiseaux, 1822, 14.
- regalis** Musca, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 54.
- regalis** Musca, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 295.
- regalis** Mussa, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 182.
- regalis** Nautilus, J. Sowerby, Min. Conch. IV. 1822, 77.
- regalis** Nitidula, B. Zubkov, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 320.
- regalis** Otolithus (Schn.), G. Cuvier, R. Anim., ed. 2, II. 1829, 173.—Johnius.
- regalis** Panagaeus, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 213.
- regalis** Pentatoma, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 71 [*n. n.*].
- regalis** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 207.
- regalis** Pleurotomaria (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 225.—Trochus.
- regalis** Prepodes (L.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 21.—Curculio, 1767
- regalis** Protaetia, Audouin in H. Burmeister, Handb. Ent. III. 1842, 490.
- regalis** Psilopus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 35.
- regalis** Pteroglossus, Lichtenstein, Isis (Oken), 1829, 508.
- regalis** Pteronarcys, E. Newman, Entom. Mag. V (2) Jan. 1838, 176.
- regalis** Ptinus, Ziegl.; Dejean, Catal. Coléopt. 1821, 41 [*n. n.*].
- regalis** Ptinus, T. v. Charpentier (*ex* Dej. Cat.), Horae Ent. 1825, 196.
- regalis** Rhyncholophus, C. L. Koch, Deutsch. Crust., heft 16, 1837, tab. 5.
- regalis** Rutilia, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VI. Sept. 1843, 265.—Musca, 1838.
- regalis** Semiotus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VII. Jan. 1844, 16.
- regalis** Solenopus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 93 [*n. n.*].
- regalis** Staphylinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 369.
- regalis** Sternodonta (Fab.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 475.—Lamia, 1781.
- regalis** Stigmodera, Laporte & Gory, H. N. Coléopt. II. 1837, 71.
- regalis** Tetyra, J. C. Fabricius, Syst. Rhyng. 1803, 128.—Cimex, 1775.
- regalis** Thynnus (Bl.), G. Cuvier, R. Anim. II. 1817, 314.—Scomber, 1793.
- regalis** Tigris, J. E. Gray, List Mamm. Coll. B. M. 1843, 40.
- regalis** Trochus, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 81.
- regalitatis** Conus, G. B. Sowerby, I., Proc. Zool. Soc. London, II (15) June 1834, 19.
- regelationis** Atractocera (L.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 263.—Tipula, 1758.
- regelationis** Bremus, G. W. F. Panzer, Ins. Germ., heft. 86, 1801-2, tab. 17.
- regelationis** Trichocera (L.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 214.—Tipula, 1758.

- regelianus** Sphenophorus, O Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 195.
- regenerator** Cryptus, J. C. Fabricius, Syst. Piezat. 1804, 83.
- regenerator** Ichneumon, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 125.
- regenerator** Ichneumon (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 257.—Cryptus.
- regenerator** Mesoleptus (Fab.), J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 75.—  
[regenfluss→.] [Cryptus.]
- regenfusii** Turbo, G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, IX. Nov. 1843,
- Regenia** J. E. Gray, Cat. Lizards Coll. B. M. 1845, 8.—R. [222.]
- regens** Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 128.
- regens** Hylemyia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 316.—
- regens** Oriolus, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 105. [Anthomyia.]
- regens** Oriolus, C. J. Temminck in T. & Laugier, Pls. color. (54) Jan. 1825.
- regens** Sericulus (Q. & G.), R. P. Lesson, Man. Orn. I. June 1828, 256.—Oriolus.
- regensbergensis** Turbinites, E. F. Schlotheim, Taschen. Min. 1813, 91.
- regensteinensis** Sitona, Germ.; Dejean, Catal. Coléopt. 1821, 94 [*n. n.*]. [1797.]
- regensteinensis** Sitona (Herbst), E. F. Germar, Ins. spec. novae, I. 1824, 416.—Curculio,
- Regerhinus** J. J. Kaup, Mus. Senckenb. III. 1845, 262; Isis (Oken), 1847, 340.—A.
- Regestoma** v. Hasselt, Algem. Konst. Letter-Bode, 1823 (42) Oct. 1823, 245.—G.
- regificella** Elachista, J. Sircom, The Zoologist, VII. 1849, App., p. xlii.
- regilatella** Adela, P. C. Zeller, Entom. Zeitung, Stettin, XI (4) Ap. 1850, 136.
- regina** Achatina (Fér.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VIII. June 1838, 310.—Helix.
- regina** Aplodactylus, A. Valenciennes in A. Guichenot in Gay, Chili (Peces) 1849, 158.
- reginus** Bulimulus (Orb.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 116.—Bulimus.
- regina** Bulimus (Fér.), A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 257.—Helix.
- regina** Carpio (Bonap.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1014.—Cyprinus.
- regina** Cyprinus, C. L. Bonaparte, Icon. Faune Ital. (17 & 18) 1836.
- regina** Helicina, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 19.
- regina** Helix (Cochlitoma), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 53 [*n. et f.*].
- regina** Idalia (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 149.—Phalaena, 1780.
- regina** Lucilia (Meig.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 166.—Musca.
- regina** Musca, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 58.
- regina** Phormia (Meig.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 466.—Musca.
- regina** Pleurotomaria, Pictet & Roux, Mém. Soc. Phys. H. N. Genève, XII (1) 1849, 107.
- regina** Polystomella, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 129.
- regina** Popillia, E. Newman, Mag. Nat. Hist., n. s. II. June 1838, 336.
- regina** Tiara, W. Swainson, Treat. Malacol., May 1840, 319.
- regina** Trochilus, v. Schreibers, Ber. Vers. deutsch. Nat. u. Aerzte, 1832 (1832), 104 [*n. n.*]; Isis (Oken), 1833, 547.
- regina noctis** Cheilocace, J. Gistl, Nat. Thierr. 1848, 150.
- regina noctis** Cheilocace, J. Gistl, Handb. Naturges. 1850 [1847], 491.
- reginae** Coluber (Natrix), Linn.; B. Merrem, Tent. Syst. Amph. 1820, 115.
- reginae** Coronella, H. Schlegel, Essai phys. Serp. 1837, I., 135; II., 61.
- reginae** Helix (Carocolla), W. J. Broderip, Proc. Zool. Soc. London, IX (99) Oct. 1841, 36.
- reginae** Liophis (L.), J. Wagler, Nat. Syst. Amph. 1830, 188.—Coluber, 1758.
- reginae** Lophornis, J. Gould, Proc. Zool. Soc. London, XV (175) July 20, 1847, 95.
- reginae** Mellisuga (Gould), G. R. Gray, Gen. Birds, I. Dec. 1848, 113.—Lophornis.
- reginae** Trochilus, v. Schreibers, Ber. Vers. deutsch. Nat. u. Aerzte, 1832 (1832), 104 [*n. n.*]; Isis (Oken), 1833, 548.
- reginaldi** Ammonites, J. Morris, Q. J. Geol. Soc. London, VI. 1850, 316.
- reginalis** Lypotigris (Cr.), J. Huebner, Verz. bekannt. Schmett. 1826, 361.—Phalaena,
- regis** Pupa, W. H. Benson, Ann. Mag. N. H. (2) IV. Aug. 1849, 125. [1780.]
- regis** Trochilus, K. v. Schreibers, Coll. ad Faunam Brasil. (1) 1833.
- regis georgii** Odontomyia, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 190.
- regis georgii** Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 136.

- Registoma** v. Hasselt, Bull. des Sci. Nat. III. 1824, 85.—G. [*vide* Regestoma].
- regius** Ammonites, E. F. Schlotheim, Tasch. Min. 1813, 35.
- regius** Anoplius (Fab.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845,
- regia** Aquila, R. P. Lesson, Traité Ornith. (1) Feb. 1830, 36. [450.—Pompilus.
- regia** Atherina, Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1821), 187.
- regius** Attus (Koch), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847,
- regia** Boa, G. Shaw, Gen. Zool. (Amph.) III (2) 1802, 347. [418.—Phidippus.
- regia** Buprestis, J. C. Fabricius, Syst. Eleuth. II. 1801, 189.
- regia** Cairina (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824, 82.—  
Anas, Mol. 1782.
- regius** Callichroma (Fab.), P. A. Latreille in G. Cuvier, R. Anim. III. 1817, 342.—
- regia** Callidea, J. O. Westwood in F. W. Hope, Cat. Hémipt. 1837, 16. [Cerambyx.
- regia** Calliphara (Hope), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 126.—Callidea.
- regia** Cenchrus (Sh.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn.,
- regius** Cerambyx, J. C. Fabricius, Syst. Eleuth. II. 1801, 260. [97.—Boa.
- regia** Cetonia, J. C. Fabricius, Syst. Eleuth. II. 1801, 159.
- regius** Chondrochilus, J. J. Heckel in Russegger, Reise, I (2) 1843, 1077.
- regius** Chondrochylus, J. J. Heckel in Russegger, Reise, I (2) 1843, 1031 [*n. n.*].
- regius** Cicinnurus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIX. 1818, 246.—  
Paradisea, L. 1758.
- regia** Citheronia (Smith), J. Huebner, Verz. bekannt. Schmett. [1820], 153.—Phalaena,
- regium** Cyathophyllum, J. Phillips, Geol. Yorksh. II. 1836, 201. [1797.
- regius** Dolichopus, J. C. Fabricius, Syst. Antliat. 1805, 267.
- regia** Enygrus (Shaw), J. Wagler, Nat. Syst. Amph. 1830, 167.—Boa.
- regia** Epeira, C. L. Koch in Panzer, Ins. Germ., heft 129, 1834-5, tab. 20.
- regius** Epimachus, R. P. Lesson, Ann. Sci. Nat. VI (23) Nov. 1825, 263.
- regia** Favastrea (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 160.—Cyathophyllum, 1836.
- regia** Fringilla (Lath.), L. P. Vieillot, Ency. Méth. (Orn.) 1823, 967.—Emberiza, L. 1766.
- regius** Gecarcinus, E. Poeppig, Arch. f. Naturg. II (1) 1836, 136.
- regius** Goliathus, J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 36.
- regium** Hedycrum (Fab.), Lepeletier, Ann. Mus. H. N. (Paris) VII (38) Dec. 1805, 122.—  
Chrysis, 1793.
- regius** Hegemon (Klug); T. W. Harris, J. Essex Co. N. H. Soc. I (2) 1839, 105.—Goliathus.
- regia** Hoplia, Fab.; Dejean, Catal. Coléopt. 1821, 59 [*n. n.*].
- regia** Hortulia (Sh.), J. E. Gray, Cat. Snakes Coll. B. M. 1849, 90.—Boa. [chopus.
- regius** Hydrophorus (Fab.), C. F. Fallen, Mon. Dolichop. Sveciae (1) 1823, 2.—Dolichop.
- regium** Lithostrotion (Ph.), J. Morris, Cat. Brit. Foss. 1843, 40.—Cyathophyllum.
- regia** Maja (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. VI (1803), 105.—Parthenope  
regina, Web. 1795.
- regius** Medeterus (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 60.—  
Dolichopus.
- regius** Megalophus, W. Swainson, Orn. drawings Birds Brazil, 1834-5, pls. 51, 52.
- regius** Megarynchus, C. P. Thunberg, De Megarynchus, 1824, 4. [App., p. 30 [*n. n.*].
- regius** Milvus, E. de Selys-Longchamps in van der Maelen, Dict. géogr. Liège, 1831,
- regius** Murex, G. H. Schubert & J. A. Wagner in Mart. & Chem., Conch. XII. 1829, 133.
- regia** Muscicapa, De la Fresnaye, Mém. Soc. Ac. Falaise, 1835 (1836), 74.
- regia** Muscicapa (Gm.), Eydoux & Gervais, Oiseaux de la "Favorite" in Magasin de  
Zool. VI. 1836, pl. 73.—Todus, 1788.
- regius** Muscipeta (Gm.), G. Cuvier, R. Anim. I. 1817, 344.—Todus, 1788.
- regia** Muscivora (Gm.), G. R. Gray, List Gen. Birds, ed. 2, 1841, 42.—Todus, 1788.
- regius** Nanotragus (Erx.), J. E. Gray, Glen. Menag. Knowsley, Hoof. Quadr., Aug. 1850,  
12.—Antilope, 1777.
- regia** Nereis, A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) XIV. Dec. 1850, 339.
- regius** Onychorhynchus (L.), G. Fischer de W., Mus. H. N. Univ. Imp. Moscou (1);  
Descr. Obj. rares, 1810, 3.—Todus, Gm. 1788.
- regius** Ophisurus, J. Richardson, Zool. "Ereb. Terr." (Fish, 1848), 106.
- regius** Pecten, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 276.

- regia** Pentatoma (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. III. 1837, 66.—
- regia** Perca, I. de Asso, An. Cien. Nat. IV. 1801, 42. [Cimex, 1782.]
- regia** Phalaena, G. Shaw, Nat. Misc. XV. 1804, pl. 611.
- regius** Phidippus, C. L. Koch, Die Arachniden, XIII (4) Mar. 1846, 146.
- regia** Platalea, J. Gould, Syn. Birds of Australia & adj. islands (Descriptions, p. 7, 1838).
- regius** Platyrhynchus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 12.—  
Todus, Gm. 1788.
- regia** Pleurotoma, Beck in L. Reeve, Conch. Syst. II. 1842, 187 [*n. et f.*].
- regius** Pompilus, J. C. Fabricius, Syst. Piezat. 1804, 199. [Epimachus.]
- regius** Promerops (Less.), P. A. J. Drapiez, Dict. class. Sci. Nat. IX. 1844, 182.—
- regia** Psammocola, H. C. Lea, Tr. Amer. Phil. Soc., n. s. IX (3) Dec. 1846, 239.
- regius** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 21. [412.—Boa.]
- regius** Python (Shaw), Duméril & Bibron (Roret's Suite à Buffon), Erpét. VI. Nov. 1844,
- regius** Sarkidiornis (Gm.), T. C. Eyton, Mon. Anatidae, 1838, 102.—Anas, Mol. 1782.
- regia** Sarotes (Fab.), C. J. Sundevall, Consp. Arach. 1833, 28.—Aranea, 1793.
- regia** Sterna, W. Gambel, Proc. Acad. Nat. Sci. Philad. IV (6) Dec. 1848, 128.
- regia** Tellina, S. Hanley, Proc. Zool. Soc. London, XII (134) Sept. 1844, 61.
- regius** Thallaseus, W. Gambel, Journ. Acad. Nat. Sci. Philad. I (4) July 1849, 228.—  
Sterna, 1848.
- regia** Thomisus (Fab.), W. E. Leach, Ency. Brit. (Suppl. to ed. 4-6) I (2) 1816, 441.—
- regius** Torymus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 55. [Aranea, 1793.]
- regia** Videstrellda (L.), De Lafresnaye, Rev. et Mag. de Zool. (2) II. June 1850, 325.—  
? Emberiza, 1766.
- regia** Vidua (L.), G. Cuvier, R. Anim. I. 1817, 389.—Emberiza, 1766.
- regia** Voluta, G. H. Schubert & J. A. Wagner in Mart. & Chem., Conch. XII. 1829, 13.
- regius** Zeus, J. P. Bonnatere, Ency. Méth. (Ich.) 1788, 72.
- [regley→.]
- regleyana** Delphinula, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1832, 202.
- regleyani** Glyphea (Desm.), H. v. Meyer, N. Jahrb. f. Min. 1836, 56.—Palinurus 1—us.
- regleyanus** Palinurus, A. G. Desmarest in Brongniart & D., H. N. Crust. foss. 1822, 132.
- regleysianus** Zeus, de Blainville, N. Dict. H. N., ed. 2, XXVII. 1818, 316.
- regley** Acanus, J. L. R. Agassiz, Poiss. Foss. IV., 5 (1838), 125 (1839). = Zeus regleysianus,  
Blainv.
- regley** Myliobates, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 32 (1835); III., 320 (1843)
- regnardi** Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1844, 257.
- Regnosaurus** G. A. Mantell, Phil. Trans. R. Soc. 1848 (1848), 199.—R.
- regularis** Actinocrinites, W. Hisinger, Lethaea Svecica, Suppl. 2, 1840, 6.
- regularis** Agra, F. Klug, Jahrb. Insectenk. I. 1834, 59.
- regularis** Allorisma, W. King in E. de Verneuil in Murchison, V. & K., Geol. Russia, II.  
Aug. 1845, 298.—Edmondia, King MS.
- regularis** Ammonites, F. de Roissy, Sonnini's Buffon, Moll. V (1805), 26.
- regularis** Anodonta, P. M. A. Morelet, Descr. Moll. Portugal, July 1845, 100.
- regularis** Arca, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 427.
- regularis** Asterias, Bory de St V., Ency. Méth. (Vers) 1824, 140 [*n. et f.*].
- regularis** Astrea, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 293.
- regularis** Belopeltis, L. Voltz, Mém. Soc. H. N. Strasbourg, III (1) 1840, 24.
- regularis** Brachysphenus, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III.
- regularis** Braco, C. Wesmael, N. Mém. Ac. Roy. Brux. XI. 1838, 44. [1848, 579.]
- regularis** Bufo, A. Reuss, Abh. Senckenb. Mus. I (1) 1833, 60.
- regularis** Bythinus, H. M. Schmidt, De Pselaphis Faunae Pragensis, 1836, 28.
- regularis** Cechenus, Steven in G. Fischer v. W., Entom. Imp. Russ. II., *post* Nov. 1824, 50.
- regularis** Cellepora, E. Eichwald, Nat. Lithuaen, 1830, 189.
- regularis** Cellepora, v. Hagenow in H. B. Geinitz, Grundriss Verst. (3) 1846, 619.
- regulare** Cerithium, Melleville, Ann. Sci. Géol. II (2) Feb. 1843, 106.
- regularis** Chrysobothris, Laporte & Gory, H. N. Coléopt. II. 1835-1836, 32.
- regularis** Cidaris, G. v. Muenster, Beitr. zur Petref. (4) 1841, 41.
- regularis** Convexastrea (Klip.), A. d'Orbigny, Note Polyp. foss., Oct. 1849, 9.—Astrea.
- regularis** Corixa, Herrich-S., Wanzenart. Ins. IX (2) Sept. 1850, 57.

- regularis** Crassatella, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 80.
- regularis** Cryptocrinites, L. v. Buch, Arch. f. Min. XV. 1840, 37.
- regularis** Cryptocrinus, v. Buch, Monatsb. k. pr. Ak. Wiss. Berlin, 1840, 60.
- regularis** Cupulospongia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 326.
- regulare** Cyphosoma, L. Agassiz, Cat. Ect. Ech. 1840, 11.
- regularis** Cyprina, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 100.
- regularis** Diphyes, F. J. F. Meyen, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 210.
- regularis** Ellipsocoenia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 175.
- regularis** Enallhelia, A. d'Orbigny, Bull. Soc. géol. France (sér. 2) VII. 1850, 134.
- regularis** Entalophora, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 114.
- regularis** Escharina, A. d'Orbigny, Amér. Mérid. (Zooph.) 1839, 15.
- regularis** Eucalyptocrinus (His.), H. G. Bronn, Index Pal. 1848, 474.—Actinocrinites.
- regularis** Figulus, J. O. Westwood, Entom. Mag. V (3) Ap. 1838, 263.
- regularis** Fusus, J. De C. Sowerby, Min. Conch. V. 1823, 27.—Murex, 1818.
- regularis** Fusus, G. B. Sowerby, I., in C. R. Darwin, Geol. Obs. "Beagle," III. 1846, 258.
- regularis** Glenea, E. Newman, Entomologist (19) May 1842, 302.
- regularis** Globigerina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 162.
- regularis** Goniaster, J. E. Gray (*ex* Seba), Ann. Mag. N. H. VI. Dec. 1840, 280.
- regularis** Goniodiscus, Joh. Mueller & Troschel, Syst. Asterid, 1842, 59.
- regularis** Gorgonia, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 323.
- regularis** Gyraulus, J. D. W. Hartmann, Erd- u. Süsw. Gast. (3, 4) 1841, 97.
- regularis** Harpalus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 206.
- regularis** Hemicidaris (Muenst.), Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846,
- regularis** Hister, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 180. [339.—Cidaris.
- regularis** Hybodus, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 98.
- regularis** Hyperaspis, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 183.
- regularis** Inoceramus, G. v. Muenster, Beitr. zur Petref. (3) 1840, 48.
- regularis** Inoceramus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1846, 516.
- regularis** Leptosia (Huebn.), Herrich-S., Syst. Bearb. Schmett. Europ. II (—) 1850-51, 432.—Noctua.
- regularis** Lima (Kloed.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 175.—
- regularis** Loborhynchus, Meg.; J. Sturm, Catal. Ins. Samml. 1826, 165. [Plagiostoma.
- regularis** Lyperopherus, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 157.
- regularis** Marginulina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 68.
- regularis** Melania, I. Lea, P. Amer. Phil. Soc. II (10) Feb. 1841, 12.
- regularis** Microphisa (Huebn.), Boisduval, Gen. Index Europ. Lepid. 1840, 171.—Noctua.
- regularis** Millericrinus, A. d'Orbigny, H. N. Crinoides (3) May 1841, 88.
- regularis** Montlivaltia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 346.
- regularis** Murchisonia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 70.
- regularis** Murex, J. Sowerby, Min. Conch. II. 1818, 195.
- regularis** Murex, H. E. Anton, Verz. Conch. 1839, 82.
- regularis** Nerinea, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 87.
- regularis** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 128 (Fernaldo iudice 1808-18) [*n. et f.*].
- regularis** Nummulina, L. Ruetimeyer, N. D. Allg. Schweiz. Gesellsch. XI. 1850, 76.
- regularis** Odice, J. Huebner, Verz. bekannt. Schmett. 1825, 258.—Noctua.
- regularis** Odontaspis, C. G. Giebel, Fauna d. Vorwelt, I (3) 1848, 362.
- regularis** Ophiura, H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 225.
- regularis** Ophiusa (Huebn.), F. Ochseneimer, Schmett. Europa, IV. 1816, 94.—Noctua.
- regularis** Orthoceras, H. D. de Blainville, Man. Malac. 1825, 379.
- regularis** Orthoceratites, E. F. v. Schlotheim, Die Petref. 1820, 54.
- regularis** Ostrea, G. P. Deshayes, Traité élém. Conch., Atlas, 1850, 33.
- regularis** Pachygaster, Meg.; Dejean, Catal. Coléopt. 1821, 91 [*n. n.*].
- regularis** Paludina, J. B. Bouillet, Ann. Sci. Auvergne, VIII. 1835, 648.
- regularis** Paludina, I. Lea, P. Amer. Phil. Soc. II (17) Ap. 1841, 34.
- regularis** Panopaea, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 343.

- regularis** Pecten (Schl.), H. G. Bronn, Zschr. Min. 1827, II (1828), 542.—Pectinites.
- regularis** Pectinites, E. F. Schlotheim, Tasch. Min. 1813, 112.
- regularis** Pentagonaster, J. Parkinson, Org. Rem. III. 1811, descr. pl. i.
- regularis** Pentatoma, Herrich-S., Wanzenart. Ins. IX (6) Nov. 1851, 322.
- regularis** Pholadomya (King), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 128.—
- regularis** Phyllocoenia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 206. [Allorisma.
- regularis** Plagiostoma, K. F. Kloeden, Verst. Mark Brandenburg, 1834, 195.
- regularis** Planorbis, P. M. T. de Serres, Mém. Mus. H. N. (Paris) V [1-3] Mar. 1819, 221.
- regularis** Planorbis, I. Lea, P. Amer. Phil. Soc. II (17) Ap. 1841, 32.
- regularis** Platychrus, Stev.; F. A. Kolenati, Melet. Entom. (1) Aug. 1845, 26.
- regularis** Pleurotoma, P. J. van Beneden in L. de Koninck, N. Mém. Ac. Roy. Brux. XI. 1838, 23.
- regularis** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 326, Jan. 1846.
- regularis** Plicatula, R. A. Philippi, Zeitschr. f. Malakozool. (Feb.) [May] 1849, 31.
- regularis** Polymorphina, G. v. Muenster, N. Jahrb. f. Min. 1838, 385.
- regularis** Posidonomya (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 83.—Inoceramus.
- regularis** Pterostichus, G. Fischer v. W., Entom. Imp. Russ. II., *post* Nov. 1824, 123.
- regularis** Quinqueloculina, A. E. Reuss, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 384.
- regularis** Sarcophaga, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 357.
- regularis** Serpula, J. C. Chenu, Illustr. Conch. III (51 & 52) 1845, pl. 10 [*n. et f.*].
- regularis** Tentaculites, Castelnau, Ess. Silur. Amér. sept. 1843, 34.
- regularis** Terebratulites, E. F. Schlotheim, Tasch. Min. 1813, 104.
- regularis** Tethia, G. Michelotti, Spec. Zoophyt. diluv. 1838, 220.
- regularis** Tosia (Park.), J. Morris, Cat. Brit. Foss. 1843, 60.—Pentagonaster.
- regularis** Tribacis, V. v. Mochulski, Kaefer Russl., *post* May 1850, 75.
- regularis** Unio, I. Lea, P. Amer. Phil. Soc. II (19) Oct. 1841, 82.
- regularis** Vincularia, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 110.
- regulbiensis** Volvaria (Jacob), T. Brown, Ill. Conch. G. B. I. 1827, pl. xxxviii, f. 12.—
- reguli** Docophorus, H. Denny, Mon. Anoplur. 1842, 91. [Bulla, 1798.
- reguli** Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 337.—Docophorus.
- Reguloides** E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 442.—A.
- reguloides** Acanthiza, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 226.
- reguloides** Culicivora, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 57.
- reguloides** Euscarthmus, J. Cabanis in J. J. Tschudi, Fauna Peru. (Orn.) 1846, 166.
- reguloides** Geobasileus (Vig.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 32.—Acanthiza.
- reguloides** Phillopneuste, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (*post* Feb.), 191.
- reguloides** Phylloscopus, E. Blyth, J. Asiat. Soc. Bengal, XII. 1843, 963.—Phillopneuste, 1842. [269.
- reguloides** Sylvia, G. Balsamo-C., Giorn. R. Ist. Lomb. e Bibl. Ital., n. s. I (3) Dec. 1847,
- regulorum** Anthropoides (Licht.), E. T. Bennett, Proc. Zool. Soc. London, I (11) Mar. 1834, 118.—Grus.
- regulorum** Balearica (Licht.), G. R. Gray, List Birds Coll. B. M. III. 1844, 75.—Grus.
- regulorum** Grus, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 29 [*n. n.*].
- Regulus** W. Bartram, Trav. Carol. 1791; London ed. 1792, 289 & 290.—A. [*teste* C. W. R.].
- Regulus** L. P. Vieillot, Analyse, 1816, 44.—A.
- Regulus** C. L. Brehm, Beitr. Vogelk. II. 1822, 118.—A.
- Regulus** [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 56.—A.
- regulus** Anaphes, F. Walker (*ex* Haliday MS), Ann. Mag. N. H. XVIII. July 1846, 52.
- regulus** Cotinga, C. P. Thunberg, Mém. Soc. Imp. Nat. Moscou, VI 1823, 179.
- regula** Criorhina (Fall.), J. W. Zetterstedt, Dipt. Scand. II. 1843, 672.—Syrphus.
- regula** Curtisia, J. B. Robineau-D., Ann. Soc. Ent. France [2] VI (4) May 1849, 441.
- regulus** Erycina (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 589.—Hesperia, 1793.
- regulus** Gryllus, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [*i.e.* Ap. 1826], 456.

- regulus** Guiraca (Shaw), G. R. Gray, Gen. Birds, II. June 1844, 357.—Loxia, 1796.  
**regulus** Hypotriorchis (Pall.), F. Boie, Isis (Oken), 1828, 314.—Falco, 1773.  
**regulus** Laertias (Stoll), J. Huebner, Verz. bekannt. Schmett. [1820], 84.—Papilio, 1790.  
**regulus** Loxia, G. Shaw, Mus. Lever. II. 1796, 47 [*teste* R. B. S.].  
**regulus** Loxia, W. Turton, Linnaeus, Syst. Nat. I. 1802, 528.  
**regulus** Mellisuga (Gould), G. R. Gray, Gen. Birds, I. Dec. 1848, 113.—Trochilus.  
**regulus** Muscicapa, R. P. Lesson, Rev. Zool. (Soc. Cuv.) Ap. 1839, 104.  
**regulus** Oreaster, Valenciennes in Joh. Mueller & Troschel, Syst. Asterid. 1842, 51.  
**regulus** Papilio (Fab.), E. Donovan, Ins. India, 1803.—Hesperia, 1793.  
**regulus** Petraia, R. Richter, Beitr. Pal. Thüringer Wald. 1848, 38.  
**regulus** Philomela (Bechst.), H. F. Link, Beschr. Nat. Samml. Univ. Rostock (1) 1806, 33.—Sylvia, ? Scop. 1769.  
**regulus** Psittacus, G. Shaw, Gen. Zool. (Aves) VIII (2) 1812, 453.  
**regulus** Regulus (L.), G. Cuvier, R. Anim. I. 1817, 369.—Motacilla, 1758.  
**regulus** Sylvia (L.), A. Wilson, Amer. Ornith. I. 1808, 126.—Motacilla, 1758.  
**regulus** Sylvicola, F. H. Kittlitz in Litke, Voy. Monde, III. 1836, 267 [*n. n.*].  
**regulus** Syrphus, C. F. Fallen, Suppl. Dipter. Sveciae (2) 1826, 9.  
**regulus** Trochilus, J. Rennie in White, Selborne, 1833, 443; Time's Telescope, 1833, 24.  
**regulus** Trochilus (Lophornis), J. Gould, Proc. Zool. Soc. London, XIV (164) Nov. 1846.  
**regulus** Tyrannulus, K. Tyzenhaus, Orn. powsz. I. 1843, 405. [89.]  
**rehmanni** Eryon, H. v. Meyer, N. Jahrb. f. Min. 1838, 415 [*n. n.*].  
**rehmanni** Hydrophilus, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 53.  
[reiche→.]  
**reichei** Agabus, C. Aubé in Dejean & Boisduval, Icon. Coléopt. V. 1838, 138.  
**reichei** Agonosoma, M. Spinola, Ess. Ins. Hémipt. 1837, 361.  
**reichei** Agrilus, Gory in Laporte & G., H. N. Coléopt. IV. 1841, 263.  
**reichei** Atholopa, M. Spinola, Ess. mon. Clérites, I. 1844, 383.  
**reichii** Athyreus, J. O. Westwood, Tr. Linn. Soc. London, XX (3) 1851, 465.  
**reichii** Avicula (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 168.—Gervillia.  
**reichei** Bembidium, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 415.  
**reichii** Bolboceras, F. E. Guérin-M., Ins. de la "Favorite" in Magasin de Zool. VIII. 1838.  
**reichei** Brenthus, Chevrolat, Rev. Zool. (Soc. Cuv.) II. June 1839, 178. [50]  
**reichei** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1837, 25.  
**reichei** Callisthenes, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) V. Sept. 1842, 271.  
**reichei** Carabus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) II. Oct. 1839, 297.  
**reichei** Ceocephalus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 514.  
**reichii** Cephax, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 175.  
**reich** Cetonia, Gory & Percheron, Mon. Cétoines (1) 1833, 58; (8) 1835, 210.  
**reichei** Cicindela, Dejean in Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 689.  
**reichei** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844.  
**reichei** Cybister, C. Aubé, Spec. gén. Hydroc. 1838, 79. [303.]  
**reichii** Dasystemna, P. Rambur, Ann. Soc. Ent. France [2] I (4) Mar. 1844, 332.  
**reichei** Diphucrania, A. Chevrolat, Revue Entom. V (2) c. Sept. 1838, 82.  
**reichei** Dorcus, F. W. Hope, Ann. Mag. Nat. Hist. XII (78) Nov. 1843, 364.  
**reichei** Eburiphora, M. Spinola, Ess. mon. Clérites, I. 1844, 291.  
**reichei** Enhydrus, C. Aubé, Spec. gén. Hydroc. 1838, 654.  
**reichei** Episcapha, E. Desmarest in Vaillant, Voy. "Bonite," Zool. I. 1842, 327.  
**reichei** Erotylus (Guér.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 431.—Erot. (Zonarius).  
**reichei** Erotylus (Zonarius), F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. Ap. 1841, 117.  
**reichei** Eurygenius, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (5) 1849, 2 ["Mon. Anth." *poster. edit.*].  
**reichii** Gervillia, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 64.  
**reichii** Lasiadora, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 73.—Mygale, 1841.  
**reichii** Lucina, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 73.  
**reichei** Lycomedes, Brême, Ann. Soc. Ent. France [2] II (3) Jan. 1845, 299.  
**reichii** Melaphorus, F. E. Guérin, Classif. Mélasom. in Magasin de Zool. IV. 1834, 13.  
**reichii** Micronyx, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 426.

- reichii** Moluris, A. J. J. Solier, Mem. R. Acc. Sci. Torino [2] VI. 1844, 279.
- reichii** Mygale, C. L. Koch, Die Arachniden, IX (2) *post* May 1841, 30.
- reichii** Nebria, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 173.
- reichii** Neda, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 285.
- reichei** Pholidotus, F. W. Hope, Tr. Entom. Soc. Lond. IV (3) 1846, 182.
- reichei** Pholidotus, F. W. Hope, Jl. Proc. Entom. Soc. Lond., no. 6, 1843, 95 & 209.
- reichii** Piesarthrius, J. O. Westwood, Tr. Entom. Soc. Lond. III (2) Sept. 1842, 71.
- reichii** Poecilus, J. Waltl, Reise Tyrol etc. (2) 1835, 54.
- reichei** Priocera, M. Spinola, Ess. mon. Clérites, I. 1844, 121.
- reichei** Pristilophus, E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 85.
- reichei** Pterohelaeus, F. de Brême, Ess. Cossyph. (1) 1842, 35.
- reichei** Pyria, M. Spinola, Ann. Soc. Ent. France, VII (4) *post* Jan. 1839, 448.
- reichei** Raptor (Guér.), J. Gistel, Nat. Thierr. 1848, p. ix.—Melaphorus.
- reichei** Rhipicera, F. E. Guérin-M., Spec. et Icon. Anim. artic. (1) 1843, 5.
- reichei** Sericoides, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) II. Oct. 1839, 301.
- reichei** Serriger, M. Spinola, Ess. mon. Clérites, I. 1844, 171.
- reichei** Smicronyx (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 314.—  
Micronyx.
- reichei** Stigmodera, Laporte & Gory, H. N. Coléopt. II. 1837, 13.
- reichei** Synthocus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 411.
- reichei** Tauroma, C. H. Boheman, Mon. Cassid. I. 1850, 124.
- reichii** Tellina, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 74.
- reichii** Tentyria, W. Besser, N. Mém. Soc. Imp. Nat. Moscou, II. 1832, 14.
- reichii** Thracia (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 234.—Tellina.
- reichii** Trachyderes, H. Dupont, Mon. Trachyd. in Magasin de Zool. VI. 1836, 31.
- reichii** Trochus, H. B. Geinitz, Char. Schicht. sächs.-böhm. Kreidegeb. (2) 1840, 47.
- reichei** Xylotretus, M. Spinola, Ess. mon. Clérites, I. 1844, 155.
- reichei** Zophosis, Guérin-M. in Lefebvre, Voy. Abyssin. VI. 1849, 319.
- reichelii** Phytocoris, F. X. Fieber, Beitr. ges. Nat. Heilwiss. I. 1836, 103.
- reichenbachii** Euplectus, W. E. Leach, Zool. Miscell. III. 1817, 82.
- reichenbachi** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 115.
- reichenbachi** Lima, H. B. Geinitz, Char. Schicht. sächs.-böhm. Kreidegeb. (1) 1839, 24.
- reichenbachii** Odontopleura, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 151.
- reichenbachii** Ophonus, J. Sturm, Catal. Ins. Samml. 1826, 179 [*n. n.*].
- reichenbachii** Phamismus, C. Aubé, Ann. Soc. Ent. France [2] II (1) June 1844, 95.
- reichenbachii** Ptyopteryx, F. A. Kolenati, Entom. Zeitung, Stettin, IX (1) Jan. 1848, 19.
- Reichenbachia** W. E. Leach, Zool. Journ. II (8) Jan. [*i. e.* Ap.] 1826, 451.—Col.
- reidi** Cratosomus (Kirby), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 2.—Rhy-
- reidi** Rynchaenus, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 435. [chaenus.
- reidur** Salmo, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 156.
- reinaudii** Amphion, H. M. Edwards, Ann. Soc. Ent. France, I (4) c. Jan. 1833, pl. xii.  
[reinecke→.]
- reineckii** Ammonites, F. Holl, Handb. Petref. II. 1829, 210.
- reinecki** Nautilus, A. Risso, H. N. Europe, IV. 1826, 10.
- reineckianus** Ammonites, F. A. Quenstedt, Floezgeb. Wuertemb. 1843, 442.
- reinga** Helix, L. Pfeiffer, Symb. Helic. III. 1846, 73.
- reinhardi** Dasypogon, C. R. W. Wiedemann, Anal. Entom. 1824, 27.
- reinhardii** Dioctria, C. R. W. Wiedemann, Zoologisches Magazin, I (2) 1818, 37.
- reinhardi** Photis, H. Krøyer, Naturhist. Tidsskrift, IV (2) 1842, 155.
- reinhardi** Praniza, H. Krøyer, Afhandl. K. Danske Vid. Selsk. VII. 1838, 301.
- reinhardi** Tephritis, C. R. W. Wiedemann, Anal. Entom. 1824, 54.
- reinhardi** Tetrao, C. L. Brehm, Lehrb. Nat. europ. Vögel, II. 1824, 986.
- reinhardi** *v. et reinhardti*.
- reinhardti** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 675.
- reinhardti** Furcularia, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834],  
[reinhardti *v. et reinhardi*.] [208.
- renierius** Trochus, A. Risso, H. N. Europe, IV. 1826, 128 [renierius].
- reinwardi** *v. reinwardti*.



[reinwardt→.]

- reinwardii** Apaloderma, W. Swainson, N. H. Classif. Birds, II. June 1837, 337.  
**reinwardii** Aviceda (T. & M.), De Lafresnaye, Rev. Zool. (Soc. Cuv.) IX. Ap. 1846, 129.—Falco (Lophotes).  
**reinwardtii** Baza (Muell.), E. Blyth, J. Asiat. Soc. Bengal, XIX. 1850, 325.—Falco.  
**reinwardtsi** Columba, C. J. Temminck in T. & Laugier, Pls. color. (42) Jan. 1824.  
**reinwardii** Crateropus, W. Swainson, Zool. Illust. (2) II (17) — 1831, pl. 80.  
**reinwardtii** Crateropus, W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [i.e. Feb. 1832], 488.  
**reinwardtii** Delphinus, H. Schlegel, Abh. gebiete Zool. (1) 1841, 27.  
**reinwardtii** Falco (Lophotes), Schlegel & Mueller in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Aves) 1845, 35.  
**reinwardii** Garrulax (Sw.), E. Blyth, J. Asiat. Soc. Bengal, XII. 1843, 949.—Crateropus.  
**reinwardti** Hamadryas, J. C. Mikan, Del. Bras. (2) 1822 [teste C. W. R.].  
**reinwardtii** Harpactes (Temm.), G. R. Gray, Gen. Birds, I. Ap. 1845, 71.—Trogon.  
**reinwardtii** Homalopsis, H. Schlegel, Essai phys. Serp. 1837, I., 173; II., 357.  
**reinwardtii** Hydrops (Schl.), J. E. Gray, Zool. Miscell. (Gray) (4) May 1842, 68.—Homa-  
**reinwardtii** Hyla, H. Schlegel, Abb. Amph. (3) 1844, 105. [lopsis].  
**reinwardtii** [Hypsiboas], J. Wagler, Nat. Syst. Amph. 1830, 200.  
**reinwardtii** Laphria, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 503.  
**reinwardtii** Limopsis, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 397.  
**reinwardii** Macropygia (Temm.), W. Swainson, N. H. Classif. Birds, II. June 1837, 349.—Columba r—dtsi.  
**reinwardtii** Macropygia (Temm.), G. R. Gray, Gen. Birds, II. Sept. 1844, 471.—Columba  
**reinwardtii** Megapodius, J. Wagler, Syst. Avium, I. 1827, sign. 252. [r—dtsi].  
**rheinwardtii** Milesia, C. R. W. Wiedemann, Anal. Entom. 1824, 33.  
**reinwardtii** Pentremites, G. Troost, Trans. Geol. Soc. Pennsylv. I (2) 1835, 224.  
**reinwardtii** Phasma (Cyphocrania), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 130.  
**reinwardtii** Porpita, W. de Haan, Bijdr. Nat. Wetensch. II (1) 1827, 493.  
**reinwardtii** Pteroglossus, J. Wagler, Syst. Avium, I. 1827, sign. 111.  
**reinwardti** Rhacophorus, Kuhl & v. Hasselt, Algem. Konst. Letter-Bode, 1822 (7) Feb.  
**rheinwardti** Rhacophorus, Kuhl & v. Hasselt, Isis (Oken), 1822, 476 [n. n.]. [1822, 104.  
**reinwardti** Selenidera (Wagl.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 95.—Pteroglossus.  
**reinwardtii** Tabanus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 130.  
**reinwardtii** Tachina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 315.  
**reinwardtii** Trogon, C. J. Temminck in T. & Laugier, Pls. color. (21) Ap. 1822; (63) Nov. 1825.  
**reinwardtii** Trogon (Apaloderma), Temm.; J. Gould, Mon. Trogonidae, 1838, List of plates, no. 27.  
**reinwardtianus** Morpho, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) VII. Mar. 1821, 278.  
**reipublicae** v. **respublicae**.  
**reisingeri** Coregonus, Cuvier & Valenc., H. N. Poiss. XXI. 1848, 496.  
**reissigii** Pimpla, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 89.  
**Reithrodon** G. R. Waterhouse, Proc. Zool. Soc. London, V (50) Nov. 1837, 29.—M.  
**rejecta** Apate, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 65.  
**rejecta** Centropia, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. IV. 1832, 18.  
**rejecta** Noctua, G. Fischer v. W., Entom. Imp. Russ. I (Ent. Ruthen.) post May 1822, 197.  
**rejecta** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 314.  
**rejecta** Polistes, J. C. Fabricius, Syst. Piezat. 1804, 280.—Vespa, 1798.  
**relator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 264.  
**relata** Aphis, F. Walker, The Zoologist, VII. 1849, App., p. xliv.  
**relevata** Cernuella, F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 6.  
**relictata** Acidalia, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 960.  
**relictus** Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840, 324.  
**relicta** Chrysomela, J. C. Fabricius, Syst. Eleuth. I. 1801, 448.  
**relictus** Chrysops, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 69.

- relictus** Chrysops, J. Duncan, Mag. Zool. Bot. I (5) Feb. 1837, 455.
- relictus** Dolichopus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 77.
- relicta** Feronia, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 387.
- relicta** Flata, J. C. Fabricius, Syst. Rhyng. 1803, 52.
- relicta** Galleruca, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 557.
- relicta** Haltica (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 305.—Chrysomela.
- relictus** Ichneumon (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 262.—Ophion, 1798.
- relicta** Scaeva, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 603.
- relictus** Scarabaeus, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 194.
- relicta** Tenthredo, Le Peletier, Mon. Tenthred. 1823, 133.
- religata** Phloeopora, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 79.
- religiosae** Apate, L. Fairmaire, Rev. et Mag. de Zool. (2) II. Jan. 1850, 50.
- religiosae** Bombyx, T. W. Helfer, J. Asiat. Soc. Bengal, VI. 1837, 41.
- religiosa** Anas, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802],
- religiosa** Apate, Dejean, Catal. Coléopt. 1821, 101 [*n. n.*]. [309.]
- religiosa** Chlorima, Sturm; Dejean, Catal. Coléopt. 1821, 92 [*n. n.*].
- religiosa** Crocidura (I. Geoff.), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 92.—Sorex.
- religiosus** Curculio, A. G. Olivier, Entom. V. 1807, 302.
- religiosa** Eulabes (L.), G. Cuvier, R. Anim. I. 1817, 402.—Gracula, 1758.
- religiosa** Ibis, G. Cuvier, R. Anim. I. 1817, 483.
- religiosa** Maina, B. H. Hodgson, J. Asiat. Soc. Bengal, V. 1836 (1837), 771 [*n. n.*].
- religiosus** Myctis, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 12.
- religiosus** Palmon, J. O. Westwood, Ann. Mag. Nat. Hist. XVI (105) Oct. 1845, 278.
- religiosa** Scaphigena, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 548.
- religiosus** Sorex, I. Geoffroy St H., Dict. Class. H. N. XI. Feb. 1827, 323.
- reliquana** Asthenia, J. Huebner, Verz. bekannt. Schmett. 1826, 381.
- reliquana** Cochylis (Huebner.), F. Treitschke, Schmett. Europa, X (3) 1835, 146.—Asthenia.
- reliquana** Lobesia (Huebner.), A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 297.—Asthenia.
- reliquana** Syricoris (Huebner.), F. Treitschke, Schmett. Europa, VII. 1829, 230.—Asthenia.
- reliquella** Opostega, P. C. Zeller, Linnaea Entom. III. Ap. 1848, 282.
- reliquus** Crotalus?, A. Eaton, Amer. J. Sci. XX (1) Ap. 1831, 122 [= *plantae carbonif.*].
- relucens** Aranea, P. A. Latreille, Sonnini's Buffon, Ins. VII (1804), 225.
- relucens** Chrysomela, W. G. Rosenhauer, Beitr. Ins. Faun. Europ. 1847, 62.
- relucens** Drassus, P. A. Latreille, Gen. Crust. Ins. I., *post* July 1806, 88.—Aranea, 1804.
- relucens** Formica, P. A. Latreille, H. N. Fourmis, etc., May 1802, 131.
- relucens** Gama, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 118.
- relucens** Popillia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 199.
- relucens** Staphylinus, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 101.
- relucens** Stenolophus, W. F. Erichson, Arch. f. Naturg. IX (1) 1843, 216.
- reluctator** Cryptus (L.), J. C. Fabricius, Syst. Piezat. 1804, 79.—Ichneumon, 1758.
- reluctator** Echthrus (L.), J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 863.—Ichneumon, 1758.
- reluctator** Tryphon (L.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 383.—Ichneumon, 1758.
- rembda** Ammonites, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 111.
- Rembus** Latr. in Cuv., Règne Anim. IV. 1817.—Carab.; *ex* Agassiz. = *errore* [*teste* An-
- Rembus** E. F. Germar, Ins. spec. novae, I. 1824, 378.—Col. [drewes].
- Rembus** P. A. Latreille; Dejean, Spec. gén. Coléopt. II. 1826, 380.—Col.
- remensis** Panopaea, Melleville, Ann. Sci. Géol. II (1) 1843, pl. 1 [*teste* A. d'O.].
- remensis** Panopaea, Melleville, Ann. Sci. Géol. II (2) Feb. 1843, 78.
- remex** Falco, J. Wilkes, Ency. Londin. VII. 1805, 174.
- remiensis** Auricula, De Boissy, Mém. Soc. géol. France (2) III (1) 1848, 281.
- remiensis** Pupa, De Boissy, Mém. Soc. géol. France (2) III (1) 1848, 276.
- remifer** Bhringa (Temm.), G. R. Gray, Gen. Birds, I. Ap. 1845, 287.—Edolius.
- remifer** Bringa (Temm.), G. R. Gray, Cat. Hodgson Coll. B. M. 1846, 99.—Edolius.

- remifera** Cidaris, G. v. Muenster, Beitr. zur Petref. (4) 1841, 43.
- remifer** Dicrurus (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 140.—Edolius.
- remifer** Edolius, C. J. Temminck in T. & Laugier, Pls. color. (30) Jan. 1823.
- remifer** Hydrogale (Geoff.), J. J. Kaup, Skizz. Europ. Thierw. 1829, 123.—Sorex.
- remifer** Melisseus (Bringa), B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 84 [*n. n.*].
- remifer** Sorex, E. Geoffroy, Ann. Mus. H. N. (Paris) XVII (99–100) July 1811, 182.
- remiformis** Cidarites, G. v. Muenster, Beitr. zur Petref. (1) 1839, 106 [*n. n.*].
- remigans** Boeonidium, M. Perty, Mitth. Nat. Ges. Bern, 1849, 171.
- remigatus** Epeolus (Fab.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 104.—
- remigata** Melecta, J. C. Fabricius, Syst. Piezat. 1804, 387. [Melecta.]
- remigis** Gerris, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.
- remimanus** Mecochirus (Pterochirus), v. Muenster in H. G. Bronn, Lethaea Geogn. I (5)
- Remipes** P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 126.—Cr. [1836, 477.]
- remipes** Culex, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 573.
- remipes** Dolichopus, P. F. Wahlberg, K. Vet. Ac. Handl. 1838 (1839), 13.
- remipes** Eurypterus, J. E. De Kay, Ann. Lyceum N. H. New York, I (12) Jan. 1826, 375.
- remipes** Gymnetrus (Brunn.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 482.—Regalecus, 1788.
- remipes** Petascelis, V. Signoret, Ann. Soc. Ent. France [2] V (2) Aug. 1847, 302.
- remipes** Trachypterus (Brunn.), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 79.—Regalecus, 1788.
- remissella** Gelechia, P. C. Zeller, Isis (Oken), 1847, 854.
- remissa** Astrapetis, J. Huebner, Verz. bekannt. Schmett. [1822], 219.
- remissa** Hadena (Huebn.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 72.—Noctua.
- remissus** Liopus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 146.
- remissa** Noctua, J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 192.
- remissa** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 90 (Fernaldo judice 1808)
- Remiz** F. P. R. Jarocki, Spis Ptakow Gab. zool. Warsz. Univ. 1819, 21.—A. [*n. et f.*].
- Remopleurides** J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 254.—Cr.
- remora** Rotalia, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1843, 272.
- remossii** Paludina, Benson, R. A. Philippi, Abb. Conch. II (5) 1846, 134.
- remote-lineata** Pleurotoma, H. B. Geinitz, Char. Schicht. sächs.-böhm. Kreidegeb. (3) 1842, 70.
- remotella** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1619.
- remotepunctatus** Sitophilus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 979.
- remotiseptum** Ormoceras, J. Hall, 3 Ann. Rep. State Cab. N. H. (New York) 1850, 173.
- remotestriata** Amara, Eschscholtz in Dejean, Spec. gén. Coléopt. III. 1828, 473.
- remota** Amara, Esch.; J. Sturm, Catal. Ins. Samml. 1826, 91.
- remotus** Carabus, T. Marsham, Coleopt. Brit., Sept. 1802, 473.
- remota** Celia (Esch.), C. Zimmermann, Faunus, I (1) 1832, 27.—? Amara.
- remota** Coccinella, F. Weber, Obs. Ent. 1801, 49.
- remotus** Dolichopus, F. Walker, List. Dipt. Coll. B. M. (3) 1849, 666.
- remota** Drosophila, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1111.
- remotus** Fusus, H. E. Anton, Verz. Conch. 1839, 77.
- remota** Limnobia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 43.
- remota** Ornithomyia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1144.
- remotus** Orthoceratites, R. Richter, Beitr. Pal. Thüringer Wald. 1848, 26.
- remota** Paropsis, E. F. Germar, Linnaea Entom. III. Ap. 1848, 234.
- remotum** Platyterma, F. Walker, Entom. Mag. II (4) Oct. 1834, 342.
- remotus** Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 114.—Platyterma,
- remotus** Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 177. [1834.]
- remota** Tipula, F. Walker, List Dipt. Coll. B. M. (1) 1848, 73.
- remota** Trioza, A. Foerster, Verh. nat. Ver. pr. Rheinl. V. 1848, 83.
- Remphan** G. R. Waterhouse, Tr. Entom. Soc. Lond. I (2) Oct. 1835, 67.—Col.
- remulia** Coenonympha (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (App.) 1848, 32.—Papilio, 1779.

- remulia** Satyrus (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 501.—Papilio, 1779.
- remulus** Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 239.
- remuria** Musca, F. Walker, List Dipt. Coll. B. M. (4) 1849, 871.
- Remus** F. Holme, Tr. Entom. Soc. Lond. II (1) Feb. 1838, 64.—Col.
- remus** Ornithoptera (Fab.), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 176.—Papilio, 1777.
- remus** Troides (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 88.—Papilio, 1782.
- remutaria** Acidalia (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1830, 98.—Geometra, 1796.
- remutaria** Asthena (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 310.—Phalaena remutata, 1758.
- remutaria** Idaea (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 446.—Geometra, 1796.
- remutata** Acidalia (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. III.) July 1831, 312.—Phalaena, 1758. [L. 1758.]
- remutata** Idaea (D. & S.), F. Treitschke, Schmett. Europa, VI (2) 1828, 273.—Phalaena,
- remutata** Ptychopoda (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Phalaena, 1758.
- remyana** Grapholitha, V. Kollar, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. ren Phorcynia, L. Oken, Lehrb. Nat. III (1) 1815, 120. [Wien] II. 1832, 83.
- renago** Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 238.—renata, Fab. 1794.
- renalduis** Anteros (Stoll), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 4.—Papilio, 1790.
- renalduis** Proteides (Stoll), J. Huebner, Verz. bekannt. Schmett. [1820], 105.—Papilio,
- renalis** Fusaria, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 116. [1790.]
- renalis** Nereis, G. Johnston, Ann. Nat. Hist. V. May 1840, 176.
- renalis** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 182 (Fernaldo judice 1834-41)
- renalis** Phryganea, F. v. P. Schrank, F. Boica, II (2) 1802, 180. [[n. et f.].
- renalis** Pleurotrocha, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1840, 218.
- renalis** Pyralis, J. Huebner, Europ. Schmett., Tab. Pyralis, 24 (Fernaldo judice 1811-18)
- renalis** Synaphe, J. Huebner, Verz. bekannt. Schmett. 1826, 347.—Pyralis. [[n. et f.].
- renale** Tetrastoma, S. d. Chiaje, Elminth. umana, ed. 2, 1833, 13.
- renardii** Baridius, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847, 563.
- renardi** Carabus, M. de Chaudoir, Enum. Carab. 1846, 83.
- renardi** Cerithium, Rouillier & Vosinsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (2) 1849, 378.
- renardi** Cleonus, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (2) 1848, 344.
- renardii** Leptura, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (2) 1848, 420.
- renardi** Plusia, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3) 1844, 595.
- renatus** Erycina (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 582.—Papilio, 1787.
- renatus** Papilio, J. C. Fabricius, Mant. Ins. II. 1787, 31 [? = Cram.].
- renata** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 320.
- renatus** Salmo, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 157.
- renaudana** Mictopsichia (Stoll), J. Heubner, Verz. bekannt. Schmett. 1826, 374.—Phalaena renaudalis, 1787.
- renaudi** Catopygus, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. III. 1839, 51.
- renaudi** Nucleolites, Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 155.—Catopygus, [renaux→.] [1839.]
- renouxii** Micraster, Deshayes in Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 23.
- renauxii** Styliina, H. Michelin, Icon. Zoophyt. (2) 1841, 24. [1847, 23.]
- renauxii** Tellina, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 143; Rep. trav. Soc. stat. Marseille, VI., 215.
- renauxiana** Acteonella, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 108.
- renauxianus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1840, 113.
- renauxianus** Ancyloceras, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 499.
- renauxiana** Arca, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 164; Rep. trav. Soc. stat. Marseille, VI., 236.
- renauxianum** Cerithium, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 373.

- renauxiana** Cryptocoenia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 205.  
**renauxianus** Fusus, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 339.  
**renauxiana** Gervillia, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 172; Rep. trav. Soc. stat. Marseille, VI., 244.
- renauxiana** Isocardia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 196.  
**renauxiana** Lima, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 183; Rep. trav. Soc. stat. Marseille, VI., 255.
- renauxiana** Meandrina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 208.  
**renauxiana** Nerilopsis (*sic*), A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 175.  
**renauxiana** Nerinea, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1842, 76.  
**renauxiana** Nucula, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 179.  
**renauxianus** Pectunculus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 191.  
**renauxiana** Pinna, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 252.  
**renauxiana** Rhynchonella, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1848, 23.  
**renauxianus** Spondylus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 659.  
**renauxiana** Synastrea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 206.  
**renauxianus** Turbo, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 225.  
**renauxiana** Turritella, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1842, 41.  
**renauxiana** Venus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 194.  
**renauxiana** Voluta, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 326.
- rendallii** Numida, W. Ogilby, Proc. Zool. Soc. London, III (31) Oct. 1835, 103.  
**rendschmidtii** Abax, Hartlieb in H. C. Kuester, Käfer Europas, IX. 1847, 10.  
**rendschmidtii** Beris, Schummel, Uebers. Arb. schles. Ges. 1834 (1835), 90 [*n. n.*].  
**rendschmidtii** Feronia, E. F. Germar, Fauna Ins. Europ. (21) 1839, 2.
- renggeri** Conorhinus, Herrich-S., Wanzenart. Ins. VIII (4) June 1846, 71.  
**renggerii** Empicoris, Herrich-S., Wanzenart. Ins. VII (3) Jan. 1844, 45.  
**renggeri** Hesperomys (Waterh.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1843,  
**renggeri** Megalostylus, Labram & Imhoff, Gen. Curcul. II (18) 1849, 61. [518.—Mus.  
**renggeri** Microtherium, H. v. Meyer, N. Jahrb. f. Min. 1837, 557.  
**renggeri** Mus, G. R. Waterhouse, Zool. "Beagle" (Mamm. 1839), 51.
- rengus** Erebus, P. Poey, Cent. Lepidopt. Cuba (1) Ap. 1832.  
**reniculus** Modiola, W. Dunker, Palaeontographica, I (4) May 1848, 178.
- Reniella** W. Swainson, Treat. Malacol., May 1840, 386.—L.
- Reniera** G. D. Nardo, Prosp. Fauna mar. Veneto, 1847, 3.—Sp. [? *non* 1833 *q.* Rayneria  
**renierii** Botryllus, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 367. [*est*].  
**renieri** Buccinum, C. Des Moulins, Actes Soc. Linn. Bordeaux, XII (39 = 60) 1842, 183.  
**renierii** Erycina, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 598.  
**renierii** Fusus, A. J. Michelotti, N. Jahrb. f. Min. 1846, 55 [*n. n.*].  
**renieri** Fusus, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III  
(2) 1847, 283.
- renieri** Pleurotoma, A. Scacchi, Ann. Civ. Reg. Due Sicilie, VII. 1835, 9.  
**renierii** Polycyclus, Lamarck, Mém. Mus. H. N. (Paris) I [4] *post* Oct. 1815, 340.  
**renierii** Terebratula, T. A. Catullo, Giorn. di Fisica, &c. (2) IX. 1826, 289.  
**renierii** Turritella, G. Michelotti, Ann. Sci. Lomb.-Ven. X. 1840, 141.  
**renieri** Venus, G. Michelotti, Ann. Sci. Lomb.-Ven. IX. 1839, 165.
- Renieria** Girard, 1848; *sed* 1853 *est*.  
[**renierius** *v.* **reinierius**.]
- renifer** Cryptohypnus, J. L. Leconte in Agassiz, Lake Superior, 1850, 227 [*n. n.*].  
**renifera** Haemerosia, Boisduval, Gen. Index Europ. Lepid. 1840, 164.
- reniformis** Ammonites, F. de Roissy, Sonnini's Buffon, Moll. V (1805), 21. [1825.  
**reniformis** Atrypa, J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 10.—Terebratula,  
**reniformis** Atrypa (Ph.), F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 18.—  
Terebratula, ? Sow.
- reniformis** Boltenia, W. S. Macleay, Tr. Linn. Soc. London, XIV (3) 1825, 536.  
**reniformis** Chondrosia, G. D. Nardo, Atti R. Ist. Veneto, VI. 1847, 272.  
**reniformis** Coccus, P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 389.  
**reniformis** Cristellaria, A. d'Orbigny, Foram. foss. Vienne, Sept. 1845, 88.  
**reniforme** Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 32.

- reniformis** Cypridina, A. E. Reuss, Naturw. Abhandl. (Haidinger) III (1) 1850, 71.
- reniformis** Cypris, A. E. Férussac, Ann. Mus. H. N. (Paris) VII (39) Feb. 1806, 215.
- reniformis** Cythere, W. Baird, Hist. Berwickshire Nat. Club, I (3) [1836], 98.
- reniformis** Cythere, J. Bosquet, Mém. Soc. R. Sci. Liège, IV., *post* Aug. 1847, 356.
- reniformis** Damon (L.), C. L. Koch, Uebers. Arachnidensyst. V. 1850, 81.—Phalangium,
- reniformis** Exogyra, G. A. Goldfuss, Petref. German. II (4) 1833, 34. [1758.]
- reniformis** Globites (Brug.), W. de Haan, Mon. Ammon. 1825, 149.—Ammonites, 1789.
- reniformis** Gryphaea (Goldf.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VII. Jan. 1836, 211.—Exogyra.
- reniformis** Mitylus (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 282.—
- reniformis** Modiola, J. Sowerby, Min. Conch. III. 1818, 20. [Modiola.]
- reniformis** Odynerus, C. Wesmael, Mon. Odyn. Belg. 1833, 1.
- reniformis** Ostrea, Muenster in G. A. Goldfuss, Petref. German. II (4) 1833, 20.
- reniformis** Pentadia, J. D. Dana, Amer. J. Sci. (2) IV (10) July 1847, 152.
- reniformis** Phrynus (L.), Lamarck, Syst. Anim. 1801, 175.—Phalangium, 1758.
- reniformis** Plicatula, Lamarck, An. s. vert. VI (1) 1819, 185.
- reniformis** Sabella (Br.), Cuvier, Dict. Sci. Nat. (ed. 1) II. 1804, 82.—Amphitrite, 1789.
- reniformis** Scaphites, S. G. Morton, Amer. J. Sci. XXIII (2) Jan. 1833, 291.
- reniformis** Spirographis, L. Oken, Lehrb. Nat. III (1) 1815, 381.
- reniformis** Terebratula, J. De C. Sowerby, Min. Conch. V. 1825, 154.
- reniformis** Unio, Schmidt in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (2) Aug. 1835, 21, & (3) Mar. 1836, 31.
- renigera** Agrotis (Huebner), F. Ochseneimer, Schmett. Europa, IV. 1816, 67.—Noctua.
- renigera** Celaena, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 41 [*n. n.*]; & Ill. Brit. Ent. (Haust. III.) July 1829, 16.
- renigera** Chera, J. Huebner, Verz. bekannt. Schmett. [1822], 211. [129.—Noctua.]
- renigera** Graphiphora (Huebner), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Ap. 1827,
- renigera** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 82 (Fernaldo judice 1802-08) [*n. et f.*].
- renigera** Noctua, J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 170.
- renigera** Spaelotis (Huebner), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 279.—
- Renilla** Lamarck, An. s. vert. II. 1816, 428.—? Coel. [Noctua.]
- renimacula** Odynerus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
- reniplagiata** Coelophora, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 392. [654.]
- renipustulatus** Chilocorus (Ill.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 18.—Coccinella, Scr. 1791.
- renitens** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 154 (Fernaldo judice 1826-33) [*n. et f.*].
- renitidata** Geometra, J. Huebner, Samml. europ. Schmett. (Geom.), Tab. 94 [Fernaldo judice 1808-18].
- renitidata** Gypsochroa, J. Huebner, Verz. bekannt. Schmett. 1826, 337.—Geometra, 1818.
- renitidata** Minoa (Huebner), E. Eversmann, Lepidopt. Volgo-Ural. 1844, 435.—Geometra,
- renkina** Taenia, F. v. P. Schrank, F. Boica, III (2) 1803, 242. [1818.]
- Renoidea** T. Brown, Ill. Conch. G. B. I. 1827, pl. i, f. 14.—Rh.
- renosa** Anereuthina, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 23.
- renouxi** *v.* **renauxi**.
- renovator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 257.
- renovatus** Hippurites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 258.
- renovatus** Hyppurites, E. F. v. Schlotheim, Die Petref. 1820, 354.
- renovi** Delphinus, Laurillard, Dict. Univ. Hist. Nat. IV. 1844, 634.
- renularia** Geometra, J. Huebner, Europ. Schmett., Tab. Geom., 64 (Fernaldo judice 1800-08) [*n. et f.*].
- renularia** Lomographa, J. Huebner, Verz. bekannt. Schmett. 1826, 311.—Geometra.
- renulata** Lucina, Lamarck, Ann. Mus. H. N. (Paris) VII (39) Feb. 1806, 240.
- Renulina** Lamarck, Ann. Mus. H. N. (Paris) V (29) Jan. 1805, 353.—Rh.
- Renulina** de Blainville, Man. Malac. 1825, 371.—Moll. [*teste* Scudder, Suppl. List, 1882 291 = Frondicularia, Defr.].
- Renulinites** J. Parkinson, Org. Rem. III. 1811, 164 [= Renulites, Lam.].

- Renulites** Lamarck, Ann. Mus. H. N. (Paris) V (29) Jan. 1805, 354.—Rh.
- renum** Cynips, T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. II (1) 1840, 208.
- “**renum canis** Lumbricus,” C. A. Rudolphi (*ex* Hardm.), Entozoor. 1809, 210.
- Reophagus** L. Agassiz, Nom. Zool. (Polyp.) 1844, 22 [Reophax, Montf. 1808 *est*].
- Reophax** Denys de Montfort, Conch. I. 1808, 330.—Rh. [1775.]
- repandalis** Epicorsia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 355.—Pyralis,
- repandaria** Boarmia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 433.—Pyralis, 1775.
- repandaria** Deileptenia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 317.—Pyralis ? repandalis, 1775.
- repandaria** Phalaena, E. Donovan, Brit. Ins. X. 1801, 21 [repandata, L. 1758 *est*].
- repandator** Cerambyx, W. Turton, Linnaeus, Syst. Nat. II. 1802, 306.
- repandella** Prays, J. Huebner, Verz. bekannt. Schmett. 1826, 413.—Tinea. [[*n. et f.*].
- repandella** Tinea, J. Huebner, Europ. Schmett., Tab. Tinea, 37 (Fernaldo giudice 1796)
- repanda** Arca, H. F. Link, Besch. Nat. Samml. Univ. Rostock (6) 1808, 37.
- repandus** Attagenus, Dejean, Catal. Coléopt. 1821, 46 [*n. n.*]. [1818–22] [*n. et f.*].
- repanda** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 65 (Fernaldo giudice
- repanda** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 81 (Fernaldo giudice 1834–41) [*n. et f.*].
- repandus** Brachyrhinus (F.), P. A. Latreille, Sonnini’s Buffon, Ins. XI (1804), 159.—Curculio, 1792.
- repanda** Buprestis, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 150.
- repandus** Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840, 290.
- repanda** Chrysomela, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 179.
- repanda** Cicindela, Dejean, Spec. gén. Coléopt. I. 1825, 74.
- repandus** Cimex, J. C. Fabricius, Syst. Rhyng. 1803, 178. [1792.]
- repandus** Coniatus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 406.—Curculio,
- repandus** Cryptocephalus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 14.
- repanda** Cymindis, B. Zubkov, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 313.
- repanda** Cyphonota (Mén.), F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 146.—Buprestis.
- repanda** Dichelacera, F. Walker, List Dipt. Coll. B. M. (1) 1848, 190.
- repandum** Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 681.
- repanda** Doris, Alder & Hancock, Ann. Mag. N. H. IX. Mar. 1842, 32.
- repandus** Dorytomus, Fab.; Dejean, Catal. Coléopt. 1821, 86 [*n. n.*].
- repanda** Engis (Episcapha), J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 32.
- repanda** Episcapha (Klug), T. Lacordaire, Mon. Erotyl., Sept. 1842, 56.—Engis.
- repandus** Eponides, Denys de Montfort, Conch. I. 1808, 127.
- repanda** Fidicina (L.), F. Walker, List Homopt. Coll. B. M. (1) 1850, 90.—Cicada, 1758.
- repanda** Fungia, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 295.
- repanda** Gastropacha (Huebner), F. Treitschke, Schmett. Europa, X (1) 1834, 195.—Bombyx.
- repandus** Gymnetrus, Metaxa, Mem. Zool. Med. (Roma) (1) 1833, 53 [*teste* Costa].
- repanda** Hadena, C. F. Freyer, Neuere Beitr. Schmett. I (6) 1831, 63.
- repandus** Helops (Fab.), C. J. Schoenherr, Syn. Insect. I (1) 1805, 164.—Melandrya.
- repanda** Hypera (Fab.), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 338.—Curculio,
- repanda** Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 214. [1792.]
- repanda** Liris, J. C. Fabricius, Syst. Piezat. 1804, 231.—Crabro, 1787.
- repandum** Megasoma (Fab.), J. de Feisthamel, Ann. Soc. Ent. France, I. 1832, 340.—
- repanda** Melandrya, J. C. Fabricius, Syst. Eleuth. I. 1801, 165. [Bombyx, 1793.]
- repandus** Mellinus, G. W. F. Panzer, Ins. Germ., heft 73, 1800, tab. 19.
- repandus** Monocrepidius, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 78.
- repandum** Omalium, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 878.
- repanda** Ophiusa (Fab.), J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 255.—? Noctua, 1794.
- repanda** Ophiusa (Fab.), J. A. Boisduval, F. Ent. Madagas. (7) 1833, 107.—? Noctua, 1794.
- repanda** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 219.

- repanda** Phalaena (Noctua), W. Turton, *Linnaeus, Syst. Nat.* III. 1802, 313.
- repandum** Polochrum, M. Spinola, *Faun. Lig. Frag.* 1805, 7; *Ins. Liguriae*, I. 1806, 19.
- repandus** Pteromalus, F. Walker, *Entom. Mag.* II (5) Jan. 1835, 501.
- repandus** Pulvinulus, Lamarck, *Ency. Méth. (Vers)* 1816, pl. 466, Liste, p. 14 [*n. et f.*].
- repandus** Rhynchaenus, A. G. Olivier, *Entom.* V. 1807, 139.
- repandus** Solen, G. Michelotti, *Ann. Sci. Lomb.-Ven.* IX. 1839, 170.
- repanda** Soletellina (Mich.), E. Sismonda, *Syn. meth. Anim.*, ed. 2, 1847, 21.—Solen.
- repandus** Stizus (Panz.), L. Jurine, *N. Méth. class. Hyménopt.* 1807, 178.—Mellinus.
- repandus** Temnorhynchus, H. Burmeister, *Handb. Ent.* V. 1847, 183.
- repanda** Tenthredo (Allantus), F. Klug, *Ges. Nat. Fr. Berlin, Mag.* VIII (1) 1816, 77.
- repandus** Tetragnoderus, Dejean, *Spec. gén. Coléopt.* IV. 1829, 503.
- repandus** Trachypterus (Metaxa), O. G. Costa, *Fauna Regno Napoli, Pesci*, II., *Trachypt.*, 11 (Oct. 1842).—Gymnetrus.
- repeliniana** Chemnitzia, A. d'Orbigny, *Prodr. Paléont.* I. 1849 [Jan. 1850], 247.
- repeliniana** Terebratula, A. d'Orbigny, *Prodr. Paléont.* II [Nov.] 1850, 25.
- repellini** Diadema, A. Gras, *Bull. Soc. stat. Isère*, IV. 1846 (May 1848), 318.
- repens** Bowerbankia (Farre), G. Johnston, *Hist. Brit. Zooph.* 1838, 256.—Lagenella.
- repens** Chaetetes (Lonsd.), A. d'Orbigny, *Prodr. Paléont.* I. 1849 [Jan. 1850], 49.—Mille-
- repens** Chrysomela, E. F. Germar, *Linnaea Entom.* III. Ap. 1848, 237. [pora.
- repens** Conotrachelus, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc.* VIII (2) 1845, 35.
- repens** Diorymerus (Germ.), C. J. Schoenherr, *Gen. et Sp. Curc.* III (2) 1836, 810.—Orobitis.
- repens** Farrella (Farre), G. Johnston, *Hist. Brit. Zooph.*, ed. 2, 1847, 380.—Lagenella.
- repens** Lagenella, A. Farre, *Phil. Trans. R. Soc.* 1837 (2) 1837, 403.
- repens** Millepora, W. Hisinger, *Leth. Suec.* 1837, 102; Lonsdalé in Murchison, *Silur. Syst.* 1839, 680.
- repens** Naisa (Müll.), J. V. F. Lamouroux, *Hist. Polyp.* 1816, 223.—Tubularia, 1774.
- repens** Orobitis, E. F. Germar, *Ins. spec. novae*, I. 1824, 249.
- repens** Plumatella (Gm.), Lamarck, *An. s. vert.* II. 1816, 108.—Tubularia, Müll. 1774.
- repens** Truncatula, v. Hagenow in H. B. Geinitz, *Das Quadersandsteingeb.* (2) 1850, 238
- repens** Tubulipora, J. Morris, *Cat. Brit. Foss.* 1843, 45 [*n. n.*]. [[*n. n.*].
- repens** Tubulipora, S. V. Wood, I., *Ann. Mag. N. H.* XIII. Jan. 1844, 14.
- repentinus** Ichneumon, J. L. C. Gravenhorst, *Mem. R. Acc. Sci. Torino*, XXIV. 1820, 334.
- repercussa** Acmaeodera, Laporte & Gory, *H. N. Coléopt.* I. 1835-1836, 29.
- repercussus** Carabus, A. Drapiez, *Ann. gén. Sci. Phys. (Bruxelles)* I. Aug. 1819, 131.
- reperita** Limnobia, F. Walker, *List Dipt. Coll. B. M.* (1) 1848, 45.
- repeza** Mitra, G. P. Deshayes in Laborde, *Voy. Arab. Pétrée*, 1830, 66.
- replana** Lithosia, W. J. Lewin, *Prod. Ent. Lep. Ins. N. S. W.* 1805, 16.
- repletus** Hister, J. Le Conte (*ex Say MS*), *Boston Journ. N. H.* V (1) 1845, 49.
- repleta** Notiphila, F. Walker, *List Dipt. Coll. B. M.* (4) 1849, 1099.
- repletus** Otiiorhynchus, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc.* VII (1) 1843, 302.
- replicata** Limnobia (Gm.), J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* I. 1818, 142.—Tipula, L. 1758.
- replicata** Limonia (Fab.), J. W. Meigen, *Mag. f. Insektenk. (Illiger)* II. 1803, 262.—Tipula, L. 1758.
- replicata** Nephrotoma, A. G. Olivier, *Ency. Méth.* VIII (1) (Ins.) 1811, 196.
- replicata** Scalaria, G. B. Sowerby, II., *Proc. Zool. Soc. London*, XII (132) July 1844, 11.
- replicata** Turritella (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, *Moll.* IV. 1801, 79.—Turbo, 1758.
- repscens** Turdus, M. H. C. Lichtenstein, *Verz. Säug. Vög. Z. M. Berlin*, 1835, 20 [*n. n.*].
- reposita** Tipula, F. Walker, *List Dipt. Coll. B. M.* (1) 1848, 67.
- reposta** Cytherea, T. A. Conrad, *J. Acad. Nat. Sci. Philad.* VII., *post* Sept. 1834, 132.
- reppensis** Hyperaspis (—), H. Lucas, *Explor. Algér. (Artic. II.)* 1849, 555.—Coccinella, ? Hbst. 1783.
- repressa** Gonambonites, C. H. Pander, *Beitr. Geogn. Russ. Reichs*, 1830, 80.
- Repsimus** MacLeay (*ex Leach MS*), *Horae Ent.* 1819, 144.—Col.
- reptans** Acanthorhynchus, C. M. Diesing, *Syst. Helminth.* I. 1850, 563.
- reptans** Agromyza, C. F. Fallen, *Agromyzides Sveciae*, 1823, 3.



- reptans** Aleochara, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 154.
- reptans** Andrena, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 76 [*n. n.*].
- reptans** Bolitochara (Grav.), Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 490.—Aleochara.
- reptans** Candona, W. Baird, Hist. Berwickshire Nat. Club, II (13) [1846], 153.—Cypris,
- reptans** Caryophyllia, G. Michelotti, Spec. Zoophyt. diluv. 1838, 85. [1836.]
- reptans** Crisia (L.), J. V. F. Lamouroux, N. Bull. Sci. Soc. Philom. Paris, III (63) Dec. 1812, 183.—Sertularia, 1758.
- reptans** Cypris, W. Baird, Hist. Berwickshire Nat. Club, I (3) [1836], 99.
- reptans** Dynamena, O. G. Costa, Fauna Regno Napoli, Zoofiti, Anis., 23 (Dec. 1842).
- reptans** Gymnorhynchus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 129.
- reptans** Laomedea, J. V. F. Lamouroux, Exp. Méth. Polyp. 1821, 14.
- reptans** Ligula, C. M. Diesing, Syst. Helminth. I. 1850, 581.
- reptans** Naisa, J. V. F. Lamouroux, Hist. Polyp. 1816, 223.
- reptans** Phloeopora (Grav.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 311.—Aleo-
- reptans** Pteromalus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 114. [chara.]
- reptans** Sabellaria, J. C. Chenu, Illustr. Conch. I., Sabellaria, 1843, 2.
- reptans** Scatopse (L.), J. C. Fabricius, Syst. Antliat. 1805, 56.—Culex, 1758.
- reptans** Scrupocellaria (Pall.), J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 112.—Cellularia, 1766.
- reptans** Sertularia (Lamx.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II. Aug. 1836, 139.—Laomedea.
- reptans** Stellispongia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 42.
- reptans** Tubularia, A. d'Orbigny in Webb & Berthelot, Canaries (Ech. & Pol.) 1840, 150.
- reptilivorus** Gypogeranus (Daud.), C. Ranzani, Elem. Zool. III (7) 1823, 50.—Secretarius, 1800.
- republicana** Anochila, C. Coquerel, Ann. Soc. Ent. France [2] VI (3) Jan. 1849, 277.
- republicana** Hirundo, J. J. Audubon, Ann. Lyceum N. H. New York, I (6) Dec. 1824, 164.
- repugnalis** Pangraptia, J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 37.
- Requiena** Math. 1842; Marschall, Nom. Zool. 1873, 136 [*sed non comp., vide Requienia*].
- requieni** Astrea, H. Michelin, Icon. Zoophyt. (24-27) 1847, 302.
- requienii** Auricula, P. Mathéron, Ann. Sci. Midi France, III (9 & 10) Sept. & Oct. 1832, 58.
- requieni** Blaps, A. J. J. Solier in Baudi & Truqui, Studi Ent. I. 1848, 340.
- requienii** Diadema, C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 160.
- requieni** Eutelus, A. J. J. Solier, Mem. R. Acc. Sci. Torino [2] VI. 1844, 270.
- requieni** Hyaenodon, F. L. P. Gervais, Zool. Pal. Franç. I. 1850, 129.—Pterodon, 1846.
- requienii** Inoceramus, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 173; Rep. trav. Soc. stat. Marseille, VI., 245.
- requienii** Lobophyllia, H. Michelin, Icon. Zoophyt. (2) 1841, 18.
- requieni** Meandrastrea (E. & H.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 208.—
- requieni** Mitra, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 154. [Thecosmilia.]
- requieni** Nucleolites, Desor, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 154.
- requienii** Pleurotoma, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46 [*vero propius* 1847], Pleurotomes, pl. ii.
- requieni** Pterodon, F. L. P. Gervais, Ann. Sci. Nat. [3] (Zool.) V. May 1846, 259.
- requieni** Pterodon, F. L. P. Gervais, C. R. Ac. Sci. (Paris) XXII. May, 1846, 846.
- requieni** Sepidium, A. J. J. Solier, Mem. R. Acc. Sci. Torino [2] VI. 1844, 241.
- requieni** Spatangus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 7.
- requieni** Sphaerulites, Hombres-Firmas, Bull. Soc. géol. France, XI. 1840, 98.
- requienii** Spherulites, Hombres-Firmas, Actes Soc. Linn. Bordeaux, XI (55) 1840, 149.
- requienii** Synastrea (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849,
- requieni** Theba, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 11. [151.—Astrea.]
- requienii** Thecosmilia (Mich.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 272.—Lobophyllia.
- requienii** Unio, A. G. L. Michaud, Compl. Moll. Draparnaud, 1831, 106.
- Requienia** P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 102; Rep. trav. Soc. stat. Marseille, VI., 174.—L.
- requienianus** Ammonites, A. d'Orbigny, Pal. Franc., Crét. I (Céph.) 1841, 315.

- requieniana** Arca (Math.), A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 239.—
- requieniana** Arca, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 196. [Cucullaea.
- requienianum** Cardium, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 157; Rep. trav. Soc. stat. Marseille, VI., 229.
- requienianum** Cerithium, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 377.
- requieniana** Cucullaea, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 162; Rep. trav. Soc. stat. Marseille, VI., 234.
- requieniana** Eulima, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1842, 67.
- requienianus** Fusus, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 342.
- requieniana** Hippurites, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 129; Rep. trav. Soc. stat. Marseille, VI., 201.
- requieniana** Modiola, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 177; Rep. trav. Soc. stat. Marseille, VI., 249.
- requieniana** Myoconcha (Math.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 196.—
- requieniana** Natica, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 161. [Modiola.
- requienianus** Nautilus, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1840, 72.
- requieniana** Nerinea, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 94.
- requienianus** Pecten, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 186; Rep. trav. Soc. stat. Marseille, VI., 258.
- requienianus** Pectunculus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 190.
- requieniana** Pleurotomaria, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 262.
- requieniana** Rostellaria, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 293.
- requienianus** Spondylus, P. Matheron, Catal. méth. foss. B. du Rhône, 1847, 189; Rep. trav. Soc. stat. Marseille, VI., 261.
- requienianus** Teredo, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 132; Rep. trav. Soc. stat. Marseille, VI., 204.
- requienianus** Toxoceras, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 474.
- requienianus** Trochus, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 186.
- requieniana** Turritella, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1842, 43.
- requieniana** Voluta, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 324.
- Requienites** "1839"; P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 102.—L.
- requiescator** Necrophorus, J. Gistel, Nat. Thierr. 1848, 190.
- requiescator** Necrophorus, J. Gistel, Handb. Naturges. 1850 [1847], 622.
- rerio** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 323.
- Rescephalus** Raf. 1815; *sic* Agassiz, *sed non comp.*—P. [Discoboli].
- rescissum** Buccinum, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 14.
- rescisa** (*sic*) Terebratula, Defrance, Dict. Sci. Nat. LIII. 1828, 155.
- Rescula** C. v. Heyden, Isis (Oken), 1826, 613.—Ar.
- resectum** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1834, 428.
- resecta** Hippurites, Defrance, Dict. Sci. Nat. XXI. 1821, 196.
- resecta** Lima, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 308. [1844], 17.
- resectum** Trichosomum, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov.
- resedae** Ceuthorhynchus (Marsh.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 535.—
- resedae** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 256. [Curculio.
- resedae** Cymus (Panz.), H. Burmeister, Handb. Ent. II (1) 1835, 292.—Lygaeus, 1797.
- resedae** Heterogaster (Panz.), F. S. Schilling, Schles. Ges. vat. Kultur, Beitr. Entom. 1829, 89.—Lygaeus, 1797.
- resedae** Kleidocerys (Panz.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65.—Lygaeus,
- residensis** Lumbrinereis, S. d. Chiaje, Descr. An. invert. Sicilia, III. 1841, 83. [1797.
- residuata** Geometra, J. Huebner, Europ. Schmett., Tab. Geom., 91 (Fernaldo iudice 1808—18) [*n. et f.*].
- residuata** Larentia (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 441.—Geometra.
- residuata** Tephroclystia, J. Huebner, Verz. bekannt. Schmett. 1826, 324.—Geometra.
- residuus** Ichneumon, T. Say, Contrib. Maclurian Lyceum, I (3) Jan. 1829, 73.
- residuus** Leucosia (Herbst), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 238.
- resignatum** Bembidium, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 73.
- resiliens** Bulla, E. Donovan, Brit. Shells, 1801, pl. lxxix. [1849, 106.
- resiliens** Vitrina, L. Pfeiffer (*ex* Beck MS), Proc. Zool. Soc. London, XVI (187) Ap. 25,

- resima** Capra, J. A. Wagner in Schreber, Säugth. V (1), 1321 (1835), pl. cclxxxvii G (1836).
- resima** Cuma, H. Krøyer, Naturhist. Tidsskrift [2] III (2) 1846, 165.
- resima** Otaria, Péron & Lesueur, Voy. Aust. II. 1816, 66.
- resima** Phoca, Péron & Lesueur, Voy. Aust. II. 1816, 66.
- resinans** Megachile, P. S. Schilling, Uebers. Arb. schles. Ges. 1828 (1829), 75 [*n. n.*].
- resinana** Coccyx (Huebner), F. Treitschke, Schmett. Europa, VII. 1829, 230.—Tortrix, 1796.
- resinana** Evetria (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 378.—Phalaena ? resinella, 1758.
- resinana** Megachile, P. S. Schilling, Uebers. Arb. schles. Ges. 1848 (1849), 101.
- resinana** Retinia (L.), A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 181.—Phalaena ? resinella, 1758.
- resinator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 275.
- resinata** Lebina, E. F. Germar, Mag. Entom. (Germar) I (1) 1813, 13.
- resinella** Cnephassa (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.—Phalaena, 1758.
- resinella** Orthotaenia (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Sept. 1834, 179.—Phalaena, 1758.
- resinellae** Pimpla (L.), J. C. Fabricius, Syst. Piezat. 1804, 116.—Ichneumon, 1758.
- resinea** Eudorea (Haw.), J. Curtis, Brit. Entom. IV (42) June 1827, no. 170.—Scoparia.
- resinea** Scoparia, A. H. Haworth, Lepidopt. Brit. (3) 1811, 499.—Phal. Tin. resinella, L.
- resinorum** Monomma, F. W. Hope, Magasin de Zool. (2) IV. 1842, pl. 87. [1758.]
- resinosus** Acarus, J. S. Presl, Delic. Prag. 1822, 210.
- resinosa** Musca, J. S. Presl, Delic. Prag. 1822, 207.
- resinosa** Sapromyza, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 456.
- resistricalis** Pangrapta (Cr.), J. Huebner, Verz. bekannt. Schmett. 1826, 343.—Phalaena resistrix, 1781.
- resolutus** Aphidileo (Nees), C. Rondani, N. Ann. Sci. Nat. [2] IX. 1848 [Feb.], 14.—
- resolutus** Aphidius, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 24. [Aphidius.]
- Resomus** C. J. B. Amyot, Ann. Soc. Ent. France, V (2) 1847, 211.—Hem. [*non binom.*].
- resonans** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 106.
- respersalis** Thopeutis, J. Huebner Zuträge z. Exot. Schmett. I. 1818, 23.
- respersalis** Topeutis, J. Huebner, Verz. bekannt. Schmett. 1826, 366. [1796.]
- respersaria** Cabera (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 438.—Geometra,
- respersaria** Scotopterix, J. Huebner, Verz. bekannt. Schmett. 1826, 313.—Geometra, 1796.
- respersata** Gnophos, F. Treitschke, Schmett. Europa, V (2) 1825, 432. [II. 1832, 92.]
- respersella** Haemilis, V. Kollar, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien)
- respersella** Setodes, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 515.
- respersa** Caradrina (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 80.—Noctua, 1775.
- respersa** Caradrina (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 230.—Noctua,
- respirans** Acarus, W. G. Tilesius, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 381. [1775.]
- respirans** Piscicola, F. H. Troschel, Arch. f. Naturg. XVI (1) 1850, 17.
- resplendens** Amarygmus, Dupont in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 272.
- resplendens** Calleida, L. Reiche, Rev. Zool. (Soc. Cuv.) V. Sept. 1842, 274.
- resplendens** Calurus (Gould), W. Swainson, N. H. Classif. Birds, II. June 1837, 338.—
- resplendens** Carbo, K. Tyzenhaus, Orn. powsz. III. 1846, 584. [Trogon.]
- resplendens** Cetonia, O. Swartz in C. J. Schoenherr, Syn. Insect. I (3) 1817, 133; & App. 1817, 51.
- resplendens** Chalcothea (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 320.—Macronota.
- resplendens** Charadrius, J. J. v. Tschudi, Arch. f. Naturg. IX (1) 1843, 388.
- resplendens** Chrysochroa, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 61.
- resplendens** Colobogaster, Gory in Laporte & G., H. N. Coléopt. IV. 1849, 148.
- resplendens** Corymbites (Esch.), E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 60.—
- resplendens** Cylindroptus, J. Wagler, Descr. Icon. Amph. (1) 1828, tab. 5. [Ludius.]
- resplendens** Diacanthus (Esch.), Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 241.—Ludius.
- resplendens** Hegemona, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 230.

- resplendens** Helicella, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 6, & 'sp. nov.,' 6.  
**resplendens** Helix, R. A. Philippi, Zeitschr. f. Malakozool., Dec. 1846, 192.  
**resplendens** Himatidium, C. H. Boheman, Mon. Cassid. I. 1850, 74.  
**resplendens** Lagria, F. V. Melsheimer, Ins. Pennsylv. 1806, 26 [*n. n.*].  
**resplendens** Lampanyctus, J. Richardson, Zool. "Ereb. Terr." (Fish. 1845), 42.  
**resplendens** Ludius, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.  
**resplendens** Lytta, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 273.  
**resplendens** Macronota, Gory & Percheron, Mon. Cétoines (2) 1834, 68; (12) 1836, 311.  
**resplendens** Mesembrina, Wahlberg, Ofvers. K. Vet. Ac. Förh. I (4) 1844, 66.  
**resplendens** Myiagra, P. A. J. Drapiez, Dict. class. Sci. Nat. VII. 1841, 567.  
**resplendens** Nycteropus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 203.  
**resplendens** Phalacrocorax, J. J. Audubon, Birds of Amer., pl. 412 (1838); Orn. Biogr. V. 1839, 148.  
**resplendens** Phalacrocorax, Audubon in J. Lembeye, Aves Isla Cuba, 1850, 119.  
**resplendens** Protaetia, Dupont in H. Burmeister, Handb. Ent. III. 1842, 475.  
**resplendens** Rhomborhina (Swartz), J. O. Westwood, Arcana Entom. (8) July 1842, 118.—Cetonia.  
**resplendens** Rhomborrhina (Schoen.), H. Burmeister, Handb. Ent. III. 1842, 198.—  
**resplendens** Rhopalophora, E. Newman, Entom. Mag. V (5) Oct. 1838, 496. [Cetonia.  
**resplendens** Scopelus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 452.  
**resplendens** Statyra (F. V. Melsh.), F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (12) Dec. 1845, 311.—Lagria.  
**resplendens** Trogon, J. Gould, Proc. Zool. Soc. London, III (27) June 1835, 29.  
**resplendens** Trogon (Calurus), J. Gould, Mon. Trogonidae, 1838, List of plates, no. 21.  
**resplendens** Vanellus (Tsch.), G. R. Gray, Gen. Birds, III. Mar. 1847, 541.—Charadrius.  
**resplendescens** Falcinellus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 165.  
**resplendescens** Promerops (Vieill.), P. A. J. Drapiez, Dict. class. Sci. Nat. IX. 1844, 181.—Falcinellus.  
**respondens** Calobata, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1052.  
**respublica** Diphyllodes, C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXX. 1850, 291.—Lophorina, 1850.  
**respublica** Lophorina, C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXX. 1850, 131.  
**reipublicae** (*sic*) Pipunculus, F. Walker, List Dipt. Coll. B. M. (3) 1849, 639.  
**restaurator** Cryptus, J. C. Fabricius, Syst. Piezat. 1804, 83.  
**restaurator** Mytilus, C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 104.  
**Resthenia** M. Spinola, Ess. Ins. Hémipt. 1837, 184.—Hem.  
"Restiacites Presl. St Fl. VII. 1838"; *sic* Scudder, *sed* Plantae.  
**restigerella** Butalis (Metzner), J. E. Fischer v. R., Abbild. Schmett. (15) 1840, 204.—  
**restigerella** Oecophora, Metzner in Zeller, Isis (Oken), 1839, 193. [Oecophora.  
**restitutor** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 275; restitutor, LX. 1824, 349.  
**restituta** Galleruca, J. C. Fabricius, Syst. Eleuth. I. 1801, 498.  
**restituta** Haltica (Fab.), K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 122.—Galleruca.  
**restituta** Pinna, F. W. Hoeninghaus, Jahrb. f. Min. 1830, 472 [*n. n.*].  
**restitutus** Pinnites, E. F. v. Schlotheim, Petref. 1820, 304 [*n. n.*].  
**restitutus** Porodragus, Denys de Montfort, Conch. I. 1808, 391.  
**restricta** Aleochara, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 174.  
**restrictus** Aphidius, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 22.  
**restrictus** Bradyporus, G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846, 219.  
**restrictus** Callimus, G. Fischer, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 375.  
**restricta** Cicindela, G. Fischer v. W., Entom. Imp. Russ. III., *post* Nov. 1828, 26.  
**restrictus** Melinopterus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 284.  
**restricta** Modiola, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XV. 1842 (2) 1842, 465.  
**restitutor** *v.* restitutor.  
**resupina** Linyphia, Wider in Reuss, Abh. Senckenb. Mus. I (3) 1834, 246.  
**resupinatus** Alces, C. Rouillier, Rapp. annuelle Univ. Moscou, 1842 [*mihi non visum*]; Jubilaeum G. Fischer de W., 1847, 5.

- resupinatus** Ammonites, M. Simpson, Mon. Amm. 1843, 15.  
**resupinata** Angystoma, C. F. Schumacher, Essai Vers test. 1817, 229.  
**resupinatus** Anomites, W. Martin, Petr. Derb. 1809, pl. 49.  
**resupinata** Delphinoidea (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. li, f. 45.—Helix.  
**resupinata** Helix, G. Montagu, Test. Brit. II. 1803, 444.  
**resupinata** Orthis (Sow.), J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 67.—Terebratula.  
**resupinata** Orthis (Ph.), F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 16.—Spirifera.  
**resupinatus** Orthis (Mart.), Agassiz in Sowerby, Min. Conch. (Germ. ed.) 1842-44, 359 (357 French edit.).—Anomites.  
**resupinatus** Spirifer, J. Fleming, Hist. Brit. Anim. 1828, 376. [Terebratula.  
**resupinata** Spirifer (J. Sow.), J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 10.—  
**resupinatus** Spirifer, d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI. 1842, 371.  
**resupinata** Spirifera, J. Phillips, Geol. Yorksh. II. 1836, 220.  
**resupinata** Terebratula, J. Sowerby, Min. Conch. II. 1816, 116.  
**resupinatus** Terebratula (Mart.), J. Sowerby, Min. Conch. IV. 1822, 25.—Anomites.  
**resupinatus** Turbo (Walk.), J. Fleming, Hist. Brit. Anim. 1828, 300.—Helix, Mont.  
**resurgens** Anthrax, F. Walker, List Dipt. Coll. B. M. (2) 1849, 259.  
**resurgens** Tipula, F. Walker, List Dipt. Coll. B. M. (1) 1848, 67.  
**resus** Chalcis, F. Walker, Ann. Mag. N. H. (2) V. Feb. 1850, 130.  
**resutor** Monochamus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 167.  
**Retaita** King, 1850; *teste* Marschall, *sed err. pro* Retzia.  
**retata** Phalaena, A. H. Haworth, Lepidopt. Brit. (2) 1809, 348.  
**rete** Gammarus, A. White, List Crustacea Coll. B. M. 1847, 88 [*n. n.*].  
**rete** Venus, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 608.  
**rete aureum** Conus, G. Perry, Conchology, Ap. 1811, pl. 25.  
**retecosum** Buccinum (Hinds), Catlow & Reeve, Conch. Nomen. 1845, 279.—Phos.  
**retecosus** Phos, R. B. Hinds, Zool. "Sulphur," 1844, 37.  
**reteformis** *v.* retiformis.  
**Retellia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 683.—  
**retellum** Gorgonia, Lamarck, Mém. Mus. H. N. (Paris) II [1] Mar. 1816, 80. [Dipt.  
**retensus** Conotrachelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 442.  
**retentor** Cryptus, Bosc in A. Brullé in Lapeletier (Roret's Suite à Buffon), Hyménopt. IV.  
**retentus** Cryptorhynchus, T. Say, Descr. N. Amer. Curcul., July 1831, 27. [1846, 192.  
**Retepora** Lamarck, Syst. Anim. 1801, 374.—Polyz. [1786.  
**retepora** Alveopora (L.), de Blainville, Dict. Sci. Nat. LX. 1830, 359.—Madrepore, E. & S.  
**reteporacea** Hornera, H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) IX. Ap. 1838, 213.  
**reteporacea** Isis, G. A. Goldfuss, Petref. German. I (2) 1829, 99.  
**Reteporidae** A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Oct. 1849, 500.—Polyz.  
**reteporiformis** Adeone, H. Michelin, Icon. Zoophyt. (24-27) 1847, 326.  
**Reteporina** A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Oct. 1849, 501.—Polyz.  
**Reteporites** L. Bosc, Journ. de Phys. 1806, 433.—Polyz. [*sic* Agassiz, *sed vernac.* "Rete-  
**Reteporites** J. V. F. Lamouroux, Exp. méth. Polyp. 1821, 44.—Cor. [porite"].  
**Reteporoidea** A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 112.—Polyz.  
**retiaris** Actinocrinites, J. Phillips in R. I. Murchison, Silurian System, Jan. 1839, 674.  
**retiaris** Attus, N. M. Hentz, Boston Journ. N. H. VI (2) 1850, 288.  
**retiaris** Glyptocrinus (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 46.—Actinocrinites.  
**reticella** Fumea (Newm.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 57.—Psyche.  
**reticella** Psyche, E. Newman, The Zoologist, VIII. 1850, App., p. xciv.  
**reticollis** Otiiorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 307.  
**reticosum** Buccinum, J. Sowerby, Min. Conch. II. 1815, 17.  
**reticosum** Cerithium, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 418 [*n. et f.*].  
**reticosum** Nassa (J. Sow.), J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 3.—Buccinum. [angulata, deformis.  
**reticosa** Nassa, Sow.; S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 539.—*varr.* tiara,  
**reticosus** *v. et* retecosus.

- reticulana** Pandemis, J. Huebner, Verz. bekannt. Schmett. 1826, 388.—Tortrix.  
**reticulana** Peronea (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.—Tortrix.  
**reticulana** Peronea (Haw.), J. Curtis, Brit. Entom., ed. 2, I (4) 1835-9, no. 16, 6.  
**reticulana** Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 409. [*n. et f.*]  
**reticulana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 43 (Fernaldo giudice 1818-22)  
**Reticularia** F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 142.—Br.  
**reticulare** Achilleum, G. v. Muenster, Beitr. zur Petref. (4) 1841, 27.  
**reticularis** Ammonites, M. Simpson, Mon. Amm. 1843, 38.  
**reticularis** Anomites, Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep. 1819], 65.  
**reticularis** Astrea, Lamarck, An. s. vert. II. 1816, 264.  
**reticularis** Atrypa (Wahl.), J. W. Dalman, K. Vet. Ac. Handl. 1827 (1828), 127.—Anomites.  
**reticularis** Balanus, C. T. Menke, Syn. meth. Moll. 1828, 55.  
**reticulare** Bittium (Da C.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270.—Murex,  
**reticularis** Cimex, J. C. Fabricius, Syst. Rhyng. 1803, 170. [L. 1758.  
**reticularis** Coluber, F. M. Daudin, Sonnini's Buffon, Rept. VI (1803), 281.  
**reticularis** Coluber, T. Cantor, Proc. Zool. Soc. London, VII (75) July 1839, 51.  
**reticularis** Conus, Bory de St V., Ency. Méth. (Vers) 1824, 160 [*n. et f.*].  
**reticularis** Discopora, Lamarck, An. s. vert. II. 1816, 166. [Achilleum.  
**reticularis** Leiospongia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 209.—  
**reticularis** Leptaena (Gm.), G. Fischer v. W., Oryct. Moscou, ed. 2, 1837, 143.—Anomia,  
L. 1758. [Fulgora, 1791.  
**reticularis** Lystra (Ol.), E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 53.—  
**reticularis** Membranipora, H. D. de Blainville, Man. Actin. 1834, 447.—reticulata, 1830.  
**reticularis** Mesomphalia (Fab.), F. W. Hope, Ann. Nat. Hist. III. Ap. 1839, 95.—Cassida,  
L. 1758.  
**reticularis** Monodonta, W. Wood, Suppl. Index Test. 1828, 44.—Trochus, 1828.  
**reticularis** Muraena (Bl.), H. Cloquet, Dict. Sci. Nat. XXXIII. 1824, 322.—Gymno-  
thorax, 1795. [Gymnothorax, 1795.  
**reticularis** Muraenophis (Bl.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 628.—  
**reticularis** Neritina, G. B. Sowerby, I., Conch. Illustr. (98) 1836, f. 44 [*n. et f.*].  
**reticularis** Oliva, Lamarck, Ann. Mus. H. N. (Paris) XVI (94) *inter* Jan.-Mar. 1811, 314.  
**reticularis** Prionoplus, A. White in Dieffenbach, Trav. N. Z. II. 1843, 276.  
**reticularis** Prionus (Prionoplus), White; J. O. Westwood, Arcana Entom. II (14) July  
**reticularis** Pterinea, G. Sandberger, N. Jahrb. f. Min. 1842, 397 [*n. n.*]. [1843, 25.  
**reticularis** Spirigerina (L.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 99.—  
Anomia, 1758.  
**reticularis** Spongia, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 113.  
**reticularis** Terebratula, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 227.  
**reticularis** Terebratula (L.), G. Fischer v. W., Progr. Séance Publ. Soc. Imp. Nat. Moscou,  
1809, 31.—Anomia, 1758.  
**reticularis** Terebratula (Dalm.), E. F. Glocker, N. Jahrb. f. Min. 1842, 31.—Atrypa.  
**reticularis** Tetrodon, J. G. Schneider, Bloch, Syst. Ichth. 1801, 506.  
**reticularis** Tetrodon, Fréminville, N. Bull. Sci. Soc. Philom. Paris, III (67) Ap. 1813, 251.  
**reticularis** Thaerodontis (Bl.), J. M'Clelland, Calcutta Journ. Nat. Hist. V (18) July 1844,  
216.—Gymnothorax, 1795.  
**reticulare** Tritonium, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 393.  
**reticularis** Trochus, W. Wood, Suppl. Index Test. 1828, 17 [*n. et f.*].  
**reticularia** Emys (Latr.), T. Say, J. Acad. Nat. Sci. Philad. IV. Jan. 1825, 210.—Testudo.  
**reticularia** Testudo, P. A. Latreille, Deterville ed. Buffon, Rept. I. 1801, 124.  
**reticulaticollis** Sphenophorus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2)  
1845, 257.  
**reticulator** Batocera (Fab.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II.  
1840, 471.—Lamia, 1781.  
**reticulator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 265.  
**reticulator** Rogas, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 211.  
**reticulata** Achatina, L. Pfeiffer, Proc. Zool. Soc. London, XIII (148) Oct. 1845, 74.  
**reticulatus** Acontias (Schn.), B. Merrem, Tent. Syst. Amph. 1820, 80.—Anguis, L. 1758.  
**reticulatum** Acridium, G. Fischer, Bull. Soc. Imp. Nat. Moscou, 1839 (2) 1839, 301.

- reticulatus** Acridopeza, H. Burmeister, Handb. Entom. II. 1838, 683.
- reticulata** Acrolepis, E. Eichwald, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (4) 1846, 299.
- reticulata** Acrypeza, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 153.
- reticulata** Actinia, Couthouy in J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 144.
- reticulata** Adesmia, A. J. J. Solier, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 528.
- reticulata** Aeschna, H. Burmeister, Handb. Ent. II (2) ii, 1839, 837.
- reticulatum** Aetalion (L.), P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.) 1809, 378.—Cicada, 1758. [1758.]
- reticulata** Aethalia (L.), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 95.—Cicada,
- reticulata** Aethalion (L.), Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 765.—Cicada, 1758.
- reticulatus** Agabus, C. Aubé, Spec. gén. Hydroc. 1838, 355.—Colymbetes, Dej.
- reticulatus** Alcides (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 50.—Lixus.
- reticulata** Alecto, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 175.
- reticulata** Altica, Dejean, Catal. Coléopt. 1821, 119 [*n. n.*].
- reticulata** Alvania, A. Risso, H. N. Europe, IV. 1826, 144.
- reticulata** Alveolites, de Blainville, Dict. Sci. Nat. LX. 1830, 369.
- reticulatus** Alveolites, J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 8 & 11.
- reticulatus** Amblycerus (—), C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 121.—Curculio, ? Fab. 1775.
- reticulatus** Ammonites, F. v. Hauer, Ber. Mitth. Freunde Naturw. Wien, IV (4) "Ap." 1848, 379.
- reticulatus** Ammonites [Goniatites], Bean in E. Hall, Introd. Map Coalf. Lanc. 1836, 26 [*n. n.*]. [1790.]
- reticulatum** Amphidesma (L.), G. B. Sowerby, II., Gen. Shells (9) 1822.—Tellina, Gm.
- reticulatus** Amycterus, MacLeay in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent.
- reticulatus** Anolis, J. E. Gray, Ann. Nat. Hist. V. Ap. 1840, 114. [(2) 1835, 384.]
- reticulatus** Anomus, L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) Mar. 1847, 522.
- reticulatus** Anoplognathus, Dupont in J. A. Boisduval in d'Urville, Voy. "Astrolabe,"
- reticulata** Arca, A. Risso, H. N. Europe, IV. 1826, 311. [Ent. (2) 1835, 169.]
- reticulata** Arca, F. M'Coy in Griffith, Not foss. Mtn. Lst. Ireland, 1842, 13 [*n. n.*].
- reticulata** Arctoe, A. Risso, H. N. Europe, IV. 1826, 362.
- reticulatus** Argas, P. Gervais in Gay, Chili, IV (Acar.) 1849, 44.
- reticulatus** Argyrophis (L.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 137.—Anguis, 1758.
- reticulatus** Arkys, H. Nicolet in Gay, Chili, III (Arach.) 1849, 387. [Lucina.]
- reticulata** Artemis (Lam.), C. A. Récluz, Rev. Zool. (Soc. Cuv.) VII. Aug. 1844, 299.—
- reticulata** Ascidia, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835),
- reticulata** Asida, A. J. J. Solier, Ann. Soc. Ent. France, V (3) *post* Aug. 1836, 419. [606.]
- reticulata** Astrea, G. A. Goldfuss, Petref. German. I (2) 1829, 111.
- reticulata** Astrocoenia (Goldf.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 297.—Astrea.
- reticulata** Atlanta, A. d'Orbigny, Amér. Mérid. (Moll.) 1836, 178.
- reticulatus** Aulacopus, J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July 1832, 145.
- reticulata** Auricula, C. F. Schumacher, Essai Vers test. 1817, 229.
- reticulata** Auricula, H. E. Anton, Verz. Conch. 1839, 48.
- reticulata** Auricula, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 537 [*n. n.*].
- reticulata** Avicula (Goldf.), W. Hisinger, Anteckn. Physik. Geogn. V. 1831, 117; Lethaea Svecica, 1837, 57.—Pterinea.
- reticulata** Avicula, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 51.
- reticulata** Baetis, H. Burmeister, Handb. Ent. II (2) ii, 1839, 801.
- reticulatus** Batrachops, J. Heckel, Ann. Wiener Mus. II [3] 1840, 433.
- reticulatus** Bellerophon, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 25.
- reticulatus** Bibio, H. Loew, Linnaea Entom. I. Feb. 1846, 350.
- reticulatus** Bisiphytes, Denys de Montfort, Conch. I. 1808, 55.
- reticulatus** Bittacus, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 90.
- reticulatus** Bittium (Mont.), J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847 154.—Murex, Pult. 1799.

- reticulata** Blattina, E. F. Germar, Verst. Steinkohl. Wettin (7) 1851, 87.  
**reticulata** Boa, J. G. Schneider, Hist. Amph. II. 1801, 264.  
**reticulatus** Brachycerus, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 113.  
**reticulatus** Brachygaster, T. Say, Boston Journ. N. H. I (3) 1836, 223.  
**reticulatus** Brentus, J. C. Fabricius, Syst. Eleuth. II. 1801, 552.  
**reticulatus** Brentus, N. T. Lund, Skr. nat. Selsk. [Copen.] V (2) 1802, 81.  
**reticulatus** Brochus, T. Brown, Ill. Conch. G. B. I. 1827, pl. i, f. 11 [*n. et f.*].  
**reticulatus** Bryttus, Cuvier & Valenc., H. N. Poiss. VII. 1831, 463.  
**reticulatus** Buccardites, E. F. Schlotheim, Tasch. Min. 1813, 72.  
**reticulatum** Buccinum, H. D. de Blainville, Man. Malac. 1825, 408.—Nassa, Defr.  
**reticulatus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 443, Mar. 1849.  
**reticulatus** Bullites, E. F. Schlotheim, Tasch. Min. 1813, 92.  
**reticulatus** Buthus, C. L. Koch, Die Arachniden, IV (2) Oct. 1837, 25.  
**reticulata** Byssoarca, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 13 [*n. n.*];  
 Syn. Carb. Lst. foss. Ireland, 1844, 73.  
**reticulatus** Calamaria, Boie in Férussac, Bull. Sci. Nat. IX. 1826, 236 [*n. n.*].  
**reticulatus** Callionymus, Cuvier & Valenc., H. N. Poiss. XII. 1837, 284.  
**reticulatus** Calliptamus, G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846,  
 239.—Acridium, 1839.  
**reticulatus** Calosoma (Fab.), F. Weber, Obs. Ent. 1801, 20.—Carabus, 1787.  
**reticulatum** Calosoma, J. C. Fabricius, Syst. Eleuth. I. 1801, 213.—Carabus, 1787.  
**reticulatus** Cancellarius, Denys de Montfort, Conch. II. 1810, 563.  
**reticulatus** Cancer (Atergatis), W. de Haan in Siebold, F. Japon. (Crust. 1835), 47.  
**reticulatus** Caprimulgus, G. R. Gray, List Birds Coll. B. M. II. 1848, 9 [*n. n.*].  
**reticulata** Capsa, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 272.  
**reticulatum** Cardium, G. Fischer, Mus. Démid. III. 1807, 265.  
**reticulata** Cassida, F. de Tigny, s. à Deterville ed. Buffon, Ins. IX. 1801, 27.  
**reticulata** Cassida, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 18 [*n. n.*];  
 & Ill. Brit. Ent. (Mand. IV.) Jan. 1832, 371 [*concinna*].  
**reticulata** Cassis, Bonelli in Bellardi & Michelotti, Mem. R. Acc. Sci. Torino [2] III. 1841,  
**reticulata** Catenipora, E. Eichwald, Zool. Spec. I. 1829, 192. [145.  
**reticulatus** Ceocephalus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 360.—  
 Brentus.  
**reticulatus** Ceratoculus, Le Peletier de S. F. & Brullé, Ann. Soc. Ent. France, III (4)  
*post* Mar. 1835, 747.  
**reticulatum** Cerithium, G. Perry, Conchology, Ap. 1811, pl. 35.  
**reticulatum** Cerithium, A. Risso, H. N. Europe, IV. 1826, 157.  
**reticulatum** Cerithium (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xlvi, f. 63.—  
 Murex, Pult. 1799.  
**reticulatum** Cerithium, J. G. Totten, Amer. J. Sci. XXVIII (2) July 1835, 352.  
**reticulatum** Cerithium, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 79.  
**reticulatum** Cerithium, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 208.  
**reticulatus** Certhia (Dendrocolaptes), F. S. Voigt in Cuvier, Thierreich, I. 1831, 625.  
**reticulatum** Cetalion (Fab.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 125.—  
**reticulata** Cetonia, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 410. [Lystra.  
**reticulatus** Chaetodon, Cuvier & Valenc., H. N. Poiss. VII. 1831, 32.  
**reticulatus** Cheilinus, F. H. Kittlitz in Litke, Voy. Monde, III. 1836, 300 [*n. n.*].  
**reticulata** Chemnitzia, C. B. Adams, Contr. to Conch. (5) Feb. 1850, 75.  
**reticulata** Chenendopora (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],  
 391.—Tragos.  
**reticulatus** Chilomycterus, Bibron, Rev. Zool. (Soc. Cuv.) IX. Ap. 1846, 142.  
**reticulatus** Chironectes, Eydoux & Souleyet in Vaillant, Voy. "Bonite," Zool. I. 1842, 186.  
**reticulatus** Chiton, L. Reeve, Conch. Icon. IV.—Chiton, no. 83, Mar. 1847.  
**reticulatus** Chlaenius, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3)  
 Nov. 1844, 233.  
**reticulata** Chlamys, F. Klug, Entom. Mon. 1824, 144.  
**reticulata** Chrysomela (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 237.—Erotylus,  
 1787.



- reticulata** Chrysopa, J. F. Stephens (? *ex* Leach MS), Nom. Brit. Ins., Aug. 1829, 27 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) June 1836, 102. [1775.]
- reticulata** Cidaria (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 443.—Geometra, **reticulata** Cingula (Mont.), J. Fleming, Hist. Brit. Anim. 1828, 306.—Turbo, Adams, 1797. [? Hbst. 1793.]
- reticulatum** Cis (Fab.), P. A. Latreille in G. Cuvier, R. Anim. III. 1817, 333.—Anobium, **reticulata** Clathrus (Sol.), Agassiz in Sowerby, Min. Conch. (Germ. ed.) 1842-44, 604 (597 French edit.).—Turbo, 1766.
- reticulatus** Clematius, L. Agassiz, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 194 [*n. n.*]. **reticulata** Clemmys (Bosc), L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 124.—Testudo, ? Daud.
- reticulatus** Climatius, J. L. R. Agassiz, Poiss. Foss. I., Tableau (1844) xxxiii [*n. n.*]; Poiss. F. V. G. R., 120 (1845). [60.—Scutella.]
- reticulatus** Clypeaster (Bl.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, **reticulata** Coccudina, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 448. **reticulata** Colombella, Lamarck, An. s. vert. VII. 1822, 295.
- reticulatus** Coluber (Natrix), Lacep.; B. Merrem, Tent. Syst. Amph. 1820, 100. **reticulatus** Coluber, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 71. **reticulatus** Colymbetes, Dejean, Catal. Coléopt., ed. 2 (1) 1833, 55 [*n. n.*]. **reticulatus** Colymbetes, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 71. **reticulatus** Colymbetes, C. C. Babington, Tr. Entom. Soc. Lond. III (1) Jan. 1842, 4. **reticulata** Combophora, H. Burmeister, Revue Entom. I (5) c. Nov. 1833, 227. **reticulata** Corticaria, J. L. Leconte in Agassiz, Lake Superior, 1850, 223 [*n. n.*]. **reticulatus** Cossonus, Ill.; Dejean, Catal. Coléopt. 1821, 100 [*n. n.*]. **reticulatus** Cossyphus, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 139. **reticulatus** Crenilabrus (Lac.), Dict. Sci. Nat. XI. 1818, 385.—Labrus. **reticulata** Cribrospongia (Goldf.), A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Nov. 1849, 547.—Scyphia.
- reticulata** Cucullaea, Bean in Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 230. **reticulatus** Cychrus, V. v. Mochulski, Kaef. Russl., *post* May 1850, 90. **reticulata** Cyclostoma, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 40. **reticulatum** Cyclostoma, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (5 & 6) July 1837, 48.
- reticulatum** Cyclostoma, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 57. **reticulata** Cypridina, A. E. Reuss, Naturw. Abhandl. (Haidinger) III (1) 1850, 85. **reticulata** Cypris, E. G. Zaddach, Syn. Crust. Pruss. 1844, 34. **reticulatum** Cyrtoceras, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 117. **reticulata** Daphnia, F. v. P. Schrank, F. Boica, III (1) 1803, 265. **reticulata** Daphnia (Jur.), Desmarest, Dict. Sci. Nat. XXVIII. 1823, 403.—Monoculus. **reticulata** Daphnia, S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (15, 16) July 1842, **reticulata** Darnis, J. C. Fabricius, Syst. Rhyng. 1803, 29. [196.] **reticulatus** Dasypogon (Fab.), C. R. W. Wiedemann, Dipt. exot. 1821, 217.—Laphria. **reticulata** Daulis (Fab.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 301.—Coccinella, ? Ol. 1791.
- reticulata** Delphinoidea (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. li, f. 38.—Helix, ? Jacob, 1798.
- reticulata** Derephysia (H.-S.), M. Spinola, Ess. Ins. Hémipt. 1837, 166.—Monanthia. **reticulatus** Dermacentor (Fab.), C. L. Koch, Arch. f. Naturg. X (1) 1844, 235.—Acarus, 1794.
- reticulata** Dictyophyllia (Goldf.), de Blainville, Dict. Sci. Nat. LX. 1830, 325.—Meandrina. [Musca, 1781.]
- reticulata** Dictya (F.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 196.—**reticulatus** Dictyalotus (Fab.), L. Redtenbacher, F. Austr., Käfer, 1849, 348.—Anobium, ? Hbst. 1793.
- reticulatus** Dictyophorus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 259. **reticulata** Dictyopora, J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 10. **reticulata** Dictyoptera (Ol.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 465.—Lycus, 1790.

- reticulata** Diffugia, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1848, 218.  
**reticulatus** Digrapha (Fab.), E. Newman, Entom. Mag. V (4) Ap. (*i.e.* July) 1838, 380.—  
 Lycus, ? Ol. 1790.
- reticulata** Digrapha, J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (1) Dec. 1847, 76.  
**reticulata** Discoidea, L. A. Sorignet, Oursins foss. Eure, Ap. 1850, 78.  
**reticulata** Discopora, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 12.  
**reticulatus** Discorbis, A. Risso, H. N. Europe, IV. 1826, 18. [123.—Distorsio, 1798.  
**reticulata** Distortrix (Bolt.), H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807,  
**reticulata** Donacia, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 93; & App.  
 1817, 37.
- reticulata** Doris, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1832), 272.  
**reticulata** Doris, Schultz in R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 105.  
**reticulata** Doryphora, Fab.; Dejean, Catal. Coléopt. 1821, 121 [*n. n.*].  
**reticulata** Dosina (L.), J. E. Gray, The Analyst, VIII (24) July 1838, 308.—Venus, 1758.  
**reticulatus** Echinorhynchus, A. H. C. Westrumb, De Helminth. 1821, 24.  
**reticulata** Eledona (L.), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 313.—Silpha,  
**reticulata** Emarginula, J. Sowerby, Min. Conch. I. 1813, 74 (pl. 33). [1767.  
**reticulata** Emarginula, A. Risso, H. N. Europe, IV. 1826, 260.  
**reticulatus** Emarginulus, Denys de Montfort, Conch. II. 1810, 75.  
**reticulata** Emys (Latr.), H. Cloquet, Dict. Sci. Nat. XIV. 1819, 421.—Testudo, Daud.  
**reticulata** Emys (Daud.), R. Harlan, J. Acad. Nat. Sci. Philad. VI. Mar. 1827, 27.—  
 Testudo. [216.—Cis, Latr.
- reticulatus** Endecatomus (Herbst), J. Mellié, Ann. Soc. Ent. France [2] VI (3) Jan. 1849,  
**reticulata** Epilachna (Ol.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 794.—  
 Coccinella, 1791.
- reticulatus** Esomus (M'Clell.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1035.—  
**reticulatus** Esox, C. S. Rafinesque-S., Précis Som. 1814, 18. [Perilampus.  
**reticulatus** Esox, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I (15) Nov. 1818, 414.  
**reticulata** Eustroma (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 336.—  
 Geometra, 1775. [1844, 246.—Brachygaster.
- reticulata** Evania (Hyptia) (Say), J. O. Westwood, Tr. Entom. Soc. Lond. III (4) Jan.  
**reticulata** Exogyra, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 44.  
**reticulata** Fenestella (His.), W. Lonsdale in R. I. Murchison, Silurian System, Jan. 1839,  
 678.—Retepora.
- reticulata** Fenestella, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 10 [*n. n.*].  
**reticulata** Ficula (Lam.), L. Reeve, Conch. Icon. IV.—Ficula, no. 1, May 1847.—Pyrula.  
**reticulata** Filaria, Creplin in Ersch & Gruber, Allg. Ency. XLIV. 1846, 171.  
**reticulata** Fissurella (Don.), C. A. Récluz, Rev. Zool. (Soc. Cuv.) VI. Ap. 1843, 110.—  
**reticulata** Flata, J. C. Fabricius, Syst. Rhyng. 1803, 47. [Patella, 1800.  
**reticulata** Flustra, Desmarest & Lesueur, Bull. Sci. Soc. Philom. Paris, 1814 (Sept.), 53.  
**reticulata** Flustra, Lamarck, An. s. vert. II. 1816, 160.  
**reticulata** Fringilla, F. S. Voigt in Cuvier, Thierreich, I. 1831, 582.  
**reticulata** Frondipora (L.), H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807,  
**reticulatus** Fusus, H. E. Anton, Verz. Conch. 1839, 76; [163.—Millepora, 1758.  
**reticulatus** Fusus, Bellardi & Michelotti, Mem. R. Acc. Sci. Torino [2] III. 1841, 106.  
**reticulatus** Galaxias, J. Richardson, Zool. "Ereb. Terr." (Fish. 1848), 76.  
**reticulata** Galleruca, Ziegl.; Dejean, Catal. Coléopt. 1821, 117 [*n. n.*].  
**reticulata** Gibbula, A. Risso, H. N. Europe, IV. 1826, 138.  
**reticulatus** Glyptodon, R. Owen, Catal. Foss. Mamm. R. Coll. Surg. England, 1845, 119.  
**reticulatus** Glyptosternon, M'Clelland & Griffith, Calcutta Journ. Nat. Hist. II (8) Jan.  
**reticulatus** Glyptosteus, J. Morris, Cat. Brit. Foss. 1843, 194 [*n. n.*]. [1842, 584.  
**reticulatus** Glyptosteus, L. Agassiz, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 195; Poiss.  
 Foss. I., Tableau (1844) xxxiv [*n. n.*].
- reticulatus** Glyptosteus, L. Agassiz in Murchison, V. & K., Geol. Russia, II. Aug. 1845,  
**reticulatus** Gobius, E. Eichwald, Zool. Spec. III. 1831, 77. [404.  
**reticulatus** Gobius, Cuvier & Valenc., H. N. Poiss. XII. 1837, 50.  
**reticulatus** Goniaster (L.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836),  
 191.—Asterias, 1758.

- reticulatus Goniatites, J. Phillips, Geol. Yorksh. II. 1836, 235.
- reticulata Goniodoris (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 104.—Doris.
- reticulatus Gonipterus, Latreille in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 326.
- reticulata Grammatophora, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 252. [1817.
- reticulatus Grapsus, T. Say, J. Acad. Nat. Sci. Philad. I (15) Nov. 1818, 442.—Ocyopode,
- reticulata Gymnetis (Kirby), H. Burmeister, Handb. Ent. III. 1842, 270.—Cetonia.
- reticulatus Gyroceras (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 52.—  
Cyrtoceras.
- reticulata Haliotis, L. Reeve, Conch. Icon. III.—Haliotis, no. 48, July 1846.
- reticulata Halys, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 24.
- reticulata Harmodites (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 162.—  
Syringopora.
- reticulatus Harpes, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 164.
- reticulatus Heliases, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 254.
- reticulata Hemistoma, W. Swainson, N. H. Fishes etc. II. July 1839, 226.
- reticulatus Heterogaster, Herrich-S., Wanzenart. Ins. IV (4) Ap. 1838, 77.
- reticulatus Heteroscelis (Ol.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 18.—  
Platynotus, Fab.
- reticulata Heterostegina, L. Ruetimeyer, 33 Verh. Allg. Schweiz. Gesellsch. 1848, 29  
[n. n.].
- reticulata Hinia (L.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 269.—Buccinum,  
1758.
- reticulatus Homalisus (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 154.—Lycus, Ol. 1790.
- reticulatus Hoplitotrachelus, C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 98 [n. n.].
- reticulatus Hormocerus (Fab.), C. J. Schoenherr, Isis (Oken), 1823, 1137.—Brentus.
- reticulatus Hybodus, J. L. R. Agassiz in W. Buckland, Geol. & Min. II. 1836, 46.
- reticulatus Hybodus, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 369 [n. n.]; Poiss. Foss. III.,  
50 (1837); Poiss. Foss., Feuilleton, 113 (1838).
- reticulata Hydroessa, H. Burmeister, Handb. Ent. II (1) 1835, 213.
- reticulatus Hydroporus (Fab.), Dejean, Catal. Coléopt. 1821, 20.—Dytiscus, 1792.
- reticulatus Hygrotus (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Aug. 1828, 48.—  
Dytiscus, 1792.
- reticulatus Iassus, J. C. Fabricius, Syst. Rhyng. 1803, 87.—Cicada, 1794.
- reticulata Intricaria, J. Hall, N. H. New York (Pal. I.) 1847, 77.
- reticulata Isocardia, F. W. Hoeninghaus, Jahrb. f. Min. 1830, 455 [n. n.].
- reticulatus Ixodes, J. C. Fabricius, Syst. Antliat. 1805, 355.—Acarus, 1794.
- reticulatus Jassus, Herrich-S. in Panzer, Ins. Germ., heft 126, 1834, tab. 4.
- reticulatus Labrus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 442.
- reticulatus Labrus, R. T. Lowe, Proc. Zool. Soc. London, VII (77) Oct. 1839, 85.
- reticulatus Labrus (Val.), Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1845), 161.—  
Cossyphus.
- reticulata Lacuna, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 122.—Macrom-
- reticulata Lagenula, W. Macgillivray, Hist. Moll. Aberdeen, 1843, 38. [phalus, 1842.
- reticulata Lambis, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 108.
- reticulata Lampyrus, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 163.
- reticulata Laphria, J. C. Fabricius, Syst. Antliat. 1805, 160.
- reticulata Larvaria, Defrance, Dict. Sci. Nat. XXV. 1822, 287.
- reticulatus Lepadogaster, A. Risso, Ich. Nice, 1810, 77.
- reticulata Lepralia, J. Macgillivray, Ann. Mag. N. H. IX. Aug. 1842, 467.
- reticulata Lepralia, R. Q. Couch, Cornish Fauna (3) 1844, 117.
- reticulatus Leptaena, T. Brown, Ill. Foss. Conch. G. B. I. (24, 25) 1845, 122.
- reticulatus Lethrinus, Cuvier & Valenc., H. N. Poiss. VI. 1830, 298.
- reticulata Lima, E. Forbes, Proc. Geol. Soc. London, IV. 1844, 308.
- reticulata Linyphia (Hahn), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II.  
1837 (1841), 260.—Theridion.
- reticulatus Lissotarsus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XV. 1842 (4) 1842,  
reticulata Litorina, H. E. Anton, Verz. Conch. 1839, 53. [826.

- reticulatus** Lixus, J. C. Fabricius, Syst. Eleuth. II. 1801, 505.—Curculio, 1775.  
**reticulatus** Lophotus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 132.  
**reticulata** Loripes, A. Risso, H. N. Europe, IV. 1826, 343.  
**reticulatus** Loxodes, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 453.  
**reticulata** Loxonema, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 139.  
**reticulatus** Lucanus, J. O. Westwood (*ex* Buquet MS), Ann. Mag. Nat. Hist. XVII (109) Jan. 1846, 59.  
**reticulata** Lucina, G. Fischer, Mus. Démid. III. 1807, 261.  
**reticulata** Lucina, Lamarck, An. s. vert. V. 1818, 542.  
**reticulata** Lucina, B. C. Payraudeau, Cat. Moll. Corse, 1826, 43.  
**reticulata** Lutraria, G. Fischer v. W., Oryct. Moscou, 1830, sign. c<sup>1</sup>.  
**reticulatus** Lycodes, J. C. H. Reinhardt, Overs. K. Danske Vid. Selsk. Forhandl. 1835.  
**reticulatus** Lycodon, J. E. Gray, Zool. Miscell. (Gray) (3) Ap. 1842, 54.  
**reticulata** Lyda (L.), F. Klug, Ges. Nat. Fr. Berlin, Mag. II. 1808, 272.—Tenthredo, [Lynceus] Alona, W. Baird, Ann. Mag. N. H. XI. Feb. 1843, 93. [1758].  
**reticulatus** Lyriodon (Ag.), H. G. Bronn, Index Pal. 1848, 688.—Trigonia.  
**reticulata** Lystra, J. C. Fabricius, Syst. Rhyng. 1803, 60.  
**reticulata** Lytta, T. Say, J. Acad. Nat. Sci. Philad. III. Mar. 1824, 305.  
**reticulata** Macrocera (Latr.), Lamarck, An. s. vert. III. 1816, 369.—Tetanocera.  
**reticulatus** Macromphalus, S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 537.  
**reticulata** Mactra, L. Spengler, Skr. nat. Selsk. [Copen.] V (2) 1802, 119.  
**reticulata** Maeandrina, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 25.  
**reticulatus** Malapterus, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 355.  
**reticulata** Mangelia, A. Risso, H. N. Europe, IV. 1826, 220.  
**reticulata** Mangelia, L. Reeve, Conch. Icon. III.—Mangelia, no. 17, May 1846.  
**reticulata** Mantis, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 288.  
**reticulata** Mantis, H. Burmeister, Handb. Ent. II (2) 1, 1838, 541.  
**reticulata** Mantis (Oxypilus), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 87.  
**reticulata** Marginaria (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 262.—Discopora.  
**reticulata** Meandrastrea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 208.  
**reticulata** Meandrina, G. A. Goldfuss, Petref. German. I (1) 1826, 63.  
**reticulata** Melania, F. Du Bois de M., Conch. foss. Wolhyni, 1831, 47. [Orthoceras.  
**reticulata** Melia (Hauer), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 180.—  
**reticulata** Meliphaga, C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxxvii [*n. n.*].  
**reticulata** Meliphaga, C. J. Temminck in T. & Laugier, Pls. color. (5) Ap. 1822.  
**reticulata** Meloe, Ziegl.; Dejean, Catal. Coléopt. 1821, 75 [*n. n.*].  
**reticulata** Membranipora (Lam.), de Blainville, Dict. Sci. Nat. LX. 1830, 411.—Discopora r—laris.  
**reticulata** Miliola (Orb.), H. D. de Blainville, Faune Française (18) Malac. 1828, 46.—Triloculina.  
**reticulata** Millepora, E. Benett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831, 7 [*n. n.*].  
**reticulata** Mitra (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 226.—Cerithium.  
**reticulata** Modiola, K. F. Kloeden, Verst. Mark Brandenburg, 1834, 206.  
**reticulata** Monanthia, Herrich-S., Wanzenart. Ins. III (4) July 1836, 72.  
**reticulatus** Monoculus, L. Jurine, Hist. Monocles, 1820, 139.  
**reticulata** Mouretia, G. B. Sowerby, I., Proc. Zool. Soc. London, III (25) Ap. 1835, 6.  
**reticulata** Muraena (Bl.), G. Shaw, Gen. Zool. (Pisc.) IV (1) 1803, 29.—Gymnothorax r—laris, 1795.  
**reticulata** Murex, G. Montagu, Test. Brit. I. 1803, 272 [=Pult. 1799].  
**reticulatus** Murex, S. A. Renier, Tavole [1804] ix.  
**reticulatus** Murex, G. Brocchi, Conch. Subap. 1814, 435.  
**reticulatus** Murex, DeFrance, Dict. Sci. Nat. XLV. 1827, 545.  
**reticulatum** Myrmeleon, T. v. Charpentier, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 407.  
**reticulata** Nassa (L.), DeFrance, Dict. Sci. Nat. XXXIV. 1825, 241.—Buccinum, 1758.  
**reticulata** Nassaria, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 13.  
**reticulatus** Nautilus (Montf.), Deshayes, Dict. Class. H. N. XI. 1827, 466.—Bisiphytes.

- reticulatus** Nautilus, F. v. Hauer, Ceph. Salzkam. Metternich, 1846, 37.
- reticulatus** Nemestrinus, P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 437.
- reticulata** Neptunea, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 117.
- reticulata** Nerita, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834), 194.
- reticulata** Neritella (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 91.—Nerita.
- reticulata** Neritina, "Budgin," G. B. Sowerby, I., Cat. Shells Tankerville, 1825, 45.
- reticulata** Neritina, Cristofori & Jan, Cat. Mus. (Mantissa Test.) 1832, 4.
- reticulata** Neritina, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (25) Mar. 1833, 201.
- reticulatus** Nilio, Dejean, Catal. Coléopt. 1821, 70 [*n. n.*].
- reticulata** Nitidula, W. Turton, Linnaeus, Syst. Nat. II. 1802, 111.
- reticulata** Notoclea, T. Marsham, Tr. Linn. Soc. London, IX. 1808, 285.
- reticulata** Nucula, R. B. Hinds, Proc. Zool. Soc. London, XI (126) Dec. 1843, 100.
- reticulata** Nyctelia, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 196.
- reticulatus** Ocypode, T. Say, J. Acad. Nat. Sci. Philad. I. no. 5, Sept. 1817, 73.
- reticulata** Odontis, "Budgin," G. B. Sowerby, I., Cat. Shells Tankerville, 1825, 53.
- reticulata** Oligostomis (L.), F. A. Kolenati, Entom. Zeitung, Stettin, IX (1) Jan. 1848, 20.—Phryganea, 1761.
- reticulata** Oligotricha (L.), P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 472.—Phryganea, 1761.
- reticulata** Onchocerca, C. M. Diesing in J. Hermann, Oesterr. med. Wochenschr. (9) Feb. 1841, 200 [*teste* S. & H.].
- reticulatus** Oontelus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 428.
- reticulata** Ophiolepis (Say), Joh. Mueller & Troschel, Syst. Asterid. 1842, 95.—Ophiura.
- reticulata** Ophiura, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 148.
- reticulata** Orbitulites, D. D. Owen, Rep. geol. expl. Iowa, 1839 (U.S. Senate, 28 Congr. Sess. 1, no. 407), 1844, 70. [1758.]
- reticulatus** Oreaster (L.), Joh. Mueller & Troschel, Syst. Asterid. 1842, 45.—Asterias,
- reticulatus** Oreophorus, Adams & White, Zool. "Samarang" (4) Crust., Mar. 1849, 54.
- reticulatum** Orthoceras, J. Phillips, Geol. Yorksh. II. 1836, 238.
- reticulatum** Orthoceras, F. v. Hauer, Naturw. Abhandl. (Haidinger) I. 1847, 258.
- reticulatus** Otus, A. Risso, H. N. Europe, I. 1826, 122 [*n. n.*]. [Meandrina.]
- reticulata** Oulophillia (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 277.—
- reticulatus** Pachyrhynchus, G. R. Waterhouse, Ann. Mag. Nat. Hist. VIII (50) Nov. 1841, 219.
- reticulata** Pachyta (Fab.), E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 238.—  
Leptura, 1794. [263.—Gryllus, 1781.]
- reticulatus** Pamphagus (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815,
- reticulatus** Pamphilus (L.), P. A. Latreille, Ency. Méth. VIII (2) (Ins.) [1812], 688.—  
Tenthredo, 1758.
- reticulata** Parmacella, v. Hasselt, Algem. Konst. Letter-Bode, 1823 (41) Oct. 1823, 233.
- reticulata** Parthenope, A. White, List Crustacea Coll. B. M. 1847, 124 [*n. n.*].
- reticulata** Patella, H. E. Anton, Verz. Conch. 1839, 25.
- reticulata** Patella, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847, 99.
- reticulatus** Pecten, v. Schlotheim in G. A. Goldfuss, Petref. German. II (4) 1833, 43.
- reticulatus** Pectinites, E. F. Schlotheim, Taschen. Min. 1813, 92.
- reticulatus** Pectunculus, A. Risso, H. N. Europe, IV. 1826, 315.
- reticulatus** Pectunculus, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 191.
- reticulata** Pentaceros (L.), J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 276.—Asterias,
- reticulatus** Perdix, Denys de Montfort, Conch. II. 1810, 447. [1758.]
- reticulatus** Perilampus, J. M'Clelland, Asiat. Researches, XIX (2) 1839, 290.
- reticulata** Perla, H. Burmeister, Handb. Ent. II (2) ii, 1839, 879.
- reticulata** Phasianella, G. B. Sowerby, I. (*ex* Budgin MS), Cat. Shells Tankerville, 1825,
- reticulata** Pasma, M. Houttyn in Stoll, Spoken (Index Phasm. [1813]), 77. [56.]
- reticulata** Pasma, Palisot de B., Ins. Afr. Amér. (—) 1813–20, 166.
- reticulatum** Pasma, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 215.
- reticulata** Pherbina (Dum.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 688.—Tetanocera, ? Latr.
- reticulatum** Philometra, O. G. Costa, Ann. Acc. Aspir. Nat. III. 1846, 80.

- reticulatus** Philopotamus (L.), J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 318.—Phryganea, 1761.
- reticulata** Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) ii, 1845, 80.
- reticulata** Phragmipora, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 28.
- reticulatus** Phrynocephalus, E. Eichwald, Zool. Spec. III. 1831, 186.
- reticulata** Physa, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 214.
- reticulata** Pileopsis, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 11.
- reticulata** Pimelia, F. Klug in Ehrenberg, Sym. Phys., Ins. II (1830), sign. c.
- reticulata** Planaxis (L.), A. Risso, H. N. Europe, IV. 1826, 173.—Buccinum, 1758.
- reticulatus** Planorbis, A. Risso, H. N. Europe, IV. 1826, 98.
- reticulata** Planularia, J. Cornuel, Mém. Soc. géol. France (2) III (1) 1848, 253.
- reticulata** Platycrana (Pal.), G. R. Gray, Syn. Phasmidae, 1835, 38.—Phasma.
- reticulatus** Platynotus, J. C. Fabricius, Syst. Eleuth. I. 1801, 138.—Opatrum, 1798.
- reticulatus** Pleurobranchus, P. S. Rang, Magasin de Zool. II. 1832, pl. 1.
- reticulata** Pleurotoma (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821 [? 1822], 322.—Murex.
- reticulata** Pleurotoma, T. Brown, Ill. Conch. G. B. I. 1827, pl. xlvi, f. 29 [*n. et f.*].
- reticulata** Pleurotoma (Risso), H. D. de Blainville, Faune Française (20) Malac. 1829, 107.—Mangelia.
- reticulata** Pleurotoma, O. G. Costa, Atti R. Accad. Sci. [Napoli] V (2) 1844, 53.
- reticulata** Pleurotoma (Pleurotomoides) (Ren.), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 555.—Murex.
- reticulatus** Pleurotomaria (J. Sow.), J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 10.—Trochus.
- reticulata** Pleurotomaria, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VIII. 1849, 64.
- reticulata** Plexaura, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 365.
- reticulata** Porambonites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 99.
- reticulata** Porites, Lamarck, An. s. vert. II. 1816, 269. [Cancer, 1799.
- reticulatus** Portunus (Herbst), P. A. Latreille, Sonnini's Buffon, Ins. VI (1803), 336.—
- reticulatus** Prionus, Dalman in C. J. Schoenherr, Syn. Insect. I (3) 1817, 337; & App.
- reticulatus** Prochilodus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 92. [1817, 147.
- reticulatus** Proteus, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 199.
- reticulatus** Psammodus, J. L. R. Agassiz in F. A. Alberti, Beitr. Bunter, 1834, 133.
- reticulatus** Psammodus, J. L. R. Agassiz, Poiss. Foss. II (1), 174 (1835); III., 103 (1838)
- reticulata** Psittacula, R. P. Lesson, Traité Ornith. (3) July 1830, 204. [[*n. n.*].
- reticulatus** Psittacus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 204.
- reticulatus** Psittacus, S. Mueller in Temminck, Verh. nat. ges. Ned. overz. bezitt. (Land-en Volkenk.) (3 & 4) 1841, 108.
- reticulata** Pterinea, G. A. Goldfuss, Petref. German. II (5) 1836, 136.
- reticulata** Purpura, A. Risso, H. N. Europe, IV. 1826, 167. [566.
- reticulata** Purpura, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833),
- reticulatus** Pyramis (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. I, f. 30.—Turbo, Adams, 1797.
- reticulatus** Pyramis, T. Brown, Trans. Manchester Geol. Soc. I. 1841, 222.
- reticulata** Pyrula, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 12.
- reticulata** Pyrula, Lamarck, Ency. Méth. (Vers) 1816, pl. 432, Liste, p. 7 [*n. et f.*].
- reticulata** Raphitoma (Ren.), L. Bellardi, Mem. R. Acc. Sci. Torino [2] IX. 1848, 614.—Murex.
- reticulata** Retepora (L.), Lamarck, Syst. Anim. 1801, 374.—Millepora, 1758.
- reticulata** Retepora, W. Hisinger, Lethaea Svecica, 1837, 103.
- reticulata** Reticularia, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 143.
- reticulata** Rhyzopora (L.), A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Oct. 1849, 504.—Millepora, 1758.
- reticulata** Ricania (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 161.—Flata.
- reticulata** Rissoa (Risso), C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 44.—Alvania.
- reticulata** Rissoa, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 156.
- reticulata** Rissoa, H. E. Anton, Verz. Conch. 1839, 62.

- reticulata** Rissoa (Mont.) S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 533.—Turbo, Adams, 1797.
- reticulata** Rotalina, J. Czjzek, Naturw. Abhandl. (Haidinger) II. 1848, 145.
- reticulata** Scalaria (Sol.), J. De C. Sowerby, Min. Conch. VI. 1827, 150.—Turbo, 1766.
- reticulata** Scalaria, R. A. Philippi, Tertiärverst. n.-w. Deutschl. 1844, 55.
- reticulata** Scalaria, A. J. Michelotti, N. Jahrb. f. Min. 1846, 54 [*n. n.*].
- reticulata** Scalaria, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 161.
- reticulatus** Scarabaeus (Ol.), W. Turton, Linnaeus, Syst. Nat. II. 1802, 75.—Hexodon,
- reticulatus** Scarites, J. Sturm, Catal. Ins. Samml. 1826, 194 [*n. n.*]. [1789.]
- reticulata** Scatophaga (Latr.), J. C. Fabricius, Syst. Antliat. 1805, 206.—Dictya.
- reticulata** Sciomyza, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 431 [*n. n.*].
- reticulatus** Scorpio, W. de Haan, Bijdr. Nat. Wetensch. II (1) 1827, 148. [1758.]
- reticulatus** Scutella (L.), de Blainville, Dict. Sci. Nat. XLVIII. 1827, 228.—Echinus,
- reticulata** Scyphia, G. A. Goldfuss, Petref. German. I (1) 1826, 11.
- reticulata** Semele (Spengl.), C. F. Schumacher, Essai Vers test. 1817, 166.—Tellina, ? Gm. 1790.
- reticulatus** Serranus, Kuhl & v. Hasselt in Cuvier & Valenc., H. N. Poiss. II. 1828, 323.
- reticulatus** Sesarma, T. Say, J. Acad. Nat. Sci. Philad. I. no. 5, Sept. 1817, 75 & 76.—Ocy-pode, p. 73.
- reticulatum** Solarium, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 149.
- reticulatus** Sparus, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 447.
- reticulata** Spatularia, G. Shaw, Gen. Zool. (Pisc.) V (2) 1804, 362.
- reticulata** Spirifer (Pand.), L. v. Buch, Arch. f. Min. XV. 1840, 16.—Porambonites.
- reticulata** Spirifer, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 17 [*n. n.*].
- reticulata** Stomatia (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 249.—Pileopsis.
- reticulatus** Strombus, J. K. Megerle, Ges. Nat. Fr. Berlin, Verh. I (4) 1824, 207.
- reticulatus** Strophodus, J. L. R. Agassiz, Poiss. Foss. III., 123 (1838).—Psammodus, 1838.
- reticulata** Styliina, A. Mugeot in Michelin, Bull. Soc. géol. France (sér. 2) IV. 1847, 1434.
- reticulata** Subretepora (Hall), A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Oct. 1849, 500.—Intricaria.
- reticulatum** Sycidium, Sandberger in J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 9.
- reticulata** Sycotypus (Adams), J. E. Gray, Figs. Moll. Anim. IV. 1850, 68.—Ficula,
- reticulata** Syringopora, G. A. Goldfuss, Petref. German. I (1) 1826, 76. [? Reeves.]
- reticulatus** Tenebrio, T. Say in Keating, Exp. Peter River, II. 1824, 279; & ed. London, 1825 (App.), 24.
- reticulata** Terebra (Pult.), J. Fleming, Hist. Brit. Anim. 1828, 346.—Murex, 1799.
- reticulata** Terebra, J. De C. Sowerby, Tr. Géol. Soc. London [2] V. 1840, expl. pl. xxvi.
- reticulata** Terebratella (Pusch), A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 112.—Terebratula.
- reticulata** Terebratula, W. Smith, Strat. Syst. Org. Foss. 1817, 83.
- reticulata** Terebratula [*non* Smith], J. Sowerby, Min. Conch. IV. 1821, 8.
- reticulata** Terebratula, G. G. Pusch, Polens Paleont. 1837, tab. iii, f. 11 [*non* Sow.].
- reticulatus** Terebratulites, E. F. v. Schlotheim, Die Petref. 1820, 269.
- reticulata** Terrapene (Latr.), C. L. Bonaparte, Ann. Stor. Nat. IV (12) 1830, 369.—Testudo, Bosc.
- reticulata** Testudo, Bosc in F. M. Daudin, Sonnini's Buffon, Rept. II (1802), 144.
- reticulata** Testudo (Emys) (Latr.), B. Merrem, Tent. Syst. Amph. 1820, 26.—Testudo, Bosc. [Musca, 1781.]
- reticulata** Tetanocera (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 385.—
- reticulatus** Tetraodon, P. Bleeker, Verh. Batav. Genootsch. XXII. 1849 (Ichth. fauna Madura), 16.
- reticulatus** Tetrodon, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 80.
- reticulata** Thaerodontis, J. M'Clelland, Calcutta Journ. Nat. Hist. V (18) July 1844, 188.
- reticulata** Thamnotettix (Fall.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 293.—Cicada, Th. 1784.

- reticulatum** (*sic*) Theridion, C. W. Hahn, Die Arachniden, II (3) July 1834, 39.
- reticulatum** Theridium, C. L. Koch, Die Arachniden, XII (6) 1845, 136.
- reticulata** Tingis, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 64 [*n. n.*].
- reticulata** Tortrix (L.), B. Merrem, Tent. Syst. Amph. 1820, 82.—Anguis, 1758.
- reticulatus** Trachynotus (Fab.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 14.—Sepidium, 1781.
- reticulatum** Tragos, Muenster in G. A. Goldfuss, Petref. German. I (2) 1829, 96.
- reticulata** Trichina, Diesing; Arch. Thierheilk., n. f. IV. 1843, 75 & "Inhalt" [*mihi non*].
- reticulata** Trigonina, J. L. R. Agassiz, Etudes crit. Moll. foss. (1) 1841, 39. [*visum*].
- reticulatum** Trigonosoma, Herrich-S., Wanzenart. Ins. IX (6) Nov. 1851, 332.
- reticulata** Triloculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 299.
- reticulatus** Triton, G. B. Sowerby, I., Proc. Zool. Soc. London, I (6) Sept. 1833, 71.
- reticulatum** Tritonium, H. D. de Blainville, Faune Française (20) Malac. 1829, 118.
- reticulatus** Trochus, J. Sowerby, Min. Conch. III. 1821, 128.
- reticulatus** Trochus, W. Wood, Suppl. Index Test. 1828, 17 [*n. et f.*].
- reticulatus** Trox, J. Sturm, Catal. Ins. Samml. 1826, 205 [*n. n.*].
- reticulata** Trupanea (L.), F. v. P. Schrank, F. Boica, III (1) 1803, 149.—Musca, ? Fab.
- reticulata** Turbinolia, C. F. A. Morren, Ann. Ac. Groning. 1828, 53. [1781].
- reticulatus** Turbo, G. Montagu, Test. Brit. II. 1803, 322 [=Adams, 1797].
- reticulatus** Turbo (Walk.), J. Fleming, Hist. Brit. Anim. 1828, 300.—Helix.
- reticulatus** Turbo, G. G. Pusch, Polens Paleont. (2) 1837, 102. [1797].
- reticulata** Turbona (Ad.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 271.—Turbo,
- reticulata** Turbonilla (Mont.), W. Macgillivray, Hist. Moll. Aberdeen, 1843, 327.—Murex, Pult. 1799.
- reticulata** Turritella, Mighels & Adams, Boston Journ. N. H. IV (1) 1842, 50; Proc. Boston Soc. N. H. I (—) 1844, 50. [Loxonema].
- reticulata** Turritella (Ph.), J. Steininger, Verst. Uebergangsgeb. Eifel, 1849, 28.—
- reticulata** Ulopa (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 67.—Cercopis, 1794.
- reticulata** Unionicola, S. S. Haldeman, Zool. Contr. 1842, 3.
- reticulata** Vaginulina (Corn.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 110.—Planularia.
- reticulatus** Ventriculites, E. Bennett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831, 8
- reticulata** Venus (*ex* Chemn.), W. Wood, Index Test. 1818, 37. [[*n. n.*].
- reticulata** Venus, A. Risso, H. N. Europe, IV. 1826, 361.
- reticulatus** Vermetus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834),
- reticulata** Voluta, L. Reeve, Proc. Zool. Soc. London, XI (129) Mar. 1844, 144. [297].
- reticulata** Voluta, A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850, 221.
- reticulatus** Volvox, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 14.
- reticulata** Zilla (L.), C. L. Koch, Die Arachniden, VI (6) *ante* July 1839, 142.—Aranea,
- reticulata** Zophosis, T. Say, J. Acad. Nat. Sci. Philad. III. Jan. 1824, 250. [1758].
- reticulella** Scythropia, J. Huebner, Verz. bekannt. Schmett. 1826, 414.—Tinea, 1796.
- reticulella** Yponomeuta (Huebner), F. Treitschke, Schmett. Europa, IX (1) 1832, 232.—
- Reticulina** C. S. Rafinesque, Analyse, 1815, 156.—Coel. [*n. n.*]. [Tinea, 1796].
- reticulina** Fissurella, A. Risso, H. N. Europe, IV. 1826, 258.
- reticulina** Venus, Bory de St V., Ency. Méth. (Vers) 1824, 154 [*n. et f.*].
- Reticulipora** A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Oct. 1849, 501.—Polyz.
- Reticulites** E. Eichwald, Zool. Spec. I. 1829, 196.—Cor.
- reticuloides** Meliphaga, R. P. Lesson, Rev. Zool. (Soc. Cuv.) II. June 1839, 167.
- reticulosa** Arca, P. H. Nyst, Mém. Ac. Roy. Belg. XXII. 1848, 60.
- reticulosus** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 434.
- reticulosum** Buccinum, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (2) 1805, 77.
- reticulosus** Murex, Lamarck, Ann. Mus. H. N. (Paris) II (9) June 1803, 226.
- reticulosa** Porites, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 567.
- reticulosum** Triton (Lam.), G. P. Deshayes, Descr. Coq. foss. Paris, II (1835), 615.—
- reticulosum** Tritonium (Lam.), H. G. Bronn, Index Pal. 1848, 1293.—Murex. [Murex,
- reticulum** Alecto, J. Steininger, Verst. Uebergangsgeb. Eifel, 1831, 14.
- reticulum** Conopeum (Esp.), J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 108.—Millepora, L. 1767.



- reticulum** Discopora (Gm.), Lamarck, An. s. vert. II. Mar. 1816, 167.—Millepora, L. 1767.
- reticulum** Discopora (L.), Lamarck, Ency. Méth. (Vers) 1816, pl. 479, Liste, p. 15.—Millepora, 1767 [*n. et f.*].
- reticulum** Eunicea (Pall.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834),
- reticulum** Favosites, E. Eichwald, Zool. Spec. I. 1829, 194. [360.—Gorgonia.
- reticulum** Gorgonia, E. Eichwald, Urwelt Russlands (1) 1840, 90.
- reticulum** Membranipora (L.), de Blainville, Dict. Sci. Nat. LX. 1830, 411.—Millepora,
- reticulum** Murex, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (2) 1805, 105. [1767.
- retiella** Psyche, E. Newman, The Zoologist, V (9) 1847, 1863 [*n. n.*].
- retifer** Bulla, E. Forbes, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 187.
- retifer** Conus, C. T. Menke, Conch.-Samml. Malsburg, 1829, 68.
- retifer** Dicrurus, T. C. Jerdon, Madras Journ. X (25) Oct. 1839, 241. [*pro setifer*].
- retifer** Edolius, C. J. Temminck in T. & Laugier, Pls. color. (30) July 1823, pl. 178 [*err.*]
- retifera** Fissurella, Cristofori & Jan, Cat. Mus., Sect. II (1) Conch. foss. 1832, 2.
- retifera** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (148) Oct. 1845, 73.
- retifera** Melitaea, Lamarck, Mém. Mus. H. N. (Paris) I [5] *ante* Mar. 1816, 412.
- retifera** Neritina, W. H. Benson, J. Asiat. Soc. Bengal, V. 1836, 749 [*n. n.*].
- retifera** Patella, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 415.
- retifera** Venus, Lamarck, An. s. vert. V. 1818, 599.
- retiferella** Depressaria, Kollar in Zeller, Entom. Zeitung, Stettin, XI (5) May 1850, 150.
- retifolia** Locusta (Phylloptera), W. de Haan in Temminck, Verh. nat. ges. Ned. overz.
- retiformis** Astrea, Lamarck, An. s. vert. II. 1816, 265. [bezitt., Zool. (Ins.) 1842, 198.
- retiformis** Astreopora (Lam.), de Blainville, Dict. Sci. Nat. LX. 1830, 349.—Astrea.
- retiformis** Ceratophytes, E. F. v. Schlotheim, Denkschr. k. Ak. Wiss. München, VI (Math.
- retiformis** Eschara, J. Fleming, Hist. Brit. Anim. 1828, 531. [Phys.) 1816, 27.
- retiformis** Escharites, E. F. v. Schlotheim, Die Petref. 1820, 342.
- retiformis** Fenestella, W. Lonsdale in Murchison, V. & K., Geol. Russia, I. Aug. 1845, 630.
- retiformis** Fenestella (Schl.), H. B. Geinitz, Verst. Zechsteingeb. (1) 1848, 17.—Ceratophytes.
- reteformis** Fenestrella (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 44.—
- reteformis** Flustra, S. Woodward, Geol. Norf. 1833, 46. [Gorgonia.
- retiformis** Goniastrea (Lam.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 495.—Astrea.
- retiformis** Gorgonia (Schloth.), L. G. de Koninck, Descr. Anim. foss. (1) Sept. 1841, 4.—Ceratophytes.
- reteformis** Gorgonia, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 115. [Gorgonia.
- retiformis** Polypora (Kon.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 153.—
- retiformis** Pyramis (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. li, f. 23.—Turbo.
- retiformis** Retepora (Schloth.), H. Michelin, Icon. Zoophyt. (20-23) 1846, 191.—Ceratophytes.
- retiforma** (*sic*) Rissoa (Mont.), T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 12.—Turbo.
- retiformis** Scyphia, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 7.
- retiformis** Turbo, G. Montagu, Test. Brit. II. 1803, 330.
- retigera** Cleothera, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 583.
- retinella** Argyresthia, P. C. Zeller, Isis (Oken), 1839, 205.
- retinervis** Phylloptera, H. Burmeister, Handb. Ent. II (2) i, 1838, 692.
- Retinia** A. Guénéé, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 180.—Lep.
- Retiolites** J. Barrande, Grapt. Bohême, 1850, 68.—Coel.
- retipennis** Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 240.
- retirugis** Helix, C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 14.
- Retispongia** A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Nov. 1849, 547.—Sp.
- retorquata** Terebratula, J. Fleming, Hist. Brit. Anim. 1828, 370.
- retortaeformis** Strongylus, K. A. Rudolphi, Archiv Zool. (Wiedemann) II (2) 1802, 40.
- retortellus** Capulus (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 370.—Pileopsis,
- retortella** Patella, Lamarck, Ann. Mus. H. N. (Paris) I (4) Feb. 1803, 311. [Lam.
- retortella** Pileopsis, Lamarck, An. s. vert. VI (2) 1822, 19.—Patella, 1803.
- retorta** Caryophyllia, H. Michelin, Icon. Zoophyt. (20-23) 1846, 223.
- retortum** Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 35.

- retorta** Erebus (Cr.), V. Kollar in Hügel, Kaschmir, IV (2) 1844, 475.—Phalaena, 1777.
- retorta** Lasmophyllia (Mich.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 321.—Caryophyllia.
- retorta** Noctua (Clerck), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 256.—Phalaena,
- retorta** Serpula, D. Solander, Catal. Portland Mus. 1786, 30 [*n. n.*] [1764.]
- retorta** Speiredonia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1825, 272.—Phalaena, 1777.
- retortum** Vermiculum (Sol.), G. Montagu, Test. Brit. II. 1803, 524.—Serpula, 1786.
- retractum** Agonum, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug. 1846,
- retracta** Epuraea, J. L. Leconte in Agassiz, Lake Superior, 1850, 222 [*n. n.*] [228.]
- retractus** Platynus, J. L. Leconte in Agassiz, Lake Superior, 1850, 205.—Agonum, 1846.
- retracta** Terebratula, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 38.
- retroflexa** Avicula (Wahl.), W. Hisinger, Anteckn. Physik Geogn. V. 1831, 116; Lethaea Svecica, 1837, 57.—Mytilites.
- retroflexa** Cristellaria, F. v. Hagenow, N. Jahrb. f. Min. 1842, 573.
- retroflexa** Gonambonites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 79.
- retroflexus** Mytilites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep. 1819], 57.
- retroflexa** Oxyrhina, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 115 (1838); III., 281 (1843).
- retropinna** Argentina, J. Richardson, Zool. "Ereb. Terr." (Fish, 1848), 121.
- retrorsus** Aganides (Buch), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 60.—Goniatites.
- retrorsus** Ammonites, L. v. Buch, Abh. ph.-Kl. K. pr. Ak. Wiss. 1830 (1832), 181.
- retrorsum** Cyclostoma, C. B. Adams, Contr. to Conch. (6) Mar. 1850, 91.
- retrorsus** Goniatites (Buch), d'Archiac & de Verneuil, Tr. Geol. Soc. London [2] VI (2) 1842, 338.—Ammonites.
- retrorsa** Helcion (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 127.—Patella.
- retrorsa** Helix (Caracolla), A. A. Gould, Proc. Boston Soc. N. H. I (—) 1844, 139; Boston Journ. N. H. IV (4) 1844, 455.
- retrorsus** Inoceramus, A. Keyserling in Middendorff, Reise Siberiens, I (1) 1848, 250.
- retrorsus** Myriacanthus, J. L. R. Agassiz, Poiss. Foss. III., 39 (1837).
- retrorsa** Patella, J. Phillips, Geol. Yorksh. II. 1836, 223.
- retrorsa** Porcellia, G. v. Muenster, Beitr. zur Petref. (1) 1839, 38.
- retrospiciens** Elater, K. Illiger, Ges. Nat. Fr. Berlin, Mag. I. 1807, 145.
- retrospiciens** Pyrophorus (Ill.), E. F. Germar, Zeitschr. f. d. Entom. III. 1841, 58.—Elater.
- retrospinis** Mesoprion, Cuvier & Valenc., H. N. Poiss. VI. 1830, 541. [cardium.]
- retrostriata** Cardiola (Buch), A. Keyserling, Wiss. Beob. Petschora, 1846, 254.—Venericardium.
- retrostriatum** Cardium (Buch), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 79.—Venericardium. [Venericardium.]
- retrostriatum** Lunolocardium (Buch), G. Sandberger, N. Jahrb. f. Min. 1845, 176.—
- retrostriatum** Venericardium, L. v. Buch, Abh. ph.-Kl. k. pr. Ak. Wiss. Berlin, 1830 (1832) [1830], 182.
- retrotracta** Astarte, C. Rouillier, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847, 414.
- retroversus** Ammonites (Buch), H. D. de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 145.—
- retroversus** Fusus, J. Fleming, Hist. Brit. Anim. 1828, 349. [Goniatites.]
- retroversa** Limacina (Flem.), J. E. Gray, Cat. Moll. Coll. B. M. (2) 1850, 33.—Fusus.
- retrusus** Cephalites, J. T. Smith, Ann. Mag. N. H. (2) I. Ap. 1848, 285.
- retuja** Camposcia, F. S. Voigt in Cuvier, Thierreich, IV. 1836, 139.
- Retusa** T. Brown, Ill. Conch. G. B. I. 1827, pl. xxxviii, f. 1.—G.
- retusalis** Idia, J. Huebner, Exot. Schmett., Tab. Idia [*n. et f.*; *die non det.*].
- retusalis** Pelecia, J. Huebner, Index exot. Lepid. 1821, 6.
- retusana** Anchylopera (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.—Tortrix.
- retusana** Steganoptycha (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) June 1834,
- retusana** Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 453. [108.—Tortrix.]
- Retusites** C. S. Rafinesque, Atlantic Journ. (2) 1832, 73.—Cr.
- retusorius** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 278.
- retusus** Actaeon, J. Phillips, Geol. Yorksh. I. 1829, 135 [*n. et f.*].
- retusa** Ancistria (Fab.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 305.—Colydium.

- retusa** Anomia, D. Solander, Catal. Portland Mus. 1786, 53 & 136 [*n. n.*].
- retusa** Anthophora (L.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 160.—Apis, 1758.
- retusa** Anthophora, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 798.
- retusa** Anthophorabia, G. Newport, Proc. Linn. Soc. London (39) Ap. 1849, 24.
- retusus** Anthribus, Labram & Imhoff, Gen. Curcul. I (7) 1840.
- retusa** Apate, J. Sturm, Catal. Ins. Samml. 1826, 95 [*n. n.*].
- retusus** Aphodius, J. Walth, Reise Tyrol etc. (2) 1835, 67.
- retusa** Arca, Lamarck, An. s. vert. VI (1) 1819, 39.
- retusa** Ascaris, J. A. Frolich, Naturforscher, XXIX. 1802, 41.
- retusus** Ateuchus, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 166.
- retusum** Buccinum, Lamarck, An. s. vert. VII. 1822, 270.
- retusus** Bulimus, G. A. Olivier, Voy. Othoman, II (1801), 355.
- retusa** Bulla, Maton & Rackett, Tr. Linn. Soc. London, VIII. 1807, 128.
- retusa** Bulla, R. A. Philippi, Tertiärverst. Wilhelmshöhe, 1841, 18.
- retusus** Byrsops (Thunb.), C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 392.—Brachy-
- retusum** Calosoma, Fab.; Dejean, Catal. Coléopt. 1821, 7 [*n. n.*]. [cerus, ? Ol. 1790.
- retusus** Chelonus, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 294.—Sigalphus, 1816.
- retusus** Chiton, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (16) Ap. 1832, 28.
- retusus** Cimex, C. P. Thunberg, Hemip. Capen. II. 1822, 5.
- retusa** Clausilia (Ol.), Lamarck, An. s. vert. VI (2) 1822, 113.—Bulimus.
- retusa** Clavatulæ, R. B. Hinds, Proc. Zool. Soc. London, XI (122) Oct. 1843, 44.
- retusa** Cleodora (Gm.), de Blainville, Dict. Sci. Nat. IX. 1817, 388.—Clio, L. 1767.
- retusus** Cleonus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 84.—Curculio,
- retusa** Clerodora, L. Oken, Lehrb. Nat. III (1) 1815, 326. [1781.
- retusa** Cnemida (Fab.), H. Burmeister, Handb. Ent. IV (1) 1844, 379.—Trichius.
- retusa** Columbella, H. E. Anton, Verz. Conch. 1839, 88.
- retusum** Colyidium, J. C. Fabricius, Syst. Eleuth. II. 1801, 555.
- retusus** Copris, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 68.
- retusus** Coptorhinus, Fab.; Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 152.
- retusus** Cothonaspis, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 357.
- retusus** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844,
- retusus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 306. [335.
- retusum** Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 38.
- retusa** Cymatophora (D. & S.), F. Treitschke, Schmett. Europa, V (1) 1825, 80.—  
? Phalaena, L. 1761.
- retusa** Cypraea, J. De C. Sowerby, Min. Conch. IV. 1822, 107. [609.
- retusa** Cypricardia, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839,
- retusum** Demoulia (Lam.), J. E. Gray, Ann. Nat. Hist. I (1) Mar. 1838, 29.—Buccinum.
- retusa** Desmonota, C. H. Boheman, Mon. Cassid. I. 1850, 156.
- retusa** Dexia (Fab.), F. Walker, List Dipt. Coll. B. M. (4) 1849, 861.—Musca, 1775.
- retusus** Diabasis (Fab.), Hoffmannsegg, Zoologisches Magazin, I (1) 1817, 14.—Trichius.
- retusum** Distoma, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844],  
405.
- retusa** Dolichotoma (Herbst), C. H. Boheman, Mon. Cassid. I. 1850, 207.—Cassida, 1799.
- retusa** Donax, Lamarck, Ann. Mus. H. N. (Paris) VII (38) Dec. 1805, 137.
- retusus** Epierus (Ill.), W. F. Erichson, Jahrb. Insectenk. I. 1834, 160.—Hister.
- retusum** Epitonium, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 15.
- retusus** Geotrupes, M.L.; Dejean, Catal. Coléopt. 1821, 56 [*n. n.*].
- retusa** Hadena, C. F. Freyer, Neuere Beitr. Schmett. V (80) 1845, 161.
- retusus** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 229.
- retusa** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (153) Feb. 1846, 132.
- retusa** [Helix] (Cochlodina) (Ol.), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,  
1821, 66.—Bulimus.
- retusum** Hemicardium (Wood), W. Swainson, Treat. Malacol., May 1840, 373.—? Cardium,
- retusa** Hemimitra, W. Swainson, Treat. Malacol., May 1840, 340. [L. 1767.
- retusus** Hister, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 36 [*n. n.*].
- retusa** Hoplia, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 170.

- retusa** Hyalaea (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 242.—Clio,  
**retusa** Hydrachna, F. v. P. Schrank, F. Boica, III (1) 1803, 219. [1767.]  
**retusus** Hyperodon, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-1811 (1815), 57  
 [n. n.].
- retusa** Ipimorpha (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 238.—Phalaena,  
**retusa** Lacuna, T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 128. [1761.]  
**retusa** Litorina (Lam.), C. T. Menke, Syn. meth. Moll. 1828, 25.—Turbo.  
**retusa** Lyonna (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 32.—Cyprid.  
**retusa** Madrepora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 462.  
**retusa** Marginella (Brown), Catlow & Reeve, Conch. Nomen. 1845, 293.—Volvaria.  
**retusus** Megarthrus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 24 [n. n.];  
 & Ill. Brit. Ent. (Mand. V.) Jan. 1834, 331.
- retusa** Megilla (L.), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 138.—Apis, 1758.  
**retusa** Melania, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Moll. etc. 1834, 598.  
**retusa** Melolontha, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 171; & App.  
 1817, 79.
- retusus** Microcerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 8.—  
 Brachycerus, ? Ol. 1790.
- retusa** Mitra, Lamarck, Ann. Mus. H. N. (Paris) XVII (99-100) July 1811, 217.  
**retusus** Modulus (Lam.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 78.—Monodonta.  
**retusa** Monodonta, Lamarck, Ency. Méth. (Vers) 1816, pl. 447, Liste, p. 10 [n. et f.].  
**retusus** Murex, S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821 [? 1822], 305.  
**retusus** Mytilus, Lamarck, An. s. vert. VI (1) 1819, 127.  
**retusa** Nassa, G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, X. Nov. 1844, 168.  
**retusa** Natrix, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (6) 1808, 32.  
**retusus** Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 583.  
**retusa** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 44 (Fernaldo iudice 1802)  
 [n. et f.].
- retusa** Nucula, R. B. Hinds, Proc. Zool. Soc. London, XI (126) Dec. 1843, 99.  
**retusa** Obliquaria, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 306.  
**retusa** Obovaria, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 427  
**retusa** Ostrea, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 338. [[n. n.].  
**retusum** Ovulum, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1837, 136.  
**retusa** Paludomus, W. Swainson, Treat. Malacol., May 1840, 340.  
**retusa** Phaleria (Fab.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 95.—Tenebrio.  
**retusa** Pholadomya, G. P. Deshayes, Traité élém. Conch. I (2) 1850, 156.  
**retusa** Physaloptera, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 30.  
**retusa** Planaria, D. Viviani, Phosph. Maris, 1805, 13.  
**retusus** Planorbis, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 17.  
**retusa** Platenis (L.), Boisduval, Gen. Index Europ. Lepid. 1840, 93.—Phalaena, 1761.  
**retusa** Pleurotoma (Hinds), L. Reeve, Conch. Icon.—Pleurotoma, no. 234, Nov. 1845.—  
 Clavatula.
- retusa** Pterocera, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 169.  
**retusa** Pterocera (Sow.), E. Forbes, Q. J. Geol. Soc. London, I. 1845, 350.—Rostellaria.  
**retusa** Pupa, A. Braun, Amt. Ber. Vers. deutsch. Nat. u. Aerzte, 1842 (1843), 149 [n. n.].  
**retusa** Purpura, Lamarck, An. s. vert. VII. 1822, 248.  
**retusa** Purpura, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2)  
 III (2) 1847, 217.
- retusa** Rostellaria, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 344.  
**retusa** Rutela (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 155.—Trichius.  
**retusa** Scalaria (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821 [? 1822], 338.—  
**retusus** Sigalphus, Nees v. E., Ges. Nat. Fr. Berlin, Mag. VII (4) 1816, 270. [Turbo.  
**retusum** Spalangus, Lamarck, An. s. vert. III. 1816, 33.  
**retusum** Sphaerotherium, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 99.  
**retusus** Sphenophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 949.  
**retusus** Strophosomus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 14.—Curculio  
**retusa** Succinea, I. Lea, Tr. Amer. Phil. Soc., n. s. V (1) 1834, 117.

- retusus Temnorhynchus (Fab.), F. W. Hope, Coleopt. Manual, I. 1837, 47 & 93.—
- retusus Tenebrio, J. C. Fabricius, Syst. Eleuth. I. 1801, 149. [Geotrupes, 1798.]
- retusus Tessarocerus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) June 1838, 106.
- retusa Testudo (Chersine), B. Merrem, Tent. Syst. Amph. 1820, 29.
- retusa Tethea (L.), F. Ochseneimer, Schmett. Europa, IV. 1816, 64.—Phalaena, 1761.
- retusus Tornatella (Ph.), T. Brown, Ill. Foss. Conch. G. B. I. (19, 20) [1843], 85.—Acteon.
- retusus Trichius, J. C. Fabricius, Syst. Eleuth. II. 1801, 133.
- retusus Trichodectes, C. L. Nitzsch, Mag. Entom. (Germar) III. 1818, 296.
- retusum Triton, Lamarck, An. s. vert. VII. 1822, 184.
- retusa Trivia (Sow.), S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 544.—Cypraea.
- retusa Trogosita, J. C. Fabricius, Syst. Eleuth. I. 1801, 150.
- retusus Turbo, G. Brocchi, Conch. Subap. 1814, 380.
- retusus Turbo, Lamarck, An. s. vert. VII. 1822, 48.
- retusa Typhlolepta (Viv.), C. M. Diesing, Syst. Helminth. I. 1850, 200.—Planaria.
- retusa Uloma (Fab.), Dejean, Catal. Coléopt. 1821, 67.—Tenebrio.
- retusa Unio, Lamarck, An. s. vert. VI (1) 1819, 72.
- retusa Unio, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 306.
- retusa Unio, F. Held, Isis (Oken), 1836, 281.
- retusa Vermilaria, A. F. Schweigger, Beob. naturh. Reisen, 1819, 57.
- retusa Volvaria, T. Brown, Ill. Conch. G. B. I. 1827, pl. xxxviii, f. 17.
- retusa Volvaria [non 1827], T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 4.
- Retzia** W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850, 137.—Br.  
[retzius→.]
- retzii Emys, A. F. Schweigger, Königsberger Archiv, I. 1812, 312.
- retzii Emys (Daud.), H. Cloquet, Dict. Sci. Nat. XIV. 1819, 438.—Testudo.
- retzii Hippolyte, H. Rathke, N. A. Ac. Caes Leop. Car. XX (1) 1843, 16.
- retzii Natica, S. Nilsson, Petrif. Suec. 1827, 13.
- retzii Ophiura, S. Nilsson, Coll. Zool. Scand. 1817, 15.
- retzi Orthagoriscus, C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 88.
- retzii Orthagoriscus, C. Ranzani, N. Comm. Ac. Sci. Inst. Bonon. III. 1839, Dispositio.
- retzii Terrapene (Schw.), L. J. Fitzinger, Neue Classif. Rept. 1826, 45.—Emys.
- retzii Testudo, F. M. Daudin, Sonnini's Buffon, Rept. II (1802), 174.
- reunitor Ichneutes, Nees v. E., Ges. Nat. Fr. Berlin, Mag. VII (4) 1816, 276.
- reussii Acmaea (Gein.), A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 41.—Patella.
- reussii Acteon, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 219.
- reussii Arca, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 244.
- reussi Asphaerion, H. v. Meyer, N. Jahrb. f. Min. 1847, 192.
- reussii Chelifer, C. L. Koch, Die Arachniden, X (3) 1843, 48.
- reussi Cidaris, H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 220.
- reussi Cnemidium, H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 256.
- reuss (sic) Dyction, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 380.
- reussii Helcion (Gein.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 232.—Acmea.
- reussii Lima, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 249.
- reussii Manon, F. M'Coy, Ann. Mag. N. H. (2) II. Dec. 1848, 398.
- reussii Mitylus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 247.
- reussii Nucula, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 243.
- reussii Patella, H. B. Geinitz, Char. Schicht. sächs.-böhm. Kreidegeb. (3) 1842, 74.
- reussii Pecten, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 252.
- reussii Pectunculus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 164.
- reussii Phacops, J. Barrande, Not. prélim. Silur. 1846, 83.
- reussii Proetus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 76.
- reussii Rostellaria, H. B. Geinitz, Char. Schicht. sächs.-böhm. Kreidegeb. (3) 1842, 71.
- reussii Turrilites, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 216.
- reussii Virgulina, H. B. Geinitz, Char. Schicht. sächs.-böhm. Kreidegeb. (3) 1842, 70.
- reussiana Arca, P. H. Nyst, Mém. Ac. Roy. Belg. XXII. 1848, 60.
- reussiana Astrea, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Aug. 1849, 110.
- reussianus Hamites, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 216.
- reussiana Oulophyllia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 208.

- reussianus** Turbo, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 192.
- reussiana** Turritella, Jos. Mueller, Amt. Ber. Vers. deutsch, Nat. u. Aerzte, 1847 (1849),
- reussiella** Phalaena, T.; J. T. C. Ratzeburg, Forst-Insekten, II. 1840, 240. [238.]
- revayana** Axia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 395.—Tortrix, 1775.
- revayana** Penthina (D. & S.), F. Treitschke, Schmett. Europa, VIII. 1830, 22.—Tortrix, 1775.
- revayana** Sarrothripa (D. & S.), Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6) 1836, 556.—Tortrix, 1775.
- revayanus** Sarrothripus (D. & S.), J. Curtis, Brit. Entom., ed. 2, I (7) [? 1840], no. 29.—Tortrix, 1775.
- revelata** Helicella, Fér.; H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 7.
- revelata** Helix (Helicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821,
- revelata** Posidonia, A. Keyserling, Wiss. Beob. Petschora, 1846, 302. [48 [*n. n.*].]
- revelatus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 11.
- Revellia** Robineau-D., 1830; *sic* Agassiz, *sed err. pro* Rivellia, *q.v.*
- reveneli** Mactra, T. A. Conrad, Amer. Mar. Conch. (5) [? 1833], 65.—*err. pro* raveneli
- reventlowii** Planorbis, H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 122 [*n. n.*].
- reversaria** Dosithea (Tr.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1830, 57.—*Idaea reversata*.
- reversata** *Idaea*, F. Treitschke, Schmett. Europa, VI (2) 1828, 286. [*Idaea*.]
- reversata** Ptychopoda (Tr.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 219.—
- reversa** Arca, G. B. Sowerby, I., Proc. Zool. Soc. London, I (1-3) May 1833, 20.
- reversa** Ecclissa, F. v. P. Schrank, F. Boica, III (2) 1803, 109.
- reversa** Eurybrachis, F. W. Hope, Tr. Linn. Soc. London, XIX (2) 1843, 134.
- reversa** Helix, W. Turton, Dublin Examiner, I (3) July 1816, 239 [*n. n.*].
- reversa** Heterodisca (Mont.), J. Fleming, Edinburgh Phil. Journ. XII (24) Ap. 1825,
- reversus** Hybos, F. Walker, List Dipt. Coll. B. M. (3) 1849, 487. [248.—*Serpula*.]
- reversa** Lamna, C. G. Giebel, Fauna d. Vorwelt, I (3) 1848, 360.
- reversa** Modiola, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV, 1836, 342.
- reversus** Mytilus (Fitton), A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 264.—*Modiola*, Sow.
- reversa** Orbicula, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 289.
- reversa** Orthis, J. W. Salter in F. M'Coy in Griffith, Syn. Silurian foss. Ireland, 1846, 72.
- reversa** Sciomyza, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1069.
- reversa** *Serpula*, G. Montagu, Test. Brit. II. 1803, 508.
- reversa** *Serpula*, C. G. Giebel, De Geogn. Hercyn. 1848, 28 [*n. n.*].
- reversa** Spirorbis (Mont.), C. Thorpe, Brit. Mar. conch., Ap. 1844, 12.—*Serpula*.
- reversa** Terebratula, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (4) 1807, 22.
- reversa** Triloculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 300 [*n. n.*].
- revestita** Lagria, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 10; & App. 1817,
- revestitus** Lygaeus, C. F. Fallen, Mon. Cimicum Sveciae, 1807, 82. [10.]
- revestitus** Phytocoris, C. F. Fallen, Hemipt. Sveciae, 1829, 89.
- revestita** Zenoria, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 900.
- revocator** Turdus, C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, p. 14.
- revoluta** Alaea, J. G. Jeffreys, Tr. Linn. Soc. London, XVI (2) 1830, 359.
- revolutus** Bulimus, Parreyss, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 416.
- revolutus** Bulimus, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (5 & 6) July 1837, 47.
- revoluta** Corbula (Br.), J. Sowerby, Min. Conch. III. 1818, 16.—*Tellina*.
- revoluta** Fasciola, J. A. Frolich, Naturforscher, XXIX. 1802, 58.
- revolutus** Pecten, A. J. Michelotti, N. Jahrb. f. Min. 1846, 53 [*n. n.*].
- revolutus** Pecten, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2)
- revoluta** Spiroptera, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 26. [III (2) 1847, 87.]
- revoluta** *Tellina*, G. Brocchi, Conch. Subap. 1814, 516.
- revoluta** Terebratula, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 322.
- revolutus** Trochocyathus, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 310.
- revolvens** Agathidium, J. L. Leconte in Agassiz, Lake Superior, 1850, 222.
- revolvens** Gyrimus, J. L. Leconte in Agassiz, Lake Superior, 1850, 217 [*n. n.*].

- rex** Balaeniceps, J. Gould, Proc. Linn. Soc. London (44) Jan. 1851 [*non* 1850], 109 [*n. n.*].
- rex** Battus, J. Barrande, Not. prélim. Silur. 1846, 17.
- rex** Colobathris (Gm.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 217.—Turdus.
- rex** Condylropyge, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 50.
- rex** Grallaria (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 182.—Turdus, 1788.
- rex** Muscicapa, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802].
- rex** Myioturdus (L.), F. Boie, Isis (Oken), 1826, 972.—Turdus, Gm. 1788. [229.]
- rex** Orthalicus, H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 60.
- rex** Psittacus, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 92.
- rex** Simoethus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (1) 1832, 72.
- rex** Teutobochus, de Blainville, Bull. Soc. Sci. Nat. France, no. 3, Mar. 1835, 48 [= Mastodon].
- rex-mullorum** Apogon, Cuvier & Valenc., H. N. Poiss. II. 1828, 143.
- rexia** Astarte, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 337.
- reynaudi** *v.* reynaudi.
- reynaudi** Homalota, H. v. Kiesenwetter, Entom. Zeitung, Stettin, XI (7) July 1850, 218.
- reynaudi** Thalassa, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 515.
- reynaudi** Tropinota, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 575.
- reynaldi** *v.* reynaudi.
- [**reynaud**→; surgeon to the "Chevette."]
- reynaudii** Alciope, Audouin & Edwards in Cuvier, Règne Anim., ed. 2, III. 1829, 202 [*n. n.*]; Ann. Sci. Nat. XXIX (115) July 1833, 238.
- reynaudii** Amphithoe, H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 378.
- reynaudii** Biblis, R. P. Lesson, Prod. Méduses [*auct. typ.*] 1837, 45; (Roret's Suite à Buffon), Acalèphes, 1843, 339.
- reynaudii** Bucephalon, R. P. Lesson, Ann. Sci. Nat. [2] (Zool.) V. Ap. 1836, 248.
- reynaudii** Chrysaora, R. P. Lesson, Prod. Méduses [*auct. typ.*] 1837, 56; (Roret's Suite à Buffon), Acalèphes, 1843, 401.
- reynaldi** Coilia, Cuvier & Valenc., H. N. Poiss. XXI. 1848, 81.
- reynaudii** Comatula (Alecto), Valenciennes in Mueller, Ber. Verh. k. pr. Ak. Wiss. 1846, 177 & 179.
- reynaudii** Coua, Pucheran, Rev. Zool. (Soc. Cuv.) VIII. Feb. 1845, 51.
- reynaudi** Coua (Puch.), G. R. Gray, Gen. Birds, II. Sept. 1846, 454 [= reynaudi, *q.v.*].
- reynaudii** Cypridina, H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 410.
- reynaudii** Cypridina, O. G. Costa, Agli Scienziati Italia (VII. Congr.) 1845, 58.
- reynaldi** Hemiramphus, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 39.
- reynaudii** Holotrichia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 139.
- reynaldi** Labeo, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 351.
- reynaudii** Leucifer, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 469.
- reynaudi** Patella, G. P. Deshayes in C. Bélanger, Voy. Indes Orient. (6) Dec. 1832, 411.
- reynaudii** Phasianus, R. P. Lesson in C. Bélanger, Voy. Indes Orient. (4) Aug. 1832, 276.
- reynaudii** Phorcus, H. M. Edwards, Ann. Sci. Nat. XX (80) Aug. 1830, 392.
- reynaldi** Rohita, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 247.
- reynaudii** Scutellera, Guérin-M. in C. Bélanger, Voy. Indes Orient. (7) Aug. 1833, 497.
- reynaudi** Temnopleurus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 360.
- reynaudii** Xantho, H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 392.
- reynaudii** Xiphocera, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 164.
- reynaldi** *v.* reynaudi.
- reyniesii** Hydrobia, D. Dupuy, H. N. Moll. France (5) May 1851, 567.
- reyniesianum** Cyclostoma, L. Partiot, Mém. Cyclost. 1848, 39.
- Reynodia** J. F. Brandt, Prod. anim. Mertens. I. 1835, 60.—Ech.
- reynoldsii** Tritonia, J. P. Couthouy, Boston Journ. N. H. II (1) 1838, 74.
- reynoudii** [Bürgeria], J. J. Tschudi, Classif. Batrach. 1838.—*ex* Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 [1840], 34.
- reynoudii** Hyla, J. J. Tschudi, Classif. Batrach. 1838.—*ex* Mém. Soc. Sci. Nat. Neuchâtel, II. 1839 (1840), 34.

- rhaad** Eupodotis (Gm.), R. P. Lesson, Rev. Zool. (Soc. Cuv.) Feb. 1839, 47.—Otis, 1788.
- Rhabdesthes** C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 134.—Hem. [*non binom.*].
- Rhabdites** W. de Haan, Mon. Ammon. 1825, 28.—Ceph.
- Rhabdites** F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 239.—  
[rhabdocephalus.] [Verm.]
- rabdocephalus** Coluber, Max Wied, Isis (Oken), 1824, 668.
- rhabdocephalus** Ophis (Wied), J. Wagler, Nat. Syst. Amph. 1830, 172.—Coluber.
- rabdocephalus** Xenodon (Wied), Boie in Férussac, Bull. Sci. IX. 1826, 238.—Coluber.
- rhabdocephalus** Xenodon (Wied), L. J. Fitzinger, Isis (Oken), 1826, 883.—Coluber.
- Rhabdocoris** F. A. Kolenati, Melet. Entom. (2) Oct. 1845, 67.—Hem.
- Rhabdocrinum** H. F. Link, Handb. phys. Erdbeschr. II (1) 1830, 350.—Coel. [Gorgoniadae].
- Rhabdodon** F. L. Fleischmann, Diss. Dalmatiae Serpentum, 1831, 25.—R.
- Rhabdogale** A. F. A. Wiegmann, Arch. f. Naturg. VI (1) 1838, 278.—M.
- Rhabdophana** W. Sodovsky, Bull. Soc. Imp. Nat. Moscou, 1837 (6) 1837, 88.—Lep. [*sine*
- Rhabdophis** L. Fitzinger, Syst. Rept. 1843, 27.—R. [*typo*].
- Rhabdophorus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rabdophorus,  
Swains.
- rabdophorus** (*sic*) Sisor, F. Hamilton, Fish. Ganges, 1822, 208.
- rhabdophora** Trapelocera, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 158.
- Rhabdopora** Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. 1849, 262.—Cor.
- Rhabdosia** J. Huebner, Verz. bekannt. Schmett. [1822], 192.—Lep.
- Rhabdosoma** Adams & White in A. White, List Crustacea Coll. B. M. 1847, 130.—Cr. [*n. n.*].
- Rhabdosoma** Adams & White, Zool. "Samarang" (4) Crust., Mar. 1849, 63.—Cr.
- Rhabdota** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rabdota, Dej.
- Rhabdotis** H. Burmeister, Handb. Ent. III. 1842, 526.—Col.
- Rhabdotus** Marschall, Nom. Zool. 1873, 136; *emend. pro* Rabdotus, Albers.
- Rhacheosaurus** H. v. Meyer, Isis (Oken), 1830, 518.—R.
- rhachiaeuum** Diplostomum, F. G. J. Henle, Notizen (Froriep) XXXVIII. 1833, 19.
- Rhachicentron** Waterhouse, Index Zool. 1912; *emend. pro* Rachicentron, Kaup, 1827.
- rhachidis** Tylodelphys, C. M. Diesing, Syst. Helminth. I. 1850, 305.
- Rhachidium** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rachidion, Serv.
- Rhachinotus** T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1404.—P.
- Rhachiodes** *emend. pro* Rachiodes; C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 20;  
VIII (2) 1845, 500.
- Rhachis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rachys, Hope.
- Rhachites** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rachites, Coct. MS.
- rhacinus** Gadus, J. R. Forster, Anim. mar. Aust. 1844, 304.
- rhacina** Lota, Gray & Richardson in Dieffenbach, Trav. N. Z. II. 1843, 222.
- rhacius** Cirrospilus, F. Walker, Ann. Nat. Hist. III. May 1839, 181. [1839.]
- rhacius** Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 76.—Cirrospilus,
- Rhacodactylus** L. Fitzinger, Syst. Rept. 1843, 19 & 100.—R. [*typus* Platydactylus leachi-  
anus, Cuv.].
- Rhacodia** J. Huebner, Verz. bekannt. Schmett. 1826, 384.—Lep.
- Rhacodia** Herrich-S. in Panzer, Ins. Germ., heft 157, 1838, tab. 23.—Lep.
- Rhacodracon** L. Fitzinger, Syst. Rept. 1843, 15 & 50.—R. [*typus* Draco fimbriatus, Kuhl].
- Rhacoessa** J. Wagler, Nat. Syst. Amph. 1830, 142.—R.
- Rhacolepis** J. L. R. Agassiz, Ann. Mag. N. H. VII. 1841, 497 [*n. n.*]; Poiss. Foss. II (2),  
283 (1844).—P.
- Rhacoma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Racoma, M'Clell.
- Rhacophorus** Kuhl & v. Hasselt, Algem. Konst. Letter-Bode, 1822 (7) Feb. 1822, 104;  
Isis (Oken), 1822, 476.—R.
- Rhacophorus** C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 59 & 137.—Myr.
- Rhacostoma** L. Agassiz, Proc. Boston Soc. N. H. III. 1850, 342.—Hydroz. [*teste* Stechow].
- rhacuiensis** Lobarhynchus, Dej.; J. Sturm, Catal. Ins. Samml. 1826, 165.
- rhacusensis** Curculio, Dejean in E. F. Germar, Fauna Ins. Europ. (7) [1822-25], 12.
- rhacusensis** Otiorhynchus, Dej.; E. F. Germar, Ins. spec. novae, I. 1824, 346.
- rhadama** *v.* radama.
- rhadamanthus** Anthrax, J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 208.



- rhadamanthus** Euplaea (Fab.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 48.—
- rhadamanthus** Eutychia, J. Huebner, Verz. bekannt. Schmett. [1820], 117. [Papilio.
- rhadamanthus** Ornithoptera, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 180.
- radamanthus** Sphinx, E. J. C. Esper, Die Schmett., Suppl., 2 Abschn. 1793, 13.
- rhadamanthus** Zygaena (Huebner), F. Ochseneimer, Schmett. Europa, II. 1808, 86.—
- rhadamia** Danais, J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 180. [Sphinx, 1790.
- Rhadamista** J. Gistel, Nat. Thierr. 1848, p. viii.—P.
- rhadamisthus** Scaptodera (—), F. W. Hope, Coleopt. Manual, I. 1837, 51.—? Scarab., Fab.
- Rhadina** [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 54.—A. [1775.
- Rhadine** J. L. Le Conte, Ann. Lyceum N. H. New York, IV (6 & 7) Aug. 1846, 218.—Col.
- Rhadinocerus** C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 130.—Col.
- Rhadinosomus** C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 473.—Col.
- Rhadiurgus** H. Loew, Linnaea Entom. IV. Dec. 1849, 133.—Dipt.
- rhadia** Callidryas, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 617.
- radius** Cirrospilus, F. Walker, Mon. Chalcid. II. 1839, 52.
- rhaeados** Apis, J. N. Vallot, Concord. à Réaumur, 1802, 167.
- Rhaeboscelis** L. Agassiz, Nom. Zool. (Col.) 1845, 141; *emend. pro* Raeboscelis, Chev.
- Rhaebus** G. Fischer v. W., Entom. Imp. Russ. II., *post* Nov. 1824, 178.—Col.
- rhaecus** Eulophus, F. Walker, Mon. Chalcid. I. 1839, 182.
- rhaeo** Pteromalus, F. Walker, Mon. Chalcid. II. 1839, 88.
- Rhaetia** Leach MS; A. White, List Crust. Coll. B. M. 1847, 94.—Cr.
- rhaetica** Anisotoma, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 57.
- rhaeticum** Bembidium, O. Heer in Froebel & H., Mitth. theor. Erdkunde, I. 1834, 156
- rhaeticum** Bembidium, O. Heer, N. D. Allg. Schweiz. Gesellsch. II. 1838, 51. [[*n. n.*].
- rhaeticus** Leistus, O. Heer, N. D. Allg. Schweiz. Gesellsch. II. 1838, 23 [*n. n.*]; *ibid.*,  
Coleopt., 16.
- rheticus** Malachus, A. & G. Villa in Cattaneo, Notiz. Nat. Lombard. 1844, 435 [*n. n.*].
- rhaeticus** Otorhynchus, O. Heer in Froebel & H., Mitth. theor. Erdkunde, I. 1834, 159  
[*n. n.*].
- rhaeticus** Pterostichus, O. Heer, N. D. Allg. Schweiz. Gesellsch. II. 1838, 52; *ibid.*,
- rhaeticus** Tellinites, E. F. v. Schlottheim, Die Petref. 1820, 185. [Coleopt., 34.
- Rhagas** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ragas, Walk.
- Rhagigaster** Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 214.—Hym.
- Rhagiomorpha** E. Newman, Ann. Nat. Hist. V., Mar. 1840, 21.—Col.
- rhagioniformis** Bembecia, J. Huebner, Verz. bekannt. Schmett. [1820], 129.
- rhagioniformis** Ploas, L. Dufour, Ann. Sci. Nat. XXX (118) Oct. 1833, 213.
- rhagioniformis** Sphinx, J. Huebner, Europ. Schmett. (Ziefer) [me judice 1805], 89.
- Rhagochila** Motshulski, 1845; *sic* Scudder, *sed emend. pro* Rayachila, *q.v.*
- Rhagocrepis** F. Eschscholtz, Zool. Atlas, II. 1829, 5.—Col.
- Rhagodactylus** M. de Chaudoir, Ann. Soc. Ent. France, IV (2) *post* June 1835; 431.—Col.
- Rhagodera** Eschscholtz in Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 312.—Col.
- Rhagogaster** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhagigaster, Guér.
- Rhagonycha** F. Eschscholtz, Bull. Soc. Imp. Nat. Moscou, II (1) 1830, 64.—Col.
- Rhagonycha** Dejean, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (1) 1843, 89.—*emend. pro*
- Rhagopteryx** H. Burmeister, Handb. Ent. III. 1842, 649.—Col. [Ragonycha, Esch.
- Rhagorhina** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 360.—A.
- rhami** *v. de* rhami.
- rhamnaria** Scotosia, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet C (Nov. 1849), 18.
- rhamnata** Acidalia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 440.—Geometra,  
1775.
- rhamnata** Larentia (D. & S.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1)  
(Noct. 5, pt. 1) 1831, 372.—Geometra, 1775.
- rhamnata** Phalaena (D. & S.), F. v. P. Schrank, F. Boica, II (2) 1802, 29.—Geometra, 1775.
- rhamnata** Phalaena (Geometra), D. & S.; W. Turton, Linnaeus, Syst. Nat. III. 1802, 249.
- rhamnata** Philereime (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 330.—  
Geometra, 1775.
- rhamnata** Scotosia (D. & S.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Geometra,  
1775.

- rhamnata** Umbrosina (F.), T. Bruand, Mém. Soc. Emul. Doubs, Vol. II (Tom. 2, pts. 5 & 6) 1846, 105.—Geometra, D. & S. 1775.
- rhamni** Anteos (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 99.—Papilio, 1758.
- rhamni** Aphis, Boyer de Fonscolombe, Ann. Soc. Ent. France, X (3) Nov. 1841, 177.
- ramni** Chermes, F. v. P. Schrank, F. Boica, II (1) 1801, 141.
- rhamni** Clytus, E. F. Germar, Reise Dalm. 1817, 223. [1758.]
- rhamni** Colias (L.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 284.—Papilio,
- rhamni** Ganoris (L.), J. W. Dalman, K. Vet. Ac. Handl. 1816 (1) 1816, 89.—Papilio, 1758.
- rhamni** Gonepteryx (L.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 128.—Papilio, 1758.
- rhamni** Gonopteryx (L.), Villiers & Guénée, Tabl. syn. Lépid. I. 1835, 15.—Papilio, 1758.
- rhamni** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 88 (Fernaldo judice 1799) [*n. et f.*].
- rhamni** Pieris (L.), F. v. P. Schrank, F. Boica, II (1) 1801, 168.—Papilio, 1758.
- rhamni** Rhodocera (L.), Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 602.—
- rhamni** Rhynchaenus, Sturm; Dejean, Catal. Coléopt. 1821, 87 [*n. n.*]. [Papilio, 1758.]
- rhamni** Tachyptera, E. Herold, Deutsch. Schmetterlinge, 1844, 121.
- rhamniella** Chauliodus, P. C. Zeller, Isis (Oken), 1839, 211. [[1843], 466.]
- rhamniella** Elachista, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.)
- rhamnifoliella** Argyromiges (Tisch.), H. T. Stainton, The Zoologist, VI (7) 1848, 2160.—Elachista.
- rhamnifoliella** Elachista, F. Treitschke, Schmett. Europa, IX (2) 1833, 183.
- rhamnius** Eulophus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 232.
- Rhamnusium** G. Dahl, Col. u. Lepid. 1823, 70.—Col.
- Rhamnusium** Meg.; Dejean (*ex* Dahl Cat.), Catal. Coléopt., ed. 2 (4) Aug. 1835, 354.—Col.
- rhamnusia** Hipparchia, C. F. Freyer, Neuere Beitr. Schmett. V (77) 1845, 125.
- ramphastipennella** Ornix, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 77 [*n. n.*].
- Rhamphastos** N. A. Vigers; Zool. Journ. II (8) Jan. [*i.e.* Ap.] 1826, 466.—A. [1758.]
- Rhamphastos** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhamphastos, L.
- rhamphastus** Hipporhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 487.
- Rhamphichthys** J. Mueller & Troschel in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,
- Rhamphidia** J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 281.—Dipt. [640.—P.]
- Rhamphidiona** C. F. Schumacher, Essai Vers test. 1817, 36 & 96.—L. [Schum.]
- Rhamphidium** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhamphidiona,
- Rhamphina** J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 94.—Dipt.
- Rhamphiocera** J. Macquart, 1834; *sic, sed* Raphiocera in *prim.* 1834.
- Rhamphocaenus** H. E. Strickland, Ann. Mag. N. H. VI (39) Feb. 1841, 421; *emend. pro* Rhamphocaenus, Vieill.
- Rhamphocelus** C. L. Bonaparte, Isis (Oken), 1833, 755; *emend. pro* Rhamphocelus, Desm.
- Rhamphocetus** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 170.—M.
- Rhamphocinclus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhamphocinclus,
- Rhamphocoenus** G. R. Gray, Gen. Birds, I. Mar. 1847, 157.—A. [Delafr.]
- Rhamphodes** A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 319.—Lep.
- Rhamphodon** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhamphodon, Less.
- Rhamphognathus** J. L. R. Agassiz, Poiss. Foss. IV., 34 (1835); Feuilleton, 125 (1839); V (1), 104 (1844).—P.
- Rhamphogordius** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhamphogordius, Rathke.
- Rhamphomyia** Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 42.—Dipt.
- Rhamphomyza** Hoffmannsegg in J. W. Zetterstedt, Ins. Lapp. descr. 1838, 562; *emend. pro* Rhamphomyia, 1822.
- Rhamphopis** W. Swainson, Anim. in Menag., Dec. 1838, 359.—A.
- Rhamphopsis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhamphopsis, Vieill.
- Rhamphorhynchus** H. v. Meyer, Palaeontographica, I (1) Aug. 1846, 1 & 20.—R.
- Rhamphorhynchus** H. v. Meyer, Homoeosaurus etc. 1847, 12.—R. [subgenus in 1846].
- Rhamphosaurus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ramphosaurus,
- Rhamphostoma** J. Wagler, Nat. Syst. Amph. 1830, 141.—R. [Fitz.]

- Rhamphosus** J. L. R. Agassiz, Poiss. Foss. IV., 34 (1835).—P. [*vide* Ramphosus].
- Rhamphotyphlops** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ramphotyphlops, Fitz.
- Rhamphus** *id. ac* Ramphus, Schell. 1798; J. Sturm, Catal. Ins. Samml. 1826, 190.
- Rhanis** Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 440.—Col.
- Rhanis** C. L. Koch, Die Arachniden, XIV (2) Dec. 1846, 86.—Ar.
- rhanis** Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 225. [1790.]
- rhanisaria** Comibaena (Stoll), J. Huebner, Verz. bekannt. Schmett. 1825, 284.—Phalaena.
- Rhantistes** J. J. Kaup, Skizz. Europ. Thierw. 1829, 105.—A. [*typus* Procellaria glacialis].
- Rhantus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rantus, Esch.
- Rhaphanister** C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 95.—L. [= Raph→, Montf. 1808].
- Rhaphia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Raphia, Huebn.
- Rhaphiderus** Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 245.—Orth.
- Rhaphidia** *id. ac* Raphidia, L. 1758; J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27.
- Rhaphidochir** J. Wagler, Isis (Oken), 1833, 890.—R.
- Rhaphidogaster** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhapigaster,
- Raphidopalpa** E. Blanchard (*ex* Chevr.), Hist. Insect. II. 1845, 189.—Col. [Lap.]
- Rhaphidophora** Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 389.—Orth.
- Rhaphidopodus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhaphipodus, Serv. [Serv.]
- Rhaphidoptera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhapsiptera,
- Rhaphidorhinus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Raphirhinus, Lap.
- Rhaphidorhynchus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Raphirhynchus, Chevr.
- Rhaphidorhynchus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhapsirhynchus, Schoenh.
- Rhaphidosoma** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 392.—Hem.
- Rhaphidotelus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Raphitelus, Walk.
- Rhaphigaster** F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 59.—Hem.
- Rhaphiglossa** S. S. Saunders, Tr. Ent. Soc. London [2] I (3) 1850, 71.—Hym.
- Rhaphiocera** *pro* Raphiocera, 1834; J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838,
- Rhaphiodon** L. Agassiz in J. B. v. Spix, Pisc. Brasil. 1829, 76.—P. [200.]
- rhaphiodon** Lamna (Odontaspis), J. L. R. Agassiz, Poiss. Foss. III., 296 (1843).
- rhaphiodon** Odontaspis, J. L. R. Agassiz, Phil. Mag. VIII. 1836, 370 [*n. n.*].
- rhaphioides** Chrysotus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 705.
- Rhaphiorhynchus** C. R. W. Wiedemann, Dipt. exot. 1821, 59.—Dipt.
- Rhaphiosaurus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Raphiosaurus, Owen.
- Rhaphipodus** J. G. Audinet-S., Ann. Soc. Ent. France, I (2) c. July 1832, 168.—Col.
- Rhaphiptera** Serville, Ann. Soc. Ent. France, IV (1) 1835, 66.—Col.
- Rhaphipterus** O. Des Murs in Gay, Chili (Aves) 1847, 459.—A.
- Rhaphirhinus** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 573; *emend. pro* Raphirhinus, Lap.
- Rhaphirhynchus** C. J. Schoenherr (*ex* Chevr. MS), Gen. et Sp. Curc. V (2) 1840, 504.—Col.
- Rhaphitelus** F. Walker, Entom. Mag. II (2) Ap. 1834, 178.—Hym.
- Rhaphium** J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 272.—Dipt.
- Rhaphocerus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Raphicerus, Sm.
- Rhaphodon** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Raphiodon, Muell.
- Rhaphodon** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhaphiodon, Ag.
- Rhaphognathus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Raphignathus, Dugès.
- Rhaphopterus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhapsipterus, Gay.
- Rhaphostoma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Raphistoma, Raf.
- Rhathymus** Lepeletier & Serville, Ency. Méth. X (Ins.) 1828, 448.—Hym.
- Rhathymus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rathymus, Dej.

- Rhax** J. F. Hermann, Mém. Aptér. 1804, 13.—Ar. [103.—Papilio, 1775.]
- rhea** Heliconia (Cr.), E. Doubleday in D. & Westwood, Gen. diurn. Lepidopt. I (1847),
- rhea** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 24 (Fernaldo judice 1799) [*n. et f.*].
- rhea** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 113 (Fernaldo judice 1804) [*n. et f.*].
- rhea** Pieris (Fab.), J. Huebner, Verz. bekannt. Schmett. 1818, 53.—Papilio, 1775.
- rhea** Rhea (L.), C. Illiger, Prod. 1811, 247.—Struthio, 1766.
- rhebus** Pompostola (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 120.—Sphinx, 1779.
- Rhechodes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rechodes, Erichs.
- rhedi** *v.* rheedei.
- Rhedia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 74.—
- rhediana** [*v.* rheedeana]. [Dipt. [? *rectius* Rheedeia].
- rhediella** [*v.* rheedeella].
- [rheede→ = **Rheede** tot Draakestein.] [1781.]
- rhedi** Rhynchites (Schr.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 237.—Curculio,
- rhediana** Epiblema (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 376.—Phalaena ? rhediella, Clerck, 1759.
- rhediana** Grapholitha (L.), F. Treitschke, Schmett. Europa, VIII. 1830, 220.—Phalaena rhediella, Clerck, 1759.
- rheediana** Pyrodes, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet D (Nov. 1849), 26.
- rheediana** Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 405.—Phal. Tin. rheediella, Clerck, 1759.
- rheediella** Carpopapsa (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Aug. 1834, 121.—Phal., Clerck, 1759. [1759.]
- rheediella** Semasia (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.—Phalaena, Clerck,
- Rhegmatocera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhygmacera, Motsch.
- Rhegostoma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Registoma, Hass. [rheinwardti *v.* reinwardti.]
- rhemani** Erion, H. v. Meyer, Mag. Nat. Hist., n. s. II. Oct. 1838, 549 [*n. n.*].
- Rhembus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rembus, Latr. 1817;
- rhen** Pieris, E. Doubleday, Ann. Mag. N. H. XVII. Jan. 1846, 24. [Germ. 1824.]
- rhenalis** Nephopterix (Zinck.), J. Huebner, Verz. bekannt. Schmett. 1826, 370.—? Phycis.
- rhenana** Anas, C. C. Gmelin, Naturg. (Vögel) I. 1806, 110.
- rhenana** Clemmys, H. v. Meyer, N. Jahrb. f. Min. 1843, 406.
- rhenana** Melolontha, M. Bach, Verh. nat. Ver. pr. Rheinl. II. 1845, 17.
- rhenana** Motacilla, C. C. Gmelin, Naturg. (Vögel) II. 1807, 174.
- rhenana** Nerita, C. Thomae, Jahrb. Ver. Nat. Nassau, II. 1845, 161.
- rhenella** Phycis, Zincken, Mag. Entom. (Germar) III. 1818, 166.
- rhenella** Phycita (D. & S.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 50.—Phycis, Zinck.
- rhenella** Rhodophaea (Zinck.), A. Guénéé, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 313.—Phycis.
- rhenella** Tinea, T. v. Charpentier in Zincken, Die Zinsler etc. 1821, 178.—Phycis, 1818.
- rhen** Cervus, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 776.
- rhenonum** Aphodius, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 179. [typo].
- Rhenoptera** *v.* Hasselt, Algem. Konst. Letter-Bode, 1823 (20) May 1823, 316.—P. [*sine*
- Rheophagus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Reophagus,
- Rheophax** L. Oken, Lehrb. Nat. III (1) 1815, 323 [= Reophax, Montf.]. [Montf. [Ag.].
- Rhescyntis** *err.* Agassiz, Nom. Zool. (Lepid.) 1845, 59, *pro* Rhescyntis, Huebn.
- Rhescyntis** J. Huebner, Verz. bekannt. Schmett. [1820], 156.—Lep. [Raf.]
- Rhessocephalus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rescephalus,
- Rhesus** R. P. Lesson, Spec. des Mamm., Nov. 1840, 95.—M. [typus Macacus rhesus, Desm.].
- rhesus** Cercopithecus (Aud.), A. Desmarest, Nouv. Dict. H. N. XXIV (Tab.) 1804, 8.—Simia, 1798.
- rhesus** Cynocephalus (Aud.), P. A. Latreille, H. N. Singes, II. An IX (1801); Sonnini's Buffon, XXXVI (1804), 292.—Simia, 1798.
- rhesus** Entedon, F. Walker, Mon. Chalcid. I. 1839, 88.
- rhesus** Inuus, E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 101.

- rhesus** Macaca, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802].
- rhesus** Macacus, A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 66. [148.]
- rhesus** Oryctes, D. H. Schneider, Verz. Insectensamml. 1828, 76 [*n. n.*].
- rhesus** Papilio, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 253.
- rhetē** Syrmatia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 23.—Papilio rhetus, 1775.
- rhetenor** Monohammus, E. Newman, Entomologist (17) Mar. 1842, 276.
- rhetenor** Morpho (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 444.—Papilio, 1775.
- rhetenor** Papilio, J. O. Westwood, Arcana Entom. (4) Nov. 1841, 59.
- rhetenoris** Megamede (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 50.—Papilio rhetenor, 1775.
- Rhetia** W. E. Leach, Dict. Sci. Nat. XII. 1818.—Cr. [*sic* Agassiz, *sed* "Rhétie" *vernac.*, p. 75].
- Rhetia** A. G. Desmarest, Consid. gén. Crust. 1825, 395.—Cr. [*n. n.*, Leach *vernac.* 1818].
- rheticus** *v.* rhaeticus.
- Rhetus** W. Swainson, Zool. Illust. (2) I (7) — 1829, pl. 33.—Lep.
- rhetus** Erycina (Cr.), W. W. Saunders, Tr. Entom. Soc. Lond. V (9) Feb. 1850, 217.—
- rhetus** Pecten, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 314. [Papilio, 1775.]
- Rheumaptera** J. Huebner, Tentamen (me judice 1806), 2.—Lep. [*n. n.*].
- Rhexenor** Rafinesque, Ann. of Nature, 1820, 8.—P.
- rhexiae** Chloridea (Sm.), J. Duncan, Exot. Moths (Nat. Libr. XXXIII.) Dec. 1841, 198.—Phalaena, 1797.
- Rhexistoma** *emend. pro* Registoma, *v.* Hass.; A. N. Herrmannsen, Ind. Gen. Malacoz. II.
- Rhexius** J. Le Conte, Boston Journ. N. H. VI (1) 1850, 102.—Col. [1848, 390 & 392.]
- rhexia** Avicula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 84.
- rhexia** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 326.
- rhezia** Mechanitis, J. Huebner, Exot. Schmett. III. Tab. [*n. et f.*; *die non det.*].
- rhianus** Eulophus, F. Walker, Ann. Mag. N. H. X. Oct. 1842, 116.
- Rhigelura** J. G. Wagler, Isis (Oken), 1832, 1229.—A.
- Rhigmaphorus** Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 84.—Col. [*n. n.*].
- Rhigus** Dalman in E. F. Germar, Ins. spec. novae, I. 1824, 438.—Col.
- Rhimamphus** Hartlaub, Rev. Zool. VIII. 1845, 342 = Rimamphus, Raf.
- Rhimanphus** *err. pro* Rhimamphus; J. Cabanis, Mus. Heineanum (1) 1850 [1851], 19.
- Rhina** J. G. Schneider, Bloch, Syst. Ichth. 1801, 352.—P.
- Rhina** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 198.—Col.
- Rhina** C. S. Rafinesque-S., Car. n. gen. 1810, 14.—P.
- Rhina** A. A. Berthold in Latreille, Nat. Fam. Thierreich, 1827, 108.—P.
- rhina** Panus (Gyll.), C. J. Schoenherr, Isis (Oken), 1823, 1136.—Rhynchaenus.
- rhina** Rhinodes (Gyll.), Dejean, Catal. Coléopt. 1821, 98.—Rhynchaenus.
- rhina** Rhynchaenus, L. Gyllenhal, Ins. Suecica, I (3) 1813, 83.
- rhina** Thamnophilus, L. Gyllenhal, Ins. Suecica, I (4) 1827, 563.—Rhynchaenus, 1813.
- Rhinacanthus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhinecanthus,
- Rhinalazon** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 36.—M. [Swains.]
- Rhinaria** W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 430.—Col.
- rhinaris** Taenia, B. A. Grève, Erfahr. Krankh. Hausth. 1818 [*teste* S. & H.].
- rhinarius** Cochlus, C. A. Rudolphi, Bemerkungen, II. 1805, 41.
- rhinaria** Taenia, Pilger, 1803, 1284 [*teste* S. & H., *sed non comp.*].
- rhinaria** Taenia, C. A. Rudolphi, Bemerkungen, II. 1805, 42.
- Rhinaspis** M. Perty, Del. anim. artic. Brasil. (1) 1830, 46.—Col.
- Rhinaspis** L. Fitzinger, Syst. Rept. 1843, 25.—R.
- Rhinaster** J. Wagler, Nat. Syst. Amph. 1830, 14.—M.
- Rhinastus** C. J. Schoenherr, Isis (Oken), 1825, 584; Curc. disp. meth. 1826, 261.—Col.
- rhinastus** Anoplognathus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 221.
- Rhinatrema** Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII. Jan. 1841, 288.—R.
- Rhinaulax** Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 560.—Hem.
- Rhinchomyia** *err. pro* Rhyncomya, Rob. 1830; Meigen, 1838 [*teste* Verrall in Scudder *sed*
- Rhinchonycteris** J. J. Tschudi, F. Peru. I. 1844, 71.—M. [*non comp.*].
- rhinchops** *v.* rhynchops.

- Rhincodon** A. Smith, Zool. Journ. IV (16) May 1829, 443.—P.
- Rhincolites** Deshayes, Ency. Méth. (Vers) III. 1832, 883 [= Rhyncolites, F. B.; *teste auct.* "Rhincolite" *vernac. est*].
- rhindii** Pachydon, T. Brown, Ann. Mag. N. H. XII. Dec. 1843, 392.
- rhindii** Unio, T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 177.—Pachydon, 1843.
- Rhinecanthus** W. Swainson, N. H. Fishes etc. II. July 1839, 194 & 325.—P.
- Rhinechis** Michahelles in J. Wagler, Descr. Icon. Amph. (3) 1832, pl. 25.—R.
- Rhincodon** L. Agassiz, Nom. Zool. (Pisces) 1845, 55; *emend. pro* Rhinodon, Sm.
- Rhinedomus** W. Swainson, Treat. Malacol., May 1840, 80 & 305 [Rhino].—G.
- Rhinelepis** J. B. v. Spix, Pisc. Brasil. 1829, 4.—P.
- Rhinella** L. J. Fitzinger, N. Class. Rept. 1826, 39.—R.
- Rhinella** *id. ac* Rinella, 1827; Bory de St V., Dict. class. H. N. XIV. 1828, 554.
- Rhinellus** J. L. R. Agassiz, Poiss. Foss. IV., 35 (1835).—P.
- Rhinellus** J. L. R. Agassiz, N. Ann. Sci. Nat. IV. 1840 [Nov.], 247.—P.
- Rhinemys** J. Wagler, Nat. Syst. Amph. 1830, 134.—R.
- Rhineodon** "Smith"; W. Swainson, N. H. Fishes etc. II. July 1839, 191 & 314.—P. [*vide* Rhinodon].
- Rhinesomus** W. Swainson, N. H. Fishes etc. II. July 1839, 194 & 324.—P.
- Rhineta** K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 198.—Hym.
- rhingiaeformis** Sesia (Huebner), F. Ochsenheimer, Schmett. Europa, II. 1808, 130.—
- Rhinhyptia** Burmeister, 1844; *sic* Scudder, *sed* Rhinyptia *in prim.*, q.v. [Sphinx, 1796].
- Rhinia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 422.—
- Rhinichthys** L. Agassiz, Proc. Boston Soc. N. H. III. 1851 (1849), 81.—P. [Dipt.]
- Rhinidictya** Ulrich, 1847; *teste* Waterhouse, 1882 *est*.
- Rhiniodon** "Smith"; W. Swainson, N. H. Fishes etc. II. July 1839, 317.—P. [*vide* Rhinobates]
- Rhinobates** W. Swainson, N. H. Fishes etc. I. Oct. 1838, 185.—P. [Rhinodon].
- Rhinobatis** H. D. de Blainville, Faune Française (13 & 14), Poissons, 1825, 48.—P.
- Rhinobatus** J. G. Schneider, Bloch, Syst. Ichth. 1801, 353.—P.
- Rhinobatus** E. F. Germar, Mag. Entom. (Germar) II. 1817, 341.—Col. [[Sw.].
- Rhinobatus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhinobates, Rich.
- rhinobatus** Rhinobatus (L.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 353.—Raja, 1758.
- Rhinobothryum** J. Wagler, Nat. Syst. Amph. 1830, 186.—R.
- Rhinoabrachys** L. Fairmaire, Rev. et Mag. de Zool. (2) I. Sept. 1849, 458.—Col.
- Rhinocephalus** J. L. R. Agassiz, Poiss. Foss. V (2), 139 (1844).—P. [*n. n.*].
- rhinoceratus** Channichthys, J. Richardson, Ann. Mag. N. H. XIII. June 1844, 462.
- rhinocerinus** Amblyomma (Denny), C. L. Koch, Arch. f. Naturg. X (1) 1844, 231.—Ixodes.
- rhinocerinus** Ixodes, H. Denny, Ann. Mag. N. H. XII. Nov. 1843, 313.
- Rhinoceroideis** G. W. Featherstonhaugh, Monthly Amer. J. Geol. I. July 1831, 10.—M.
- rhinocerotis** Oestrus, R. Owen in Hope, Trans. Ent. Soc. London, II (4) 1840, 259.
- rhinoceros** Anthicus, J. C. Fabricius, Syst. Eleuth. I. 1801, 289.—Notoxus, 1798.
- rhinoceros** Aphodius (Acrossus), L. Reiche in Ferret & Galinier, Voy. Abyssin. III. 1850,
- rhinoceros** Buccinum, D. Solander, Catal. Portland Mus. 1786, 173 [*n. n.*]. [343.]
- rhinoceros** Chameleo, J. E. Gray, Ann. Mag. N. H. XI. Jan. 1843, 46.
- rhinoceros** Chlorops, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 431 [*n. n.*].
- rhinoceros** Cladognathus (Ol.), H. Burmeister, Handb. Ent. V. 1847, 366.—Lucanus, 1789.
- rhinoceros** Cyphorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
- rhinoceros** Delphinus, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 86. [459.]
- rhinoceros** Gymnetis, Gory & Percheron, Mon. Cétoines, 1833, 328. [1789.]
- rhinoceros** Hexarthrus (Ol.), F. W. Hope, Cat. Lucanoid Coleopt. 1845, 4.—Lucanus,
- rhinoceros** Mecynotarsus (Fab.), F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (4) 1849, 2.—Notoxus, 1798 ["Mon Anth." *poster. edit.*].
- rhinoceros** Onthophagus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (6) Dec. 1844, 134.
- rhinoceros** Oryctes (L.), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 163.—Scarabaeus, 1758.
- rhinoceros** Oxypterus (Q. & G.), R. P. Lesson, Man. Mamm., May 1827, 411.—Delphinus
- rhinoceros** Paussus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 93 [*n. n.*].
- rhinoceros** Scolymus, W. Swainson, Treat. Malacol., May 1840, 304.

- rhinoceros** Selache, Mitchell (1828) in J. E. De Kay, N. H. New York (Fish) 1842, 358.
- rhinoceros** Tiarocera (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 249.—Gymnetis.
- rhinoceros** Turbinella, Lamarck, An. s. vert. VII. 1822, 105.
- rhinoceros** Turbinellus, F. de Roissy, Sonnini's Buffon, Moll. VI (1805), 81.
- rhinocerotis** Amblyomma (Deg.), C. L. Koch, Arch. f. Naturg. X (1) 1844, 231.—Acarus, [1778].
- rhinocerotis** Cynorhaestes, J. F. Hermann, Mém. Aptér. 1804, 68. [1778].
- rhinocerotis** Ixodes, P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 53.
- rhinocerotis** Oestrus, Ow.; N. Joly, Ann. Soc. Agric. Lyon, IV. 1846, 292 [=rhinocerontis].
- Rhinochoerus** J. Wagler, Nat. Syst. Amph. 1830, 17.—M. [Tapiridae]. [q.v.].
- Rhinoclavis** W. Swainson, Treat. Malacol., May 1840, 157 & 315.—G.
- Rhinoclemmys** L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 115.—R.
- Rhinocoeta** H. Burmeister (*ex* Walzl MS), Handb. Ent. III. 1842, 612.—Col.
- Rhinocola** A. Foerster, Verh. nat. Ver. pr. Rheinl. V. 1848, 67 & 91.—Hem.
- Rhinocoris** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhynocoris, Hahn.
- Rhinocoris** C. J. B. Amyot, Ann. Soc. Ent. France, IV (4) 1847, 403.—Hem. [*non binom.*].
- Rhinocorus** Montf. 1808; *err.* Scudder *pro* Rhinocurus.
- Rhinocrepis** F. L. P. Gervais, Dict. pittor. H. N. IV. 1836, 617 [*dict.* Cuv. & Geoff. 1795, *sed non comp., vide* Palmer, Index gen. Mamm. 1904, 607].—M.
- Rhinocrypta** G. R. Gray, List Gen. Birds, ed. 2, 1841, 25.—A.
- Rhinocryptis** W. Peters, Monatsb. k. pr. Ak. Wiss. 1844, 414.—P.
- rhinocryptis** Protopterus, J. E. Gray, Cat. Amphib. Coll. B. M. (2) 1850, 63.
- Rhinocura** Montf. 1808; *err.* Scudder *pro* Rhinocurus.
- Rhinocurus** Denys de Montfort, Conch. I. 1808, 234.—Rh.
- rhinocylloides** Microlarinus, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2)
- Rhinocyllus** E. F. Germar, Mag. Entom. (Germar) II. 1817, 341.—Col. [1847, 541.
- Rhinocypha** P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 232.—Neur.
- Rhinodelphis** J. A. Wagner in Schreber, Säugth. VII., 316 (1846-7).—M.
- Rhinoderma** Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII. Jan. 1841, 657.—R.
- Rhinodes** Sch[oenherr] in Dejean, Catal. Coléopt. 1821, 98.—Col.
- Rhinodes** Schoenherr; J. Sturm, Catal. Ins. Samml. 1826, 190.—Col.
- Rhinodipsas** L. Fitzinger, Syst. Rept. 1843, 27.—R.
- Rhinodomus** *id. ac* Rhinedomus, Sw.; W. Swainson, Treat. Malacol., May 1840, 305.
- Rhinodon** A. Smith in Joh. Mueller & Henle, Syst. Plagiost. (2) 1839, 77.—P.
- Rhinogale** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 75.—M.
- rhinoides** Trypetes, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 596.
- Rhinolaccus** C. J. Schoenherr (*ex* Dej.), Gen. et Sp. Curc. I (1) 1833, 14.—Col. [? Latr. MS].
- Rhinolaccus** F. E. Guérin-M. (*ex* Latr.) in Duperry, Voy. "Coquille" (Ins.) II (2) 1838, 112 (*in syn.*).—Col.
- Rhinolithodes** J. F. Brandt, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. VII (11) June 1848, 174.—Cr.
- rhinolophinus** Pteroptus, C. L. Koch, Deutsch. Crust., heft 38, 1844, tab. 21.
- Rhinolophus** E. Geoffroy, Ann. Mus. H. N. (Paris) XX (118) *post* Aug. 1813, 257.—M.
- rhinolophus** Iguana, A. F. A. Wiegmann, Herpet. Mex. 1834, 44.
- rhynolophus** Malacorhynchus (Wied), E. Ménétriés, Mém. Ac. Imp. Sci. St Pétersb. [6] III (2 = Sci. Nat. I.) (5) July 1835, 524.—Myiothera.
- rhynolopha** Myiothera, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 1051.
- rhinolophus** Pteroptochos (Wied), G. R. Gray, Gen. Birds, I. Mar. 1847, 155.—Myiothera.
- rhinolophus** Sarochalinus (Wied), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 220.—Myio-
- rhinolophus** Sorex, J. G. Wagler, Isis (Oken), 1832, 54. [thera.
- Rhinolphus** B. H. Hodgson, ? *err. pro* Rhinolophus, Geoff.; J. Asiat. Soc. Bengal, IV. 1835 (1836), 699.—M.
- rhinomacer** Rhinomacer (Gyll.), Dejean, Catal. Coléopt. 1821, 79.—Rhynchites. [1800.
- rhinomacer** Rhynchites (Payk.), L. Gyllenhal, Ins. Suecica, I (3) 1813, 30.—Anthribus,
- Rhinomacus** C. S. Rafinesque, Principes fond. Somnologie, 1814, 27.—Col. [*emend. pro* Rhinomacer, F.].
- Rhinomya** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 123.—
- Rhinomya** L. Geoffroy St H., Etudes Zool. (1) 1832.—A. [Dipt.
- Rhinomya** I. Geoffroy St H., Magasin de Zool. II. 1832, pl. 3.—A.

- Rhinomya** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhynomya, Yarr.  
**Rhinomyia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhinomya, Rob.  
**Rhinomyon** J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 219.—A.  
**Rhinomys** M. H. C. Lichtenstein, Darst. Säugth. (8) [1831–34], pl. xxxviii.—M.  
**Rhinomyza** C. R. W. Wiedemann, N. Dipt. Gen. 1820, 8.—Dipt.  
**Rhinoncus** C. J. Schoenherr, Isis (Oken), 1825, 586; Curc. disp. meth. 1826, 296.—Col.  
**Rhinonictaris** J. E. Gray, Proc. Zool. Soc. London, XV (169) Ap. 13, 1847, 16.—M.  
**Rhinonycteris** Marschall, Nom. Zool. 1873, 11; *emend. pro* Rhinonictaris, Gray.  
**Rhinopeltis** L. Agassiz (*ex* Wagler MS), Nom. Zool. (Rept.) 1844, 39.—R.  
**rhinophanes** Squalus, Péron & Lesueur, Voy. Aust. I. 1807, 337.  
**Rhinophis** Hemprich in J. Wagler, Nat. Syst. Amph. 1830, 195.—R.  
**Rhinophoca** J. Wagler, Nat. Syst. Amph. 1830, 27.—M.  
**Rhinophora** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 258.—Dipt.  
**rhinophora** Ascidia, Péron & Lesueur, J. Acad. Nat. Sci. Philad. III, Ap. 1823, 8 [*n. n.*].  
**Rhinophrynus** Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII, Jan. 1841, 757.—R.  
**rhinophyllus** Goliathus, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 82.  
**rhynophyllus** Macronata, Gory & Percheron (*ex* Wied), Mon. Cétoines (12) May 1836, 317.  
**rhinophyllus** Mycteristes (Wied.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 162.—Goliathus.  
**rhynophylla** Philistina (Gory), W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 25.—Macronata.  
**Rhinopirus** B. Merrem, Tent. Syst. Amph. 1820, 14 & 81.—R.  
**Rhinoplax** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 335.—A.  
**Rhinoplia** H. Burmeister, Handb. Ent. IV (1) 1844, 232.—Col.  
**Rhinopoma** E. Geoffroy St H. in Savigny, Egypte, II (Mamm.) 1818, 113.—M.  
**Rhinopomastes** C. L. Bonaparte, Consp. gen. Avium, I. 1850, 411.—A. [=R—tus, Smith].  
**Rhinopomastus** Andr. Smith, Zool. Journ. IV (13) July 1828, 2.—A.  
**rhinoprion** Arrhenodes, M. Perty, Del. anim. artic. Brasil. (2) 1832, 69.  
**Rhinopsis** J. O. Westwood, Arcana Entom. II (17) Jan. 1844, 68.—Hym.  
**Rhinoptera** Kuhl in Mueller & Henle, Syst. Plagiost. (3) 1841, 181.—P.  
**Rhinoptilus** Strickland, 1850; *teste* Waterhouse, 1851 *est*.  
**Rhinoptyon** L. J. Fitzinger, Syst. Rept. 1843, 20.—R.  
**Rhinopus** B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 85.—A. [*n. n.*].  
**Rhinopus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rinopus, Hodgs.  
**Rhinornis** J. Gistel, Nat. Thierr. 1848, p. x.—A.  
**Rhinortha** N. A. Vigors in Raffles, Mem. of Raffles, 1830, 671.—A.  
**Rhinortha** E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (1843), 790 & 924.—A.  
**Rhinosaurus** J. E. Gray, Cat. Lizards Coll. B. M. 1845, 199.—R.  
**Rhinosaurus** G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847, 363.—R.  
**Rhinosciurus** J. E. Gray, List Mamm. Coll. B. M. 1843, 195.—M.  
**Rhinoscytale** L. Fitzinger, Syst. Rept. 1843, 25.—R. [*n. n.*].  
**Rhinosisia** F. Treitschke, Schmett. Europa, IX (2) 1833, 9.—Lep.  
**Rhinosimus** P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 192.—Col.  
**Rhinosophon** L. Fitzinger, Syst. Rept. 1843, 26.—R.  
**Rhinostoma** L. J. Fitzinger, Neue Classif. Rept. 1826, 29 & 56; Isis (Oken), 1826, 883.—R.  
**rhinostoma** Heterodon, H. Schlegel, Essai phys. Serp. 1837, I., 141; II., 100.  
**Rhinostomus** C. S. Rafinesque, Analyse, 1815, 115.—Col. [=Rhina, Latr.].  
**Rhinostrix** J. J. Kaup, Isis (Oken), 1848, 770.—A.  
**Rhinotia** W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 426.—Col.  
**rhinotioides** Belus (Hope), C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 353.—Isacantha.  
**rhinotioides** Isacantha, F. W. Hope, Proc. Zool. Soc. London, I (5) July 1833, 63.  
**Rhinotmetus** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 383.—Col. [*n. n.*].  
**Rhinotragus** E. F. Germar, Ins. spec. novae, I. 1824, 513.—Col.  
**Rhinotus** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 384.—Col. [? Rhinotia,  
**Rhinotyphlops** L. Fitzinger, Syst. Rept. 1843, 24.—R. [Kirby].  
**Rhinozolis** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 58.—M.  
**rhinthon** Pteromalus, F. Walker, Ann. Mag. N. H. XIV. Nov. 1844, 341.



- Rhinuchus** Kirby, Introd. Ent. III. 1826.—Lygaeites; *sic* Agassiz, *sed non comp.*
- Rhinusa** J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 12.—Col.
- Rhinyptia** Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 157.—Col. [*sine typo*].
- Rhinyptia** H. Burmeister (*ex* Dej. Cat.), Handb. Ent. IV (1) 1844, 227.—Col.
- Rhipheus** W. Swainson, Zool. Illust. (2) III (28) 1833, pl. 131.—Lep.
- rhipheus** Cirrospilus, F. Walker, Ann. Nat. Hist. III. Aug. 1839, 416.
- rhipheus** Papilio, Stoll; J. C. Fabricius, Mant. Ins. II. 1787, 6 [=ripheus, Cr. 1775].
- rhipheus** Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 75.—Cirrospilus,
- Rhiphida** J. W. Zetterstedt, 1837 [Rhiphida, Meig.]; *sic* Scudder, *sed non comp.* [1839.
- Rhipicephalus** C. L. Koch, Arch. f. Naturg. X (1) 1844, 238.—Ar.
- Rhipicera** P. A. Latreille in G. Cuvier, R. Anim. III. 1817, 235.—Col.
- rhipiceroides** Selasia, Laporte, Revue Entom. IV (1) 1836, 20.
- rhipicerus** Aneure, A. Foerster, Beitr. Monogr. Pteromal. 1841, 45.
- Rhipidia** J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 153.—Dipt.
- Rhipidicala** L. Agassiz, Nom. Zool. (Aves) Add. 1845, 20; *emend. pro* Ripidicala, Boie.
- rhipidium** Lycus, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [*i.e.* Ap. 1826], 442.
- Rhipidius** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ripidius, Thunb.
- Rhipidocephalus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhipicephalus, Koch.
- Rhipidocera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhipicera, Latr.
- Rhipidocerus** J. O. Westwood, Tr. Entom. Soc. Lond. III (2) Sept. 1842, 70.—Col.
- Rhipidogyra** Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 468.—Cor.
- Rhipidolepis** L. Agassiz, 14 Rept. Brit. Assoc. (York, 1844) 1845, 308.—P. [*n. n.*].
- Rhipidomys** J. J. Tschudi (*ex* Wagner *litt.*), Arch. f. Naturg. 1844 (1), 252.—M.
- Rhipidophorus** *emend. pro* Ripiphorus, Bosc, 1791; J. Gistel, Nat. Thierr. 1848, 125; Handb. Naturges. 1850 [1847], 411.
- Rhipidophorus** A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 442.—Col.
- Rhipidopteryx** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhipipteryx, Newm.
- Rhipidostoma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhipistoma, Koch.
- Rhipidura** Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 246.—A.
- ripilepis** Gobius, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 205.
- Rhipiphorus** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 375 [=Ripiphorus, Bosc 1791].
- ripiphorus** Bruchus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 35.
- Rhipipteryx** L. Agassiz, Nom. Zool. (Orth.) 1844, 12; *emend. pro* Ripipteryx, Newm., *q.v.*
- ripisteria** (*sic*) Gorgonia, G. A. Goldfuss, Petref. German. I (1) 1826, 19.
- ripisteria** (*sic*) Retepora (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 152.—Gorgonia.
- Rhipistoma** C. L. Koch, Arch. f. Naturg. X (1) 1844, 239.—Ar.
- Rhipodomys** J. J. Tschudi, Fauna Peru. (Mamm.), 1845, 183.—M.
- Rhipornis** [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, Tab. A, *dorso* [*n. n.* = Puffinus,
- Rhipozonium** F. T. Kuetzing, Polyp. calcif. 1841, 21.—Coel. [Briss.].
- Rhisophilus** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 26.—Col. [n. d., 2 nom. triv.
- Rhisotragus** Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 38.—Col. [append.].
- Rhisotrogus** P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 561.—Col.
- Rhisotrogus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhizotrogus, Latr.
- Rhistrum** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 10.—Col. [n. d., 1 nom. triv. append.].
- Rhitelminthus** della Chiaje, Compend. elmint. umana, 1825, 18 [*err. pro* Rhyt→, *teste*
- Rhitigaster** C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 247.—Hym. [S. & H.]
- Rhitis** de Blainville, Append. to Bremser, Traité Vers intest. 1824, 512 [=Rhytis, Zed.].
- Rhizangia** Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 496.—Col.
- Rhizinia** K. E. Hammerschmidt, Isis (Oken), 1838, 356.—Verm.
- Rhizobia** Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 157.—Col. [*n. n.*].
- Rhizobius** H. Burmeister, Handb. Ent. II (1) 1835, 87.—Hem.
- Rhizobius** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhyzobius, Steph.
- Rhizochilus** J. J. Steenstrup, Overs. K. Danske Vid. Selsk. Forhandl. (5 & 6) 1850, 75.—G.

- Rhizocolax** V. v. Motshulski in Schrenck, Reise, 1831; *sic* Scudder, *sed* 1861.
- Rhizocorallium** Zenker, Hist.-topogr. Taschenb. Jena, 1836, 202 & 219.—Cor.
- Rhizodus** R. Owen, Odont. (1840), 75.—P.
- Rhizolitha** J. Curtis, Guide Brit. Ins. (5) 1830, 149.—Lep. [Noctua, 1775.]
- rizolitha** Graptolitha (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1825], 243.—
- rizolitha** Xylena (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 86.—Noctua, 1775.
- rhizolitha** Xylina (Huebn.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) May 1829, 170.—Noctua, D. & S. 1775.
- rizomorpha** Gorgonia, J. V. F. Lamouroux, Hist. Polyp. 1816, 401.
- Rhizomyia** J. W. Zetterstedt, Dipt. Scand. VIII. 1849, 3298.—Dipt.
- Rhizomys** J. E. Gray, Proc. Comm. Sci. Zool. Soc. London (8) Aug. 1831, 95.—M.
- Rhizonemus** Dejean, Catal. Coléopt., ed. 3 (1-4) July 1836, 180.—Col. [*n. n.*].
- Rhizopertha** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhyzopertha, Steph.
- Rhizophagus** J. Walth, Isis (Oken), 1839, 225 [? = Ryzophagus, Herbst, 1793].
- Rhizophilus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Risophilus, Leach.
- rhizophorae** Ostrea, L. Guilding, Zool. Journ. III (12) Ap. 1828, 542.
- Rhizophorus** J. E. Gray, Fig. Moll. Anim. IV. 1850, 95.—G.
- rizophora** Ascidia, Péron & Lesueur, J. Acad. Nat. Sci. Philad. III. Ap. 1823, 8 [*n. n.*].
- rhizophora** Ostrea, D. Solander, Catal. Portland Mus. 1786, 133 [*n. n.*].
- Rhizophthiridium** v. d. Hoeven, Handb. Dierk., ed. 2, 1840, 508.—Hem.
- Rhizophysa** L. Oken, Lehrb. Nat. III (1) 1815, 127.—Med. [= Rizo—, *q.v.*].
- Rhizoplatys** J. O. Westwood, Ann. Mag. Nat. Hist. VIII (53) Feb. 1842, 454.—Col.
- Rhizorus** Denys de Montfort, Conch. II. 1810, 338.—G.
- Rhizosolenia** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1841 (1843), 422.—? Plantae.
- Rhizostoma** Cuvier, Bull. Sci. Soc. Philom. Paris, II. 1799, 69.—Scyphoz. [*teste* Stechow].
- Rhizostoma** C. A. Rudolphi, Bemerk. Naturg. I. 1804, 170.—Med.
- Rhizostoma** L. Oken, Lehrb. Nat. III (1) 1815, 117.—Med.
- Rhizostoma** G. Cuvier, R. Anim. IV. 1817, 57.—Med.
- rhizostoma** Cephea, Lamarck, An. s. vert. II. 1816, 517.
- rhizostomoidea** Cassiopea, Tilesius, N. A. Ac. Caes. Leop. Car. XV (2) 1831, 273.
- rhizostomoidea** Cephea, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 361.
- Rhizoterus** T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 363.—Hem.
- Rhizothera** G. R. Gray, List Gen. Birds, ed. 2, 1841, 79.—A.
- Rhizotragus** I. Frivaldszky, K. magyar tudos Tarasag evkön. II. 1835, 257.—Col.
- Rhizotrochus** Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 281.—Cor.
- rhizotrogoides** Anomala, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 186.
- rhizotrogoides** Hoplochelus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 152.
- Rhizotrogus** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 362.—Col. [*vernac.* 1825].
- Rhizoxenia** C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 279.—Cor.
- rhizo**→ *v. et* **rizo**→, **rhyzo**→, **ryzo**→.
- rhobetor** Monohammus, E. Newman, Entomologist (17) Mar. 1842, 276.
- rhocados** Cynips, Klug in P. F. Bouché, Nat. Ins. 1834, 164.
- rhodacme** Bulimus, L. Pfeiffer, Symb. Helic. II. 1842, 50.
- Rhodactinia** L. Agassiz, C. R. Ac. Sci. (Paris) XXV. 1847, 679.—Med.
- rodactylus** (*sic*) Barbus, J. M'Clelland, Asiat. Researches, XIX (2) 1839, 273.
- rhodani** Cerithium, Pictet & Roux, Mém. Soc. Phys. H. N. Genève, XII (1) 1849, 143.
- rhodani** Chemnitzia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 247.
- rhodani** Cloe, F. J. Pictet, H. N. Ins. Neuropt. Ephémér. 1845 [*i.e.* Dec. 1845], 248.
- rhodani** Dentalium, Pictet & Roux, Mém. Soc. Phys. H. N. Genève, XII (1) 1849, 150.
- rhodani** Diadema, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 9.
- rhodani** Natica, Pictet & Roux, Mém. Soc. Phys. H. N. Genève, XII (1) 1849, 46.
- rhodani** Nautilus, Roux in Pictet, Mém. Soc. Phys. H. N. Genève, XI (2) 1848, 275.
- rhodani** Pleurotomaria (Br.), A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 250.—Trochus.
- rhodani** Scalaria, Pictet & Roux, Mém. Soc. Phys. H. N. Genève, XII (1) 1849, 33.

- rhodani** Trochus, Al. Brongniart in Cuvier & B., Desc. Géol. Paris, ed. 3, 1822, 398.
- Rhodaraea** Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. Sept. 1849, 259.—Cor.
- Rhodaria** Guénéée in Duponchel, Cat. méth. Lépid. Europe (2) 1845, 199.—Lep.
- rhode** Alpheus, A. White, List Crustacea Coll. B. M. 1847, 74 [*n. n.*].
- rhode** Cirrospilus, F. Walker, Ann. Nat. Hist. IV. Sept. 1839, 29.
- rhode** Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 147.—Cirrospilus,
- rhodeniana** Lima, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 541. [1839.]
- rhodesii** Thelazia, H. D. de Blainville (*ex* Bosc), Dict. Sci. Nat. LIII. 1828, 440.
- [**rhodesii** Thelazius]. *Omn. cit.* 1819 *vernac. sunt.*
- Rhodeus** L. Agassiz, Jahrb. f. Min. 1832, 134.—P.
- Rhodeus** L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 37.—P.
- Rhodia** T. Bell, Proc. Zool. Soc. London, III (35) Feb. 1836, 169.—Cr.
- rhodia** Erycina, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 583.
- rhodia** Mamestra, E. F. Germar, Fauna Ins. Europ. (4) [? 1822], 17.
- rhodia** Melampias, J. Huebner, Verz. bekannt. Schmett. 1818, 63.
- rhodia** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 225, Jan. 1845.
- rhodia** Prosopis, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 214.
- rhodia** Pupa, J. R. Roth, Moll. Orient. 1839, 19.
- rhodii** Thelazia, Gurlt, Lehrb. path. anat. Haus-Säugeth. 1831, 347 [*teste* S. & H.].
- rhodinogaster** Erythrodryas (J. & S.), J. Gould, Proc. Zool. Soc. London, X (115) Jan. 1843, 112.—Petroica.
- rhodinogaster** Petroica, Jardine & Selby, Ill. Orn., Add. to vol. II [p. 2] 1829.
- rodinogaster** Saxicola, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) II. Dec. 1819, 341.
- rodinogaster** Trigla, G. D. Nardo, Isis (Oken), June 1827, 479 & 485.
- rhodinopterus** Tantalus, J. Wagler, Syst. Avium, I. 1827, sign. 93.
- rhodinostoma** Bulimus, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 317.—Helix, 1835.
- rhodinostoma** (*sic*) Helix, d'Orbigny, Syn. Moll. Am. mérid. in Mag. de Zool. V. 1835, 20.
- rhodinus** Siderodactylus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 127.
- rhodinum** Trombidium, C. L. Koch, Deutsch. Crust., heft 16, 1837, tab. 1.
- rhodiogrammus** Bubo, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 355.
- rodiofus** Brisnaeus, J. E. Gray (*ex* W. E. Leach), Ann. Phil. XXVI. Aug. 1825, 102.
- rodio sternus** Harpactes, T. R. Peale in Wilkes, U. S. Expl. Exped. VIII. 1848, 166.
- Rhodites** T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. 2 (1) 1840, 186.—Hym.
- rhodocampter** Fringilla, M. Lichtenstein, Preizverz. Deppe Mex., Sept. 1830, 2.
- rhodocephalus** Palaeornis, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 85 [*n. n.*].
- Rhodocera** Boisduval & Leconte, Hist. lépidopt. Amér. sept. (8) 1830, 70.—Lep.
- rhodocheilus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 173, July 1848.
- rhodocheilus** Murex, P. P. King & Broderip, Zool. Journ. V (19) Sept. 1831 [*i.e.* July 1832], 347.
- rhodoclamys** Carpodacus (Brandt), Bonaparte & Schlegel, Mon. Loxiens, 1850, 22.—Pyrrhula.
- rhodoclamys** Pyrrhula (Corythus), J. F. Brandt, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. I (23) Ap. 1843, 363.
- rhodochroa** Carpodacus (Vig.), G. R. Gray, Gen. Birds, II. Oct. 1844, 384.—Fringilla.
- rodochroa** Erythrospiza (Vig.), E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844 (1845), 953.—Fringilla.
- rodochroa** Fringilla, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (2) Feb. 1831, 23.
- rhodochroa** Propasser, B. H. Hodgson, Proc. Zool. Soc. London, XIII (146) Aug. 1845, 36.
- rhodocolpa** Neritina, Cristofori & Jan, Cat. Mus. (Mantissa Test.) 1832, 4.
- rhodocolpos** Neritina, G. Jan, Consp. meth. Testac. 1830, 7 [*n. n.*].
- Rhodocrinites** J. S. Miller, N. H. Crinoidea 1821, 106.—Crin.
- Rhodocrinus** C. D. E. König, Icones fcss. 1825, pl. 13.—Crin. [*n. et f.*].
- Rhodocrinus** L. Agassiz, Mém. Soc. Sci. Neuchâtel, I. 1835 (1836), 196.—Crin.
- rhododactylus** Actinia, A. E. Grube, Actin. Adriat. 1840, 3.
- rhododactylus** Cis (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 12.—Ptinus.
- rhododactylus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 262.
- rhododactylus** Hylesinus (Marsh.), L. Gyllenhal, Ins. Suecica, I (4) 1827, 619.—Ips.
- rhododactylus** Ips, T. Marsham, Coleopt. Brit., Sept. 1802, 58.

- rhododactyla** Moschata, Renier; H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 284.  
**rhododactyla** Phalaena (Pterophorus), W. Turton, Linnaeus, Syst. Nat. III. 1802, 384.  
**rhododactyla** Platyptilia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 429.—  
 Alucita, 1775.  
**rhododactyla** Pleurobrachia, L. Agassiz, Mem. Amer. Ac., n. s. IV (2) 1850, 317.  
**rhododactylus** Ptinus, T. Marsham, Coleopt. Brit., Sept. 1802, 87.  
**rhododactylus** Scarabaeus, T. Marsham, Coleopt. Brit., Sept. 1802, 29.  
**rhododendri** Anthobium, F. Baudi in B. & Truqui, Studi Ent. I. 1848, 148.  
**rhododendronalis** Botys, Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2) (Noct. 5, pt. 2) 1834, 363.  
**rhododerum** Pyracontema, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 449.  
**rhodogaster** Herpetodryas, H. Schlegel, Essai phys. Serp. 1837, I., 152; II., 193.  
**rhodogastra** Muscicapa, J. Latham, Index Orn., Suppl. 1801, p. lii.  
**rhodogastra** Petroica (Lath.), H. E. Strickland, Ann. Mag. N. H. XI. May 1843, 337.—  
 Muscicapa.  
**rodogaster** Pitta, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83 [*n. n.*].  
**rhodogastra** Sylvia, C. S. Rafinesque-S., Car. n. gen. 1810, 7.  
**rhodogaster** Trogon, C. J. Temminck in T. & Laugier, Pls. color. (63) Nov. 1825.  
**Rhodogastria** J. Huebner, Verz. bekannt. Schmett. [1822], 172.—Lep.  
**rhodolaemus** Anolius, T. Bell, Zool. Journ. III (10) July [*i.e.* Sept.] 1827, 235.  
**rhodolarynx** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 518, July 1849.  
**rhodoloma** Aequorea, J. F. Brandt, Prod. anim. Mertens. I. 1835, 20.  
**rhodomelas** Asopus, Herrich-S., Wanzenart. Ins. IV (5) Sept. 1838, 90.  
**rhodomela** Celaeno, C. L. Koch, Deutsch. Crust., heft 32, 1841, tab. 2.  
**rhodomelas** Penthaleus, C. L. Koch, Deutsch. Crust., heft 18, 1838, tab. 10.  
**rhodomelas** Tropicodnotus, Kuhl in Férussac, Bull. Sci. IX. 1826, 237.  
**rhodomelas** Tropicodnotus, H. Boie, Isis (Oken), 1827, 535.  
**Rhodona** J. E. Gray, Ann. Nat. Hist. II. Jan. 1839, 335.—R.  
**rhodonotus** Bagrus, P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, III (2) 1846, 157.  
**Rhodope** A. Koelliker, Giorn. R. Ist. Lomb. e Bibl. Ital. XVI (47) May 1847, 239.—G.  
**rhodope** Endromis (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. III. 1837, 31.—  
 Phalaena, 1782.  
**rhodopensis** Melitaea, C. F. Freyer, Neuere Beitr. Schmett. III (33) 1836, 3.  
**rhodopensis** Nymphalis, Frivaldszky in Boisduval, Gen. Index Europ. Lepid. 1840, 20.  
**rhodopensis** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 206 (Fernaldo judice 1834-41) [*n. et f.*].  
**rhodopepla** Carpodacus (Vig.), G. R. Gray, Gen. Birds, II. Oct. 1844, 384.—Fringilla.  
**rodopepla** Erythrospiza (Vig.), E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844 (1845), 952.—  
 Fringilla.  
**rodopepla** Fringilla, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (2) Feb. 1831, 23.  
**rodopepla** Propasser, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 84 [*n. n.*].  
**rhodopepla** Propasser, B. H. Hodgson, Proc. Zool. Soc. London, XIII (146) Aug. 1845, 36.  
**Rhodophaea** A. Guénéé, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 312.—Lep.  
**rhodophila** Cecidomyia, J. Hardy, Ann. Mag. N. H. (2) VI. Sept. 1850, 186.  
**Rhodophysa** H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 112.—Coel.  
**rhodopleuron** Chrysopela, Reinwardt in Férussac, Bull. Sci. IX. 1826, 237 [*n. n.*].  
**rhodopleuron** Dendrophis, H. Schlegel, Essai phys. Serp. 1837, I., 157; II., 233.  
**rhodopleuron** Dryodynastes (Schleg.), L. Fitzinger, Syst. Rept. 1843, 26.—Dendrophis.  
**rodopteron** Tantalus, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 86 [*n. n.*].  
**rhodoptera** Calleida, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1) 1850,  
 Chalceus, Cuvier & Valenc., H. N. Poiss. XXII. 1849, 249. [51.  
**rhodopterus** Estrelida, C. L. Bonaparte (*ex* Sund. MS), Consp. gen. Avium, I. 1850, 459.  
**rhodoptera** Muscicapa, J. Latham, Index Orn., Suppl. 1801, p. li.  
**rhodopterus** Pachyrhynchus, Chevrolat, Rev. Zool. (Soc. Cuv.) IV. July 1841, 224.  
**rhodopterygius** Bagrus, P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, III (2) 1846,  
 Coryphistes, T. de Charpentier, Orthopt. (10) 1844, tab. 58. [153.  
**rhodoptilus** Gryllus, T. v. Charpentier, Horae Ent. 1825, 146.  
**rhodoptila** Truxalis, Herrich-S. in Panzer, Ins. Germ., heft 157, 1838, tab. 16.

- rhodopus** Anas, B. Merrem in Ersch & Gruber, Allg. Ency. XXXV. 1841, 45.
- rhodopus** Araecerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 176.
- rhodopus** Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840, 294.
- rhodopus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 263.
- rhodopus** Megalostylus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 116.
- rhodopa** Oedipoda, G. Fischer, Bull. Soc. Imp. Nat. Moscou, IX. 1836, 348.
- rhodopus** Orchestes (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Mar. 1831, 63.—Curculio.
- rhodopyga** Estrilda, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (5) 1850, 126.
- rhodora** Actinia, Couthouy in J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 148.
- rhodora** Tellina, R. B. Hinds, Zool. "Sulphur," 1844, 67.
- Rhodosoma** C. G. Ehrenberg, Symb. Phys. I. 1828, Praefatio, sign. 32.—Tun.
- rhodosomus** Mycotretus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 166.
- rhodospira** Helix, S. Moricand, Mém. Soc. Phys. H. N. Genève, VII (2) 1836, 428.
- rhodospira** Pachyotus (Moric.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 56.—Helix.
- Rhodostethia** W. Macgillivray, Man. Brit. Orn. II. 1842, 252.—A.
- Rhodostoma** W. Swainson, Treat. Malacol., May 1840, 208 & 344.—G.
- rhodostoma** Achatina, R. A. Philippi, Abb. Conch. III (5) 1849, 29.
- rhodostomus** Bulimus, J. E. Gray, Proc. Zool. Soc. London, II (19) Nov. 1834, 65.
- rhodostoma** Bullia (*ex* Gray MS), L. Reeve, Conch. Icon. III.—Bullia, no. 25, Feb. 1847.
- rhodostoma** Euparypha (Drap.), J. D. W. Hartmann, Erd- u. Süsw. Gast. (8) 1844,
- rhodostoma** Helicina, J. E. Gray, Zool. Journ. I (1) Mar. 1824, 68. [204.—Helix.
- rhodostoma** Helix, J. P. R. Draparnaud, Tab. Moll. France, 1801, 74.
- rhodostomum** Metridium, Hemprich & C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss.
- rhodostoma** Natica, R. A. Philippi, Abb. Conch. I (1) 1842, 16. [1832 (1834), 263.
- rhodostoma** Ranella, G. B. Sowerby, II., Proc. Zool. Soc. London, IX (101) Oct. 1841, 52.
- rhodostoma** Tisiphone (Reinw.), L. Fitzinger, Syst. Rept. 1843, 28.—Trigonocephalus.
- rhodostoma** Trigonocephalus, Reinwardt in Férussac, Bull. Sci. IX. 1826, 239 [*n. n.*].
- rhodostomus** Trochus, Lamarck, An. s. vert. VII. 1822, 13.
- Rhodostrophia** J. Huebner, Verz. bekannt. Schmett. 1825, 300.—Lep.
- rhodryas** Aphis, C. S. Rafinesque, Amer. Monthly Mag. III (1) May 1818, 16.
- Rhoea** H. M. Edwards, Ann. Sci. Nat. XIII (51) Mar. 1828, 292.—G.
- rhoeadis** Aylax, T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. 2 (1) 1840, 195.
- rhoebus** Pteromalus, F. Walker, Ann. Mag. N. H. XI. Mar. 1843, 187.
- rhoeo** Tachina, F. Walker, List Dipt. Coll. B. M. (4) 1849, 778.
- rhoeo** Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 78.
- rhoesus** Cirrospilus, F. Walker, Ann. Nat. Hist. III. Aug. 1839, 417.
- Rhogalia** J. Huebner, Verz. bekannt. Schmett. 1826, 396.—Lep.
- Rhogas** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rogas, Nees.
- Rhogmus** W. E. Shuckard, Ann. Nat. Hist. V. May 1840, 195.—Hym.
- rhois** Altica, F. V. Melsheimer, Ins. Pennsylv. 1806, 22 [*n. n.*].
- rhois** Attelabus, C. H. Boheman, N. Mém. Soc. Imp. Nat. Moscou, I. 1829, 121.
- rhois** Chrysomela, Forst.; F. V. Melsheimer, Ins. Pennsylv. 1806, 21; *var. lineata*, Knoch [*n. n.*].
- rhois** Haltica (Forst.), K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 161.—Chrysomela.
- Rhomalea** *id. ac* Romalea, Serv.; G. Fischer, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 379.
- Rhomaleocera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Romalocera, Dej.
- Rhomaleosofna** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Romaleosoma, Blanch.
- rhombana** Amelia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 390.—Tortrix, 1775.
- rhombana** Dictyopteryx (Huebner), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—Tortrix, D. & S. 1775.
- rhombana** Teras (D. & S.), Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6) 1835, 174.—Tortrix, 1775.
- rhombeata** Boa, J. G. Schneider, Hist. Amph. II. 1801, 266.
- rhombeatus** Caelopeltis (L.), J. Wagler, Nat. Syst. Amph. 1830, 189.—Coluber, 1758.
- rhombeatus** Causus (Licht.), J. Wagler, Nat. Syst. Amph. 1830, 173.—Sepedon.

- rhombeatus** Coluber (Natrix), Linn.; B. Merrem, Tent. Syst. Amph. 1820, 111.  
**rhombeata** Coronella, H. Schlegel, Essai phys. Serp. 1837, I., 136; II., 70.  
**rhombeatus** Falco, G. Shaw, Gen. Zool. (Aves) VII (1) 1809, 169.  
**rhombeata** Lachesis, Max Wied, Abb. Naturges. Brasil. (5) 1824.  
**rhombeata** Naja, H. Schlegel, Essai phys. Serp. 1837, I., 185; II., 483.  
**rhombeatus** Psammophylax (L.), L. Fitzinger, Syst. Rept. 1843, 26.—Coluber, 1758.  
**rhombeata** Sepedon, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 106.  
**rhombeatus** Trimerorhinus, A. Smith, Ill. Zool. S. Afr. (Rept.), pl. lvi, 1847.  
**rhombella** Anacamptis (Hueb.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—Tinea, D. & S. 1775.  
**rhombella** Gelechia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 415.—Tinea, 1775.  
**rhombella** Lita (D. & S.), F. Treitschke, Schmett. Europa, IX (2) 1833, 93.—Tinea, 1775.  
**Rhombeus** A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 82.—P.  
**rhombeus** Acanthocinus, J. Sturm, Catal. Ins. Samml. 1826, 88 [*n. n.*].  
**rhombeus** Acanthurus, F. H. v. Kittlitz, Abh. Senckenb. Mus. I (3) 1834, 194.  
**rhombea** Anacamptis (Haw.), J. Curtis, Brit. Entom. IV (47) Nov. 1827, no. 189.  
**rhombea** Arca, S. Nilsson, Petrif. Suec. 1827, 15.  
**rhombeus** Arilus (Piezopleura), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, Astarte, C. F. Roemer, De Astartarum, 1842, 13. [III. 1848, 614.  
**rhombea** Capoeta, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1846), 204.  
**rhombeum** Cardium (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 79.—Cypricardia.  
**rhombeus** Centropodus (Gm.), B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 303.—Centrogaster, 1789.  
**rhombeus** Chaetodon, J. G. Schneider, Bloch, Syst. Ichth. 1801, 235.  
**rhombea** Cliona, A. Hancock, Ann. Mag. N. H. (2) III. May 1849, 342.  
**rhombea** Crenella (Berk.), Forbes & Hanley, Hist. Brit. Moll. II. 1849, 208.—Modiola.  
**rhombea** Cypricardia, J. Phillips, Geol. Yorksh. II. 1836, 209.  
**rhombea** Cypricardia, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 291.  
**rhombeum** Diplodon, J. B. v. Spix, Testac. Brasil. 1827, 34 [*n. n.*].  
**rhombeus** Elater, Ziegler; Dejean, Catal. Coléopt. 1821, 31 [*n. n.*].  
**rhombea** Eschscholtzia (Ol.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840, 232.—Elater.  
**rhombaea** Friganea, *id. ac* rhombica Phryganea, L.; F. de Tigny, s. à Deterville ed. Buffon, Ins. II. 1801, 244. [Scomber, 1800.  
**rhombeus** Gasteronemus (Volta), J. L. R. Agassiz, Poiss. Foss. V (1), 20 (1833).—  
**rhombeus** Gasteronemus, J. L. R. Agassiz, Poiss. Foss. IV., 34 (1835).  
**rhombeus** Gasterosteus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 540.  
**rhombeus** Gerres, G. Cuvier, Règne Anim., ed. 2, II. 1829, 188.  
**rhombea** Helix, W. Turton, Conch. Dict. 1819, 47.  
**rhombea** Hymenotes (Fab.), J. O. Westwood, Proc. Zool. Soc. London, V (59) June 1838, 130.—Membracis, 1775.  
**rhombea** Modiola, M. J. Berkeley, Zool. Journ. III (10) July [*i.e.* Sept.] 1827, 229.  
**rhombea** Ocypoda, L. A. G. Bosc, Crust. I (Castel's Buffon), 1801, 194.  
**rhombea** Ocypoda, *id. ac* rhomba, Fab.; H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 46.  
**rhombeus** Pachymerus, F. X. Fieber, Beitr. ges. Nat. Heilwiss. I (3) 1837, 346.  
**rhombea** Palparia, A. H. Haworth, Lepidopt. Brit. (3) 1811, 483.  
**rhombeus** Physomerus, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 10.  
**rhombeus** Planorbis, W. Turton, Man. L. & F. W. Shells, Nov. 1831, 108.—Helix, 1819.  
**rhombeus** Pleuronectes, J. G. Schneider, Bloch, Syst. Ichth. 1801, 145.  
**rhombeus** Psettus (Forsk.), G. Cuvier, Règne Anim., ed. 2, II. 1829, 193.—Scomber, 1775.  
**rhombea** Recurvaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 549.—Tinea rhombella, Huebn. [D. & S. 1775].  
**rhombea** Salicorniaria, H. R. Schinz in Cuvier, Thierreich, IV. 1825, 156.  
**rhombeus** Serrosalmo, J. Minding, Lehrb. Naturg. Fische, 1832, 120. [Salmo, 1766.  
**rhombeus** Serrosalmus (L.), B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 283.—

- rhombea** Terebratula, R. A. Philippi, Arch. f. Naturg. XI (1) 1845, 59.
- rhombeus** Unio, J. A. Wagner in J. B. v. Spix, Testac. Brasil. 1827, 34.
- rhombeus** Zeus, de Blainville, N. Dict. H. N., ed. 2, XXVII. 1818, 356.
- rhombi** Fusaria, J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 121.
- rhombicollis** Mantis, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1817),
- rhombicus** Balanus, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 635. [103.]
- rhombicus** Chaetotaulius (L.), F. A. Kolenati, Entom. Zeitung, Stettin, IX (1) Jan. 1848, 17.—Phryganea, 1758.
- rhombica** Eschara, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 206.
- rhombica** Lacerta, B. Merrem, Tent. Syst. Amph. 1820, 68. [Phryganea, 1758.]
- rhombica** Limnophilus (L.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 136.—
- rhombicus** Limnophilus (L.), H. Burmeister, Handb. Ent. II (2) ii, 1839, 932.—Phryganea, 1758.
- rhombica** Mantis (Deroplatys), W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 92.
- rhombicus** Promecops, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 326.
- rhombicus** Pteromalus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 28.
- rhombicus** Telephorus, E. F. Germar, Ins. spec. novae, I. 1824, 69.
- rhombicum** Trombidium, C. L. Koch, Deutsch. Crust., heft 16, 1837, tab. 2.
- rhombifasciana** Steganoptycha (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.—
- rhombifasciana** Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 451. [Tortrix.]
- rhombifera** Arcy bites, C. S. Rafinesque, Atlantic Journ. (3) 1832, 116.
- rhombifera** Ceriopora, F. v. Hagenow, N. Jahrb. f. Min. 1839, 284. [Millepora.]
- rhombifera** Ceriopora (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 161.—
- rhombifer** Clytus (Ol.), Laporte & Gory, H. N. Coléopt. III. 1841 [1835, sed me judice 1836], 17.—Callidium, 1795.
- rhombifer** Crocodilus, G. Cuvier, Ann. Mus. H. N. (Paris) X (55-56) Sept. 1807, 51.
- rhombifer** Crocodilus (Chamses), Cuv.; J. T. Cocteau & G. Bibron in Sagra, Cuba (Rept.) 1839, 55.
- rhombifer** Crotalus, P. A. Latreille, s. à Deterville ed. Buffon, Rept. III. 1801, 197.
- rhombifera** Eschara (Muenst.), A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 67.—Glaucanome.
- rhombifera** Glaucanome, Muenster in G. A. Goldfuss, Petref. German. I (2) 1829, 100.
- rhombifera** Goniomya (Goldf.), J. L. R. Agassiz, Etudes crit. Moll. foss (2) i, 1842, 5.—
- rhombifer** Leucocerca, J. Cabanis, Mus. Heineanum (1) 1850 [1851], 57. [Lysianassa.]
- rhombifer** Lophyrus, J. B. v. Spix, Lacert. Brasil. 1825, 9.
- rhombifera** Lysianassa, G. A. Goldfuss, Petref. German. II (7) 1840, 264.
- rhombifera** Lysianassa, T. Brown, Ill. Foss. Conch. G. B. I. [1845-9], 229.
- rhombifera** Millepora, J. Phillips, Geol. Yorksh. II. 1836, 199.
- rhombifer** Oedura, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 147.
- rhombifer** Paleryx, R. Owen, Rept. London Clay (Pal. Soc. III.) Aug. 1850, 67.
- rhombifer** Physomerus, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 9.
- rhombifer** Promecops, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 325.
- rhombifer** Semionotus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 91 (1836); II (1), 228 (1837).
- rhombifer** Stenochorus, F. W. Hope, Proc. Zool. Soc. London, VIII (88 & 89) Jan. 1841,
- rhombifer** Uraniscodon (Spix), J. J. Kaup, Isis (Oken), 1826, 90.—Lophyrus. [49.]
- rhombifera** Vincularia (Muenst.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 396.—Glaucanome.
- rhombiferens** Philodromus, C. A. Walckenaer, Faune Française (11 & 12) Aptères, 1824, 95.—Aranea, 1802 [? rhomboïca].
- rhombifolia** Blatta, M. Houttyn in Stoll, Spoken (Index Locust. [1813]), 14.
- rhombiformis** Arca, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 163 [n. n.].
- rhombiformis** Arcacites, E. F. v. Schlotheim, Die Petref. 1820, 201.
- rhombimacula** Pachymerus, A. Costa, Exerc. Acc. Asp. Nat. II. 1842 [18] [n. n.].
- rhombimacula** Pachymerus, A. Costa, Ann. Accad. Aspir. Nat. I. 1843, 83.
- rhombitis** Rhombus, H. Rathke, Mém. présentés Ac. Imp. Sci. St Pétersb. III (3 & 4) Sept. 1837, 351.

- rhombiventris** Macrocephalus (Amblythyreus), J. O. Westwood, Tr. Entom. Soc. Lond. III (1) Jan. 1842, 30.
- Rhomboccephalus** G. Newport, Proc. Linn. Soc. London (20) May 1844, 193.—Myr.
- Rhombodera** H. Burmeister, Handb. Ent. II (2) i, 1838, 536.—Orth.
- Rhombodera** L. Reiche, Rev. Zool. (Soc. Cuv.) V. Oct. 1842, 313.—Col.
- rhombodes** Nucula, A. Keyserling, Wiss. Beob. Petschora, 1846, 307.
- rhombodes** Turbo, A. Keyserling, Wiss. Beob. Petschora, 1846, 318.
- rhomboedra** Pleurotoma, H. E. Anton, Verz. Conch. 1839, 74.
- Rhomboglossus** Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII. Jan. 1841, 332.—R.
- rhomboica** Aranea, C. A. Walckenaer, Faune Paris. II. 1802, 228.
- rhomboicus** Thomisus, C. A. Walckenaer, Tab. Aran. 1805, 38.—Aranea, 1802.
- rhomboida** Cyclas, T. Say, J. Acad. Nat. Sci. Philad. II. Dec. 1822, 380.
- rhomboidalis** Agrion, Palisot de B., Ins. Afr. Amér. (—) 1809, 85.
- rhomboidalis** Anomites, G. Wahlenberg, N. Acta Soc. Sci. Upsal. VIII. 1821 [sep. 1819], 65.
- rhomboidalis** Arca, C. F. Schumacher (*ex* Chemn.), Essai Vers test. 1817, 171.
- rhomboidalis** Astacus, T. Pennant, Brit. Zool., ed. 5, IV. 1812, 34.
- rhomboidalis** Astarte, L. de Koninck, Descr. An. foss. carb. Belg. (14) Dec. 1844, 633.
- rhomboidalis** Avicula, J. Cornuel, Mém. Soc. géol. France, IV (2) 1841, 288.
- rhomboidalis** Cancer, G. Montagu, Tr. Linn. Soc. London, VII. 1804, 65.
- rhomboidalis** Cholus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 2.
- rhomboidalis** Cyclas, A. Robertson, Q. J. Geol. Soc. London, III. 1847, 114 [*n. n.*].
- rhomboidalis** Cypraea, J. P. S. de Grateloup, Atlas to Conch. foss. tert. Adour, 1840-46 [*vero propius* 1847], Porcellaines, pl. ii.
- rhomboidalis** Dasybatus, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (July), 120.
- rhomboidalis** Frondicularia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 256
- rhomboidalis** Gasteracanthus, J. L. R. Agassiz, Poiss. Foss. V (1), 20 (1833).
- rhomboidalis** Gonoplax, A. Risso, H. N. Europe, V. 1826, 13.
- rhomboidalis** Gyrodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 17 (1834).—Sphaerodus:
- rhomboidalis** Isocardia, J. Phillips, Geol. Yorksh. I. 1829, 128 [*n. et f.*].
- rhomboidalis** Lavignon (Leym.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 75.—Pholadomya.
- rhomboidalis** Lebias, Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1821), 160.
- rhomboidalis** Lepas, W. G. Tilesius, Jahrb. Naturg. I. 1802, 416.
- rhomboidalis** Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 78.
- rhomboidalis** Leucosia, W. de Haan in Siebold, F. Japon. (Crust. 1841), 134.
- rhomboidalis** Limopsis, A. Alth, Naturw. Abhandl. (Haidinger) III (2) 1850, 233.
- rhomboidalis** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 462.
- rhomboidalis** Lunulites, Muenster in G. A. Goldfuss, Petref. German. I (2) 1829, 105.
- rhomboidalis** Martinia, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 141.
- rhomboidalis** Megalopa (Mont.), W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 431.—Cancer.
- rhomboidalis** Myletes, G. Cuvier, Mém. Mus. H. N. (Paris) IV [4-6] Dec. 1818, 451.
- rhomboidalis** Opis (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 362.—Iso-
- rhomboidalis** Otolithus, G. Cuvier, R. Anim., ed. 2, II. 1829, 173. [cardia.]
- rhomboidalis** Pholadomya, A. de Leymerie, Mém. Soc. géol. France, IV (2) 1841, 341 [*n. n.*]; *ibid.* V (1) 1842, 3.
- rhomboidalis** Planularia (Orb.), F. W. Hoeninghaus, Jahrb. f. Min. 1831, 135.—Frondicu-
- rhomboidalis** Pycnodus, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 221. [laria.]
- rhomboidalis** Sphaerodus, J. L. R. Agassiz, Poiss. Foss. II (1), 15 (1833); II (2), 216 (1844).
- rhomboidalis** Spirifer (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 150.—Martinia.
- rhomboidalis** Strophomena (Wahl.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 35.—Anomites.
- rhomboidalis** Tellina, F. E. Edwards, London Geol. Journ. (2) 1847, 46.
- rhomboidalis** Terebratula, S. Nilsson, Petrif. Suec. 1827, 34. [nome r—fera.]
- rhomboidalis** Vincularia (Goldf.), de Blainville, Dict. Sci. Nat. LX. 1830, 418.—Glauco-
- rhomboidaria** Boarmia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 433.—Geometra, 1775.



- rhomboidea** Deileptenia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 317.—
- rhomboidea** Arca, I. Lea, Contrib. to Geol. 1833, 74. [Geometra, 1775.]
- rhomboidea** Chelaria (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Phalaena,
- Rhomboidea** H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 355.—L. [1758.]
- rhomboidea** Acanthinon (Bl.), B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 499.—  
Chaetodon, 1787.
- rhomboidea** Bothus (Rafin.), C. L. Bonaparte, Cat. met. Pesci Eur. 1845, 49.—Solea.
- rhomboidea** Cardium, Lamarck, An. s. vert. VI (1) 1819, 18.
- rhomboidea** Cyclidium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 28.
- rhomboidea** Goneplax (L.), Latreille, N. Dict. H. N., ed. 2, XIII. 1817, 295.—Cancer, 1758.
- rhomboidea** Gonoplax (L.), F. Cuvier, Dict. Sci. Nat. XIX. 1821, 197.—Cancer, 1758.
- rhomboidea** Grammistes (L.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 183.—Sparus,
- rhomboidea** Lichia, J. Minding, Lehrb. Naturg. Fische, 1832, 108. [1766.]
- rhomboidea** Mastodon, C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 182.
- rhomboidea** Nummulites, Schafhäutl, N. Jahrb. f. Min. 1846, 418.
- rhomboidea** Ocypoda (Herbst), Lamarck, Syst. Anim. 1801, 150.—Cancer, L. 1758.
- rhomboidea** Ocypoda (F.), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 199.—Cancer, L.
- rhomboidea** Rhombus, G. Cuvier, R. Anim. II. 1817, 222. [1758.]
- rhomboidea** Salpa, Quoy & Gaimard, Ann. Sci. Nat. VI (21) Sept. 1825, 44.
- rhomboidea** Sargus, Cuvier & Valenc., H. N. Poiss. VI. 1830, 68.
- rhomboidea** Saxicava (Poli), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VI.  
Mar. 1835, 153.—Donax, 1795.
- rhomboidea** Solea, C. S. Rafinesque-S., Ind. itt. Sic. 1810, 14 & 52.
- rhomboidea** Tellina, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 502.
- rhomboidea** Trachinotus (Bl.), Cuvier & Valenc., H. N. Poiss. VIII. 1831, 407.—Chaetodon, 1787.
- rhomboidea** Venus, T. Pennant, Brit. Zool., ed. 4, IV. 1777, 97 (8vo), 83 (4to) [teste  
Winckworth].
- rhomboidea** Ascalaphus, W. G. Schneider, Entom. Zeitung, Stettin, VI (5) May 1845, 153.
- rhomboidea** Atrypa (Ph.), F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 18.—  
Terebratula.
- rhomboidea** Cardita (Broc.), E. Sismonda, Syn. meth. Anim., ed. 2, 1847, 18.—Veneri-
- rhomboidea** Cardita (Broc.), H. G. Bronn, Index Pal. 1848, 227.—Chama. [cardia.]
- rhomboidea** Chama, G. Brocchi, Conch. Subap. 1814, 523.
- rhomboidea** Chama, G. Brocchi, Conch. Subap. 1814, 667.
- rhomboidea** Coreocoris (Burm.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.)  
III. 1840, 120.—Discogaster.
- rhomboidea** Crassatella, T. A. Conrad, Amer. J. Sci. (2) I (3) May 1846, 396.
- rhomboidea** Crassatella, d'Archiac, Mém. Soc. géol. France (2) II (1) 1846, 208.
- rhomboidea** Cristellaria, J. Czjzek, Naturw. Abhandl. (Haidinger) II. 1848, 141.
- rhomboidea** Discogaster, Klug in H. Burmeister, Handb. Ent. II (1) 1835, 315.
- rhomboidea** Fasciolaria, W. B. & H. D. Rogers, Tr. Amer. Phil. Soc., n. s. VI (3) 1839,  
376.
- rhomboidea** Gasteracantha, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838),  
54.
- rhomboidea** Graphiphora (Esp.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 68.—
- rhomboidea** Helix, M. de Serres, Ann. Sci. Nat. XI. 1827, 404 [n. n.]. [Noctua, 1797.]
- rhomboidea** Locusta (Schaeff.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 25.—Gryllus,  
? Gm. 1789.
- rhomboidea** Mantis, M. Houttyn in Stoll, Spoken (Index Phasm. [1813]), 78.
- rhomboidea** Megalodus, G. A. Goldfuss, Petref. German. II (6) 1837, 184.
- rhomboidea** Nucula, J. Phillips, Mem. Geol. Surv. Gt. Britain, II (1) 1848, 367.
- rhomboidea** Pectunculus, S. Borson, Mem. R. Acc. Sci. Torino, XXIX. 1825, 257.
- rhomboidea** Phalaena, J. Sepp, Surinaam Vlinders (? 1848-50), 129.
- rhomboidea** Pholas, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 163 [n. n.]; Tr. Amer. Phil.  
Soc., n. s. IX. (3) Dec. 1846, 235.
- rhomboidea** Seminula (Ph.) F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844,
- rhomboidea** Spirifera, J. Phillips, Geol. Yorksh. II. 1836, 217. [159.—Terebratula.]

- rhomboidea** Taenia, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844],
- rhomboidea** Terebratula, J. Phillips, Geol. Yorksh. II. 1836, 222. [574.]
- rhomboidea** Venericardia (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXIX. 1825, 269.—  
Chama.
- rhomboidea** Venus, J. Berkenhout, Syn. N. H. Gt. Brit., ed. 3, I. 1795, 198.
- rhombo-maculatus** Coluber, J. E. Holbrook, N. Amer. Herpet. IV. 1840, 103.
- rhombo-maculata** Coronella, J. E. Holbrook, N. Amer. Herpet., ed. 2, III. 1842, 103.
- Rhombomys** A. Wagner, Arch. f. Naturg. VII (1) 1841, 129.—M.
- Rhombonyx** W. Kirby in F. W. Hope, Coleopt. Manual, I. 1837, 106.—Col.
- Rhombopalpa** Chevrolat in Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 375.—Col.
- rombophorus** (*sic*) Abraeus, C. Aubé, Ann. Soc. Ent. France [2] I (1) Ap. 1843, 75.
- rhombo-phorus** Tetragonoderus, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 93.
- rhomboptera** Tingis, F. X. Fieber, Entom. Monogr. 1844, 103.
- Rhomborhina** F. W. Hope, Coleopt. Manual, I. 1837, 120.—Col.
- Rhomborrhina** Hope, 1837; *sic* Scudder, *sed* Rhomborhina *in prim.*
- rhombo** Miliola, H. D. de Blainville, Faune Française [18] Malac. 1828, 45.
- Rhombospilus** C. J. B. Amyot, Ann. Soc. Ent. France, IV (1) 1846, 83.—Hem. [*non binom.*].
- rhombo-stoma** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIII (148) Oct. 1845, 72.
- rhom-bula** Unio, Lamarck, An. s. vert. VI (1) 1819, 74.
- Rhombura** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 360.—A.
- Rhombus** Denys de Montfort, Conch. II. 1810, 402.—G.
- Rhombus** G. Cuvier, R. Anim. II. 1817, 222.—P.
- Rhombus** de Blainville, Dict. Sci. Nat. X. 1818.—L. [*teste* Herrm., *sed non comp.*,  
"Rhombe" *vernac.* "Tabl. syn." *adv.* p. 210].
- rhom-bus** Buprestis, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 145.
- rhom-bus** Chaetodon, de Blainville, Dict. H. N., ed. 2, XXVII. 1818, 353.
- rhom-bus** Fusus, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 294.
- rhom-bus** Petalodus, F. M'Coy, Ann. Mag. N. H. (2) II. Aug. 1848, 125.
- rhom-bus** Platysomus J. L. R. Agassiz, Poiss. Foss. II (1), 6 (1833), 167 (1835).
- rhom-bus** Psetta (L.), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 49.—Pleuronectes, 1758.
- rhom-bus** Pycnodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 42 (1835); II (2), 188 (1844).
- rhom-bus** Rhombus (Bl.), G. Cuvier, R. Anim. II. 1817, 222.—Pleuronectes, L. 1758.
- rhom-bus** Scophthalmus (L.), C. S. Rafinesque-S., Ind. itt. Sic. 1810, 14.—Pleuronectes,  
1758.
- rhom-bus** Stromateus, de Blainville, N. Dict. H. N., ed. 2, XXVII. 1818, 393 [*n. n.*].
- Rhonchus** L. Agassiz, 14 Rept. Brit. Assoc. (York, 1844) 1845, 308 [*n. n.*].—P.
- rhonchus** Caranx, I. Geoffroy St H. in Savigny, Egypte, I (1) (Poiss. Mer Rouge) 1827, 328.
- Rhondella** J. Rennie in White, Selborne, 1833, 63; Time's Telescope, 1833, 3.—A.
- Rhopaea** W. F. Erichson, Nat. Ins. Deutschl. I. 3 (4 & 5) 1847, 656.—Col.
- Rhopalaea** Philippi, Arch. Anat. Phys. Med. 1843, 45.—Asc.
- Rhopalastrum** C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1846 (Jan. 1847) Tab., p. 385.—
- Rhopalea** Philippi, 1843; *sic* Marschall, *sed err. pro* Rhopalaea, *q.v.* [P.]
- Rhopalia** J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 128.—Dipt.
- rhopalicus** Rhyncholophus, C. L. Koch, Deutsch. Crust., heft 16, 1837, tab. 16. [Hym.]
- Rhopalidia** Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836 [1835], 538.—
- Rhopalocanium** C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1846 (Jan. 1847) Tab.,  
p. 385.—P.
- Rhopalocera** Boisduval, Gen. Ind. Europ. Lepid. 1840, 1.—Lep. [*sic* Agassiz, *sed ord. non*  
*gen.*].
- Rhopalocera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Clavicera, Walck.
- Rhopalocerca** C. M. Diesing, Syst. Helminth. I. 1850, 293.—Verm.
- Rhopalocerus** W. Redtenbacher, Quaed. gen. et sp. Col. 1842, 21.—Col.
- Rhopalocerus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ropalocerus, Harr.
- Rhopalodina** J. E. Gray, 1848; *sic* Marschall, *sed* 1853 [*teste* C. C. A. M.].
- Rhopalodon** G. Fischer de W., Lettre sur Rhopalodon, 1841, 8; Bull. Soc. Imp. Nat.  
Moscou, 1841 (3) 1841, 460.—R.
- Rhopalogaster** J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 279.—Dipt.
- rhopaloides** (*sic*) Amphistoma, C. Leblond, Ann. Sci. Nat. [2] (Zool.) VI. Nov. 1836, 292.

- rhopaloides** Amphistoma, Lebl.; Creplin in Ersch & Gruber, Allg. Ency. XXXII. 1839,  
**Rhopalomelus** C. H. Boheman, Ins. Caffr. I (1) 1848, 165.—Col. [294.  
**Rhopalomera** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ropalomera, Wied.  
**Rhopalomera** C. Rondani in Baudi & Truqui, Studi Ent. I. 1848, 80.—Dipt.  
**Rhopalophora** J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 100.—Col.  
**Rhopalophorus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ropalophorus,  
**Rhopalophorus** C. M. Diesing, Syst. Helminth. I. 1850, 400.—Verm. [Westw.  
**Rhopalopus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ropalopus, Muls.  
**Rhopalopus** Ziegler in L. Redtenbacher, F. Austr., Käfer, 1849, 484.—Col.  
**Rhopalostyla** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (3) 1850, 96.—  
**Rhopaloteles** Guérin, 1849; *sic* Scudder, *sed* Ropaloteles *in prim.* [Col.  
**Rhopalum** F. J. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 34.—Hym.  
**Rhopalus** P. S. Schilling, Uebers. Arb. schles. Ges. 1826 (1827), 22.—Hem.  
**ropalus** Syrphus, F. Walker, List Dipt. Coll. B. M. (3) 1849, 593.  
**Rhopal**→ *v. et* **Ropal**→.  
**Rhopites** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rophites, Spin.  
**Rhopia** J. E. Gray, Ann. Mag. N. H. VI. Dec. 1840, 282.—Ast.  
**Rhopoterpe** J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 227.—A.  
**Rhoptrocerus** Ratzeburg, 1848; *sic* Marschall, *sed* Roptrocerus, *q.v.*  
**rhonii** *v. rohrii*.  
**rhosaces** Cirrospilus, F. Walker, Mon. Chalcid. I. 1839, 293 [*in animo* "rosaceus"].  
**rhosaces** Tetrastichus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 147.—Cirrospilus,  
**rhosaces** *v. rosaceus*. [1839.  
**Rhostax** G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844, 67.—Col.  
**rhotomag**→ *v. rotomag*→.  
**Rhox** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rox, Heyd.  
**rhuacoica** Unio, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 36.  
**rhumphi** *v. rumphi*.  
**rhusii** Ceuthorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 562.  
**Rhyacia** J. Huebner, Verz. bekannt. Schmett. [1822], 210.—Lep.  
**Rhyacionia** J. Huebner, Verz. bekannt. Schmett. 1826, 379.—Lep.  
**Rhyacophila** F. J. Pictet, Rech. Phrygan. 1834, 181.—Neur.  
**Rhyacophilus** J. J. Kaup, Skizz. Europ. Thierw. 1829, 140.—A. [*typus* Totanus sp.].  
**Rhycania** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ricania, Germ.  
**Rhycheolithus** Scudder, Suppl. List, 1882, 293 [*sub* Rhincolites, *sed non comp. ante*].  
**Rhychobatus** J. E. Gray, Syn. Cont. Brit. Mus., ed. 44, 1842, 150.—P. [*n. n.*].  
**Rhycobranchus** Cantraine, Corr. Zool. 1827.—G. [*sic* Herrmannsen *ex* Philippi, *sed*? MS].  
**Rhyephenes** C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 312.—Col.  
**Rhygmacera** V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 40.—  
**Rhygmodus** White, 1846; *sic* Marschall, *sed* Rygmodus *in prim.*, *q.v.* [Col.  
**rhymnus** Lycaena, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, III. 1831, 244 [*n. n.*].  
**rhymnus** Lycaena, E. Eversmann, N. Mém. Soc. Imp. Nat. Moscou, II. 1832, 350.  
**Rhynarius** C. W. Hahn, Wanzenart. Ins. I (3) Nov. 1832, 104.—Hem.  
**Rhynchaceros** C. W. L. Gloger, Gemeinnütz. Naturges. (1) 1841, 335.—A.  
**Rhynchaea** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 82 [Rhynchoea, 1817].  
**Rhynchaea** J. W. Zetterstedt, Dipt. Scand. I. 1842, 74.—Dipt.  
**Rhynchaea** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhynchea, Yarr.  
**Rhynchaea** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhynchoaea, Gould.  
**rhynchaena** Lutraria, J. H. Jonas, Zeitschr. f. Malakozool., Mar. 1844, 34.  
**rhynchaenus** Siphostoma (Michah.), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 90.—  
 Syngnathus.  
**rhynchaenus** Syngnathus, Michahelles, Isis (Oken), 1829, 1014.  
**rhynchaenus** Acipenser, J. L. R. Agassiz, Lake Superior, 1850, 276.  
**Rhynchana** Marschall, Nom. Zool. 1873, 92; *emend. pro* Rynchana, Rich.  
**Rhynchaspis** J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824, 114.—A.  
**Rhynchea** Yarr., Ann. Nat. Hist. XIII. 1844; *sic* Agassiz, Nom. Zool. (Aves) 1845, Add.  
 et corrig., p. 20 [*non comp.*].  
**Rhynchelmis** W. Hoffmeister, Arch. f. Naturg. IX (1) 1843, 192.—Verm.

- Rhyncheolithus** C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 2; *emend. pro* Rhyncolites, F. Big.
- Rhynchia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhingia, Scop. 1763.
- Rhynchichthys** Cuvier & Valenc., H. N. Poiss. VII. 1831, 503.—P.
- rhynchitoides** Auletes (Dej.), C. J. Schoenherr, Isis (Oken), 1823, 1136.—Tubicenus.
- rhynchitoides** Tubicenus, Dejean, Catal. Coléopt. 1821, 79 [*n. n.*].
- Rhynchium** G. J. Billberg, Enum. Insect. in Mus. Blbg. 1820, 109.—Hym. [*n. d.*, 2 nom. triv. append.].
- Rhynchium** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rygchium, Spin.
- Rhynchobatus** Mueller & Henle, Arch. f. Naturg. III (1) 1837, 399; Ber. Verh. k. pr. Ak. Wiss. 1837, 116.—P.
- Rhynchobdella** J. G. Schneider, Bloch, Syst. Ichth. 1801, 478.—P.
- Rhynchobothrium** de Blainville, Dict. Sci. Nat. LVII. 1828, 595.—Verm.
- Rhynchobothrius** C. A. Rudolphi, Entoz. syn. mant. 1819, 469.—Verm.
- Rhynchobotris** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 593 [Ryn→, p. 529].
- Rhynchobotrius** P. J. van Beneden, Bull. Ac. Roy. Brux. XVI (2) 1849, 280.—Verm.
- Rhynchocapsus** J. Gistel, Faunus, n. f. I. 1837, 100.—Hem. [*teste* Waterhouse, *mihi non visum*].
- Rhynchocephalus** G. Fischer, Mém. Soc. Imp. Nat. Moscou, I. 1806, 220; & ed. 2, 1811 [*i. e.* 1812–13], 188.—Dipt.
- Rhynchocephalus** R. Owen, Tr. Geol. Soc. London [2] VII. 1845, 78.—R.
- Rhynchocephalus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhynchocephalus, Fall. [*non comp.*].
- Rhynchoceros** A. A. Berthold in Latreille, Nat. Fam. Thierreich, 1827, 84.—A. [R—us, p. 593].
- Rhynchocetus** D. F. Eschricht, K. Danske Vid. Selsk. Skr. [5] I. 1849, 98.—M. [*sic*]
- Rhynchochasma** J. Hermann, Obs. Zool. 1804, 156.—A. [Marschall, *sed fam. non gen.*].
- Rhynchocinetes** H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) VII. Mar. 1837, 168.—Cr.
- Rhynchocodes** *err. pro* Rhynchoncodes, 1850; A. G. Costa, N. Jahrb. f. Min. 1851, 184.
- Rhynchocodes** Costa, 1850; *sic* Marschall *sed* ? Rhynchoncodes, *q. v.*
- Rhynchocoris** J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 29.—Hem.
- Rhynchocyon** Peters, Ber. Verh. k. pr. Ak. Wiss. 1847, 36.—M. [Macroscelidae].
- Rhynchocyon** J. Gistel, Nat. Thierr. 1848, p. ix.—M. [Pteropodidae].
- Rhynchodes** A. White, Zool. "Ereb. Terr." (Ins. 1846), 16.—Col.
- Rhynchodesmus** J. Leidy, Proc. Ac. Nat. Sci. Philad. V. 1848, 241.—Verm.
- Rhynchodon** Nitzsch, Obs. Avium Arteria Carot. 1829, 20; Pterylogr. (1) 1833, 16.—A.
- Rhynchoea** G. Cuvier, R. Anim. I. 1817, 487.—A.
- Rhyncholites** P. Merian, Ber. nat. Ges. Basel, I. 1835 (1835), 36.—Ceph.
- Rhyncholithes** de Blainville, Mém. Bélem. 1827, 114.—Ceph. [*non* F. Big. 1819, *apud*]
- Rhyncholithus** G. v. Muenster, Beitr. z. Petref. (1) 1839, 50.—Ceph. [Scudder].
- Rhyncholophus** A. Dugès, Ann. Sci. Nat. [2] (Zool.) I. Jan. 1834, 15.—Ar.
- Rhyncholus** T. Say, Descr. N. Amer. Curcul., July 1831, 30.—Col.
- Rhyncholythus** H. B. Geinitz, Grundr. Verst. 1846, 280.—Ceph.
- Rhynchomya** J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 152.—L.
- Rhynchomyia** J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 247.—*emend. pro* Rhyncomya, Rob.
- Rhynchoncodes** O. G. Costa, Atti Accad. Pontan. V (5) 1850, 317.—P.
- Rhynchonella** G. Fischer v. W., Progr. Séance Publ. Soc. Imp. Nat. Moscou, 1809, 35.—Br.
- Rhynchophora** Latr. 1807; *teste* Scudder, *non est, sed* R—us (Gen. Crust. II. 1807, 269).
- rhynchophora** Myrmica, A. Foerster, Verh. nat. Ver. pr. Rheinfl. VII. 1850, 488.
- Rhynchoplatus** A. A. Berthold in Latreille, Nat. Fam. Thierreich, 1827, 84.—A.
- Rhynchopogon** Werneck, Ber. k. pr. Ak. Wiss. 1841, 377.—Inf.
- Rhynchoprion** L. Oken, Lehrb. Nat. III (1) 1815, 402.—Dipt.
- rhynchops** Cerebus, W. Swainson, N. H. Fishes etc. II. July 1839, 366.
- ryncops** Enhydria, P. A. Latreille, s. à Deterville ed. Buffon, Rept. IV. 1801, 202.
- rhynchops** Homalopsis (Schn.), F. Boie, Isis (Oken), 1827, 560 [=550].—Python, Merr.
- rhinchops** Homalopsis (Schn.), T. Cantor, J. Asiat. Soc. Bengal, XVI. 1847, 941.—Hydrus, 1799.
- rhynchops** Python (Schn.), B. Merrem, Tent. Syst. Amph. 1820, 90.—Hydrus, 1799.

- Rhynchopsalia** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rygchopsalia,  
**Rhynchopsalis** C. W. L. Gloger, Gemein. Handb. Nat. (6) 1842, 463.—A. [Briss. 1760.  
**Rhynchora** J. W. Dalman, K. Vet. Ac. Handl. 1827 (1828), 135.—Br. [*typi* Terebratulata  
*costata et spathulata*].  
**Rhynchorhinus** L. Agassiz, 14 Rept. Brit. Assoc. (York, 1844) 1845, 308; Poiss. Foss. V  
 (2), 139 (1844).—P. [*n. n.*].  
**rhynchosauroidea** Macropterna, E. Hitchcock, Mem. Amer. Acad., n. s. III. 1848, 233.  
**Rhynchosaurus** R. Owen, 11 Rept. Brit. Assoc. (Plym. 1841) 1842, 145.—R.  
**Rhynchoscolex** J. Leidy, Proc. Acad. Nat. Sci. Philad. V (6) Dec. 1850, 125.—Verm.  
**Rhynchosia** J. Macquart, Ann. Soc. Ent. France [2] VI (2) Sept. 1848, 87.—Dipt.  
**Rhynchospira** C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 358.—Prot.  
**rhynchosporella** Apheloseitia, H. T. Stainton, The Zoologist, VI (7) 1848, 2165.  
**Rhynchostomis** T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 14.—Col.  
**Rhynchotaenia** C. M. Diesing, 1850; *sic* Stiles & Hassell, *sed sectio non gen.*  
**Rhynchoteuthis** A. d'Orbigny, Moll. viv. et foss. [1847], 593.—Ceph.  
**Rhynchotis** H. G. L. Reichenbach, Synop. Avium, No. III. Feb. 1848, [2].—A. ? Rhyn-  
**rhynchotis** Anas, J. Latham, Index Orn., Suppl. 1801, p. lxx. [chotus, Spix.  
**rhynchotis** Rhynchaspis (Lath.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2)  
 1824, 123.—Anas.  
**rhynchotis** Spatula (Lath.), G. R. Gray, Ann. Mag. N. H. XI. Mar. 1843, 194.—Anas.  
**Rhynchotus** J. B. v. Spix, Avium Brasil. II. 1825, 60.—A.  
**Rhynchoxys** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rincoxis, Raf.  
**Rhynchura** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhynchora, Dalm.  
**Rhyncholites** Faure-Biguet, Cons. Bélemn. 1819, 10 & 58.—Ceph.  
**Rhyncolus** E. F. Germar, Mag. Entom. (Germar) II. 1817, 341.—Col. [424.—Dipt.  
**Rhyncomya** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,  
**Rhynconella** Fischer, 1809; *sic* Scudder, Suppl. List, *sed err. pro* Rhynchonella, *q.v.*  
**Rhyncoprion** J. F. Hermann, Mém. Aptér. 1804, 12.—Ar.  
**Rhyncora** *err. pro* Rhynchora, Dalm.; J. E. Gray, Ann. Mag. N. H. [2] II (12) Dec. 1848,  
**Rhyncotus** G. R. Gray, List Gen. Birds, 1840, 63 [=Rhynchotus, Spix]. [438.  
**Rhynchthitys** *id. ac* Rynchytys; W. Swainson, N. H. Fishes etc. II. July 1839, 58.  
**Rhyngonella** H. G. Bronn, Index Palaeont. 1848, 1087; *err. pro* Rhynchonella, Fisch. 1809,  
**Rhynchoaea** Gould, 1837; *sic* Agassiz, *sed* Rhynchoaea *in prim.* [q.v.  
**Rhynocoris** C. W. Hahn, Wanzenart. Ins. II (1) Nov. 1833, 20.—Hem.  
**Rhynocrypta** C. Gay, Chili (Zool.) I. 1847, 299 [=Rhinocrypta, Gray].  
**Rhynolaccus** *id. ac* Rhinolaccus, Latr.; F. E. Guérin-M. in Duperry, Voy. "Coquille"  
**rhynolophus** *v.* rhinolophus. [(Ins.) pl. 6 (1830).  
**Rhynomya** Yarr., Ann. Nat. Hist. XIII. 1844; *sic* Agassiz, Nom. Zool. (Aves) 1845, Add.,  
**rhynophylla** *v.* rhinophylla. [20.—A. [*non comp.*].  
**Rhynosimus** A. Costa, Ann. Accad. Aspir. Nat. (2) I. 1847, 107.—Col.  
**rhypae** Dasypogon, F. Walker, List Dipt. Coll. B. M. (2) 1849, 305.  
**Rhyparia** J. Huebner, Verz. bekannt. Schmett. [1822], 183.—Lep. [Phal].  
**Rhyparia** J. Huebner, Verz. bekannt. Schmett. 1826, 305.—Lep. [Geom].  
**Rhyparochromus** C. W. Hahn, Icones Mon. Cimicum, 1826, fasc. 1.—Hem.  
**Rhyparochromus** J. Curtis, Guide Brit. Ins. (7) 1831, 199.—Hem.  
**Rhyparophilus** C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 378.—Col.  
**Rhyparosomus** C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 200.—Col.  
**Rhyparus** C. J. Schoenherr, Isis (Oken), 1823, 1145.—Col. [*n. n.*].  
**Rhyparus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ryparus, Dej. 1833;  
**Rhyparus** Marschall, Nom. Zool. 1873, 239; *emend. pro* Ryparus, Westw. [Spin. 1845.  
**rhypheus** Pecten, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 314.  
**Rhyphus** P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 188.—Dipt.  
**Rhypidogyra** A. d'Orbigny, Prodr. Paléont. II (Nov.) 1850, 334.—Cor.  
**Rhypornis** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rypornis, Kaup.  
**Rhypticus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rypticus, Cuv.  
**Rhysmotes** G. Fischer, Bull. Soc. Imp. Nat. Moscou, IV. 1832, 419.—Cor.  
**Rhysodes** Illiger in J. W. Dalman, Anal. Entom. 1823, 93.—Col.  
**Rhysospongia** A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 286.—Sp.

- Rhysosteus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rysosteus, Ow.
- Rhysotrachelus** C. H. Boheman, Ins. Caffr. I (1) 1848, 133.—Col.
- Rhyssa** J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, Conspectus, p. 64 & III. 1829,
- Rhyssalus** A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 266.—Hym. [260.—Hym.]
- Rhyssematus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ryssematus, Chevr.
- Rhyssemus** E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 314.—Col.
- Rhyssocarpus** C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 839.—Col.
- Rhyssocheton** J. E. Gray in Griffith, Cuvier, Anim. Kingd. (Ins. II.) 1832, pl. 50.—Col.
- Rhyssodes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhysodes, Dalm.
- Rhyssomatus** C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 364.—Col.
- Rhyssonotus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Ryssonotus, MacL.
- Rhytelmis** C. S. Rafinesque, Analyse, 1815, 151.—Verm. [? Zeder].
- Rhythirrinus** C. J. Schoenherr, Isis (Oken), 1823, 1142; Curc. disp. meth. 1826, 162.—Col.
- Rhythis** *err. pro* Rhytis, Zed.; de Blainville, Append. to Bremser, Traité Vers intest. 1824, 520 [teste S. & H.].
- Rhytia** J. Huebner, Verz. bekannt. Schmett. 1825, 264.—Lep.
- Rhyticephalus** Chevrolat, Rev. Zool. (Soc. Cuv.) II. June 1839, 174.—Col.
- Rhyticephalus** C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 520.—Col.
- Rhyticeros** H. G. L. Reichenbach, Avium Syst. Nat., pl. 1 (Dec. 1849).—A. [*n. et f.*].
- Rhytidelminthus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhytelminthus, Zeder, 1800.
- Rhytideres** C. J. Schoenherr, Isis (Oken), 1823, 1142; Curc. disp. meth. 1826, 149.—Col.
- Rhytiderus** M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3) 1844, 470.—Col.
- Rhytidocephalus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhyticephalus, Schoenh.
- Rhytidoderes** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhytideres, Schoenh.
- Rhytidoderus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhytiderus, Chaud.
- Rhytidogaster** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhitigaster, Westm.
- Rhytidonota** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rytinota, Esch.
- Rhytidophloeus** C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 290.—Col.
- Rhytidophora** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhytiphora, Serv.
- Rhytidorhinus** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rhytirrhinus, Schoenh.
- Rhytidosoma** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Rutidosoma, Steph.
- Rhytidosomus** *emend. pro* Rutidosoma, Steph.; C. J. Schoenherr, Gen. et Sp. Curc. IV (1)
- Rhytidostomus** J. J. Heckel in Russegger, Reise, I (2) 1843, 1023.—P. [1837, 594.]
- Rhytigaster** Wesmael; *sic* Agassiz, Nom. Zool. (Hym.) 1845, 29; *vide* Rhitigaster.
- Rhytina** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 62; *emend. pro* Rytina, Ill.
- rhytinae** Sirenocyamus, J. F. Brandt, Bull. Phys.-Math. Ac. Sci. St Pétersb. V. 1847, 189.
- Rhytiphora** J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 37.—Col.
- rhytiphora** Helix, J. Charpentier, Zeitschr. f. Malakozool., Sept. 1847, 131.
- Rhytipterna** H. G. L. Reichenbach, Avium Syst. Nat., pl. lxx (Mar. 1850).—A. [*n. et f.*].
- Rhytirhinus** L. Agassiz, Nom. Zool. (Col.) 1845, 143; *emend. pro* Rhytirrhinus, Schoenh.,
- Rhytirrhinus** C. J. Schoenherr, Disp. meth. Curc. 1826, 14 & 162.—Col. [*q.v.*]
- Rhytis** J. G. H. Zeder, Anleit. Eingeweidewürm. 1803, 278.—Verm.
- Rhytis** A. F. J. C. Mayer, Anal. Vergl. Anat. II. 1839, 67.—Verm.
- “Rhytistrachelus”** Chevrolat in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 520.—Col.
- rhytium** Pteromalus, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 198.
- Rhyxiphloea** H. Burmeister, Handb. Ent. III. 1842, 610.—Col.
- Rhyzaena** *id. ac* Ryzaena, Ill.; J. Smuts, Diss. Zool. Capensis, 1832, 22.
- Rhyzobius** J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 19.—Col. [Cocc.].
- Rhyzobranchus** F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 384.—Nud.
- Rhyzodes** *id. ac* Rhysodes, Illiger in Dalman; F. E. Guérin-M., Iconographie, 1844, Ins., 58.
- rhyzomae** Cynips, Th. Hartig in Germar, Zeitschr. f. d. Entom. IV. 1843, 405.
- Rhyzopertha** J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 354.—Col.
- Rhyzophagus** L. Gyllenhal, Ins. Suecica, I (3) 1813, 420.—Col.
- Rhyzophaguse** *err. pro* R—us; Guérin-M., Iconographie, 1844, Ins., 190.
- Rhyzopora** A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Oct. 1849, 504.—Pol.

- Rhyzospongia** A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Nov. 1849, 548.—Sp.  
**rhizo**→ *v. et rhizo*→, **rizo**→, **ryzo**→.
- riali** Onus, C. S. Rafinesque-S., Ind. itt. Sic. 1810, 12 [*n. n.*].
- riali** Onus = Merlangus *var.*; C. S. Rafinesque-S., Ind. itt. Sic. 1810, 67. [? Huebn.]
- ribeana** Lozotaenia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Tortrix.
- ribeana** Pandemis, J. Huebner, Verz. bekannt. Schmett. 1826, 389.—Tortrix; 1797.
- ribeana** Pyralis (Huebn.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 257.—Tortrix, 1797.
- ribeana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 18 (Fernaldo judice 1797)
- ribeana** Tortrix, Huebn.; F. Treitschke, Schmett. Europa, VII. 1829, 228. [[*n. et f.*].
- ribearia** Abraxas, Fitch, Trans. N. York State Agric. Soc. VII. 1848, [1 & 8].
- ribesii** Cecidomyia, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 98.
- ribesii** Nematus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 29 [*n. n.*]; & Ill. Brit. Ent. (Mand. VII.) Aug. 1835, 32.
- ribesii** Scaeva (L.), J. C. Fabricius, Syst. Antliat. 1805, 248.—Musca, 1758.
- ribicola** Aphis, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 33.
- Ribifex** C. J. B. Amyot, Ann. Soc. Ent. France, V (3) 1847, 476.—Hem. [*non binom.*].
- ribis** Actineda, C. L. Koch, Deutsch. Crust., heft 39, 1844, tab. 12.
- ribis** Allantus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 54.—Tenthredo, ? Schr.
- ribis** Aphidius, A. H. Haliday, Entom. Mag. II (1) Jan. 1834, 101. [1781.]
- ribis** Cimex, F. v. P. Schrank, F. Boica, II (1) 1801, 91.
- ribis** Coryna, A. Leduc, Mém. Soc. Sci. Nat. Seine et Oise, II. 1842, 48.
- ribis** Nematus, A. Leduc, Mém. Soc. Sci. Nat. Seine et Oise, II. 1842, 48.
- ribis** Phalaena Noctua, Bechstein & Scharfenberg, Vollst. Nat. schädli. Forstinsect. II. 1805, 514.
- ribis** Tenthredo (Allantus), Schrank; F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (2) 1817, 126.
- ribis** Tenthredo (Macrophya), Schr.; A. G. Dahlbom, Conspect. Tenthred. 1835, 11.
- ribourianus** Ammonites, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 213.
- rica** Dioptis, J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 31.
- Ricania** E. F. Germar, Mag. Entom. (Germar) III. 1818, 221.—Hem.
- ricanioides** Poeciloptera, M. Spinola, Ann. Soc. Ent. France, VIII (3) *post* Nov. 1839, 442.
- ricardi** *v. richardi*.
- ricaria** Crocota, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. V. 1837, 24.
- ricata** Cellepora, v. Hagenow in H. B. Geinitz, Grundriss Verst. (3) 1846, 616.
- ricata** Eschara, F. v. Hagenow, N. Jahrb. f. Min. 1839, 265.
- ricciardella** Tinea, O. G. Costa, Fauna Regno Napoli, Lepidott., Tinea, 16 (1832–40).
- ricciardella** Tischeria (Costa), Zeller, Linnaea Entom. III. Ap. 1848, 337.—Tinea.
- ricciardi** Capulus, O. G. Costa, Corrisp. Zool. I. 1839, 170.
- ricciolii** Cleodora, Calandrelli, Album di Roma, XI., no. 28 [*mihî non visum*].
- riccioli** Coluber, L. Metaxa, Mon. Serp. Roma, 1823, 40.
- riccioli** Zamenis (Met.), C. L. Bonaparte, Mem. R. Acc. Sci. Torino [2] II. 1840, 431.
- [**rich**→.] *v. p.* 5517 (**richi**).
- [**richard**→.]
- richardii** Anolis, Duméril & Bibron (Roret's Suite à Buffon), Erpét. IV. Oct. 1837, 141.
- richardi** Anoplius, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 447.
- richardi** Anthus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 491.
- richardi** Athalia, Le Peletier, Mon. Tenthred. 1823, 23.
- richardi** Cardium, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Moll.) 1826, 51.
- richardi** Cassidulus, Lamouroux, Dict. Class. H. N. III. 1823, 255.
- richardi** Coluber, Bory de St V., Dict. Class. H. N. IV. 1823, 588.
- richardi** Corydalla (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 247.—Anthus.
- richardi** Cyathophora, H. Michelin, Icon. Zoophyt. (8) 1843, 104.
- richardi** Echinolampas, C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 186
- richardii** Gorgonia, J. V. F. Lamouroux, Hist. Polyp. 1816, 407. [[*n. n.*] & 188.
- richardii** Helix (Helicella), A. E. Férussac, H. N. g. et. p. Moll., Tabl. Limaçons, 1821, 43
- richardi** Hemiramphus, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 26. [[*n. n.*].
- ricardi** Mesoprion, Cuvier & Valenc., H. N. Poiss. II. 1828, 448 [=richardi].
- richardi** Monodonta, B. C. Payraudeau, Cat. Moll. Corse, 1826, 138



- richardi** Nucleolites (Desl.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 200.—Cassidulus, Lam.
- richardii** Ptychonotus (D. & B.), L. Fitzinger, Syst. Rept. 1843, 66.—Anolis.
- ricardi** Seiren (—), F. O. Morris, The Naturalist, II (9) June 1837, 125.—Alauda [*non comp.*, ? *Anthus richardi*, Vieill.].
- richardi** Serpula, A. de Leymerie, Mém. Soc. géol. France, IV (2) 1841, 336 [*n. n.*]; *ibid.* V (1) 1842, 2.
- richardi** Tiliqua, J. E. Gray, Ann. Nat. Hist. II. Dec. 1838, 292.—Scincus, Coct. MS.
- richardi** Trochus (Payr.), H. D. de Blainville, Faune Française (28) Malac. 1830, 281.—Monodonta.
- richardii** Typhlops, Duméril & Bibron (Roret's Suite à Buffon), Erpét. VI. Nov. 1844, 290.
- richardii** Xylocharis, H. Dupont, Mon. Trachyd. in Magasin de Zool. VIII. 1838, 32.
- richardi** Xylographus, J. Mellié, Ann. Soc. Ent. France [2] VI (3) Jan. 1849, 226.
- Richardia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 728.—
- richardianus** Millericrinus, A. d'Orbigny, H. N. Crinoides (3) May 1841, 85. [Dipt.]
- richardiana** Terebratula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 377.
- richardsonii** Actinoceras, C. Stokes, Proc. Geol. Soc. London, II. 1838, 689 [*n. n.*].
- richardsoni** Actinoceras, C. Stokes, Tr. Geol. Soc. London [2] V. 1840, 708.
- richardsonii** Arctomys, Jos. Sabine, Tr. Linn. Soc. London, XIII (2) 1822, 589.
- richardsoni** Capito, G. R. Gray, Gen. Birds, II. Mar. 1846, 430 [*n. et f.*].
- richardsoni** Cataractes (Temm.), W. Macgillivray, Man. Brit. Orn. II. 1842, 257.—Lestris.
- richardsonii** Corvina, Cuvier & Valenc., H. N. Poiss. V. 1830, 100.
- richardsoni** Cottus, J. L. R. Agassiz, Lake Superior, 1850, 300.
- richardsonii** Cyprinus, J. E. Gray, Ill. Indian Zool. I (10) 1832 (pl. 94).
- richardsoni** Eubucco (G. & M.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 142.—Capito.
- richardsonii** Genetta, T. R. H. Thomson, Ann. Mag. N. H. X. Nov. 1842, 204.
- richardsonii** Grampus, J. E. Gray, Cat. Mamm. Coll. B. M. I. 1850, 85.
- richardsoni** Hadenia, J. Curtis in Ross, App. 2 Voy. 1835, p. lxxii.
- richardsonii** Hinulia, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 271.
- richardsonii** Lepus, J. Bachman, J. Acad. Nat. Sci. Philad. VIII., *post* Jan. 1840, 88.
- richardsoni** Lestris, Swainson in Jameson's ed. Wilson & B., Amer. Orn. IV. Aug. 1831, 245 & 354.
- richardsonii** Lestris, W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.* Feb. 1832], 433.
- richardsonii** Merula, T. Brown, Ill. Amer. Orn. 1835, Syst. Index, p. i. [1832], 433.
- richardsonii** Mugil, A. Smith, Ill. Zool. S. Afr. (Pisc.), pl. xxix, 1846.
- richardsonii** Muscicapa (Sw.), T. Nuttall, Man. Ornith., Water Birds, 1834, 568.—Tyran-
- richardsonii** Mustela, C. L. Bonaparte, Mag. Nat. Hist., n. s. II. Jan. 1838, 38. [nula.]
- richardsonii** Myron, J. E. Gray, Cat. Snakes Coll. B. M. 1849, 70.
- richardsoni** Nyctale, C. L. Bonaparte, List Birds Eur. Amer. 1838, 7.
- richardsoni** Opisthius, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 61.
- richardsonii** [Oreinus] (Gray), J. M'Clelland, Asiat. Researches, XIX (2) 1839, 273.—
- richardsoni** Pentaceros, A. Smith, Ill. Zool. S. Afr. (Pisc.), pl. xxi, 1844. [Cyprinus.]
- richardsonii** Scaphiodon (Gray), J. J. Heckel in Russegger, Reise, I (2) 1843, 1021.—Cyprinus.
- richardsoni** Sciurus, J. Bachman, J. Acad. Nat. Sci. Philad. VIII., *post* Jan. 1840, 64.
- richardsonii** Sciurus, J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 264.
- richardsonii** Scolopendra, G. Newport, Tr. Linn. Soc. London, XIX (4) 1845, 385.
- richardsonii** Sorex, J. Bachman, J. Acad. Nat. Sci. Philad. VII., *post* June 1837, 383.
- richardsonii** Spermophilus (Sab.), R. P. Lesson, Man. Mamm., May 1827, 243.—Arctomys.
- richardsonii** Sphaerodactylus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 168.
- richardsonii** Sylvia, T. Brown, Ill. Amer. Orn. 1835, Syst. Index, p. i.
- richardsonii** Tetrao, D. Douglas, Tr. Linn. Soc. London, XVI (1) 1829, 141.
- richardsonii** Trachidermus, J. J. Heckel, Ann. Wiener Mus. II [1] 1839, 162.
- richardsoni** Tyrannula, Swainson in Jameson's ed. Wilson & B., Amer. Orn. IV. Aug. 1831, 244 [*n. n.*].
- richardsonii** Tyrannula, W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.* Feb. 1832], 146.
- richardsoni** Ulula, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 54. [Feb. 1832], 146.



- richardsoni** Ursus, W. Swainson, Anim. in Menag., Dec. 1837, 54.
- richardsonii** Velernesia, J. E. Gray, Cat. Lizards Coll. B. M. 1846, 156.
- richardsonii** Viverra (Thoms.), H. R. Schinz, Syst. Verz. Säug. II. 1845, Nachtr., 39.—
- richaudi** Macroceramus, Petit de la S., Journ. de Conch. 1 (4) Dec. 1850, 377. [Genetta.  
[riche→.]
- richei** Baris, Dejean, Catal. Coléopt. 1821, 99 [*n. n.*].
- richei** Bracon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 424.
- richei** Tetrodon, Fréminville, N. Bull. Sci. Soc. Philom. Paris, III (67) Ap. 1813, 250.
- richelma** Patella, A. Risso, H. N. Europe, IV. 1826, 263.
- richesianum** Toxicum, P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 174 [*n. n.*].
- richesianum** Toxicum, P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 298.  
[rich→.]
- richii** Achatina (Lam.), L. Reeve, Conch. Syst. II. 1842, 86.—Bulimus.
- richii** Bulimus, Lamarck, An. s. vert. VI (2) 1822, 118.
- richii** Chordeuma (J. E. Gray), C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 125.—  
Craspedosoma.
- richii** Craspedosoma, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, pl. 135;
- richii** Gerres, Cuvier & Valenc., H. N. Poiss. VI. 1830, 469. [ & II. 1832, 785.
- richii** Lysiopetalum (Gray), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),  
Aptères, IV. 1847, 133.—Craspedosoma.
- richii** Platops (Gray), G. Newport, Ann. Mag. N. H. XIII. Ap. 1844, 267.—Craspedosoma.
- richii** Uromastrix, J. E. Gray, Ann. Phil. XXVI. 1825, 196 [*n. n.*].
- richiei** Cerastes, J. E. Gray, Zool. Miscell. (Gray) (3) May 1842, 70. [105.
- richteri** Eusomus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845,
- richteri** Stichopora, v. Hagenow in H. B. Geinitz, Grundriss Verst. (3) 1846, 622.
- ricinatus** Psittacus, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 69.
- Ricinella** C. F. Schumacher, Ess. Vers test. 1817, 72 & 240.—G.
- ricini** Apostrophia (L.), J. Huebner, Verz. bekannt. Schmett. 1816, 13.—Papilio, 1758.
- ricini** Heliconia (L.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 209.—Papilio, 1758.
- riciniformis** Lingula, J. Hall, N. H. New York (Pal. I.) 1847, 95.
- ricinoides** Cymothoa, A. Risso, H. N. Crust. 1816, 143.
- ricinoides** Echinorhynchus, C. A. Rudolphi, Entoz. II (1) 1809, 253.
- ricinoides** Olympia, A. Risso, H. N. Europe, V. 1826, 128.—Cymothoa, 1816.
- Ricinula** Lamarck, Ency. Méth. (Vers) 1816, pl. 395, Liste, p. 1.—G. [*non 1812, vernac.*].
- ricinuloides** Murex, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 534.
- Ricinus** Contarini, Venez. lagune, II. 1843.—Acar. [*sic* Waterhouse, Index Zool. I. 1902,  
330; *mihî non visum*].
- ricinus** Cynorhaestes, J. F. Hermann, Mém. Aptér. 1804, 65.
- ricinus** Ixodes (L.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 66.—Acarus, 1758.
- ricinus** Sistrum, J. E. Gray, Figs. Moll. Anim. IV. 1850, 70.
- ricnorhynchus** Gobio, J. M'Clelland, Asiat. Researches, XIX (2) 1839, 279.
- ricnorhynchus** Labeo (M'Clell.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1024.—Gobio.
- ricordeanus** Ammonites, A. d'Orbigny, Journ. de Conch. I (2) Ap. 1850, 199.
- ricordeanus** Ammonites, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 113.
- ricordeana** Ceriopora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 121.
- ricordeana** Coscinopora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 144.
- ricordeanus** Decameros, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 121.
- ricordeanum** Diadema, H. G. Cotteau, Bull. Soc. Sci. Yonne, IV. 1850, 486.
- ricordeanus** Hippalimus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 97.
- ricordeanus** Hyppalimus, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Mar. 1850, 180.
- ricordeana** Lyonsia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 117.
- ricordeana** Monticulipora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 120.
- ricordeana** Montlivaltia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 121.
- ricordeana** Ostrea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 171.
- ricordeana** Perna, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1846, 494.
- ricordeana** Scalaria, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 115.
- ricordeana** Varigera, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 68.
- ricordeana** Venus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 431.

- ricordii** Aloponotus, Duméril & Bibron (Roret's Suite à Buffon), *Erpét.* IV. Oct. 1837, 190.
- ricordii** Anolis, Duméril & Bibron (Roret's Suite à Buffon), *Erpét.* IV. Oct. 1837, 167.
- ricordii** Ctenonotus (D. & B.), L. Fitzinger, *Syst. Rept.* 1843, 64.—Anolis.
- ricordii** Euhyas (D. & B.), L. Fitzinger, *Syst. Rept.* 1843, 31.—Hylodes.
- ricordi** Hylocharis (Gerv.), G. R. Gray, *Gen. Birds*, I. Dec. 1848, 114.—Ornismya.
- ricordii** Hylodes, Duméril & Bibron (Roret's Suite à Buffon), *Erpét.* VIII. Jan. 1841, 623.
- ricordii** Hypsilophus (D. & B.), L. Fitzinger, *Syst. Rept.* 1843, 54.—Aloponotus.
- ricordii** Ornismya, F. L. P. Gervais, *Magasin de Zool.* V. 1835, pl. 41.
- ricordi** Orthorhynchus (Gerv.), A. d'Orbigny in Sagra, Cuba (Orn.) 1839, 128.—Ornismya.
- ricordii** Palinurus, H. Lucas (*ex Guér. Icon.*), *H. N. Anim. artic.* (Annél. etc.) 1840, 169.
- ricordi** Palinurus, F. E. Guérin-M., *Iconographie*, 1844, Crust., 13.
- ricordii** Xiphosurus (D. & B.), J. E. Gray, *Ann. Nat. Hist.* V. Ap. 1840, 111.—Anolis.
- rictans** Pythia, C. F. Schumacher, *Essai Vers test.* 1817, 229.
- Rictularia** J. A. Frolich, *Naturforscher*, XXIX. 1802, 7.—Verm.
- rictuosus** Apocryptes, Cuvier & Valenc., *H. N. Poiss.* XII. 1837, 151.
- ridens** Ceropacha (Fab.), J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 42.—Noctua.
- ridens** Eristalis, F. Walker, *List Dipt. Coll. B. M.* (3) 1849, 610.
- ridens** Melolontha, J. C. Fabricius, *Syst. Eleuth.* II. 1801, 178.
- ridens** Triton, L. Reeve, *Conch. Icon.* II.—Triton, no. 46, May 1844.
- ridibundi** Liotheum (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), *Aptères*, III. 1844, 323.—Menopon r—dus.
- ridibunda** Alysia, T. Say, *Contrib. Maclurian Lyceum*, I (3) Jan. 1829, 77. [1766.]
- ridibundus** Chroicocephalus (L.), T. C. Eyton, *Catal. Brit. Birds*, Jan. 1836, 53.—Larus.
- ridibundus** Coccyzus (Lath.), L. P. Vieillot, *N. Dict. H. N.*, ed. 2, VIII. 1817, 277.—Cuculus, Gm. 1788.
- ridibunda** Gavia (L.), W. Macgillivray, *Man. Brit. Orn.* II. 1842, 240.—Larus, 1766.
- ridibundus** Hemiteles, J. L. C. Gravenhorst, *Ichneum. Europ.* II. 1829, 844.
- ridibundus** Ichneumon, J. L. C. Gravenhorst, *Ichneum. Europ.* I. 1829, 329.
- ridibundus** Menopon, H. Denny, *Mon. Anoplur.* 1842, 227.
- ridibundus** Orthocentrus, J. L. C. Gravenhorst, *Ichneum. Europ.* III. 1829, 366.
- ridibunda** Piaya (Gm.), G. R. Gray, *Gen. Birds*, II. Sept. 1846, 457.—Cuculus, 1788.
- ridibundus** Tryphon, J. L. C. Gravenhorst, *Ichneum. Europ.* II. 1829, 188.
- ridibundus** Unio, T. Say, *Dissem. Useful Knowledge*, Oct. 1829, 308.
- ridibundus** Xema (L.), C. L. Brehm, *Ornis* (2) 1826, 138.—Larus, 1766.
- ridleyanus** Papilio, A. White, *Ann. Mag. N. H.* XII. Oct. 1843, 262.
- riedelii** Carabus, E. Ménétriés, *Cat. Rais. Zool. Caucase*, 1832, 110.
- riedelii** Leptotrachelus (Esch.), J. Gistel, *Syst. Insect.* I (2) 1839, 95.—Rhagocrepis.
- riedelii** Platychrus (Ménétr.), F. A. Kolenati, *Melet. Entom.* (1) Aug. 1845, 26.—Carabus.
- riedelii** Rhagocrepis, F. Eschscholtz, *Zool. Atlas*, II. 1829, 5.
- riedeliana** Raphidia, G. Fischer, *Bull. Soc. Imp. Nat. Moscou*, VII. 1834, 329.
- riederii** Diaperis, F. Faldermann, *Bull. Soc. Imp. Nat. Moscou*, VI. 1833, 57.
- riederii** Phaleria (Fald.), Mannerheim, *Bull. Soc. Imp. Nat. Moscou*, VII. 1834, 388.—Diaperis.
- riefferi** Amazilius (Bourc.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 78.—Trochilus.
- riefferii** Ampelis, Boissonneau, *Rev. Zool. (Soc. Cuv.)* III. Jan. 1840, 3.
- riefferii** Euchlornis (Boiss.), de Filippi, *Atti 8 Riun. Sci. Ital.* 1847, 449.—Ampelis.
- riefferi** Polytmus (Bourc.), G. R. Gray, *Gen. Birds*, I. Dec. 1848, 108.—Trochilus.
- riefferi** Psittospiza (Boiss.), C. L. Bonaparte, *C. R. Ac. Sci. (Paris)* XXXI. 1850, 424.—Tanagra.
- riefferi** Pyrrhorhynchus (Boiss.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 177.—Ampelis.
- riefferii** Saltator (Boiss.), G. R. Gray, *Gen. Birds*, II. July 1844, 363.—Tanagra.
- riefferii** Tanagra, Boissonneau, *Rev. Zool. (Soc. Cuv.)* III. Jan. 1840, 4.
- riefferi** Trochilus, J. Bourcier, *Rev. Zool. (Soc. Cuv.)* VI. Ap. 1843, 103. [1832, 34.]
- riegensis** Capreolus, M. de Serres, *Ann. Sci. Ind. Midi France*, III (9 & 10) Sept.—Oct.
- riepelii** Turritella, M. Hoernes (*ex Partsch MS*), *Verz. Fossil-Reste Wien*, 1848, 21 [*n. n.*].
- rieseana** Paedisca, Herrich-S., *Syst. Bearb. Schmiett. Europ.* IV (48) 1851, 240.
- riffaud** Brachinus, H. Gory, *Ann. Soc. Ent. France*, II (2) c. July 1833, 198

- rigaella** Tinea, C. H. G. Sodovski, Bull. Soc. Imp. Nat. Moscou, II (1) 1830, 68.
- rigana** Tortrix, C. H. G. Sodovsky, Bull. Soc. Imp. Nat. Moscou, I (5) 1829, 144.
- rigana** Trachysmia (—), A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 164.—
- rigatus** Theemon, Denys de Montfort, Conch. I. 1808, 203. [? Tortrix, Sodov.]
- rigatus** Trochus (Phorcus), R. A. Philippi, Zeitschr. f. Malakozool. (Aug.) 1848 [Mar. 1849],
- rigicollis** Cerambyx, W. Turton, Linnaeus, Syst. Nat. II. 1802, 299. [124.]
- rigidicornis** Homalota, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 82.
- rigidicornis** Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 23.
- rigidula** Fenestella, F. M'Coy, Ann. Mag. N. H. (2) VI. Oct. 1850, 288.
- rigidula** Lima (Ph.), H. G. Bronn, Index Pal. 1848, 648.—Plagiostoma.
- rigidulum** Plagiostoma, J. Phillips, Geol. Yorksh. I. 1829, 144 [*n. et f.*].
- rigidulum** Trichosomum, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 15.
- rigidus** Acanthocercus, J. E. Schoedler, Arch. f. Naturg. XII (1) 1846, 301 & 307.
- rigidum** Alcyonium, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 622.
- rigida** Amphiroa, J. V. F. Lamouroux, Hist. Polyp. 1816, 297.
- rigidus** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (8) 1849, 13 ["Mon. Anth." *poster. edit.*].
- rigida** Ascaris, C. A. Rudolphi, Entoz. II (1) 1809, 181.
- rigida** Astraea, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 237.
- rigida** Avicula (M'Coy), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 135.—
- rigidus** Barynotus, T. Say, Descr. N. Amer. Curcul., July 1831, 11. [Meleagrina.]
- rigidus** Barynotus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 312.
- rigida** Cancellaria, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (17) June 1832, 53.
- rigidum** Cardium, W. Wood, General Conch. 1815, 236. [1832, 53.]
- rigida** Cartilospongia, J. S. Bowerbank, Ann. Mag. N. H. XVI. Dec. 1845, 408.
- rigidum** Cerithium (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 358.—Potamides.
- rigida** Clavatula, R. B. Hinds, Proc. Zool. Soc. London, XI (122) Oct. 1843, 45.
- rigidus** Cleopus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 12 [*n. n.*] & v. Ill. Brit. Ent. (Mand. IV.) Feb. 1831, 19.
- rigidus** Coluber, T. Say, J. Acad. Nat. Sci. Philad. IV. Feb. 1825, 239.
- rigida** Costellaria, W. Swainson, Treat. Malacol., May 1840, 320.
- rigidus** Cryptorhynchus, Munck in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 127.
- rigidus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 270.
- rigida** Dasytes, Meg.; Dejean, Catal. Coléopt. 1821, 39 [*n. n.*]. [1775.]
- rigida** Dynamena (Forsk.), de Blainville, Dict. Sci. Nat. LX. 1830, 448.—Sertularia,
- rigidum** Elaphidion (Say), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850,
- rigida** Filaria, C. T. v. Siebold, Arch. Anat. Phys. 1836, 33. [16.—Stenocorus.]
- rigidus** Fusus, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 343.
- rigida** Galaxaura, J. V. F. Lamouroux, Hist. Polyp. 1816, 265.
- rigida** Halichondria (Mont.), G. Johnston, Hist. Brit. Sponges, 1842, 132.—Spongia.
- rigidus** Hystrignathus, J. Leidy, Proc. Acad. Nat. Sci. Philad. V (5) Oct. 1850, 102.
- rigida** Ircinia, G. D. Nardo, Isis (Oken), 1833, 521 [*n. n.*].
- rigida** Isognoma, D. Solander, Catal. Portland Mus. 1786, 115.
- rigida** Lima (Sow.), G. A. Goldfuss, Petref. German. II (5) 1836, 83.—Plagiostoma.
- rigida** Lyonna (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 32.—Psam-
- rigidus** Mandalotus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 194. [mobia.]
- rigida** Mangelia, L. Reeve, Conch. Icon. III.—Mangelia, no. 40, June 1846.
- rigida** Meleagrina, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 80.
- rigida** Merulina, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 276.
- rigida** Mitra, W. Swainson, Zool. Illust. (1) I (5) Feb. 1821, pl. 29.
- rigida** Mitra, W. Wood, Suppl. Index Test. 1828, 43.—Voluta, 1828.
- rigidus** Murex, W. Wood, Suppl. Index Test. 1828, 14 [*n. et f.*].
- rigida** Mya, W. Wood, Suppl. Index Test. 1828, 3 [*n. et f.*].
- rigida** Myrmedonia, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 39.
- rigida** Orthis, T. Davidson, London Geol. Journ. (2) 1847, 63.
- rigida** Orthonota (Sow.), Mem. Geol. Surv. Gt. Britain, II (1) 1848, 362.—Psammobia.
- rigida** Pecten, J. Sowerby, Min. Conch. III. 1818, 5.

- rigidus** Phyxelis, C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 124.—Barynotus, 1834.
- rigidus** Pimelodus, J. B. v. Spix, Pisc. Brasil. 1829, 19.
- rigida** Pinna, D. Solander, Catal. Portland Mus. 1786, 136.
- rigida** Plagiostoma, J. Sowerby, Min. Conch. II. 1815, 27. [Clavatula.
- rigida** Pleurotoma (Hinds), L. Reeve, Conch. Icon.—Pleurotoma, no. 216, Oct. 1845.—
- rigidus** Pollicipes, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 335.
- rigidus** Potamides (Sol.), J. Sowerby, Min. Conch. IV. 1822, 48.—Buccinum, 1766.
- rigidus** Potamis (Sow.), T. Brown, Ill. Foss. Conch. G. B. I. (16) [1843], 67.—Potamides.
- rigida** Psammobia, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 617.
- rigida** Sertularia, J. V. F. Lamouroux, Hist. Polyp. 1816, 191.
- rigida** Spongia, G. Montagu, Mem. Werner. N. H. Soc. II (1) May 1814, 87.
- rigidus** Stenocorus, T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 274.
- rigida** Tellina, D. Solander, Catal. Portland Mus. 1786, 56 & 68 [*n. n.*].
- rigida** Tellina, E. Donovan, Brit. Shells, 1802, pl. ciii.
- rigida** Terebratula, J. De C. Sowerby, Min. Conch. VI. 1826, 69.
- rigidus** Tropidonotus (Say), J. E. Holbrook, N. Amer. Herpet., ed. 2, IV. 1842, 39.—  
Coluber.
- rigida** Tupha (Mont.), J. E. Gray in S. F. Gray, Brit. Plants, 1821, 356.—Spongia.
- rigida** Turbinella, W. Wood, Suppl. Index Test. 1828, 57.—Murex, 1828.
- rigidus** Turbinellus (Wood), L. Reeve, Conch. Syst. II. 1842, 180.—Murex.
- rigida** Turritella, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 418 [*n. et f.*].
- rigidus** Unio, W. Wood, Suppl. Index Test. 1828, 57.—Mya, 1828.
- rigida** Venus, D. Solander, Catal. Portland Mus. 1786, 69 [*n. n.*].
- rigida** Venus, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 277.
- rigida** Voluta, W. Wood, Suppl. Index Test. 1828, 10 [*n. et f.*].
- Rigoon** J. Gistl, Nat. Thierr. 1848, p. x.—M.
- riguata** Acidalia (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 440.—Geometra.
- riguata** Cataclysmes, J. Huebner, Verz. bekannt. Schmett. 1826, 329.—Geometra.
- riguata** Geometra, J. Huebner, Europ. Schmett., Tab. Geom., 69 (Fernaldo iudice 1808—  
18) [*n. et f.*].
- riguata** Larentia (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1)  
(Noct. 5, pt. 1) 1831, 379.—Geometra.
- riguus** Brachycerus, W. F. Erichson in M. Wagner, Reisen Alger, III. 1841, 185.
- riguus** Coeliodes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 395.
- riguum** Trogoderma, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 152.
- riisii** Ceocephalus, Labram & Imhoff, Gen. Curcul. I (8) 1841.
- riisii** Helix, P. Merian, Ber. nat. Ges. Basel, VI. 1842–44 (1844), 73.
- rileyi** Arthropterus, J. L. R. Agassiz, Poiss. Foss. III., 379 (1843).
- rileyi** Venus, T. A. Conrad, Foss. Med. Tert. U. S. (1) Jan. 1838, 9.
- rilla** Salmo, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 157.
- rillyensis** Achatina, De Boissy, Mém. Soc. géol. France (2) III (1) 1848, 279.
- rillyensis** Cyclas, De Boissy, Mém. Soc. géol. France (2) III (1) 1848, 270.
- rillysensis** (*sic*) Helix, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 297.
- rillyensis** Megaspira, De Boissy, Mém. Soc. géol. France (2) III (1) 1848, 277.
- rillyensis** Pupa, De Boissy, Mém. Soc. géol. France (2) III (1) 1848, 273.
- rillyensis** Vitrina, De Boissy, Mém. Soc. géol. France (2) III (1) 1848, 270.
- rima** Myliobates (Zygobates), H. v. Meyer, N. Jahrb. f. Min. 1844, 334.
- rima** Zygobates, Meyer; H. G. Bronn, Index Pal. 1848, 1381.—Myliobates (Zyg.).
- rimabundus** Claeoderes, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 364.
- Rimamphus** C. S. Rafinesque, Amer. Monthly Mag. IV (1) Nov. 1818, 41.—A.
- rimarium** Platysoma, W. F. Erichson, Jahrb. Insectenk. I. 1834, 112.
- Rimator** E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 154.—A.
- rimator** Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 446.
- rimator** Copisura, J. Schiodte, Naturhist. Tidsskrift, I. 1837, 604.
- rimatus** Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, XIV (166) Jan. 26, 1847, 112.
- rimata** Coccinella, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VII. 1820, 365.
- rimata** Paludina, G. Michaud, Magasin de Zool. VII. 1837, pl. 84.
- rimata** Rissoa, R. A. Philippi, Tertiärverst. n.-w. Deutschl. 1844, 52.

- rimata** Streptaxis, L. Pfeiffer, Zeitschr. f. Malakozool., Mar. 1847, 48.
- Rimella** L. Agassiz in Sowerby, Min. Conch. (Germ. ed.) 1841, 137.—G.
- rimicola** Lasiocampa, F. v. P. Schrank, F. Boica, II (2) 1802, 154.
- rimoratus** Sphenophorus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 893.
- rimosus** Ammonites, G. v. Muenster, Beitr. zur Petref. (4) 1841, 139.
- rimosus** Belemnites, F. V. Raspail, Ann. Sci. Observ. I (2) Feb. 1829, 318.
- rimosa** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 764.
- rimosa** Cicada, T. Say, J. Acad. Nat. Sci. Philad. VI. Aug. 1830, 235.
- rimosus** Clypeus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 156.
- rimosum** Cnemidium (His.), H. G. Bronn, Index Pal. 1848, 315.—Fungites.
- rimosa** Euryntia, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 3.
- rimosus** Fungites, W. Hisinger, Anteckn. Physik Geogn. V. 1831, 128; Lethaea Svecica, Hydaticus, Chev.; Dejean, Catal. Coléopt., ed. 3, 1837, 61. [1837, 99.]
- rimosus** Hydaticus, C. Aubé (*ex* Dej. Cat.), Spec. gén. Hydroc. 1838, 182.
- rimosa** Isocardia, Muenster in G. A. Goldfuss, Petref. German. II (6) 1837, 208.
- rimosus** Mytilus, Lamarck, Ann. Mus. H. N. (Paris) VI (32) May 1805, 120.
- rimosa** Rhynchonella (Buch), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 239.—Terebratula.
- rimosa** Rimella (Sow.), Agassiz in Sowerby, Min. Conch. (Germ. ed.) 138, 1841.—Rostellaria.
- rimosa** Rostellaria (Sol.), J. Sowerby, Min. Conch. I. 1815, 204.—Murex, 1766.
- rimosus** Schizaster, Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 22.
- rimosa** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (119) Jan. 1814, 377.
- rimosus** Stenaspis, L. Buquet, Rev. Zool. (Soc. Cuv.) III. May 1840, 142.
- rimosa** Terebratula, L. v. Buch, Rec. planches Pétrif. 1831, pl. vii, f. 5.
- rimosum** Trombidium, C. L. Koch, Deutsch. Crust., heft 15, 1837, tab. 7.
- rimosus** Unio, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 3.
- rimosa** Venus, R. A. Philippi, Zeitschr. f. Malakozool., June 1847, 88.
- Rimula** DeFrance, Dict. Sci. Nat. XLV. 1827, 472.—Moll. [*vernac.* 1824].
- Rimularia** *id. ac* Rimula, DeFr.; Bronn, Leth. Geogn. II (9- ) 1838, 995 [*teste* Herrm.].
- rimularis** Venus, Lamarck, An. s. vert. V. 1818, 604.
- rimulator** Bracon, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 86.
- rimulatus** Brissopsis, E. Ravenel, Echinidae, Jan. 1848, 4 [*n. et f.*].
- rimulata** Escharina, A. d'Orbigny, Amér. Mérid. (Zooph.) 1839, 15.
- Rimulina** A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 257.—Rh.
- rimulosus** Ceutorhynchus, E. F. Germar, Ins. spec. novae, I. 1824, 230.
- rimulosum** Cnemidium, G. A. Goldfuss, Petref. German. I (1) 1826, 15.
- rimulosa** Cupulospongia (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 391.—Cnemidium.
- rimulosus** Orthoceratites, G. Sandberger, N. Jahrb. f. Min. 1842, 401 [*n. n.*].
- rimulosus** Pecten, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 60.
- rimulosa** Spongia, J. V. F. Lamouroux, Ency. Méth. (Zooph.) 1824, 358.
- rimulosa** Spongia, Quoy & Gaimard, Ann. Sci. Nat. XIV (55) July 1828, 251 [*n. n.*].
- Rimulus** A. d'Orbigny in Sagra, Cuba (Moll.) 1839, 199.—G.
- rimula** Cucullia, C. F. Freyer, Neuere Beitr. Schmett. IV (59) 1842, 110.
- Rincopogon** C. S. Rafinesque, Analyse, 1815, 67.—A. [*n. n.*].
- Rincoptyx** C. S. Rafinesque, Analyse, 1815, 65.—A. [*n. n.*].
- Rincortus** C. S. Rafinesque, Analyse, 1815, 66.—A. [*n. n.*].
- Rincoxis** C. S. Rafinesque, Analyse, 1815, 93.—P. [*n. n.*].
- Rinelepis** Cuvier & Valenc., H. N. Poiss. XV. 1840, 480.—P.
- Rinella** Bory de St V., Ency. Méth. (Zooph.) 1827, 532.—Inf.
- Rineodon** A. Smith, Mag. Nat. Hist., n. s. II. Jan. 1838, 37.—P.
- ringens** Acteon, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 121.
- ringens** Alysia, A. H. Haliday, Hymenopt. Brit. (2) 1839, 28.
- ringens** Anostoma (L.), G. B. Sowerby, II., Gen. Shells (8) 1822.—Helix, 1758.
- ringens** Auricula, Lamarck, Ann. Mus. H. N. (Paris) IV (24) Aug. 1804, 435.
- ringens** Auriculina (Lam.), Grateloup, Actes Soc. Linn. Bordeaux, X (53) 1838, 259.—Auricula.

- ringens** Biloculina (Lam.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 297.—
- ringens** Buccinum, W. Wood, Suppl. Index Test. 1828, 11 [*n. et f.*]. [Miliolites
- rhingens** (*sic*) Buccinum, Bonelli in G. Michelotti, Ann. Sci. Lomb.-Ven. X. 1840, 160.
- ringens** Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 45, Dec. 1846.
- ringens** Bulimus, W. Dunker, Zeitschr. f. Malakozool., June 1847, 83.
- ringens** Capsa (Lam.), G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 193.—Donax.
- ringens** Cardium, W. Wood [*non Gm.*], Gen. Conch. 1815, 219.
- ringens** Cassidea (Sw.), Hanley in Swainson, Exot. Conch., ed. 2, 1841, 35.—Cassis.
- ringens** Cassis, W. Swainson, App. Cat. Bligh, 1822, 4.
- ringens** Cellepora, F. v. Hagenow, N. Jahrb. f. Min. 1839, 278.
- ringens** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 773.
- ringens** Collyrites (Ag.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 314.—
- ringens** Crania, F. W. Hoeninghaus, Crania, 1828, 3. [Disaster.
- ringens** Disaster, L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 183 [*n. n.*].
- ringens** Disaster, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. III. 1839, 5.
- ringens** Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 101.
- ringens** Dolium, W. Wood, Suppl. Index Test. 1828, 38.—Buccinum, 1828.
- ringens** Dolium (Sw.), L. Reeve, Conch. Icon. V.—Dolium, no. 5, Dec. 1848.—Cassis.
- ringens** Donax, Lamarck, An. s. vert. V. 1818, 549.
- ringens** Echinastrea (Lam.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 344.—
- Explanaria.
- ringens** Echinopora (Lam.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 279.—
- ringens** Engraulis, L. Jenyns, Zool. "Beagle" (Fish, 1842), 136. [Explanaria.
- ringens** Explanaria, Lamarck, An. s. vert. II 1816, 256.
- ringens** Helix (Helicodonta), Müll.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 38.
- ringens** Kolpoda, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 216.
- ringens** Lobophyllia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. Ap. 1849, 247.
- ringens** Melicerta (L.), F. v. P. Schrank, F. Boica, III (2) 1803, 310.—Sabella, 1767.
- ringens** Melichthys (Bl.), W. Swainson, N. H. Fishes etc. II. July 1839, 325.—Balistes, L.
- ringens** Miliolites, Lamarck, Ann. Mus. H. N. (Paris) V (29) Jan. 1805, 351. [1758.
- ringens** Monodonta, C. T. Menke, Moll. N. Holl. 1843, 14.
- ringens** Monodonta, R. A. Philippi, Zeitschr. f. Malakozool., July 1846, 99.
- ringens** Nassa, G. Michelotti (*ex Bonelli MS*), Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 212.
- ringens** Onone, A. H. Haliday, Hymenopt. Brit. (2) 1839, 4.
- ringens** Papyridea (Wood), W. Swainson, Treat. Malacol., May 1840, 374.—Cardium.
- ringens** Perca, J. G. Schneider, Bloch, Syst. Ichth. 1801, 92.
- ringens** Pupa, J. G. Jeffreys, Tr. Linn. Soc. London, XVI (2) 1830, 356.
- ringens** Pupa, A. G. L. Michaud, Compl. Moll. Draparnaud, 1831, 64.
- ringens** Pupa, J. C. Jay, Catal. rec. Shells, ed. 2, 1836, 81.
- ringens** Raphitoma, L. Bellardi, Mem. R. Acc. Sci. Torino [2] IX. 1848, 632.
- ringens** Rhynchonella (Buch), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 258.—
- Terebratula.
- ringens** Ringicula (Lam.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 344.—Auricula.
- ringens** Scyphidia (Müll.), F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 538.—Vorticella, 1773.
- ringens** Stomodonta (—), Mermet, Moll. Pyrén. occident. 1843, 51.—Pupa, ? Mich.
- ringens** Terebratula, L. v. Buch, Abh. ph.-Kl. K. pr. Ak. Wiss. 1833 (1835) [1834], 55.
- ringens** Tomogeres (L.), Denys de Montfort, Conch. II. 1810, 359.—Helix, 1758.
- ringens** Torquilla (Michaud), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 85.—Pupa.
- ringens** Trochus (Menke), Catlow & Reeve, Conch. Nomen. 1845, 218.—Monodonta.
- ringens** Vincularia, v. Hagenow in H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 244
- ringens** Voluta, D. Solander, Catal. Portland Mus. 1786, 151 [*n. n.*]. [[*n. n.*].
- ringens** Voluta, W. Turton, Dublin Examiner, I (3) July 1816, 236 [*n. n.*].
- Ringicella** J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 173.—G.
- Ringicula** G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VIII. June 1838, 342.—G.
- ringiculum** Cardium, G. B. Sowerby, II., Proc. Zool. Soc. London, VIII (92) May 1841, 106.

- ringicula** Helix (Helicodonta), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821,  
**ringicula** Terebratula, H. E. Anton, Verz. Conch. 1839, 22. [39 *[n. n.]*].  
**Ringinella** A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 126.—G.  
**ringmeriensis** Panopaea (Mant.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 157.—  
**ringmeriensis** Venus, G. A. Mantell, Foss. South Downs, May 1822, 126. [Venus].  
**Ringucula** *err. pro* Ringicula, Desh.; J. Morris, Cat. Brit. Foss. 1843, 161.  
**Ringula** J. E. Gray, Syn. Cont. B. M., ed. 42 (3rd issue) 1841, 151.—G.  
**ringvia** Lomvia (Brünn.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. II (22) Aug.  
 1837, 345.—Uria, 1764.  
**rinicae** Ceuthorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 563.  
**Rinopus** B. H. Hodgson, J. Asiat. Soc. Bengal, X. 1841 (*post* 7 Ap.), 28.—A.  
**Rinortha** Blyth, 1842; *sic auct., sed* Rhinortha *in prim.*  
**rinotata** Scutellera, T. Say in Keating, Exp. Peter River, 1825 (App.), 39 [*vide* binotata].  
**riocourii** Chelictinia (Vig.), R. P. Lesson, Echo Monde Savant, X. 12 Jan. 1843, 63.—  
 Elanus.  
**riocourii** Chelidopteryx (Temm.), J. J. Kaup, Mus. Senckenb. III. 1845, 258.—Falco.  
**riocourii** Elanoides, L. P. Vieillot, Gal. des Ois. I (1) 1822, 43.  
**riocourii** Elanus, N. A. Vigors, Zool. Journ. I (3) 1824, 340.  
**riocour** Falco, C. J. Temminck, Pl. color. I. 1824, pl. 85.  
**riocourii** Hirundo, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Ois.) 1826, 271.  
**riocourii** Nauclerus (Temm.), N. A. Vigors, Zool. Journ. II (7) Oct. 1825, 386.—Falco.  
**rioi** Ammonites, Nyst & Galeotti, Bull. Ac. Roy. Brux. VII (2) 1840, 217.  
**riolensis** Serpula, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 101.  
**riolensis** Turbo, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 83.  
**Riopa** J. E. Gray, Ann. Nat. Hist. II. Jan. 1839, 332.—R.  
**ripae** Agrotis (Huebner), F. Treitschke, Schmett. Europa, V (1) 1825, 174.—Noctua.  
**ripae** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 151 (Fernaldo iudice 1818–22)  
**Ripaecola** J. Rennie in G. White, Selborne, 1833, 62, 441 & 445.—A. [*[n. et f.]*].  
**ripaetes** Pteromalus, F. Walker, Mon. Chalcid. I. 1839, 213.  
**ripagina** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 177 (Fernaldo iudice 1834—  
**Riparia** T. I. M. Forster, Syn. Cat. Brit. Birds, 1817, 17.—A. [41] [*n. et f.]*].  
**riparius** Anchomenus, Gebl.; J. Sturm, Catal. Ins. Samml. 1826, 92.  
**riparius** Anchomenus, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 45.  
**riparius** Ancyclus, A. G. Desmarests (*sic*), Bull. Sci. Soc. Philom. Paris, 1814 (Aug.), 19.  
**riparius** Anthicus, Dejean, Catal. Coléopt. 1821, 72 [*n. n.]*].  
**riparius** Anthicus, Dej.; J. Sturm, Catal. Ins. Samml. 1826, 93. [Musca].  
**riparia** Anthomyia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 197.—  
**riparia** Aricia (Fall.), J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1584.—Musca.  
**riparius** Arvicola, G. Ord, J. Acad. Nat. Sci. Philad. IV. Mar. 1825, 305.  
**riparia** Arvicola, W. Yarrell, Proc. Comm. Sci. Zool. Soc. London (19) Aug. 1832, 109.  
**riparius** Batrisus (Say), C. Aubé, Ann. Soc. Ent. France [2] II (1) June 1844, 83.—  
 Pselaphus.  
**riparium** Bembidion (Ol.), Latreille, N. Dict. H. N., ed. 2, III. 1816, 379.—Carabus,  
 ? Payk. 1790.  
**riparium** Bembidium (Payk.), P. A. Latreille, Gen. Crust. Ins. I., *post* July 1806, 184.—  
 Carabus, 1790.  
**riparia** Calodera, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 305.  
**riparius** Canis, C. G. Ehrenberg, Sym. Phys., Mamm. II (1833), sign. ff.  
**riparia** Caricea, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,  
**riparius** Chironomus, J. W. Meigen, Klassif. Zweifl. Insekt. I (1) 1804, 13. [533].  
**riparius** Chrysolampus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 130.  
**riparia** Cicindela, Megerle & Sturm in Dejean, Catal. Coléopt. 1821, 1 [*n. n.]*].  
**riparia** Cicindela, Latreille & Dejean, H. N. Icon. Col. Europe (1) 1822, 50.  
**riparia** Cotile (L.), F. Boie, Isis (Oken), 1822, 550.—Hirundo, 1758.  
**riparia** Cotyle (L.), C. L. Brehm, Isis, 1828, 1272 [*n. n.]*]; Handb. Nat. Vögel Deutschl.  
 1831, 143.—Hirundo.  
**riparius** Cryptohypnus (Fab.), E. F. Germar, Zeitschr. f. d. Entom. V. 1844, 139.—  
 Elater, 1792.

- riparia** Delia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,  
**riparia** Desoria, H. Nicolet, N. D. Allg. Schweiz. Gesellsch. VI. 1842, 62. [572.]  
**riparius** Dolemedes (*sic*), C. W. Hahn, Die Arachniden, II (5) May 1835, 59.  
**riparius** Dyschirius, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844, 189.  
**riparius** Elater (*Athous*), A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 139.  
**riparius** Elophorus (Ill.), Lamarck, An. s. vert. IV. 1817, 541.—Hydraena, Kug.  
**riparia** Epeira, N. M. Hentz, Boston Journ. N. H. V (4) 1847, 468.  
**riparia** Ephydra, C. F. Fallen, K. Vet. Ac. Handl. 1813 (2) 1814, 246.  
**riparia** Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 332.  
**riparia** Feronia (*Platysma*), Esch.; Dejean, Catal. Coléopt., ed. 2 (1) 1833, 35 [*n. n.*].  
**riparia** Forficilesila (Pall.), G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846  
46.—Forficula, 1773.  
**riparia** Gesneria, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.  
1830, 380.  
**riparia** Hydraena, Kugelan in J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 20  
[*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Mar. 1835, 399.  
**riparia** Hydrophoria, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 299.  
**riparia** Hydrotaea, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.  
1830, 512. [(2) 1826, 336.]  
**riparius** Hyphydrus, Anon., Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem, XV  
**riparius** Hypnoidus, L. W. Dillwyn, Memo. Col. Ins. Swansea, 1829, 32 [*auct. typ.*].  
**riparius** Hypnoidus (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 260.—  
Elater, 1792.  
**riparius** Hypolithus (Fab.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829,  
33.—Elater, 1792.  
**riparius** Hypudaeus (Ord), J. A. Wagner in Schreber, Säugth., Suppl. III. 1843, 588.—  
Arvicola.  
**riparia** Isotoma, H. Nicolet, Ann. Soc. Ent. France [2] V (3) Nov. 1847, 373.—Desoria,  
**riparia** Itea, C. L. Koch, Deutsch. Crust., heft 22, 1838, tab. 17. [1842.]  
**riparia** Lacerta, J. W. Burchell in C. I. Latrobe, Journ. S. Africa, 1821, 562 [*n. n.*].  
**riparius** Lemmus (Ord), J. B. Fischer, Syn. Mamm. 1829, 291.—Arvicola.  
**riparia** Lesteva, Chevrier in O. Heer, Coleopt. Helvet. (2) 1839, 193.  
**riparius** Linnichus, Ziegler; Dejean, Catal. Coléopt. 1821, 49 [*n. n.*]. [1830, 537.]  
**riparia** Limosia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.  
**riparius** Linopodes, C. L. Koch, Deutsch. Crust., heft 18, 1838, tab. 21.  
**riparia** Lispa, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,  
**riparia** Lonchoptera, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 108. [525.]  
**riparius** Lumbricus, W. Hoffmeister, Arch. f. Naturg. IX (1) 1843, 189.  
**riparia** Lycosa, C. L. Koch in Panzer, Ins. Germ., heft 120, 1833, tab. 19.  
**riparia** Lycosa, N. M. Hentz, Boston Journ. N. H. IV (4) 1844, 389.  
**riparia** Lycosa (*Leimonia*), C. L. Koch, Die Arachniden, XV (2) July 1847, 29.  
**riparia** Martula, C. T. Wood, Orn. Guide, 1835, 183. [177.—Paykullia.]  
**riparia** Melanophora (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,  
**riparia** Melina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,  
**riparia** Musca, C. F. Fallen, Mon. Muscidum Sveciae (7) 1824, 67. [695.]  
**riparius** Mynomes (Ord), J. E. Gray, List Mamm. Coll. B. M. 1843, 117.—Arvicola.  
**riparia** Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.  
1830, 345.  
**riparia** Nerea, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,  
**riparia** Notiphila, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 65. [802.]  
**riparia** Notiphila, A. H. Haliday, Ann. Nat. Hist. III. June 1839, 222.  
**riparia** Ochthebius (Ill.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 95.—  
Hydraena, Kug.  
**riparius** Ochthebius (Ill.), W. E. Leach, Zool. Miscell. III. 1817, 91.—Elophorus, Lam.  
**riparia** Onesia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,  
**riparius** Oxytelus, Dejean, Catal. Coléopt. 1821, 25 [*n. n.*]. [366.]  
**riparius** Paederus, Fab.; F. V. Melsheimer, Ins. Pennsylv. 1806, 59; & *var.* littorarius,  
Knoch [*n. n.*].



- riparia** Paramesia, C. Robert, Ann. Soc. Ent. France, V (3) *post* Aug. 1836, 538.
- riparia** Patella, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 99.
- riparia** Paykullia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- riparia** Philyra, N. M. Hentz, Boston Journ. N. H. VI (1) 1850, 26. [1830, 271.]
- riparia** Planaxis, A. Risso, H. N. Europe, IV. 1826, 175.
- riparia** Podura, A. Herrich-Schaeffer in Fürnrohr, Fauna Ratisbon, III. 1840, 356.
- riparius** Pogonus, Dejean, Catal. Coléopt. 1821, 9 [*n. n.*]; Spec. gén. Coléopt. III. 1828, 16.
- riparius** Porphyrops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 53.
- riparius** Pselaphus, T. Say, J. Acad. Nat. Sci. Philad. IV. Nov 1824, 98.
- riparius** Pterostichus (Dej.), Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 206.—Feronia.
- riparius** Quedius, A. Kellner, Entom. Zeitung, Stettin, IV (1) Jan. 1843, 31.
- riparia** Salda, C. F. Fallen, Suppl. Cimic. Svec. 1826, 11.
- riparius** Stenus, W. H. Runde, Brachelytr. 1835, 16.
- riparia** Stratiomys, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 138.
- riparium** Theridion, J. Blackwall, Lond. & Edinb. Phil. Mag., 3rd ser. V (25) July 1834, 51.
- riparius** Trichoniscus, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 204.—Itea,
- riparia** Unio, C. Pfeiffer, Naturg. deutsch. land-Moll. (1) 1821, 118. [1838.]
- ripartii** Lycaena, C. F. Freyer, Beitr. Gesch. europ. Schmett. (23) 1830, 128.
- ripartii** Papilio, C. F. Freyer, Beitr. Gesch. europ. Schmett. (23) 1830, 128.
- riphearia** Chrysidia, J. Huebner, Verz. bekannt. Schmett. 1825, 289.
- Ripheus** W. Swanson, Zool. Illust. (2) III (27) 1833, pl. 125.—Lep. [1775.]
- riphea** Anaea (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 48.—Papilio ryphea,
- riphaeus** Carabus, Boeber in V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 110.
- ripheus** Cydimon (Fab.), J. W. Dalman, K. Vet. Ac. Handl. 1824 (2) 1825, 407.—Papilio rypheus, Cr. 1775.
- riphheus** Thaliura (Fab.), J. Duncan, For. Butterfl. (Nat. Libr. XVIII.) June 1837, 197.—Papilio, ? Drury, 1773.
- riphea** Tolyte (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 189.—Phalaena, 1782.
- ripheus** Urania (Fab.), Lamarck, An. s. vert. IV. 1817, 19.—Papilio rypheus, Cr. 1775.
- riphheus** Urania (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 709.—Papilio, Dru. 1773.
- ripicola** Bembidium, L. Dufour, Ann. gén. Sci. Phys. (Bruxelles) VI. Dec. 1820, 330.
- ripicola** Dasypogon, L. Dufour, Ann. Sci. Nat. XXX (118) Oct. 1833, 216.
- ripicola** Decamera, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 509.
- ripicola** Glenanthe, A. H. Haliday, Ann. Nat. Hist. III. Aug. 1839, 404.
- ripicola** Homalota, H. v. Kiesenwetter, Entom. Zeitung, Stettin, V (9) Sept. 1844, 317.
- ripicola** Limosia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- Ripidastes** J. Gistl, Nat. Thierr. 1848, p. x.—Col. [539.]
- Ripidastes** J. Gistl, Nat. Thierr. 1848, p. xi.—Col.
- Ripidicala** H. Boie, N. Staatsburg. Mag. (Schleswik) I (2) 1832, 489.—A.
- Ripidius** C. P. Thunberg, K. Vet. Ac. Nya Handl. XXVII (1) 1806, 4.—Col.
- Ripidophora** J. Huebner, Tentamen (me judice 1806), 2.—Lep. [*n. n.*].
- Ripidus** A. A. Berthold (*ex* Thunb.) in Latreille, Nat. Fam. Thierr. 1827, 334.—Col.
- ripilepis** *v.* rhipilepis. [[? Ripidius].
- Ripiphorus** E. F. Germar, Ins. spec. novae, 1824, 168.—Col.
- ripiphorus** *v.* rhipiphorus.
- Ripipteryx** E. Newman, Entom. Mag. II (2) Ap. 1834, 204.—Orth.
- ripisteria** *v.* rhipisteria.
- Ripistes** F. Dujardin, L'Institut, Sept. 1842, 316; Extr. P. V. Soc. Philom. Paris, 1842,
- ripleyi** Ammonites, M. Simpson, Mon. Amm. 1843, 11. [93.—Ann. [*sine typo*].
- rippertaria** Geometra, J. Huebner, Europ. Schmett., Tab. Geom., 110 (Fernaldo judice 1834) [*n. et f.*].
- rippertaria** Phasiane, Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1830, 159.
- rippertella** Megasis, A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 309.
- rippertii** Argus, J. A. Boisduval. Ic. hist. lepidopt. Europe, I (7 & 8) 1832, 68.

- rippertii** Emydia, J. A. Boisduval, Ic. hist. lepidopt. Europe, II (—) 1834, 94.
- rippertii** Lycaena (Huebn.), F. Treitschke, Schmett. Europa, X (1) 1834, 62.—Papilio.
- ripertii** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 194 (Fernaldo iudice 1823-33) [*n. et f.*].
- rippertii** Polyommatus, Boisduval in Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. I (Diurnes) 1832, 61.
- rippertii** Termes, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 308.
- ripularius** Elater, C. J. Schoenherr, Syn. Insect. I (3) 1817, 310.
- riquetii** Melania, Grateloup, Actes Soc. Linn. Bordeaux, XI (36 = 57) 1840, 433.
- risa** Cyrestis, J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 262
- risa** Heterusia, E. Doubleday, The Zoologist, II (3) 1844, 468. [*n. et f.*].
- Risculus** W. E. Leach, Dict. Sci. Nat. XIV. 1819, 536.—Cr.
- Risella** J. E. Gray, Syn. Cont. Brit. Mus., ed. 42, 1840, 147.—G. [*n. n.*].
- risea** Coturnix, C. J. Temminck, Pig. et Gallin. III. 1816, 523 [grisea p. 744].
- Risia** Laurillard, Dict. Univ. Hist. Nat. I. 1841, 625.—M.
- Risophilus** W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 81.—Col.
- risora** Muscicapa, L. P. Vieillot, Gal. des Ois. I (2) 1824, 209.
- risoria** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 374.
- risoria** Peristera (L.), F. Boie, Isis (Oken), 1828, 327.—Columba, 1758.
- risoria** Sterna, C. L. Brehm, Beitr. Vögelk. III. 1822, 650.
- risoria** Turtur (L.), T. C. Jerdon, Madras Journ. XII (28) July 1840, 15.—Columba, 1758.
- riss** [*sic*] Eulima, F. Cantraine, Bull. Ac. Roy. Brux. II. 1835, 389 [? = rissoi].
- Rissa** J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (1) 1826, 180.—A.
- risa** Laroides, C. L. Brehm, Isis, 1830, 994 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831, 755.
- rissae** Doris, G. B. Verany in Descr. Genova, I. 1846, 96 & 101.
- rissetensis** Gordius, P. Savi (*ex* Charvet), N. Giorn. Lett. (Pisa) XXXIII (88) 1836, 74.
- rissi** Clepsine, C. M. Diesing, Syst. Helminth. I. 1850, 451.
- rissi** Gorgonia, S. d. Chiaje, Descr. An. invert. Sicilia, V. 1841, 27.
- Rissoa** Fréminville, N. Bull. Sci. Soc. Philom. Paris, III (72) Sept. 1813, 340 & 341; & Bull. Sci. Soc. Philom. Paris, 1814 (Aug.), 7.—G. [Herrm.].
- Rissoa** Anon., in Amtl. Ber. 24 Vers. Deutsch. Nat. 1847, 113; *err. pro* Rossia [*teste*]
- rissoana** Aequorea, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V & VI. 1830, pl. 73.
- rissoana** Amathia, P. Roux, Crust. Médit. (1) 1828, pl. iii.
- rissoanus** Caligus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 452.
- rissoana** Calliopaea, H. M. Edwards, Ann. Sci. Nat. [2] (Zool.) XVIII. Dec. 1842, 347.
- rissoanum** Cestum, R. P. Lesson (Roret's Suite à Buffon), Acalèphes, 1843, 73.
- rissoanus** Cineras, W. E. Leach, Zool. Journ. II (6) July 1825, 214.
- rissoana** Clavelina, H. M. Edwards, Mém. Ac. Roy. Sci. Inst. France, XVIII. 1842, 277.
- rissoana** Cymothoa (Leach), Desmarest in Bosc, H. N. Crust. (Ency. Roret) 1828, II., 145.—Canolira rissoniana.
- rissoanus** Delphinus, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 519.
- rissoana** Dorippe, Desmarest, N. Dict. H. N., ed. 2, VIII. 1817, 509.
- \*rissoana** Gorgonia, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V & VI. 1830, pl. 81.
- rissoanus** Grampus (Desm.), J. E. Gray, Zool. "Ereb. Terr." (Cetac. 1846), 31.—Delphinus.
- rissoana** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XIV (166) Jan. 26, 1847, 110.
- rissoana** Medusa (Aequorea), F. S. Voigt in Cuvier, Thierreich, VI. 1843, 158.
- rissoanus** Otion, W. E. Leach, Zool. Journ. II (6) July 1825, 212.
- rissoanus** Phocaena (Cuv.), R. P. Lesson, Man. Mamm., May 1827, 416.—Delphinus,
- rissoanus** Turbo, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 223. [Desm.]
- rissoanus** *v. et rissonianus*.
- Rissoaria** de Blainville & Desmarest, Dict. Sci. Nat. XLV. 1827, 477.—G.
- Rissoaria** ? *err. typ.* Agassiz, Nom. Zool. Moll. 1846, 79, *pro* Rissoa.
- Rissoella** J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847, 159.—G. [*risso*→.]
- risso** Achatina, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 12.
- risso** Aequorea, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 338.
- risso** Alpismaris, A. Risso, H. N. Europe, III. 1826, 458.

- risso** Apterichthys, H. R. Schinz in Cuvier, Thierreich, II. 1822, 390.
- risso** Atherina, Cuvier & Valenc., H. N. Poiss. X. 1835, 435.
- risso** Callionymus, C. A. Lesueur, Bull. Sci. Soc. Philom. Paris, 1814 (Aug.), 5.
- rissoi** Chiton, B. C. Payraudeau, Cat. Moll. Corse, 1826, 87.
- rissoi** Crenilabrus, Cuvier & Valenc., H. N. Poiss. XIII. 1839, 197.
- risso** [Delphinus], F. Cuvier in E. Geoffroy St H. & F. Cuvier, Hist. Nat. Mamm. IV (66) Feb. 1833, Dauphin de Risso, p. 3.
- rissoi** Galeolaria, Lesueur in H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 127 [*n. n.*].
- rissoi** Hermella, A. de Quatrefages, Ann. Sci. Nat. [3] (Zool.) X. July 1848, 22.
- rissoi** Holaster, E. Sismonda, Mem. R. Acc. Sci. Torino [2] VI. 1844, 349.
- rissoii** Lepidion, W. Swainson, N. H. Fishes etc. I. Oct. 1838, 319.
- rissoi** Leuciscus, H. R. Schinz, Europ. Fauna, II. 1840, 326.
- rissoi** Melitea, J. V. F. Lamouroux, Hist. Polyp. 1816, 463.
- rissoi** Sabellaria (Quatr.), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 333.—Hermella.
- risso** Scopelus, A. Cocco, Giorn. Sci. Lett. Sicilia, XXVI. 1829, 144.
- risso** Stolephorus, A. Risso, Ich. Nice, 1810, 342.
- rissoi** Tricolia, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Moll.) 1826, 41.
- Rissoia** H. G. Bronn, Ind. Pal. 1848, 1090; *emend. pro* Rissoa, Frém.
- rissoides** Cyclostoma, O. G. Costa, Atti R. Accad. Sci. [Napoli] IV (Zool.) 1839, 192 [*n. n.*]
- rissoides** [Cyclostoma?], O. G. Costa, Corrisp. Zool. I. 1839, 70 [*n. n.*].
- rissoides** Fusus (Buv.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 10.—Pleurotoma.
- rissoides** Mitra, Grateloup, Actes Soc. Linn. Bordeaux, VI (37) 1834, 292.
- rissoides** Nassa, Grateloup, Actes Soc. Linn. Bordeaux, VI (37) 1834, 271.
- rissoides** Odostomia, W. Metcalfe, Proc. Zool. Soc. London, XII (132) July 1844, 18.
- rissoides** Planaxis, Grateloup, Actes Soc. Linn. Bordeaux, V (27) 1832, 155.
- rissoides** Pleurotoma, A. Buvignier, Mém. Soc. Philom. Verdun, II. 1843, 247.
- rissoides** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 111, June 1843.
- Rissoina** A. d'Orbigny, Amér. Mérid. (Moll.) 1840, 394.—G.
- rissonii** Doclea, W. E. Leach, Zool. Miscell. II. 1815, 42.
- rissonii** Palinurus, A. G. Desmarest, Consid. gén. Crust. 1825, 185.
- rissoniana** Anilocra, H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 259.—
- rissoniana** Canolira, W. E. Leach, Dict. Sci. Nat. XII. 1818, 350. [Canolira.]
- rissonianus** Euopus, W. E. Leach, Trans. Plymouth Inst. 1830, 162.
- rissonius** Callipus, Leach; A. Risso, H. N. Europe, V. 1826, 151.
- rissonnus** Phocaena, F. Cuvier (Roret's Suite à Buffon), Cetacés, 1836 [Dec. 1835], 196.
- rissonus** Phocaena, F. Cuvier in E. Geoffroy St H. & F. Cuvier, Hist. Nat. Mamm., Table gén. 1842, 6.
- Ristella** J. E. Gray, Ann. Nat. Hist. II. Jan. 1839, 333.—R.
- risua** Polynemus, F. Hamilton, Fish. Ganges, 1822, 228.
- rita** Arius (Ham.), Cuvier & Valenc., H. N. Poiss. XV. 1840, 88.—Pimelodus.
- rita** Pimelodus, F. Hamilton, Fish. Ganges, 1822, 165.
- ritchii** Ateuchus, Leach; Dejean, Catal. Coléopt. 1821, 52 [*n. n.*].
- ritchii** Cicindela, N. A. Vigors, Zool. Journ. I (3) Oct. 1824, 414.
- ritchii** Scarabaeus, W. S. Macleay, Horae Entom. I (2) 1821, 506. [1842, 580.]
- ritchieana** Schizothorax, M'Clelland & Griffith, Calcutta Journ. Nat. Hist. II (8) Jan.
- Rithecus** C. J. B. Amyot, Ann. Soc. Ent. France, IV (2) 1846, 187.—Hem. [*non binom.*].
- Rithrodon** L. Agassiz, Nomen. Zool. Index Univ. 1846.—*emend. pro* Reithrodon, Waterh.
- ritoides** Arius, Cuvier & Valenc., H. N. Poiss. XV. 1840, 92.
- rittbergensis** Amblyceras, E. F. Glocker, N. Jahrb. f. Min. 1842, 30.
- rivagana** Phalaena (Pyralis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 352.
- rivalis** Aplexa (M. & R.), J. Fleming, Ency. Brit. (Suppl. to ed. 4-6) V (2) 1822, 574.—
- rivalis** Aspidoglossa, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 631. [Bulla.]
- rivalis** Baripus (Germ.), Dejean, Spec. gén. Coléopt. III. 1828, 25.—Molops.
- rivalis** Bulla, Maton & Rackett, Tr. Linn. Soc. London, VIII. 1807, 126.
- rivalis** Bulla, W. Turton, Brit. Fauna, 1807, 169.
- rivalis** Corixa, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 66 [*n. n.*].
- rivalis** Cyclas (Müll.), J. P. R. Draparnaud, H. N. Moll. France, 1805, 129.—Tellina, 1774.
- rivalis** Cyrena, v. d. Busch in R. A. Philippi, Abb. Conch. III (7) 1850, 110.

- rivalis** Emballonura (Spix), W. Macgillivray in Cuvier, Anim. Kingd. [fo. Edinb.] II., 42 (c. Jan. 1840).—Proboscidea.
- rivalis** Enoplus, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 235.
- rivalis** Hydroporus (Gyll.), C. Aubé, Spec. gén. Hydroc. 1838, 534.—Hyphydrus.
- rivalis** Hyphydrus, L. Gyllenhal, Ins. Suecica, I (4) 1827, 384.
- rivalis** Lonchoptera, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 108.
- rivale** Lymneus, A. E. Férussac, Ann. Mus. H. N. (Paris) XIX (111) Dec. 1812, 252.
- rivalis** Molops, E. F. Germar, Ins. spec. novae, I. 1824, 21.
- rivalis** Physa (M. & R.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xli, f. 58.—Bulla.
- rivalis** Proboscidea, J. B. v. Spix, Sim. Vesp. Brasil. 1824, 62.
- rivalis** Totanus, C. L. Brehm, Isis, 1830, 990 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831,
- rivalis** Vespertilio (Spix), J. B. Fischer, Syn. Mamm. 1829, 116.—Proboscidea. [642.
- rivaría** Melanippe, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet B (Nov. 1847), 16.
- rivasii** Bulimus, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 276.
- rivata** Cidaria (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 444.—Geometra.
- rivata** Epirrhone, J. Huebner, Verz. bekannt. Schmett. 1826, 328.—Geometra.
- rivata** Geometra, J. Huebner, Europ. Schmett., Tab. Geom., 79 (Fernaldo judice 1808–18) [*n. et f.*].
- rivata** Melanippe (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1831, 296.—Geometra. [Geometra.
- rivata** Melanthia (Huebner), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 214.—
- Rivellia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 729.—Dipt.
- Rivicola** L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) III.
- rivicola** Cyclas, Leach in Lamarck, H. N. An. s. vert. V. 1818, 558. [1833, 110.—G.
- rivicola** Pholas, G. B. Sowerby, II., Thes. Conch. II (10) 1849, 496.
- rivicola** Pholas, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 84.
- rivicola** Tellina (Lam.), W. Wood, Suppl. Index Test. 1828, 36.—Cyclas.
- rivierii** Brachinus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) Feb. 1838, 23.
- rivillii** Cyclopsina, W. Baird, The Zoologist, I (2) 1843, 58.
- rivoli** Columba, F. Prévost in Knip, Les Pigeons, ed. 2, II (—) 1843, 107.
- rivoli** Geopicos (Boiss.), A. Malherbe, Mém. Ac. Metz, XXX (*post* May) 1849, 359.—Picus.
- rivoli** Helix, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 208 (Dd\*).
- rivoli** Ornismya, R. P. Lesson, H. N. Oiseaux-Mouches (2) Mar. 1829, 48.
- rivoli** Picus, Boissonneau, Rev. Zool. (Soc. Cuv.) III. Feb. 1849, 36.
- rivoli** Ptilonopus (Prév.), G. R. Gray, Gen. Birds, III. App. 1849, 23.—Columba.
- rivoli** Trochilus (Less.), W. Jardine, Humming Birds, I (Nat. Libr. III.) 1833, 122.—
- rivoliana** Harpa, R. P. Lesson, Illustr. de Zool. (12) Mar. 1834, pl. 36. [Ornismya.
- rivoliana** Micropteryx (Cuv.), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 73.—Seriola.
- rivoliana** Seriola, Cuvier & Valenc., H. N. Poiss. IX. 1833, 207.
- rivorum** Mya, Studer in Coxe, Trav. Switz. III. 1789, 392. [1758.
- rivosa** Limnobia (L.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 118.—Tipula,
- rivosa** Limonia (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 262.—Tipula, L. 1758.
- rivosa** Pedicia (L.), P. A. Latreille, Gen. Crust. Ins. IV. 1809, 255.—Tipula, 1758.
- rivosa** Sapromyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 265.
- rivosa** Tephritis, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 61 [*n. n.*].
- rivosus** Trionyx, R. Owen, Rept. London Clay (Pal. Soc. II.) July 1849, 56.
- rivoti** Ostrea, Coquand & Bayle, Bull. Soc. géol. France (sér. 2) VII. 1850, 235 [*n. n.*].
- Rivula** Guénéé in Duponchel, Cat. méth. Lépid. Europe (2) 1845, 206.—Lep.
- rivulalis** Hydrocampa, Duponchel in J. B. Godart, H. N. Lépid. France, VIII (2) (Noct. 5, pt. 2) 1834, 341. [Tortrix.
- rivulana** Eriopsela (Huebner), A. Guénéé, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 163.—
- rivulana** Pyralis (De Vill.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 258.—Tortrix, Huebner. 1797.
- rivulana** Syndemis, J. Huebner, Verz. bekannt. Schmett. 1826, 382.—Tortrix, 1797.
- rivulana** Syricoris (D. & S.), F. Treitschke, Schmett. Europa, VII. 1829, 230.—Tortrix, Huebner. 1797.

- rivulana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 29 (Fernaldo judice 1797)
- rivularis** Aleochara, J. L. C. Gravenhorst, Coleopt. micr. 1802, 73. [[*n. et f.*].
- rivularis** Altica, Dejean, Catal. Coléopt. 1821, 119 [*n. n.*].
- rivularis** Aminta, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- rivularis** Ancyclus, T. Say, J. Acad. Nat. Sci. Philad. I. no. 6, Oct. 1817, 125. [571.
- rivularis** Anthrax, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 176.
- rivularis** Aphrodes, Germ.?; J. Curtis, Brit. Entom. XIV (158) Feb. 1837, no. 633.
- rivularis** Arctia, Ménétriés in Boisduval, Gen. Index Europ. Lepid. 1840, 65.
- rivularis** Autalia (Grav.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 20.—Aleochara.
- rivulare** Bembidium, L. Gyllenhal, Ins. Suecica, I (2) 1810, 33.
- rivularis** Chelonia, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 263.
- rivularis** Chironomus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 10.
- rivularis** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 777.
- rivularis** Cyclostoma, E. Eichwald, Zool. Spec. I. 1829, 302.
- rivularis** Cymindis, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3)
- rivularis** Cytherea, C. T. Menke, Moll. N. Holl. 1843, 42. [Nov. 1844, 45.
- rivularis** Delphax, E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 57.
- rivularis** Elater, L. Gyllenhal, Ins. Suecica, I. 1808, 403.
- rivularis** Emphanes (Sturm), V. v. Mochulski, Kaefer Russl., *post* May 1850, 13.—
- rivularis** Erebus, J. O. Westwood, Cab. Orient. Entom. 1847, 57. [? Lygaeus.
- rivularis** Gyrinus, A. Costa, Ann. Accad. Aspir. Nat. (2) I. 1847, 135.
- rivularis** Helix, C. F. F. Krauss, Südafrik. Moll. 1848, 77.
- rivularis** Hypnoidus (Gyll.), J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 261.—
- rivularis** Jassus, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 89. [Elater.
- rivularis** Lepidocyrtus, Bourlet, Mém. Soc. R. Agric. Douai, 1841-2 (1843), 105.
- rivularis** Lepleurus, Rafinesque, Ann. of Nature, 1820, 7.
- rivularis** Leuciscus (Pall.), P. A. Millet, Faune Maine et Loire, II. 1828, 727.—Salmo, 1773.
- rivularis** Limnaeus, Ziegler in Rossmassler, Icones Iconogr. Moll. I (1) 1835, 98.
- rivularis** Limnaeus, H. Scholtz, Uebers. Arb. schles. Ges. 1843 (1844), 149. [1830, 519.
- rivularis** Limnophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- rivularis** Limosia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- rivularis** Lygaeus, E. F. Germar, Revue Entom. V (3) 1840, 141. [538.
- rivularis** Macropoda, A. J. J. Solier, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 520.
- rivularis** Melania, R. A. Philippi, Abb. Conch. II (6) 1847, 171.
- rivularis** Muscicapa, Max Wied, Reise Brasil. II. 1821, 103.
- rivularis** Myiobius, Vieill.; G. R. Gray, Gen. Birds, I. May 1847, 249.
- rivularis** Nupharia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- rivularis** Obliquaria, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 3. [1830, 785.
- rivulare** Omalium (Payk.), J. L. C. Gravenhorst, Coleopt. micr. 1802, 116.—Staphylinus, 1789.
- rivularis** Ortalis (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 278.—Tephritis.
- rivularis** Oxytelus (Ol.), Lamarck, An. s. vert. IV. 1817, 487.—Staphylinus, ? Payk. 1789.
- rivularis** Paludina, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 17.
- rivularis** Parallelomorphus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 19 [*n. n.*].
- rivularis** Phalaena (Noctua), W. Turton, Linnaeus, Syst. Nat. III. 1802, 328.
- rivularis** Phyllotreta, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (3)
- rivularis** Physa, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 146. [1849, 147.
- rivularis** Tachys, V. v. Mochulski, Kaefer Russl., *post* May 1850, 8.
- rivularis** Tephritis, J. C. Fabricius, Syst. Antliat. 1805, 321.
- rivularis** Tetragonoderus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 69.
- rivularis** Trechus, Gyll.; Dejean, Catal. Coléopt. 1821, 16.—? Bembidium.
- rivularis** Trichopteryx, A. Allibert, Rev. Zool. (Soc. Cuv.) VII. Ap. 1844, 133.
- rivularis** Unio, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 3.
- rivularius** Conus, L. Reeve, Conch. Icon.—Conus, no. 260 (Suppl. pl. vi) June 1849.
- rivularius** Cryptohypnus (Gyll.), E. F. Germar, Zeitschr. f. d. Entom. V. 1844, 140.—Elater r—aris.

- rivularia** Emmelesia, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet B (Nov. 1847), 16.
- rivularius** Hypolithus (Gyll.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 33.—Elater r—aris.
- rivularia** Physa, D. Dupuy, Cat. extramar. Galliae Test., Feb. 1849, 4.
- rivulatoides** Scarus, P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, IV (2) 1846, 163.
- rivulata** Acidalia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 439.—Geometra,
- rivulatus** Balistes, E. Rueppell, Neue Wirbelth. Abyssin. (11) 1837, 56. [1775.
- rivulatus** Cheilinus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 86. [& 309 (? 1855).
- rivulatus** Cirrhites, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab. Pls. 1846)
- rivulatus** Dentex, E. T. Bennett, Proc. Zool. Soc. London, III (30) Sept. 1835, 91.
- rivulatus** Dentex, E. Rueppell, Neue Wirbelth. Abyssin. (12) 1838, 116.
- rivulata** Diacope, Cuvier & Valenc., H. N. Poiss. II. 1828, 414.
- rivulata** Didon, G. Cuvier, Mém. Mus. H. N. (Paris) IV [1-3] June 1818, 129.
- rivulata** Emmelesia (D. & S.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Geometra,
- rivulata** Emys, J. E. Gray, Cat. Tortoises etc. Coll. B. M. 1844, 22. [1775.
- rivulata** Equula, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1845), 126.
- rivulatus** Gobius, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.), Fische (—) 1830 *vel* 1831, 136.
- rivulata** Melanippe (D. & S.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1831, 289.—Geometra, 1775.
- rivulata** Phalaena (Hueb.), A. H. Haworth, Lepidopt. Brit. (2) 1809, 335.—Geometra, D. & S. 1775. [140.—Aranea, 1775.
- rivulatus** Pholcus (Forsk.), V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Arach.) 1826,
- rivulatus** Salaris, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.), Fische (—) 1830 *vel* 1831, 114.
- rivulatus** Serranus, Cuvier & Valenc., H. N. Poiss. VI. 1830, 515.
- rivulatus** Tetraodon, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1850), 285.
- rivulatus** Trichomycterus, Cuvier & Valenc., H. N. Poiss. XVIII. 1846, 495.
- Rivulina** Fleuriau de Belleville, Journ. Phys. 1820, *teste* Marschall, *sed non comp.*
- Rivulina** I. Lea, Proc. Zool. Soc. London, XVIII (213) Feb. 1851, 197.—G.
- rivulorum** Gerris, J. C. Fabricius, Ent. Syst. IV. 1794, 189.—Cimex, 1775.
- rivulorum** Hydrometra, J. C. Fabricius, Syst. Rhyng. 1803, 259.—Gerris, 1794.
- rivulorum** Limnobia, Schummel, Uebers. Arb. schles. Ges. 1832 (1833), 70 [*n. n.*].
- rivulorum** Perla, F. J. Pictet, H. N. Ins. Neuropt., Perlides, 1842, 284.
- rivulorum** Tubifex, Lamarck, An. s. vert. III. 1816, 225.
- rivulorum** Velia (Fab.), Latreille, N. Dict. H. N., ed. 2, XXXV. 1819, 337.—Hydrometra.
- rivulosus** Cancer, A. Risso, H. N. Crust. 1816, 14.
- rivulosus** Cerambyx (Trachyderes), E. F. Germar, Ins. spec. novae, I. 1824, 512.
- rivulosus** Dasytes, M'L.; Dejean, Catal. Coléopt. 1821, 38 [*n. n.*].
- rivulosus** Laccophilus, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 136.
- rivulosa** Liparis (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. II. 1837, 28.—Phalaena,
- rivulosa** Nais, J. Leidy, Proc. Acad. Nat. Sci. Philad. V (2) Ap. 1850, 34. [1773.
- rivulosus** Naupactus (Fab.), Dejean, Catal. Coléopt. 1821, 94.—Curculio, Ol. 1790.
- rivulosus** Oxymerus (Germ.), J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 51.—Cerambyx.
- rivulosus** Oxyrhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 381.
- rivulosa** Patella, S. Kutorga, Verh. Russ.-Kais. min. Ges. St Petersburg. 1845-6 (1846), 126.
- rivulosus** Xantho, A. Risso, H. N. Europe, V. 1826, 9.—Cancer, 1816.
- rivulus** Bulimus (Walker), T. Brown, Ill. Conch. G. B. I. 1827, pl. xli, f. 27.—Turbo,
- rivulus** Turbo, G. Montagu, Test. Brit. II. 1803, 331. [Mont.
- rixator** Batocera, E. Newman, Entomologist (17) Mar. 1842, 275.
- rixator** Ichneumon, J. R. Schellenberg, Entom. Beytr. (1) 1802, 23.
- rixosa** Machetornis (Vieill.), G. R. Gray, List Gen. Birds, ed. 2, 1841, 41.—Tyrannus.
- rixosa** Pepoaza (Vieill.), A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 62.—Tyrannus.
- rixosus** Tyrannus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXV. 1819, 85.
- riz-** *v.* **rhiz-**
- Rizaena** de Blainville, N. Dict. H. N. IX. 1817, 339; *err. pro* Ryzæna, Ill.

- Rizaena** Ill.; *sic* Agassiz, Nom. Zool. (Mamm.) 1842, 29; *vide* Ryzaena.
- Rizophysa** Péron & Lesueur, Voy. Aust. (Atlas) I. 1807, pl. xxix.—Med.
- rizo**→ *v. et* **rhizo**→, **rhyzo**→, **ryzo**→.
- rizzae** Helix, Aradas, L'Occhio, Anno V, no. 143; P. Calcara, Cenne Moll. Sicilia, Dec. 1845, 22.
- rizzae** Natica, R. A. Philippi, Zeitschr. f. Malakozool., July 1844, 108. [1845, 22.]
- roanokensis** Unio, I. Lea, Syn. Naiades, 1836, 30 [*n. n.*]; Tr. Amer. Phil. Soc., n. s. VI (1)
- robericotiana** Nomada, G. W. F. Panzer, Ins. Germ., heft 72, 1799, tab. 18. [1838, 27.]
- robertella** Adela (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Phalaena, 1761.
- robertii** Agrilus, A. Chevrolat, Revue Entom. V (2) c. Sept. 1838, 89.
- roberti** Braco, C. Wesmael, N. Mém. Ac. Roy. Brux. XI. 1839, 37.
- roberti** Ceuthorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 548.
- roberti** Conocephalus, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Sept. 1841, 294.
- roberti** Exocoetus, Mueller & Troschel in R. H. Schomburgk, Hist. Barbados, 1847, 675.
- robertii** Exoprosopa, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 322.
- roberti** Hemiramphus, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 24.
- robertii** Masicera, J. Macquart, Ann. Soc. Ent. France [2] VIII (4) c. Jan. 1851, 477.
- roberti** Nucleolites, A. Gras, Bull. Soc. stat. Isère, IV. 1846 (May 1848), 332.
- robertii** Paramesia, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 657.
- roberti** Sapromyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 343.
- robertii** Trupanea, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 211.
- robertianus** Productus, L. de Koninck in Gaimard, Voy. Scand. Lapon. (II (5) Geol) [1849], 261.
- robertianus** Turrilites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 585.
- Robertina** A. d'Orbigny, Mod. Foram., ed. 2, 1843, 15.—Rh.
- robertoni** Terebratula, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 315.
- robertsonella** Aplota, J. Curtis, Brit. Entom. XIV (164) Aug. 1837, no. 655.
- robertsoni** Ctenodus, J. L. R. Agassiz, Poiss. Foss. III., 167 (1843) [*n. et f.*].
- robertsoni** Diplopterus, L. Agassiz, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 198; Poiss. Foss. II (2), 159 & 162 (1844) [*n. n.*].
- robertsoni** Modiola, T. Brown, Ill. Foss. Conch. G. B. I. [1845–9], 173.
- robertsonii** Phyllium, F. W. Hope, Ann. Mag. Nat. Hist. VII. no. 42, Ap. 1841, 144 [*n. n.*].
- robertsoni** Stagonolepis, J. L. R. Agassiz, Poiss. F. V. G. R., 139 (1845).
- robinae** Cecidomyia, S. S. Haldeman, Descr. new & interest. anim. 1847, 3.
- robinae** Spermophagus (Fab.), Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 104.—Bruchus, 1781.
- robinaldi** Pleurotomaria, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 243.
- robinaldina** Anatina, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 374.
- robinaldina** Arca, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 208.
- robinaldina** Crassatella, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 75.
- robinaldinus** Dysaster, H. G. Cotteau, Bull. Soc. Sci. Yonne, III. 1849, 243.
- robinaldina** Lima, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 531.
- robinaldina** Myopsis (Orb.), J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 254.—Panopaea.
- robinaldina** Panopaea, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 331.
- robinaldinus** Pecten, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 587.
- robinaldina** Periploma, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 380.
- robinaldina** Pinna, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 251.
- robinaldina** Ptychomya (Orb.), L. Agassiz, Etude crit. Moll. foss. (2) ii. 1845, p. xviii.—Crassatella.
- robinaldina** Rostellaria, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 282.
- robinaldinus** Solecurtus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 75.—Solen, 1845.
- robinaldinus** Solen, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 320.
- robinaldina** Trigonia, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 139.
- robinaldina** Venus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 435.
- robineauina** Cucullaea (Orb.), H. G. Bronn, Index Pal. 1848, 359.—Arca r—naldina.
- robineauinus** Lyriodon (Orb.), H. G. Bronn, Index Pal. 1848, 688.—Trigonia r—naldina.
- robineausa** Turritella, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 67.
- robineausiana** Nerilopsis (*sic*), A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 174.

- robini** Aepus, Laboulbène, C. R. Soc. Biol. [Paris] I. 1850 [1849], 22 [*n. n.*].
- robini** Ammonites, L. v. Buch, Abh. ph.-Kl. K. pr. Ak. Wiss. 1848 (1850) [1848], 28.
- robini** Ammonites, V. Thollière, Ann. Soc. Agric. Lyon, XI (6) 1849, 747.
- robini** Ceratites (Th.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 190.—Ammonites.
- robini** Hirundo, R. P. Lesson, Traité Ornith. (4) Sept. 1830, 270.
- robini** Hypostomus, Cuvier & Valenc., H. N. Poiss. XV. 1840, 501.
- robini** Trechus (Aepus), A. Laboulbène, Ann. Soc. Ent. France [2] VII (1) July 1849, 35.
- robinia** Amblycerus (Herbst), C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 121.—  
Curculio, 1795.
- robinia** Cossus, Peck, Massach. Agric. Repos. V. 1818, 67; T. W. Harris, Treat. Ins.  
N. England, 1842, 296.
- robinia** Cycloderes (Herbst), C. J. Schoenherr, Isis (Oken), 1823, 1139.—Curculio, 1795.
- robinia** Thylacites (Herbst), E. F. Germar, Ins. spec. novae, I. 1824, 411.—Curculio, 1795.
- robinia** Xyleutes (Peck), T. W. Harris, Treat. Ins. N. England, 1842, 297.—Cossus.
- robinsii** Argynis, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) VIII. May 1821, 281.
- robinsoni** Ammonites, M. Simpson, Mon. Amm. 1843, 42.
- robinson** Ornismya, R. P. Lesson, Rev. Zool. (Soc. Cuv.) Jan. 1839, 18.
- robinsoni** Palaeoniscus, Ag., *err. pro* robisoni; J. E. Portlock, Rept. Geol. Londonderry,  
Jan. 1843, 462.
- robinsoni** Selandria, J. Curtis, Proc. Linn. Soc. London (42) Ap. 1850, 66.
- robisoni** Palaeoniscus, L. Agassiz, Tr. R. Soc. Edinb. XII (1) c. Feb. 1835, 191.
- robisoni** Palaeoniscus, Hibbert in Agassiz, Poiss. Foss., Feuilleton, 47 (1835).
- robolo** Lepisosteus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 332.
- roboralis** Nephopterix (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 370.—Tinea
- roborana** Cacoecia, J. Huebner, Verz. bekannt. Schmett. 1826, 388. [r—ella, 1775.]
- roborana** Lozotaenia (Huebner), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Tortrix,  
D. & S. 1775.
- roborana** Pendina (D. & S.), F. Treitschke, Schmett. Europa, VII. 1829, 228.—Tortrix,
- roborana** Phalaena (Pyraxis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 351. [1775.]
- roboraria** Boarmia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 433.—Geometra,
- roboraria** Boarmia, A. & O. Speyer, Isis (Oken), 1843, 251. [1775.]
- roboraria** Cymatophora, J. Huebner, Tentamen (me judice 1806), 2 [*n. n.*].
- roboraria** Dryocoetis (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 316.—  
Geometra, 1775.
- roboraria** Phalaena (Geometra), W. Turton, Linnaeus, Syst. Nat. III. 1802, 235.
- roborator** Pimpla, J. C. Fabricius, Syst. Piezat. 1804, 116.—Ichneumon, 1793.
- roborata** Venus, S. Hanley, Proc. Zool. Soc. London, XII (140) Feb. 1845, 161.
- roborella** Argyromiges, H. T. Stainton, The Zoologist, VI (7) 1848, 2153.
- roborella** Phycis (D. & S.), Zincken, Mag. Entom. (Germar) III. 1818, 147.—Tinea, 1775.
- roboreus** Bombyx, A. H. Haworth, Lepidopt. Brit. (1) 1803, 104.
- roborea** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 306, Mar. 1845.
- roborifoliella** Elachista, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.)  
[1843], 342.
- roborina** [Phalaena], G. L. Scharfenberg in Scriba, J. Liebh. Ent. (3) 1791, 238 [*n. n.*].
- roboris** Acalles, J. Curtis, Brit. Entom. XII (138) June 1835, no. 550.
- roboris** Callimome, F. Walker, Entom. Mag. I (2) Jan. 1833, 120. [donta.]
- roboris** Chaonia (Fab.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Nov. 1828, 30.—Noto-
- roboris** Cinara (L.), J. Curtis, Brit. Entom. XII (144) Dec. 1835, no. 576.—Aphis, 1758.
- roboris** Coccus, F. v. P. Schrank, F. Boica, II (1) 1801, 146.
- roboris** Cryptorhynchus, J. Curtis, Guide Brit. Ins. (2) 1829–30, 47 [*n. n.*].
- roboris** Hadena, C. F. Freyer, Neuere Beitr. Schmett. IV (49) 1839, 7.
- roboris** Lachnus (L.), J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 148.—Aphis, 1758.
- roboris** Lasiocampa, F. v. P. Schrank, F. Boica, II (2) 1802, 154.—? Phal. Noctua, Fab.
- roboris** Lithocolletis, P. C. Zeller, Isis (Oken), 1839, 217. [1781.]
- roboris** Lycaena (Esp.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 27.—Papilio, 1793.
- roboris** Notodonta (Fab.), E. F. Germar, Syst. Gloss. Prod. 1811, 41.—Noctua, 1781.
- roboris** Papilio, Pleb.; E. J. C. Esper, Die Schmett., Suppl., 1 Abschn. 1793, 59.
- roboris** Phalaena Noctua, J. C. Fabricius, Spec. Ins. II. 1781, 217; Mant. Ins. II. 1787, 144.



- roboris** Platygaster, F. Walker (*ex* Hal. MS), Entom. Mag. III (3) Oct. 1835, 234.
- roboris** Pteroclorus (Fab.), C. Rondani, N. Ann. Sci. Nat. [2] IX. 1848 [Feb.], 35.—Aphis, L. 1758. [Anthribus, 1798.]
- roboris** Rhinosimus (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 26.—
- roboris** Salpingus (Fab.), Illiger, Mag. f. Insektenk. (Illiger) I (3 & 4) 1802, 301.—Anthribus, 1798.
- roboris** Thecla (Esp.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 29.—Papilio,
- roborosus** Leptocerus, E. F. Germar, Ins. spec. novae, I. 1824, 423. [1793.]
- roborosus** Naupactus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 571.—Lepto-
- roborosus** Thylacites, Germ.; J. Sturm, Catal. Ins. Samml. 1826, 202. [cerus.]
- Robula** Montfort, 1808; *sic* Agassiz, Nom. Zool., *sed err. pro* Robulus.
- Robulina** A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 287.—Rh.
- Robulus** Denys de Montfort, Conch. I. 1808, 214.—Rh.
- robustellus** Nematus, A. G. Dahlbom, Conspect. Tenthred. 1835, 9 [*n. n.*].
- robustella** Tetralopha, P. C. Zeller, Isis (Oken), 1848, 881.
- robustior** Canis, P. W. Lund, Afhandl. K. Danske Vid. Selsk. XI. 1845, 33.
- robustior** Chilina, G. B. Sowerby, I., Malac. Conch. Mag. (2) 1839, 53.
- robustum** Acridium, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
- robusta** Alauda, C. L. Brehm, Isis (Oken), 1841, 136. [647.]
- robusta** Aphis, F. Walker, The Zoologist, VII. 1849, App., p. xliii.
- robusta** Arachnothera, Mueller & Schlegel in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Aves) 1845, 68.
- robusta** Arcomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 173.
- robustus** Asilus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 478.
- robusta** Astraea, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 248.
- robustus** Aulacopus, C. H. G. v. Heyden, Entom. Zeitung, Stettin, V (1) Jan. 1844, 15.
- robustus** Bioderus (Fald.), V. v. Mochulski, Kaefer Russl., *post* May 1850, 23.—Microderes.
- robusta** Blaps, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 68.
- robustus** Brachistes, J. T. C. Ratzeburg, Die Ichneum. I (*c.* Mar.) 1844, 54.
- robusta** Brachycola, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec.
- robusta** Calobata, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1051. [1838], 120.
- robusta** Campephaga, G. R. Gray (*ex* Lath. MS), Gen. Birds, I. June 1846, 283.
- robustus** Campephilus (Licht.), G. R. Gray, Gen. Birds, II. Sept. 1845, 436.—Picus.
- robustus** Capitosaurus, H. v. Meyer, N. Jahrb. f. Min. 1842, 302.
- robusta** Cardinia (Sow.), L. G. de Koninck, Descr. Anim. foss. (2) [Dec. 1841], 71.—
- robustum** Cardium, D. Solander, Catal. Portland Mus. 1786, 58 & 62 [*n. n.*]. [Unio.]
- robusta** Cavia, Lund, Ann. Sci. Nat. [2] (Zool.) XIII. May 1840, 313 [*n. n.*].
- robustus** Cebus, Max Wied in H. Kuhl, Beitr. Zool. I. 1820, 35.
- robustus** Cheiracanthus, Diesing, Ber. Vers. deutsch. Nat. u. Aerzte, 1837 (1838), 189 [*n. n.*]; Ann. Wiener Mus. II [2] 1839, 222.
- robustus** Chlaenius, C. H. Boheman, Ins. Caffr. I (1) 1848, 155. [H. V (2) 1845, 288.]
- robusta** Cingula, H. C. Lea, Proc. Boston Soc. N. H. I (—) 1844, 205; Boston Journ. N.
- robusta** Clausilia, Kuester in L. Pfeiffer, Mon. Helic. II. 1848, 447.
- robusta** Clavatula, R. B. Hinds, Proc. Zool. Soc. London, XI (122) Oct. 1843, 39.
- robusta** Clythra, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 95 [*n. n.*].
- robustus** Corizus, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 26.
- robustus** Cracticus (Lath.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 367.—Lanius.
- robustus** Cratonychus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. III. 1841, 99.
- robustus** Cuculus, H. Boie, Isis (Oken), 1828, 1034.
- robustus** Curculio, A. G. Olivier, Entom. V. 1807, 398.
- robustus** Cyathocrinites, G. Troost, P. Amer. Assoc. 1849 (1850), 61 [*n. n.*].
- robustus** Cybister, Dupont in C. Aubé, Spec. gén. Hydroc. 1838, 47.
- robustus** Ditomus, Parreys in Dejean & Boisduval, Icon. Coléopt. I. 1830, 243.
- robusta** Drymoica, E. Rueppell, Syst. Ueber. Vögel N.-O. Afr. 1845, 35.
- robustus** Dryocopus (Licht.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 133.—Picus.
- robusta** Eucera, J. Baer, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850, 534.
- robusta** Eusthenes (L. & S.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 64.—Tessarotoma.

- robustus** Exetastes, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 422.
- robusta** Feronia (Dahl), Dejean, Spec. gén. Coléopt. III. 1828, 411.—Molops, ? Ziegl.
- robustus** Fusus, M. Tuomey, Rep. Geol. S. Carolina, 1848, 153 [*n. n.*].
- robusta** Galictis, P. W. Lund, Afhandl. K. Danske Vid. Selsk. XI. 1845, 77 [*n. n.*].
- robustus** Gelasimus, A. White, List Crustacea Coll. B. M. 1847, 36 [*n. n.*].
- robustus** Gerbillus (Ruepp.), H. R. Schinz, Syst. Verz. Säug. II. 1845, 218.—Meriones.
- robustus** Graucalus (Lath.), J. Gould, Ann. Mag. N. H. XI. May 1843, 335.—Lanius.
- robustus** Halmaturus (Gould), H. R. Schinz, Syst. Verz. Säug. I. 1844, 560.—Macropus.
- robustus** Hemidactylus, C. H. G. v. Heyden in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Rept. (—) 1830 *vel* 1831, 19.
- robusta** Heriades, W. Nylander, Notiser Sällsk. fauna Fennica Förhandl. I. 1848, 270.
- robustus** Hister, W. F. Erichson, Jahrb. Insectenk. I. 1834, 130.
- robusta** Idothea, H. Krøyer, Naturhist. Tidsskrift [2] II (1) 1846, 108.
- robustus** Lanius, J. Latham, Index Orn., Suppl. 1801, p. xviii.
- robusta** Laphria, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 500.
- robusta** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 312.
- robustus** Leptops (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 298.—Curculio.
- robustus** Listroderes, G. R. Waterhouse, Proc. Zool. Soc. London, IX (107) May 1842, 122.
- robustus** Macrophagus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 51.
- robustus** Macropus (Petrogale), J. Gould, Proc. Zool. Soc. London, VIII (91) Ap. 1841, 92.
- robusta** Madrepora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 475.
- robusta** Mallophora (Wied.), J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 206.—Asilus.
- robustus** Mastodonsaurus, F. A. Quenstedt, Die Mastodonsaurier, 1850, 34.
- robusta** Megilla, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. *i*.
- robusta** Melania, I. Lea, P. Amer. Phil. Soc. II (19) Oct. 1841, 83.
- robustus** Meriones, P. J. Cretzschmar in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.), Säug. (—) 1830 *vel* 1831, 75.
- robustus** Microderes, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 81.
- robusta** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 140, Oct. 1844.
- robustus** Molops, Ziegl.; J. Sturm, Catal. Ins. Samml. 1826, 170.
- robustus** Mus, Lund, Ann. Sci. Nat. [2] (Zool.) XII. Oct. 1839, 208 [*n. n.*].
- robustum** Omalium, Imhoff in O. Heer, Coleopt. Helvet. (2) 1839, 179.
- robusta** Omaloplia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 79.
- robustus** Oncomeris (Lep. & Serv.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 142.—Tesseratoma.
- robustus** Oodes, A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1838, 31.
- robustus** Ornithichnites, E. Hitchcock, Amer. J. Sci. XXXII (1) Ap. 1837, 175.
- robusta** Panopaea (Ag.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 47.—Arcomya.
- robustus** Parus, C. L. Brehm, Isis, 1828, 1284 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831, [461].
- robustus** Passalus, A. Percheron, Mon. Passales, 1835, 35.
- robusta** Perca, J. Couch, Mag. Nat. Hist. V. Jan. 1832, 21.
- robusta** Petricola, G. B. Sowerby, I., Proc. Zool. Soc. London, II (18) Sept. 1834, 47.
- robusta** Petricola, R. A. Philippi, Zeitschr. f. Malakozool. (Nov.) 1848 [Mar. 1849], 163.
- robusta** Petrogale, J. Gould, Mon. Macropidae (1) Aug. 1841, pl. 5.—Macropus, 1841.
- robustus** Phalangopsis (D.), S. S. Haldeman, P. Amer. Assoc. 1849 (1850), 346.
- robusta** Phoracantha, E. F. Germar, Linnaea Entom. III. Ap. 1848, 225.
- robustus** Picus, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 9.
- robustus** Picus, J. B. v. Spix, Avium Brasil. I. 1824, 56.
- robustus** Platypalpus, F. Walker, Entom. Mag. IV (3) Jan. 1837, 228.
- robusta** Pleurotoma (Hinds), L. Reeve, Conch. Icon.—Pleurotoma, no. 204, Oct. 1845.— [Clavatula.
- robusta** Pterocera, W. Swainson, Exotic Conch. 1821, sign. B<sup>8</sup>.
- robustus** Pteromalus, F. Walker, Entom. Mag. II (5) Jan. 1835, 488.
- robustus** Rhombomys, J. A. Wagner in Schreber, Säugth., Suppl. III. 1843, 486.—
- robusta** Sciara, F. Walker, List Dipt. Coll. B. M. (1) 1848, 105. [Meriones, 1831.
- robustus** Sparactes (Lath.), C. Illiger, Prod. 1811, 219.—Lanius.

- robustus** Spirifer, J. Barrande, Naturw. Abhandl. (Haidinger) II. 1848, 162.
- robusta** Stereoma, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 439.
- robusta** Suya (Blyth), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 281.—Drymoica.
- robusta** Tachina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 290.
- robustus** Tanymecus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 233.
- robusta** Tellina, S. Hanley, Proc. Zool. Soc. London, XII (134) Sept. 1844, 63.
- robusta** Terebra, R. B. Hinds, Proc. Zool. Soc. London, XI (130) June 1844, 149.
- robusta** Tessaratoma, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 591.
- robusta** Tetanocera, H. Loew, Entom. Zeitung, Stettin, VIII (7) July 1847, 197.
- robustus** Tetralobus, F. W. Hope, Proc. Zool. Soc. London, X (113) Dec. 1842, 75.
- robustum** Thelastoma, J. Leidy, Proc. Acad. Nat. Sci. Philad. V (5) Oct. 1850, 101.
- robustus** Thomisus, C. W. Hahn, Die Arachniden, I (3) Dec. 1832, 50.
- robustus** Unio, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. 39.
- robusta** Vitrina, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 181.
- robustus** Xysticus, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 39.—Thomisus, 1832.
- robustus** Zabrus, C. Zimmermann, Mon. Carab. (1) 1831, 52.
- robysnii** Colliuris, P. L. Van der Linden, N. Mém. Ac. Roy. Brux. V. 1829, 24.
- robysnii** Harpognathus, Wesmael, L'Institut, 1 Mar. 1834, 76.
- robysnii** Trochus, P. H. Nyst, Coq. Foss. Anvers, 1835, 26.
- rocar** Turdus, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 199.
- rocayanus** Bulimulus (Orb.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 67.—Helix.
- rocayanus** Bulimus, A. d'Orbigny, Amér. Mérid. (Moll.) 1837, 277.—Helix, 1835.
- rocayana** Helix, A. d'Orbigny, Syn. Moll. Am. mérid. in Magasin de Zool. V. 1835, 13.
- Roccellaria** Lea, Proc. Zool. Soc. London, 1850, 196.—G. [*teste* Marschall, *sed non est*].
- rocellaria** Petricola, Lamarck, An. s. vert. V. 1818, 504.
- rocellaria** Venus (Petricola), F. S. Voigt in Cuvier, Thierreich, III. 1834, 551.
- rocellicola** Bulimus, Webb & Berthelot, Ann. Sci. Nat. XXVIII (111) Mar. 1833, 325.
- Roccus** S. L. Mitchell, Rept. Fishes N. York, Jan. 1814, 25.—P.
- Rocellaria** de Blainville, Dict. Sci. Nat. LVII. 1828, 244.—G.
- Rocellarie** J. E. Gray, Syn. Cont. Brit. Mus., ed. 43, 1841, 78.—A. [*n. n.*].
- rochalia** Pieris, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 506.
- rochana** Amblypodia, T. Horsfield, Cat. Lepidopt. Ins. Mus. E. I. C. (2) 1829, 108.
- rochatiana** Pterocera, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 104.
- rochatianus** Scaphites, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 147.
- rochatianum** Solarium, Pictet & Roux, Mém. Soc. Phys. H. N. Genève, XII (1) 1849, 73.
- rochatiana** Varigera, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 103.
- rocheanus** Thynnus, A. Risso, H. N. Europe, III. 1826, 417.
- rochefortiana** Polymorphina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 137.
- rochei** Scomber, A. Risso, Ich. Nice, 1810, 165.
- rochetii** Fulgora (Dictyophora), Guérin-M. in Lefebvre, Voy. Abyssin. VI. 1849, 342.
- rochettae** Pleurotoma, L. Bellardi, Mem. R. Acc. Sci. Torino [2] IX. 1848, 597.
- rochettina** Astrea, H. Michelin, Icon. Zoophyt. (5) 1842, 58.
- rochettina** Bifrontia, A. J. Michelotti, N. Jahrb. f. Min. 1846, 54 [*n. n.*].
- rochettina** Bifrontia, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2) III (2) 1847, 172.
- Rochus** E. Eichwald, Arch. f. Min. XIX. 1845, 668.—P.
- Rocinela** W. E. Leach, Dict. Sci. Nat. XII. 1818, 349.—Cr.
- rocinella** Doris, W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 268 [*n. n.*].
- rodactylus** *v.* rhodactylus.
- rodlatzi** Macra (Mulinia), W. Dunker, Zeitschr. f. Malakozool., Feb. [Ap.] 1850, 30.
- rodlatzi** Venus, W. Dunker, Zeitschr. f. Malakozool. (Dec.) 1848 [Ap. 1849], 185.
- roddami** Cratosomus (Kirby), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 13.—Rynchaenus.
- roddami** Rynchaenus, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 434.
- Rodens** S. A. Renier, Tavole (1804) xviii; Oken, Lehrb. Nat. III (1) 1815, 388.—Verm.
- rodens** Leuciscus, L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 39.
- rodens** Squalius (Ag.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1041.—Leuciscus.
- rodericensis** Platycephalus, Cuvier & Valenc., H. N. Poiss. IV. 1829, 253.

- rodino**→ *v. rhod*→.
- rodo** *Pristipoma*, Cuvier & Valenc., H. N. Poiss. V. 1830, 274.
- rodo**→ *v. rhodo*→.
- Rodolia** E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 902.—Col.
- rodolphina** *Quinqueloculina*, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 299.
- rodon** *Tellina*, S. Hanley, Proc. Zool. Soc. London, XII (1838) Dec. 1844, 140.  
[**rodriguez**→; Latreille Rodriguez insulam in animo habebat?]
- rodriguui** *Anthicus* (Latr.), F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 6.—*Notoxus* ["Mon. Anth." *poster. edit.*].
- rodriguui** *Leptaleus* (Latr.), F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 5.—*Anthicus* ["Mon. Anth." *poster. edit.*].
- rodriguui** *Notoxus*, P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 357.
- rodriguezii** *Mytilus*, A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 646.
- roedingi** *Fusus*, H. E. Anton, Verz. Conch. 1839, 75.
- roedingi** *Haliotis*, K. T. Menke, Zeitschr. f. Malakozool., July 1844, 97.
- roei** *Amycterus*, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 62.
- roei** *Anodonta*, W. W. Saunders (*ex* Hope MS), Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 67.
- roei** *Dermestes*, Hope in Pettigrew, Egypt. Mummies, 1834, 55.
- roei** *Haliotis*, J. E. Gray in P. P. King, Narr. Surv. Australia, II. 1827 [*i.e.* Ap. 1826], 493.
- roei** *Idiocephala*, W. W. Saunders, Tr. Entom. Soc. Lond. IV (2) Nov. 1845, 143.—*Anodonta*, 1843.
- roei** *Iphipus*, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 127.
- roei** *Pangonia*, W. S. MacLeay (*ex* King MS) in P. P. King, Narr. Surv. Australia, II. 1827 [*i.e.* Ap. 1826], 467.
- roei** *Pentatoma*, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 42.
- roei** *Psyllobora*, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 187.
- roei** *Rhynchocoris*, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 30.
- roei** *Stenochorus*, F. W. Hope, Proc. Zool. Soc. London, VIII (88 & 89) Jan. 1841, 50.
- roei** *Stenoderus*, F. W. Hope, Tr. Entom. Soc. Lond. I (1) Nov. 1834, 17.
- roemeri** *Acervularia*, J. Haime, Bull. Soc. géol. France (sér. 2) VII. 1850, 162.
- roemeri** *Achilleum*, H. G. Bronn, Index Pal. 1848, 5. [Goniatites.
- roemeri** *Aganites* (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 60.—
- romeri** *Ammonites* (Muenst.), H. D. de Blainville, Dict. Sci. Nat., Suppl. I. 1840, 143.—Goniatites.
- roemeri** *Astarte*, Rouillier & Vosinsky, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (2) 1849,
- roemeri** *Avicula*, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 85. [395.
- roemeri** *Capulus* (Goldf.), H. G. Bronn, Index Pal. 1848, 217.—*Natica*.
- roemeri** *Caratomus*, Desor, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 151.
- roemeri** *Cardinia*, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 76.
- roemeri** *Ceripora*, F. v. Hagenow, N. Jahrb. f. Min. 1839, 285. [ceritites, Roem.
- roemeri** *Ceripora* (Hag.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 278.—*Meli-*
- roemeri** *Cerithium* (Muenst.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 11.—*Fusus*.
- römeri** *Cidaris*, Wissmann in G. v. Muenster, Beitr. zur Petref. (4) 1841, 47.
- roemeri** *Corimya*, J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 267.
- roemeri** *Cristellaria*, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 95.
- roemeri** *Cucullaea*, H. B. Geinitz, Char. Schicht. sächs.-böhm. Kreidegeb. (2) 1840, 50.
- roemeri** *Cyathocrinites*, G. Troost, P. Amer. Assoc. 1849 (1850), 61 [*n. n.*].
- roemeri** *Cylindrella*, L. Pfeiffer, Mon. Helic. II. 1848, 382.
- roemeri** *Cyprina*, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 365.
- roemeri** *Cyrena*, W. Dunker, Mon. Norddeutsch. Weald. 1846, 41.
- roemeri** *Donax*, R. A. Philippi, Zeitschr. f. Malakozool. (Oct.) 1848 [Mar. 1849], 147.
- roemeri** *Fasciolaria*, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 111.—*Pleurotoma*,
- roemeri** *Flabellum*, R. A. Philippi, Tertiärverst. n.-w. Deutschl. 1844, 34. [1845.
- roemeri** *Fusus*, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 22.
- roemeri** *Goniatites*, G. v. Muenster, Beitr. zur Petref. (1) 1839, 27.
- roemeri** *Graptolithus*, J. Barrande, Grapt. Bohême, 1850, 41.
- roemeri** *Hamites*, H. B. Geinitz, Char. Schicht. sächs.-böhm. Kreidegeb. (3) 1842, 68.
- roemeri** *Hamulina*, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 66.

- roemeri** Helix, L. Pfeiffer, Zeitschr. f. Malakozool. (Aug.) 1848 [Mar. 1849], 117.
- roemeri** Lepidotus, W. Dunker, Mon. Norddeutsch. Weald. 1846, 65.
- roemeri** Lyonsia (Koch), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 234.—Tellina.
- römeri** Lyriodon (Ag.), H. G. Bronn, Index Pal. 1848, 688.—Trigonia.
- roemeri** Marginaria, W. Lonsdale in F. Dixon, Geol. Sussex, 1850, 314.
- roemeri** Marginulina, A. E. Reuss, Verst. boehm. Kreidef. I. 1845, 28.
- roemeri** Meliceritites (Hag.), F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 18.—Ceriopora.
- roemeri** Mitra (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 226.—Fasciolaria.
- roemeri** Natica, G. A. Goldfuss, Petref. German. III (8) 1844, 91 & 117.
- roemeri** Natica, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 222.
- roemeri** Natica, H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 128.
- roemeri** Nerinea, R. A. Philippi, N. Jahrb. f. Min. 1837, 294.
- roemeri** Ostrea, F. A. Quenstedt, Floezgeb. Wuertemb. 1843, 434.
- roemeri** Ostrea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 54.
- roemeri** Palaeno, J. B. Robineau-D., Ann. Soc. Ent. France [2] VII (2) Oct. 1849, 130.
- roemeri** Paludina, W. Dunker, Stud. Goetting. Ver. bergm. Freunde, V (2) [1843], 126; Norddeutsch. Wälderthon, 1843, 12; Mon. Norddeutsch. Weald. 1846, 55.
- roemeri** Panopaea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 157.
- roemeri** Panopaea, H. B. Geinitz, Das Quadersandsteingeb. (2) 1850, 146.
- roemeri** Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) ii, 1845, 66.
- roemeri** Pholas, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 72.
- roemeri** Pleurotoma, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 203.
- roemeri** Pleurotoma, R. A. Philippi, Tertiärverst. n.-w. Deutschl. 1844, 56.
- roemeri** Plicatula, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 681.
- roemeri** Rostellaria, J. Mueller, Verh. nat. Ver. pr. Rheinl. V. 1848, 154.
- roemeri** Rotalia, H. G. Bronn, Index Pal. 1848, 1103.
- roemeri** Sanguinolaria, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 300.
- roemeri** Scalites (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 68.—Natica.
- roemeri** Scaphites, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 214.
- roemeri** Spondylus, Deshayes in Leymerie, Mém. Soc. géol. France, V. 1842, 10.
- roemeri** Tellina, F. C. L. Koch & Dunker, B. z. K. d. Norddeutsch. Oolith. 1837, 21.
- roemeri** Terebratula, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 318.
- roemeri** Thracia (Ag.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 252.—Corimya.
- roemeri** Trigonia, L. Agassiz, Etudes crit. Moll. foss. I. 1841, 51.
- roemeri** Trochus, G. A. Goldfuss, Petref. German. III (8) 1844, 51.
- roemeri** Turbo, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 67.
- roemeri** Unio, W. Dunker, Stud. Goetting. Ver. bergm. Freunde, V (2) [1843], 141; Norddeutsch. Wälderthon, 1843, 20; Mon. Norddeutsch. Weald. 1846, 28.
- roemeriana** Cypridina, J. Bosquet, Mém. Soc. R. Sci. Liége, IV., *post* Aug. 1847, 362.
- roemerianus** Spirifer, L. G. de Koninck, Descr. Anim. foss. (5) Aug. 1842, 235.
- roensis** Lutra, W. Ogilby, Proc. Zool. Soc. London, II (21) Feb. 1835, 111.
- roeselana** Tortrix, F. Froelich, Enum. Tortric. Wuertt. 1828, 91.
- roeseli** Amiba, Bory de St V., Ency. Méth. (Zooph.) 1824, 46.
- roeseli** Astacobdella, C. M. Diesing, Syst. Helminth. I. 1850, 433.
- roeseli** Bufo, P. A. Latreille, s. à Deterville ed. Buffon, Rept. II. 1801, 108.
- röselii** Cicada, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 341.
- roeseli** Cybister (Fab.), J. Curtis, Brit. Entom. IV (38) Feb. 1827, 151.—Dytiscus, 1792.
- roeseli** Digitalina, Bory de St V., Ency. Méth. (Zooph.) 1824, 252.
- roeseli** Digitalina, Bory de St V., Dict. Class. H. N. V., May 1824, 503.
- roeseli** Eurylobus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 184.
- roeseli** Gammarus, F. L. P. Gervais, Ann. Sci. Nat. [2] (Zool.) IV. Aug. 1835, 128.
- roeseli** Gammarus, A. Hosijs, De Gammari spec. 1850, 24.
- roeseli** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 206.
- röselii** Ichneumon, G. L. Scharfenberg in Bechstein & S., Vollst. Nat. schädli. Forstinsect. III. 1805, 975.

- roeseli** Libellula, J. Curtis, Guide Brit. Ins. (5) 1830, 131 [*n. n.*]; Brit. Entom. XV (178) Oct. 1838, no. 712.
- roeseli** Locusta, J. J. Hagenbach, Symb. Faun. Ins. Helvet. 1822, 39.
- roeseli** Lygaeus, P. S. Schilling, Schles. Ges. vat. Kultur, Beitr. Entom. 1829, 60.
- roeseli** Micropteryx (Hag.), J. F. Stephens, Ill. Brit. Ent. (Mand. VI.) Ap. 1835, 13.—
- roeseli** Operculina, Bory de St V.; Dict. Class. H. N. XII. Aug. 1827, 232. [Locusta.
- roeseli** Operculina, Bory de St V., Ency. Méth. (Zooph.) 1827, 577.
- roeseli** Stentor, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1835 (1837) [1836], 179.
- roeseli** Stentorina, Bory de St V., Ency. Méth. (Zooph.) 1827, 699.
- Roeselia** J. Huebner, Verz. bekannt. Schmett. 1826, 397.—Lep. [Dipt.
- Roeselia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 145.—
- roeselia** Cynthia, F. Eschscholtz in Kotzebue, Entdeck. Reise Süd-See, III. 1821, 207.
- roesella** Chrysoesthia (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 422.—Phalaena, 1758.
- roesella** Glyphipteryx (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Nov. 1834, 272.—Phalaena, 1758.
- roesella** Oecophora (Gm.), Lamarck, An. s. vert. III. 1816, 546.—Phalaena, L. 1758.
- roesella** Yponomeuta (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 251.—Tinea,
- roesellae** Eulophus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 179. [1775.
- roerslerstammella** (*sic*) Aechmia, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl.
- Roeslerstammia** P. C. Zeller, Isis (Oken), 1839, 202.—Lep. [IV (Noct.) [1843], 472.
- röttenbacheri** Eryon, G. v. Muenster, Beitr. zur Petref. (2) 1839, 13.
- rofo-palliatus** Turdus, De Lafresnaye, Rev. Zool. (Soc. Cuv.) III. Sept. 1840, 259.
- rogaa** Bodianus (Forsk.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 334, & *var.* lunaria, p. 335.—Perca, 1775.
- rogaa** Serranus (Forsk.), Cuvier & Valenc., H. N. Poiss. II. 1828, 349.—Perca, 1775.
- rogana** Tortrix, A. Guénée, Ann. Soc. Ent. France [2] III (1) c. Aug. 1845, 140.
- Rogas** Nees v. Esenbeck, N. A. Ac. Caes. Leop. Car. IX. 1818, 306.—Hym.
- rogatoria** Mantis, M. Houttyn in Stoll, Spoken (Index Phasm. [1813]), 79.
- Rogenia** Cuvier & Valenc., H. N. Poiss. XX. 1847, 340.—P.
- rogeri** Buprestis, H. Dupont, Magasin de Zool. II. 1832, pl. 43.
- rogeri** Cetonia, Dupont in H. Burmeister, Handb. Ent. III. 1842, 796.
- rogeri** Chrysochroa (Dup.), Laporte & Gory, H. N. Coléopt. I. 1835–1836, 13.—Buprestis.
- rogeri** Crastia, C. Geyer in J. Huebner, Zuträge z. Exot. Schmett. V. 1837, 36.
- rogerii** Nymphalis, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 371.
- rogerii** Opaëla, Dejean, Spec. gén. Coléopt. I. 1825, 434.
- rogeri** Papilio, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 278.
- rogerii** Pristipoma, Cuvier & Valenc., H. N. Poiss. V. 1830, 254.
- rogersii** Hyposaurus, R. Owen, Q. J. Geol. Soc. London, V. 1849, 383.
- rogersi** Lagana (Mort.), L. Agassiz, Cat. Ect. Ech. 1840, 6.—Scutella.
- rogersi** Ornithoidichnites, E. Hitchcock, Rep. Assoc. Amer. geol. nat. 1843, 256.
- rogersii** Pecten, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII., *post* Sept. 1834, 151.
- rogersi** Scutellia, S. G. Morton, Syn. Org. Rem. Cret. 1834, 77.
- rogersiana** Arca, P. H. Nyst, Mém. Ac. Roy. Belg. XXII. 1848, 62.
- rogznicensis** Ammonites, L. Zejszner, Nowe skam. Tatrow. 1846, pl. iv, f. 4 [*n. et f.*].
- rogznicensis** Terebratula, L. Zejszner, Nowe skam. Tatrow. 1846, 19.
- Rohita** Cuvier & Valenc., H. N. Poiss. XVI. 1842, 244.—P.
- rohita** Cirrhinus (Ham.), J. M'Clelland, Asiat. Researches, XIX (2) 1839, 266.—Cyprinus.
- rohita** Cyprinus, F. Hamilton, Fish. Ganges, 1822, 301.
- rohita** Rohita (Ham.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1026.—Cyprinus.
- Rohrella** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 489.—Dipt. [1830, 604.
- rohrelliformis** Phyllis, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- rohri** Achatinella, L. Pfeiffer, Proc. Zool. Soc. London, XIV (158) July 1846, 38.
- rhorii** (*sic*) Chlorima (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 115.—Curculio, 1773.
- rohrii** Diaprepes (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 9.—Curculio, 1775.
- rohri** Helicina, L. Pfeiffer, Proc. Zool. Soc. London, XVI (188) Ap. 25, 1849, 124.
- Rohtee** W. H. Sykes, Proc. Zool. Soc. London, VI (71) May 1839, 161.—P.

- roissali** Crenilabrus (Risso), H. Cloquet, Dict. Sci. Nat. XI. 1818, 388.—Lutjanus.
- roissali** Lutjanus, A. Risso, Ich. Nice, 1810, 276.
- [roissy→.]
- roissyanus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 302.
- roissyanus** Apicrinus, A. d'Orbigny, H. N. Crinoïdes (1) Aug. 1840, 20.
- roissyanum** Flabellum, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848, 268.
- royssiana** (*sic*) Helicostyla (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 37.—Helix.
- roissyana** Helix, A. E. Férussac in G. P. Deshayes in A. E. Férussac, H. N. g. et p. Moll. I. 1850, 297.
- roissyana** Leptastrea, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Aug. 1849, 120.
- roissyana** Nerita, C. A. Récluz, Rev. Zool. (Soc. Cuv.) IV. Nov. 1841, 338.
- roissyana** Paphies (Crassatella), R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 424.
- royssiana** (*sic*) Terebratula, *id. ac* roissy, Vern.; A. Keyserling, Wiss. Beob. Petschora,
- roissy** Ampullaria, A. d'Orbigny, Amér. Mérid. (Moll.) 1840, 377. [1846, 237.
- roissy** Buccinum, G. P. Deshayes in C. Bélanger, Voy. Indes Orient. (6) Dec. 1832, 432.
- roissy** Calyptraea, H. Dufo, Ann. Sci. Nat. [2] (Zool.) XIV. Oct. 1840, 206.
- roisseyi** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 322.
- roissy** Chemnitzia (Arch.). A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 298.—Turritella.
- roissy** Chnemidium (Mich.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 186.—Hippalimus.
- roissy** Diadema, Desor, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 350.
- roissyii** Hippalimus, H. Michelin, Icon. Zoophyt. (9-12) 1844, 126. [Paris, 1841, 86.
- roissy** Julus, H. M. Edwards, L'Institut, Aug. 1841, 279; Extr. P. V. Soc. Philom.
- roissy** Littorina, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 337.
- roissy** Lucina, A. de Leymerie, Mém. Soc. géol. France, IV (2) 1841, 336 [*n. n.*]; *ibid.* V
- roissy** Plicatula, Defrance, Dict. Sci. Nat. XLI. 1826, 401. [(1) 1842, 4.
- de roissy** Spirifer, C. Léveillé, Mém. Soc. géol. France, II (1) 1835, 39.
- roissy** Spirigera (Lév.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 150.—
- roissy** Terebratula, De Verneuil, Bull. Soc. géol. France, XI. 1840, 259. [Spirifer.
- deroissy** Terebratula (Lév.), H. G. Bronn, Index Pal. 1848, 1235.—Spirifer.
- roissy** Trochus, B. C. Payraudeau, Cat. Moll. Corse, 1826, 130.
- roissy** Turbo (Arch.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 153.—Littorina.
- roissy** Turritella, d'Archiac, Mém. Soc. géol. France, V (2) 1843, 380.
- roissy** Unio, A. G. L. Michaud, Compl. Moll. Draparnaud, 1831, 112.
- roissii** Venus (Leym.), A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 441.—Lucina.
- rojasi** Spirifer, de Verneuil, Bull. Soc. géol. France (sér. 2) VII. 1850, 178.
- rolandi** Aphanus (Fab.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 35.—Lygaeus rolandri, 1794.
- rolandi** Lumbricus, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 178.
- rolandi** Lumbrinereis, S. d. Chiaje, Descr. An. invert. Sicilia, III. 1841, 83.
- rolandius** Murex, A. Risso, H. N. Europe, IV. 1826, 201. [133.—Cimex, 1758
- rolandri** Aphanus (L.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840,
- rolandri** Pachymeria (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65.—Cimex, 1758.
- rolandri** Pachymerus (L.), P. S. Schilling, Schles. Ges. vat. Kultur, Beitr. Entom. 1829, 72.—Cimex, 1758.
- rolandri** Rhyparochromus (L.), J. Curtis, Guide Brit. Ins. (7) 1831, 199.—Cimex, 1758.
- rolandriana** Sparganothis (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 387.—Phalaena, 1758.
- rolandriana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 27 (Fernaldo judice 1797) [*n. et f.*].
- rollandi** Nautilus, A. Leymerie, Mém. Soc. géol. France (2) I (2) 1846, 365.
- rollandi** Ostrea, Tallavignes, Bull. Soc. géol. France (sér. 2) IV. 1847, 1141 [*n. n.*].
- rolland** Podiceps, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 133.
- rollandianus** Trochus, A. d'Orbigny in Hommaire de Hell, Steppes Mer Caspienne, III.
- rolletii** Acalles, E. F. Germar, Fauna Ins. Europ. (21) 1839, 14. [1845, 450.
- rollii** Lebia, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 3 [*n. n.*].
- rollinati** Crocodilus, J. E. Gray, Syn. Rept. 1831, 61

- rollinatii** *Pristiodon* (Gray), L. Fitzinger, Syst. Rept. 1843, 35.—*Crocodilus*.
- rollinii** *Cyathophyllum*, Castelnau, Ess. Silur. Amér. sept. 1843, 49.
- Rollulus** G. R. Gray, List Gen. Birds, ed. 2, 1841, 80.—A.
- Rollus** Denys de Montfort, Conch. II. 1810, 394.—G.
- rolphii** *Clauselia Iphigenia*, J. E. Gray, London Med. Reposit. XV. 1821, 239 [*n. n.*].
- rolphii** *Clausilia*, J. E. Gray in W. Turton, Man. L. & F. W. Shells, ed. 2, May 1840, 215.
- Romalea** J. G. Audinet-S., Ann. Sci. Nat. XXII (87) Mar. 1831, 280.—Orth.
- Romaleon** J. Gistl, Nat. Thierr. 1848, p. xi.—Cr.
- Romaleosoma** E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 448.—Lep.
- Romalocera** Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 389.—Col. [*n. n.*].
- romana** *Phalaena* (Pyralis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 354.
- romandii** *Anthophora*, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 87.
- romandii** *Ceropria*, Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831, 403.
- romandii** *Euglossa*, F. E. Guérin-M., Iconographie, 1844, Ins., 458.
- romandii** *Labidus*, W. E. Shuckard, Ann. Nat. Hist. V. June 1840, 261.
- romandi** *Lycisca*, J. O. Westwood, Magasin de Zool. (2) III. 1841, pl. 84.
- romandii** *Plesia*, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) Ap. 1838, 59.
- romandi** *Polistes*, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Oct. 1841, 325.
- romandii** *Thoracantha*, F. E. Guérin-M., Iconographie, 1844, Ins., 415.
- romaniana** *Tortrix*, O. G. Costa, Corrisp. Zool. I. 1839, 121.
- romana** *Amphicoma*, Duponchel, Ann. Soc. Ent. France, II (2) c. July 1833, 254.
- romanus** *Columba*, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 364.
- romana** *Muraena*, G. Shaw, Gen. Zool. (Pisc.) IV (1) 1803, 26.
- romanus** *Otiorhynchus*, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 285.
- romana** *Pleurotoma*, DeFrance, Dict. Sci. Nat. XLI. 1826, 393.
- romana** *Venerupis*, P. Calcara, L'Occhio, anno V, no. 143; Cenne Moll. Sicilia, Dec. 1845, [12.
- romb**→ *v.* **rhomb**→.
- romblonensis** *Bulimus*, L. Pfeiffer, Proc. Zool. Soc. London, X (118) Feb. 1843, 152.
- romenilianus** *Ichneumon*, G. Cuvier, Revue Entom. I (5) c. Nov. 1833, 209.
- romeo** *Zygaena*, A. Lefebvre in Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. II (Crépus.) 1836, 131.
- Romeris** B. H. Hodgson, J. Asiat. Soc. Bengal, X. 1841 (*post* 7 Ap.), 28.—A.
- romeritus** *Acantholabrus*, A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 64.
- romeris** *Acantholabrus*, A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 64.
- Romicia** J. E. Gray, Mag. Zool. Bot. II (12) Feb. 1838, 495.—M.
- Romilius** F. Walker, Ann. Mag. N. H. X. Dec. 1842, 274.—Hym.
- romingeri** *Orthis*, J. Barrande, Naturw. Abhandl. (Haidinger) II. 1848, 203.
- romosana** *Axia*, J. Huebner, Verz. bekannt. Schmett. 1826, 395.—*Tortrix ramosana*, 1796.
- romulea** *Anomalina*, G. Nicolucci, Rend. R. Accad. Sci. [Napoli] II. 1843, 349.
- romulea** *Arca*, G. Brocchi, Conch. Subap. 1814, 486.
- romuleus** *Omaseus*, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 7 [*n. n.*].
- romulaea** *Pectunculus* (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXIX. 1825, 257.—
- romuli** *Brissopsis*, Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 15. [Arca.
- romulus** *Menelaides* (Cr.), J. Huebner, Verz. bekannt. Schmett. [1820], 84.—*Papilio*, 1775.
- romulus** *Thecla* (Fab.), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 40.—*Hesperia*,
- roncanum** *Cerithium*, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 319. [1793.
- roncanus** *Fusus*, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 317.
- roncanus** *Helicites*, E. F. v. Schlotheim, Die Petref. 1820, 106.
- roncana** *Isocardia*, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 615.
- roncanus** *Strombus*, P. M. T. de Serres, Geogn. Terr. tert. 1829, 119.
- ronchi** *Cellepora*, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 38.
- ronchi** *Escharina* (Chiaje), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II.
- Ronchifex** J. Gistl, Nat. Thierr. 1848, p. viii.—P. [Aug. 1836, 235.—*Cellepora*.
- ronchus** *Corvina*, Cuvier & Valenc., H. N. Poiss. V. 1830, 107.
- ronchus** *Pristipoma*, A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 25.
- ronchus** *Umbrina*, A. Valenciennes in Webb & Berthelot, Canaries (Ich.) 1843, 24.
- Rondania** J. B. Robineau-D., Ann. Soc. Ent. France [2] VIII (2) *post* June 1850, 192.—Dipt.



[rondani→.]

- rondani** Apeistus (Villa), Motschulsky, Bull. Soc. Imp. Nat. Moscou, 1840, 186.—Mono-
- rondanii** Monotoma, Villa & Villa, Coleopt. Europ. 1833, 36. [toma.]
- rondani** Spartycerus (Villa), Motschulsky, Bull. Soc. Imp. Nat. Moscou, 1837 (5) 1837, 100.—Monotoma.
- rondani** Tetralobus, J. Bertoloni, N. Comm. Ac. Sci. Inst. Bonon. X. 1849, 423.
- rondeletii** Actinia, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 73.
- rondeletii** Actinia, F. S. Leuckart, Zool. Bruchst. II. 1841, 115.
- rondeletii** Aplysia (Cuv.), P. S. Rang, H. N. Aplysiens, 1828, 75.—Dolabella.
- rondeleti** Carcharias (Risso), E. Eichwald, De Selachis, 1819, 68.—Squalus.
- rondeletii** Carcharodon, Joh. Mueller & Henle, Syst. Plagiost. (2) 1839, 70.
- rondeleti** Cassis, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 51.
- rondeletii** Cyprinus, G. Shaw, Nat. Misc. XIV. 1802, pl. 556.
- rondeletii** Dolabella, G. Cuvier, Règne Anim. II. 1817, 398.
- rondeletii** Exocoetus, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 115.
- rondeletii** Galathea, T. Bell, 16 Rept. Brit. Assoc. (South. 1846), 1847, Trans., 81 [n. n.].
- rondeletii** Galeorhinus (Risso), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.—Squalus.
- rondeletii** Munida, T. Bell, Brit. Stalk-eyed Crust. (5) 1846, 208.
- rondeletii** Ophiura, A. Risso, H. N. Europe, V. 1826, 273.
- rondeletii** Orthroriscus, C. Ranzani, N. Comm. Ac. Sci. Inst. Bonon. III. 1839, Dispo-
- rondeletii** Pleuronectes, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 307. [sitio.]
- rondeletii** Portunus (Herbst), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 216.
- rondeletii** Sargus, Cuvier & Valenc., H. N. Poiss. VI. 1830, 14.
- rondeletii** Sayris (Val.), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 96.—Scombrosox.
- rondeletii** Scombrosox, Cuvier & Valenc., H. N. Poiss. XVIII. 1846, 472.
- rondeletii** Sepiola, W. E. Leach, Zool. Miscell. III. 1817, 140.
- rondeletii** Solea (Shaw), G. Cuvier, R. Anim. II. 1817, 223.—Pleuronectes.
- rondeletii** Squalus, A. Risso, Ich. Nice, 1810, 27.
- rondeletii** Syngnathus, Delaroché, Ann. Mus. H. N. (Paris) XIII (77) June 1809, 324.
- rondeletii** Trachypterus, O. G. Costa, Fauna Regno Napoli, Pesci, II., Trachypt., 10 (Oct. 1842).
- rondeletii** Xiphias, W. E. Leach, Mem. Werner. N. H. Soc. II (1) May 1814, 58.
- rondeletiana** Sepiola, [A. d'Orbigny], A. E. Férussac & A. d'Orbigny, H. N. Céph. acétab., Sepiola, pl. ii [die non det.].
- rone** Crenilabrus (Asc.), Cuvier & Valenc., H. N. Poiss. XIII. 1839, 172.—Labrus, 1772.
- Ronia** J. E. Gray, Ann. Mag. N. H. VII. Ap. 1841, 87.—R.
- ronsii** Unio, D. Dupuy, H. N. Moll. France (6) 1851-2, 653.—*vide* rousii.
- ronzonii** Entelodon, A. Aymard, Ann. Soc. Agric. Puy, XII. 1842-46, 1846, 1848 (wrapper),
- ronzoni** Mergus, P. Gervais, Mém. Ac. Montpellier, I (3) 1849, 220 [n. n.]. [242.]
- Ropalita** C. S. Rafinesque, Analyse, 1815, 140.—Ceph. [n. n.].
- Ropalocera** Meigen, 1820; *sic* Scudder, *sed non comp.*
- Ropalocerus** T. W. Harris, Rep. Geol. Massach., ed. 2, 1835, 575.—Col. [n. n.].
- Ropalodontus** J. Mellié, Ann. Soc. Ent. France [2] VI (3) Jan. 1849, 233.—Col.
- ropaloides** *v.* rhopaloides.
- Ropalomera** C. R. W. Wiedemann, Anal. Entom. 1824, 17.—Dipt.
- Ropalophora** Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 175.—Col.
- Ropalophorus** J. O. Westwood, Introd. Ins. II. 1840, Syn., p. 61.—Hym.
- Ropalopus** E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 40.—Col.
- Ropaloteles** Guérin, Mag. de Zool. 1845 (1849), text to pls. 158-161, p. 8; Rev. et Mag. de Zool. [2] I. 1849, 140.—Col.
- Ropal**→ *v.* **Rhopal**→.
- ropalus** *v.* rhopalus.
- roperiana** Pholas, M. Tuomey, Rep. Geol. S. Carolina, 1848, 153 [n. n.].—*poperiana*, p. 210.
- Rophites** M. Spinola, Ins. Liguria, II. 1808, 8.—Hym.
- roppii** Ammonites, G. Fischer v. W., Oryct. Moscou, ed. 2, 1837, 169.
- roppii** Melania, F. Du Bois de M., Conch. foss. Wolhyni, 1831, 45.
- Roptrocerus** J. T. C. Ratzeburg, Die Ichneum. II. 1848, 209.—Hym.

- ropunctata** Lema, F. v. Gebler in Ledebour, Reise Altai, II, 1830, 196.
- roralis** Cratopus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 50.—Curculio,
- roralis** Haematopota, J. C. Fabricius, Syst. Antliat. 1805, 107. [1798.]
- roralis** Melanophora (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 59.—Musca, 1758.
- roralis** Ocyptera (L.), C. F. Fallen, K. Vet. Ac. Handl. 1815 (2) 1816, 238.—Musca, 1758.
- roralis** Praepodes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 356.
- roralis** Tachina (L.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 284.—Musca, 1758.
- roralis** Thisanotia (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 367.—Phalaena rorella,
- roralis** Volucella, F. v. P. Schrank, F. Boica, III (1) 1803, 138. [1767.]
- rorata** Mitra, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 171.
- rorellus** Chilo (L.), Zincken, Mag. Entom. (Germar) II. 1817, 68.—Phal. Tinea, 1767.
- rorellus** Crambus (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 50.—Phal. Tinea, 1767.
- rorrella** Plutella (Huebner), F. Treitschke, Schmett. Europa, VIII. 1830, 299.—Tinea.
- rorrella** Tinea, Huebner, Samml. Europ. Schmett. (Tinea), 44, fig. 234 (Fernaldo judice 1811-17).
- rorella** Yponomeuta (Huebner), F. Treitschke, Schmett. Europa, IX (1) 1832, 222.—Tinea.
- rorea** Erminea, A. H. Haworth, Lepidopt. Brit. (4) 1828, 513.—Tinea rorella, Huebner.
- roreus** Heomus (*sic*) (Fab.), Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 273.—Curculio, 1792.
- roreus** Ileomus (L.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 146.—Curculio, 1792.
- roreus** Larinus (Fab.), E. F. Germar, Ins. spec. novae, I. 1824, 381.—Lixus.
- roreus** Lixus, J. C. Fabricius, Syst. Eleuth. II. 1801, 505.—Curculio, 1793.
- rorea** Melolontha, D. H. Schneider, Verz. Insectensamml. 1828, 76 [*n. n.*].
- rorea** Palparia, A. H. Haworth, Lepidopt. Brit. (3) 1811, 489.—Phal. Tin. rorella, L. 1767.
- roreus** Pissocles, Fab.; Dejean, Catal. Coléopt. 1821, 87 [*n. n.*].
- roricatus** Chalcoedermus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 384.
- roridum** Callidium (Hosparophanes), A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840,
- rorida** Cleonis (Fab.), Dejean, Catal. Coléopt. 1821, 97.—Curculio. [62.]
- roridus** Cleonus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 204.—Curculio, ? Pall. 1781.
- roridus** Colymbetes, Müll.; J. Sturm, Catal. Ins. Samml. 1826, 125.
- roridum** Goniosoma, M. Perty, Del. anim. artic. Brasil. (3) 1833, 202.
- rorrida** Hoplia, Ziegl.; Dejean, Catal. Coléopt. 1821, 59 [*n. n.*].
- roridus** Lixus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 116.—Curculio.
- rorida** Melolontha, F. Weber, Obs. Ent. 1801, 71.
- rorida** Orthosia, I. Frivaldszky, K. magyar tudos Tarsasag évkön. II. 1833, 272.
- rorida** Sapromyza, C. F. Fallen, Orthalides Sveciae (3) 1820, 32.
- rorifluus** Murex, Adams & Reeve, Zool. "Samarang" (6) Moll., May 1850, 38.
- rorismarinis** Coccus, Boyer de F., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 217.
- Rorqual** G. Cuvier, Règne Anim., ed. 2, I. 1829, 298.—M. [*? usu gen.*].
- rorqual** Balaenoptera, B. G. E. de Lacepède, H. N. Cétac. 1804, p. xxxvii.
- Rorqualus** F. Cuvier (Roret's Suite à Buffon), Cétacés, 1836 [Dec. 1835], 303.—M.
- rorquala** Physalis, S. D. W., The Analyst, IV (15) Ap. 1836, 71.
- rorrella** *v.* rorella.
- rorulenta** Blaps, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 66.
- rorulenta** Clubiona, H. Nicolet in Gay, Chili, III (Arach.) 1849, 437.
- rorulentus** Copturus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 637.
- rosa** Biplex, G. Perry, Conchology, Ap. 1811, pl. 4.
- rosa cauda** Agama, F. M. Daudin, Sonnini's Buffon, Rept. III (1802), 400.
- rosacauda** Calotes (Agama) (Daud.), B. Merrem, Tent. Syst. Amph. 1820, 56.—Agama.
- rosa-cordis** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 111.
- rosa-ponti** Fasciolaria, R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. July 1842, 212.—Fusus,
- rosa-ponti** Fusus, R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. Ap. 1842, 104. [1842.]
- rosa-suaveolens** Aphis, C. S. Rafinesque, Amer. Monthly Mag. III (1) May 1818, 16.
- Rosacea** Quoy & Gaimard, Ann. Sci. Nat. X (38) Feb. 1827, 176.—Coel.
- rosaceana** Loxotaenia, T. W. Harris, Rep. Insects Massach. 1841, 348.

- rosaceana** Sciaphila, F. Schlaeger, Ber. lepidopt. Tauschver. [Jena] for 1847, 229.
- rosacearum** Smerinthus, Boisduval, S. à Buffon (Lép.) I. 1836, expl. pl. xv.
- rosacei-collis** Bucco, C. J. Temminck in T. & Laugier, Pls. color. (88) May 1831.
- rosaceicollis** Capito, L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 500.
- Rosacella** de Blainville, Dict. Sci. Nat. (ed. 2) IV (Suppl.) 1816, 91.—? Verm.
- rosaceus** Amblacrinus (Roem.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 104.—
- rosacea** Asterias, Lamarck, An. s. vert. II. 1816, 558. [Platycrinus.]
- rosaceus** Asteriatites, E. F. Schlotheim, Taschen. Min. 1813, 68.
- rosaceus** Asteriscus (Lam.), Joh. Mueller & Troschel, Syst. Asterid. 1842, 40.—Asterias.
- rosacea** Astrea, G. A. Goldfuss, Petref. German. I (1) 1826, 66.
- rosacea** Athorybia (Forsk.), J. F. Eschscholtz, Syst. Acalephen, 1829, 154.—Physso-phora, 1775.
- rosaceus** Barrabandius (Vig.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 2.—Palae-
- rosaceus** Botryllus, J. C. Savigny, Mém. An. s. Vert. (2) 1816, 198. [ornis.]
- rosaceus** Bulinus, P. P. King & Broderip, Zool. Journ. V (19) Sept. 1831 [*i.e.* July 1832], 341.
- rosacea** Cacatua (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XVII. 1817, 11.—Psittacus, 1790.
- rosacea** Carpophaga (Temm.), G. R. Gray, Gen. Birds, II. Sept. 1844, 469.—Columba.
- rosacea** Carpophaga (Temm.), G. R. Gray, List Birds Coll. B. M. III. Oct. 1844, 6.—Columba.
- rosacea** Cirolana, A. Risso, H. N. Europe, V. 1826, 122.—Cymothoa, 1816.
- rosaceus** Clypeaster (L.), Lamarck, Syst. Anim. 1801, 349.—Echinus, 1758.
- rosaceus** Clypeaster, C. Des Moulins [*non* Lam.], Actes Soc. Linn. Bordeaux, IX (49)
- rosacea** Columba, C. J. Temminck in T. & Laugier, Pls. color. (98) 1835. [1837, 58.]
- rosacea** Comatula, H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 229.
- rosaceus** Conus, L. W. Dillwyn (*ex* Chemn.), Catal. Shells, 1817, 434.
- rosaceus** Conus, L. C. Kiener, Spec. Coquilles (Conus) 1849, 265.
- rosacea** Cymothoa, A. Risso, H. N. Crust. 1816, 140.
- rosacea** Discus, R. P. Lesson, Prod. Méduses [*auct. typ.*] 1837, 2; (Roret's Suite à Buffon), Acalèphes, 1843, 256.—Eudora, 1838.
- rosaceum** Distomum, A. v. Nordmann, Mikr. Beitr. wirbellos. Thiere (1) 1832, 82.
- rosaceus** Dolichopus, C. R. W. Wiedemann, Anal. Entom. 1824, 40.
- rosacea** Dynamena (L.), J. V. F. Lamouroux, N. Bull. Sci. Soc. Philom. Paris, III (63) Dec. 1812, 184.—Sertularia, 1758.
- rosaceus** Echinanthus (L.), L. Oken, Lehrb. Nat. III (1) 1815, 354.—Echinus, 1758.
- rosacea** Echinastraea (Ellis), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 344.—
- rosacea** Emarginula, H. E. Anton, Verz. Conch. 1839, 27. [Madrepora, ? Esp. 1789.]
- rosaceus** Encrinites, E. F. v. Schlotheim, Petref., Nachtr. 2, 1823, 90.
- rosaceus** Eucalyptocrinites, G. A. Goldfuss, Petref. German. I (3) 1831, 214.
- rosacea** Eudora, R. P. Lesson in Duperry, Voy. "Coquille," Zool. II (2) 2 (1838), 128.
- rosacea** Geryonia, J. F. Eschscholtz, Syst. Acalephen, 1829, 89.
- rosacea** Haliotis, L. Reeve, Conch. Icon. III.—Haliotis, no. 60, July 1846.
- rosacea** Helix, G. B. Sowerby, Zool. "Blossom," 1839, 143.
- rosaceus** Hippocampus, A. Risso, H. N. Europe, III. 1826, 184.
- rosaceus** Millericrinus (Schl.), A. d'Orbigny, H. N. Crinoïdes (3) May 1841, 81.—En-
- rosacea** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 321, Mar. 1845. [crinites.]
- rosacea** Montipora (Lam.), H. D. de Blainville, Man. Actin. 1834, 389.—Porites.
- rosacea** Nyctimene (Lam.), J. Gistel, Handb. Naturges. 1850 [1847], 576.—Clypeaster.
- rosacea** Oedipoda, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 728.
- rosacea** Ostrea, G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, VII. Jan. 1836,
- rosaceus** Palaeornis, N. A. Vigors, Zool. Journ. V (18) June 1830, 274. [236.]
- rosaceus** Palaeornis, E. Lear, Psittacidae (3) Jan. 1831.
- rosacea** Physalia, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V & VI., 1830, pl. 76.
- rosacea** Planaxis, A. Risso, H. N. Europe, IV. 1826, 176.
- rosaceus** Platycrinus, C. F. Roemer, Rheinische Uebergangsgeb. 1844, 63.
- rosacea** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 166, Oct. 1845.

- rosaceus** Plyctolophus, E. Lear, Psittacidae (4) Feb. 1831.
- rosacea** Porites, Lamarck, An. s. vert. II. 1816, 272. [1775.]
- rosacea** Rhizophysa (Forsk.), L. Oken, Lehrb. Nat. III (1) 1815, 127.—Physsophora,
- rosacea** Rhodophysa (Forsk.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 112.—Physsophora, 1775.
- rosacea** Robulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 289.
- rosacea** Rotalia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar., 1826, 273.
- rosaceum** Scutum (L.), C. F. Schumacher, Essai Vers test. 1817, 85.—Echinus, 1758.
- rosacea** Tellinides, P. P. King & Broderip, Zool. Journ. V (19) Sept. 1831 [*i.e.* July 1832],
- rosaceus** Thriothorus, R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Sept. 1840, 262. [336.]
- rosaceus** Unio, J. E. De Kay, N. H. New York (Moll.) 1843, 192.
- rosaceus** Unio, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. IV (7) Feb. 1849, 153.
- rosacea** Uvella, Bory de St V., Ency. Méth. (Zooph.) 1827, 767.
- Rosacilla** F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 19.—Polyz.
- rosae** Andrena, G. W. F. Panzer, Ins. Germ., heft 74, 1800, tab. 10.
- rosae** Aphidius, A. H. Haliday, Entom. Mag. II (1) Jan. 1834, 97.
- rosae** Aspidiotus, F. Bouché, Nat. Garten-Ins. 1833, 53.
- rosae** Cecidomyia, J. J. Bremi, N. D. Allg. Schweiz. Gesellsch. IX. 1847, 27.
- rosae** Chrysis, A. G. Dahlbom, Mon. Chrys. Svec. 1829, 13.
- rosae** Cicadula (L.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 300.—Cicada, 1758.
- rosae** Cryptus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 51.—Hylotoma, Latr.
- rosae** Entedon, J. Curtis, Guide Brit. Ins. (4) 1829-30, 115 [*n. n.*].
- rosae** Eupteryx (L.), J. Curtis, Guide Brit. Ins. (6) 1831, 192.—Cicada, 1758.
- rosae** Eurytoma, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 415.
- rosae** Hylotoma (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 302.—Tenthredo,
- rosae** Iassus, J. C. Fabricius, Syst. Rhyng. 1803, 87.—Cicada, ? L. 1758. [1758.]
- rosae** Melitta (Panz.), W. Kirby, Mon. Apum Angl. II. 1802, 83.—Andrena.
- rosae** Mellisuga (B. & M.), G. R. Gray, Gen. Birds, I. Dec. 1848, 113.—Trochilus.
- rosae** Phyllotoma (L.), C. F. Fallen, Mon. Tenthred. Sveciae (2) 1829, 28.—Tenthredo, 1758.
- rosae** Psila (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 358.—Musca, 1794.
- rosae** Psilomyia (Fab.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 421.—Tephritis.
- rosae** Rhodites (L.), T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. II (1) 1840, 194.—Cynips, 1758.
- rosae** Rhynchaenus (Herbst), J. V. Zetterstedt, K. Vet. Ac. Handl. 1818 (2) 1819, 255.—Curculio, 1795.
- rosae** Scatophaga (Fab.), C. F. Fallen, Opomyzides Sveciae, 1820, 9.—Musca, 1794.
- rosae** Selandria, T. W. Harris, Treat. Ins. N. England, 1842, 380.
- rosae** Tephritis, J. C. Fabricius, Syst. Antliat. 1805, 319.—Musca, 1794.
- rosae** Tettigonia (Fab.), F. de Tigny, s. à Deterville ed. Buffon, Ins. IV. 1801, 160.—Iassus.
- rosae** Trochilus, Bourcier & Mulsant, Ann. Soc. Agric. Lyon, IX (3) 1846, 316.
- rosae** Typhlocyba (L.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 200.—Cicada, 1758.
- rosaecolana** Spilonota, H. Doubleday, The Zoologist, VIII. 1850, App., p. cvi.
- rosaecolor** Pyrrholinota, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 85 [*n. n.*].
- rosaeformis** Cupellaecrinites, G. Troost, P. Amer. Assoc. 1849 (1850), 61 [*n. n.*].
- rosalba** Trogon, G. Cuvier, Règne Anim., ed. 2, I. 1829, 459.
- Rosalia** J. G. Audinet-S., Ann. Soc. Ent. France, II (4) c. Mar. 1834, 561.—Col.
- rosalia** Avicula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 86.
- rosalia** Copris, J. C. Fabricius, Syst. Eleuth. I. 1801, 35.—Scarab. 1775.
- rosalia** Eumelea (Cr.), J. Duncan, Exot. Moths (Nat. Libr. XXXIII.) Dec. 1841, 215.—
- rosalia** Hapale (L.), C. Illiger, Prod. 1811, 72.—Simia, 1766. [Phalaena, 1781.]
- rosalia** Harpale, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-1811 (1815), 107 [*n. n.*].
- rosalia** Heliconia (Cr.), J. B. Godart, Ency. Méth. IX (1) (Ins.) 1819, 220.—Papilio, 1781.
- rosalia** Jacchus (L.), Desmarest, N. Dict. H. N., ed. 2, XXIV. 1818, 243.—Simia, 1766.
- rosalia** Leda, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 253.

- rosalia** Midas (L.), E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 121.—  
Simia, 1766.
- rosalia** Sagouin (L.), F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799  
[1802], 147.—Simia, 1766.
- rosalia** Sais (Cr.), J. Huebner, Verz. bekannt. Schmett. 1816, 10.—Papilio, 1779.
- rosalia** Vallonia, A. Risso, H. N. Europe, IV. 1826, 102.
- Rosalina** A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 271.
- rosalina** Venus, P. S. Rang, Magasin de Zool. IV. 1834, pl. 42.
- rosana** Lozotaenia (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Phalaena, 1758.
- rosana** Purpura, C. F. Schumacher, Essai Vers test. 1817, 212.
- rosana** Rhacodia (L.), J. Huebner, Verz. bekannt. Schmett. 1826, 385.—Phalaena, 1758.
- rosana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 22 (Fernaldo judice 1797)  
[*n. et f.*].
- rosana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 48 (Fernaldo judice 1830)  
[*n. et f.*].
- rosaria** Bacteria, Percheron in F. E. Guérin-M. & P., Gen. Ins. (5) 1836, no. 3.
- rosaria** Cecidomyia, H. Loew, Dipterologische Beiträge, IV. 1850, 35.
- rosaria** Cidarites, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 639. [1786.]
- rosarium** Cymopolia (S. & E.), J. V. F. Lamouroux, Hist. Polyp. 1816, 294.—Corallina,
- rosarium** Helix, L. Pfeiffer, Proc. Zool. Soc. London, XVII. (198) Jan.—June 1850, 131.
- rosaria** Madrepora, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 465.
- rosarium** Murex (*ex* Chemn.), L. W. Dillwyn, Catal. Shells, 1817, 685.
- rosaria** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 314, Jan. 1846.
- rosaria** Triplex, G. Perry, Conchology, Ap. 1811, pl. 6.
- rosarum** Aphidium, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 19.
- rosarum** Aphis, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 101.
- rosarum** Aromia, H. Lucas, Explor. Algér. (Artic. II.) 1849, 488.
- rosarum** Cecidomyia, J. Hardy, Ann. Mag. N. H. (2) VI. Sept. 1850, 186.
- rosarum** Cheilosa (Fab.), G. W. F. Panzer, Ins. Germ., heft 108, 1809, tab. 14.—Syrphus,
- rosarum** Clerus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 33 [*n. n.*]. [1787.]
- rosarum** Hylotoma, F. Klug, Ges. Nat. Fr. Berlin, Mag. VI (4) 1814, 293.—Tenthredo  
rosae, L. 1758.
- rosarum** Scaeva, J. C. Fabricius, Syst. Antliat. 1805, 251.—Syrphus, 1787.
- rosarum** Terambus, J. Gistel, Handb. Naturges. 1850 [1847], 428.
- rosarum** Terambus, J. Gistel, Nat. Thierr. 1848, 130. [310.]
- rosascens** Polydesmus, J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. V (20) May 1839,
- rosata** [Helix] (Cochlodina), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 65
- rosata** Lampyris, E. F. Germar, Ins. spec. novae, I. 1824, 62. [[*n. n.*].]
- rosata** Urocoptis (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 83.—Helix.
- roscidana** Nephodesme, J. Huebner, Verz. bekannt. Schmett. 1826, 390.—Tortrix, 1796.
- roscidaria** Fidonia (Huebner.), F. Treitschke, Schmett. Europa, V (2) 1825, 436.—Geometra,  
1796.
- roscidaria** Perconia, J. Huebner, Verz. bekannt. Schmett. 1825, 296.—Geometra, 1796.
- roscidella** Phycis, E. Eversmann, Lepidopt. Volgo-Ural. 1844, 553.
- roscidus** Amaurobius, C. L. Koch, Deutsch. Crust., heft 8, 1836, tab. 6. [[*n. et f.*].]
- roscida** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 25 (Fernaldo judice 1802)
- roscida** Callimorpha (Esp.) J. B. Godart, H. N. Lépid. France, IV (Noct. 1), 390, 1824.—  
Noctua, D. & S. 1775.
- roscida** Cetonia, C. J. Schoenherr, Syn. Insect. I (3) 1817, 141.
- roscida** Clausilia, Studer, Nat. Anz. Allg. Schweiz. Gesellsch. III (11) 1820, 89.
- roscidus** Clubiona (Koch), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837  
[1841], 480.—Amaurobius. [1775.]
- roscida** Endrosa (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 167.—Noctua,
- roscidus** Epitragus, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 565.
- roscida** Lithosia (Gm.), J. W. Meigen, Syst. Beschr. Europ. Schmett. III (2) 1831, 53.—  
Phalaena; ? Noctua, D. & S. 1775. [568.]
- roscidus** Naupactus, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,
- roscidus** Otiorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 578.

- roscida** Philea (Steph.), Humphreys & Westwood, Brit. Moths, I. 1840-1, 104.—Lithosia.
- roscida** Poeciloptera, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 104.
- roscida** Setina (—), F. v. P. Schrank, F. Boica, II (2) 1802, 166.—Noctua, D. & S. 1775.
- roscidum** Theridion, N. M. Hentz, Boston Journ. N. H. VI (2) 1850, 277.
- roscipennella** Gracillaria (Hueb.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 51.—  
Tinea, 1796. [1796.]
- roscipennella** Ornix (Hueb.), F. Treitschke, Schmett. Europa, IX (2) 1833, 202.—Tinea,
- roscipennella** Poeciloptilia, J. Huebner, Verz. bekannt. Schmett. 1826, 427.—Tinea, 1796.
- roscipennis** Gracillaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 528.—Tinea roscipennella,  
Hueb. 1796.
- rosco** Sylvia, J. J. Audubon, Birds of Amer., pl. 24 (1827); Orn. Biogr. I. 1831, 124 (S.  
**rosea** v. **roseus**, -a, -um. [roscoe].)
- roseaceus** Anthus, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83 [n. n.].
- roseago** Pyrrhia, J. Huebner, Verz. bekannt. Schmett. [1822], 233.
- roseana** Cochyliis (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Sept. 1834, 185.—
- roseana** Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 401. [Tortrix.]
- rosearia** Cidaria, E. Doubleday in Dieffenbach, Trav. N. Z. II. 1843, 285.
- roseatum** Buccinum (Hinds), Catlow & Reeve, Conch. Nomen. 1845, 279.—Phos.
- roseatus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 353, Dec. 1848.
- roseatus** Phos, R. B. Hinds, Zool. "Sulphur," 1844, 38.
- roseata** Pyrrhulina (Vieill.), B. H. Hodgson, Proc. Zool. Soc. London, XIII (146)  
Aug. 1845, 36.—Coccothraustes rosea.
- roseata** Terebra, Adams & Reeve, Zool. "Samarang" (6) Moll., May 1850, 30.
- roseburiensis** Pecten, Young & Bird, Geol. Surv. Yorksh. Coast, 1822, 236.
- roseella** Lita, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 1005.
- roseicapilla** Cacatua, L. P. Vieillot, N. Dict. H. N., ed. 2, XVII. 1817, 12.
- roseicapilla** Columba, R. P. Lesson, Traité Ornith. (6) Feb. 1831, 472.
- roseicapilla** Kurukuru (Less.), F. Prévost & O. des Murs in Du Petit-Thouars, Voy  
"Vénus" (Ois.) 1849, 259.—Columba.
- roseiceps** Scarus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 279.
- roseicollis** Bucco, Vigors & Horsfield in S. Raffles, Mem. T. S. Raffles, 1830, 667.
- roseicollis** Columba, J. Wagler, Syst. Avium, I. 1827, sign. 15<sub>12</sub>.
- roseicollis** Enoplium, Th. Lacordaire, N. Ann. Mus. H. N. (Paris) II. [1] 1833, 68 [n. n.].
- roseicollis** Lampyris, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 116.
- roseicollis** Psaris, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool.  
VII. 1837, 42.
- roseicollis** Psittacula (Vieill.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826,  
143.—Psittacus.
- roseicollis** Psittacus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 377.
- roseicollis** Ptilonopus (Wagl.), G. R. Gray, Gen. Birds, II. Aug. 1844, 467.—Columba.
- roseicollis** Ptilonopus (Wagl.), G. R. Gray, List Birds Coll. B. M. III. Oct. 1844, 1.—
- roseo-cincta** Cassida, N. A. Vigors, Zool. Journ. II (6) July 1825, 241. [Columba.]
- roseo-cupreum** Ethon, F. W. Hope, Ann. Mag. Nat. Hist. XVII (109) Jan. 1846, 64.
- roseigaster** Trogon, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 314.
- roseogularis** Lanius, E. De Selys-Longchamps in van der Maelen, Dict. géogr. Liège,  
1831, App., p. 42 [L. minor, Linn.].
- roseo-gularis** Pyrranga, S. Cabot, jr., Boston Journ. N. H. V (3) 1846, 416.
- roseo-labiatum** Buccinum, J. Wolf in J. Sturm, Deutschl. Fauna (Würmer) VI (1) 1803.
- roseimaculata** Lampyris, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 112.
- roseomaculatus** Pachyrhynchus, G. R. Waterhouse, Ann. Mag. Nat. Hist. VIII (50) Nov.  
1841, 219.
- roseipennis** Acrophylla, G. R. Gray, Syn. Phasmidae, 1835, 41.—Diura, 1833.
- roseipennis** Diura, G. R. Gray, Entom. Austral. I., Phasma, 1833, 22.
- roseipennis** Myrmecoleon, H. Burmeister, Handb. Ent. II (2) ii, 1839, 995.
- roseipennis** Necrosia, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec.  
1838], 252.
- roseipennis** Poekilocerus, J. G. Audinet-S., Ann. Sci. Nat. XXII (87) Mar. 1831, 276.
- roseipennis** Rodolia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 904.

- roseipinnis** Apogon, Cuvier & Valenc., H. N. Poiss. III. 1829, 490.
- roseipinnis** Barbus, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 169.
- roseisignatus** Copturus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 639.
- roseo-tincta** Helix, E. Forbes, Ann. Nat. Hist. II. Dec. 1838, 252; & *var. laevis*.
- roseo-tincta** Theba (Forbes), J. E. Gray, Figs. Moll. Anim. IV. 1850, 115.—Helix.
- roseo-tinta** Helix, Forbes; Anon., Manchester N. H. Soc. Catal. Shells, 1837, 43 [*n. n.*].
- roseiventris** Cicindela, L. A. A. Chevrolat, Coléopt. Mex. (2) Mar. 1834, no. 5.
- roseiventris** Delphinus, d'Urville in Schreber, Säugth. VII., pl. 360 [1844-46].
- roseiventris** Dermestes, Peyr.; Dejean, Catal. Coléopt. 1821, 46 [*n. n.*]. [34.]
- roseiventris** Dermestes, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 87.
- roseiventris** Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 87.
- rosei-ventris** Steironotus (d'O.), L. Fitzinger, Syst. Rept. 1843, 71.—Stenocercus, D. & B.
- roseiventris** Stenocercus, Duméril & Bibron (Roret's Suite à Buffon), Erpét. IV. Oct. 1837, 350.
- roselina** Oliva, P. L. Duclos, H. N. Coq. (Olive) 1835, pl. 1 [*n. et f.*]. [1837, 350.]
- rosella** Tinea, F. v. P. Schrank, F. Boica, II (2) 1802, 139.
- rosenbergii** Cryptonymus, E. Eichwald, Geogn. Zool. Ingria, 1825, 48.
- rosenbergii** Illaenus, E. Eichwald, Silur. Schichtensyst. Esthland, 1840, 83.
- rosenhaueri** Scymnus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 966.
- rosenhaueri** Trogophloeus, H. v. Kiesenwetter, Entom. Zeitung, Stettin, XI (7) July 1850,
- rosenschöldi** Chironomus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 811. [220.]
- rosenschoeldi** Eudiagogus, Fahraeus in C. J. Schcenherr, Gen. et Sp. Curc. VI (1) 1840, 309.
- rosenschoeldi** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 437.
- rosenschoeldii** Mecotarsus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 188.
- rosenschoeldi** Piazurus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 669.
- roseola** Notommata, M. Perty, Mitth. Nat. Ges. Bern, 1850, 18.
- roseola** Philodina, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 147.
- roseo**→ *v. rosei*→.
- roserana** Cochylys (Froel.), F. Treitschke, Schmett. Europa, VIII. 1830, 280.—Tortrix.
- roserana** Tortrix, F. Froelich, Enum. Tortric. Wuert. 1828, 52.
- roserii** Callicera, C. Rondani, Ann. Soc. Ent. France [2] II (1) June 1844, 65.
- roseri** Capsus, Herrich-S., Wanzenart. Ins. IV (4) Ap. 1838, 78.
- roseri** Carabus, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 23.
- roserii** Harpalus, J. Sturm, Catal. Ins. Samml. 1826, 149 [*n. n.*].
- rosetana** Argyroploce, J. Huebner, Verz. bekannt. Schmett. 1826, 379.—Tortrix.
- rosetana** Stictea (Huebner), A. Guénéée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 162.—Tortrix.
- rosetana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 21 (Fernaldo judice 1797) [*n. et f.*].
- rosetana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 35 (Fernaldo judice 1811-18)
- rosetta** Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 356. [[*n. et f.*].]
- rosettii** Theba, Michaud; H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 11.
- roseus** Acanthochites (Bl.), J. E. Gray, Proc. Zool. Soc. London, XV (174) June 30, 1847,
- rosea** Achatina, J. E. Gray, Ann. Phil. XXV. June 1825, 414. [70.—Chiton.]
- rosea** Achatina (Fér.), G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 10.—Helix.
- rosea** Achatinella, W. Swainson, Zool. Illust. (2) III (27) 1833, pl. 123.
- roseus** Acridotheres (L.), C. Ranzani, Elem. Zool. III (5) 1823, 177.—Turdus, 1758.
- rosea** Actinia, A. Risso, H. N. Europe, V. 1826, 287.
- rosea** Aegina, J. F. Eschscholtz, Syst. Acalephen, 1829, 115.
- rosea** Aegina, J. F. Eschscholtz, Zool. Atlas, I. 1829, 16.
- rosea** Aequorea, Lamarck, An. s. vert. II. 1816, 497.
- rosea** Afedula, C. T. Wood, Orn. Guide, 1835, 180.
- rosea** Alcinoe, H. Mertens, Mém. Ac. Imp. Sci. St Pétersb. [6] II (5) June 1833, 507.
- rosea** Alecto, J. Mueller, Ber. Verh. k. pr. Ak. Wiss. 1841, 183.
- rosea** Allopورا (Pall.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 695.—Madrepora, 1766.
- roseus** Alycus, C. L. Koch, Deutsch. Crust., heft 37, 1844, tab. 19.
- roseus** Amblyopus, Cuvier & Valenc., H. N. Poiss. XII. 1837, 164.

- roseum** Amphidesma, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (25) Mar.
- roseus** Amphidotus, E. Forbes, Hist. Brit. Starfish (5) Feb. 1841, 194. [1833, 199.]
- rosea** Amphitrite, Jas. Sowerby, Brit. Miscell. II (11) June 1806, 15.
- rosea** Ampullaria, J. B. v. Spix, Testac. Brasil. 1827, 3.
- roseus** Angulus, J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 48.
- rosea** Anomia, J. Mawe, Linnaean syst. Conch. 1823, 68 [*n. et f.*].
- roseus** Anoplostethus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 224.
- rosea** Anoura, P. Gervais, Ann. Soc. Ent. France, XI (3) Jan. 1843, p. xlvii [*n. n.*].
- rosea** Anthophysa, Mertens in J. F. Brandt, Prod. anim. Mertens. I. 1835, 36.
- rosea** Aphaena, Guérin-M. in C. Bélanger, Voy. Indes Orient. (7) Aug. 1833, 454.
- rosea** Aplysia, M. K. Rathke, Skr. Nat. Selsk. V (1) 1799, [85] & 147.
- rosea** Arca, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847, 31.
- rosea** Ascidia, Péron & Lesueur, J. Acad. Nat. Sci. Philad. III. Ap. 1823, 8 [*n. n.*].
- rosea** Asteracanthion (Müll.), J. Mueller, Ber. Verh. k. pr. Ak. Wiss. 1840, 102.—  
Asterias, 1776.
- rosea** Atlanta, L. Souleyet in Vaillant, Voy. "Bonite," Zool. II. 1852, 377.
- roseus** Attus, N. M. Hentz, Boston Journ. N. H. V (3) 1846, 362.
- rosea** Aurellia, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 358.
- roseus** Balanus, Lamarck, An. s. vert. V. 1818, 392.
- rosea** Berenice (Lam.), J. F. Eschscholtz, Syst. Acalephen, 1829, 120.—Aequorea.
- roseus** Beroe, Quoy & Gaimard, Ann. Sci. Nat. VI (21) Sept. 1825, 50.
- roseus** Beroe, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 575.
- roseus** Blennius, P. S. Pallas, Zoographia, III. 1814, 177. [1831, 401.—Turdus, 1758.]
- rosea** Boscis (L.), C. L. Brehm, Isis, 1828, 1282 [*n. n.*]; Handb. Nat. Vögel Deutschl.
- rosea** Bouchardia (Humph.), T. Davidson, Bull. Soc. géol. France (sér. 2) VII. 1850, 65.—Terebratula, Sow. [146.—Scutella.]
- rosea** Broderipia (Brod.), J. E. Gray, Proc. Zool. Soc. London, XV (178) Nov. 1847,
- roseum** Buccinum, J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 6.
- roseum** Buccinum, W. Wood, Suppl. Index Test. 1828, 12 [*n. et f.*].
- roseus** Bucco, C. Dumont, Dict. Sci. Nat. (ed. 1) IV. 1805, 52.
- roseus** Bucco, Cuvier, Règne Anim. I. 1817, 428.
- roseus** Bufo, B. Merrem in Ersch & Gruber, Allg. Ency. XIII. 1824, 401.
- roseus** Bulimus, Denys de Montfort, Conch. II. 1810, 259.
- roseus** Bulimus (Brod.), L. Pfeiffer, Symb. Helic. I. 1841, 70.—Partula.
- rosea** Cacatua, L. P. Vieillot, Gal. Ois., pl. 25, 1821 [*teste* G. M. M.].
- rosea** Callimorpha (Fab.), E. F. Germar, Syst. Gloss. Prod. 1811, 31.—Bombyx, 1775.
- roseus** Cancer (Ruepp.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 374.—Carpilius.
- roseus** Capsus (Fab.), C. F. Fallen, Mon. Cicum Sveciae, 1807, 103.—Lygaeus, 1798.
- roseum** Cardium, Lamarck, An. s. vert. VI (1) 1819, 14.
- roseus** Carpilius, E. Rueppell, Besch. Krabben rothen Meeres, 1830, 13.
- roseus** Carpodacus (Pall.), G. R. Gray, Gen. Birds, II. Oct. 1844, 384.—Fringilla, 1776.
- rosea** Cassida, Dejean, Catal. Coléopt. 1821, 117 [*n. n.*].
- rosea** Castalia (Fab.), J. C. Savigny, Egypte, I (3) (Ann.) 1822, 45.—Nereis, 1780.
- rosea** Cavolinia, A. F. Schweigger, Beob. naturh. Reisen, 1819, 99.
- rosea** Cecidomyia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 53 [*n. n.*].
- rosea** Cecidomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 822.
- rosea** Chama, J. Mawe, Linnaean syst. Conch. 1823, 51 [*n. et f.*].
- roseus** Cheilinus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 105.
- roseus** Chiton, de Blainville, Dict. Sci. Nat. XXXVI. 1825, 553.
- roseus** Chiton, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (17) June 1832, 58.
- rosea** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 220.
- rosea** Circe, E. Forbes, Mon. Brit. Medusae (Ray Soc.) 1848, 34.
- roseus** Clastes, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 476.
- rosea** Coccothraustes, L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 539.
- rosea** Comatula, J. Mueller, Abh. ph.-Kl. K. pr. Ak. Wiss. 1847 (1849), 250.—Alecto,
- rosea** Conia, C. F. F. Krauss, Südafrik. Moll. 1848, 136. [1841.]



- roseus** Conus, W. Wood (*ex* Chemn.), Index Test. 1818, 74.  
**roseus** Copsychus (Sw.), G. R. Gray, Gen. Birds, I. May 1846, 177.—Gryllivora.  
**rosea** Corallina, Lamarck, An. s. vert. II. Mar. 1816, 331.  
**rosea** Corbula, L. Reeve, Conch. Icon.—Corbula, no. 26, Ap. 1844.  
**rosea** Cribella (Müll.), E. Forbes, Hist. Brit. Starfish (3) Dec. 1840, 106.—Asterias, 1776.  
**rosea** Cyanea, Quoy & Gaimard, Ann. Sci. Nat. I (3) Mar. 1824, 247.  
**roseum** Cyclostoma, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 205.  
**rosea** Cyllindrella, L. Pfeiffer in R. A. Philippi, Abb. Conch. I (8) 1844, 184.  
**rosea** Cypraea, W. Wood, Suppl. Index Test. 1828, 9 [*n. et f.*].  
**rosea** Cypricardia, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1850), 276. [414.  
**roseus** Cystignathus, Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII. Jan. 1841,  
**rosea** Cytherea, Broderip & G. B. Sowerby, I., Zool. Journ. IV (15) Jan. 1829, 364.  
**rosea** Daphnia (Jur.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840,  
**rosea** Diacope, Cuvier & Valenc., H. N. Poiss. VI. 1830, 537. [384.—Monoculus.  
**roseum** Didemnum, M. Sars, Nyt Mag. for Naturvid. VI (2) 1850, 153.  
**roseum** Didermum (*sic*), S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 97.  
**rosea** Eburnea, S. A. Renier, Tavole [1804] viii [*n. n.*].  
**rosea** Echinisca (Jur.), Liévin, N. Schr. nat. Ges. Danzig, IV (2) 1848, 31.—Monoculus  
**rosea** Emarginula, T. Bell, Zool. Journ. I (1) Mar. 1824, 52.  
**rosea** Emarginula, S. Hanley in C. Thorpe, Brit. Mar. conch., Ap. 1844, p. xxxii.  
**roseum** Enterion, J. C. Savigny, Mém. Ac. France, V. 1826, Hist., 182.  
**rosea** Eolis, Alder & Hancock, Ann. Mag. N. H. IX. Mar. 1842, 84.  
**rosea** Ephemera, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 26 [*n. n.*]; & Ill. Brit. Ent.  
**rosea** Erythrina, C. L. Brehm, Isis, 1828, 1276 [*n. n.*]. [(Mand. VI.) Ap. 1836, 59.  
**rosea** Erythrodryas, J. Gould, Proc. Zool. Soc. London, X (115) Jan. 1843, 112.—  
 Petroica, 1840.  
**rosea** Erythrospiza (Pall.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 34.—Fringilla,  
 1776.  
**roseus** Erythrothorax (Pall.), Handb. Nat. Vögel Deutschl. 1831, 249.—Fringilla, 1776.  
**roseum** Eucaelium, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 624.  
**roseum** Eucoelium, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 98.  
**roseus** Eupsophus (D. & B.), L. Fitzinger, Syst. Rept. 1843, 31.—Cystignathus.  
**rosea** Evagora, R. A. Philippi, Arch. f. Naturg. VIII (1) 1842, 36.  
**rosea** Fissurella (L.), G. Fischer, Mus. Démid. III. 1807, 124.—Patella, Gm. 1790.  
**rosea** Fringilla, P. Boddaert [*non* Pall.], Tab. Planch. Enl. 1783, 14.  
**roseus** Furnarius, R. P. Lesson, Illustr. de Zool. (2) Aug. 1832, pl. 5.  
**roseus** Fusus, H. E. Anton, Verz. Conch. 1839, 78.  
**rosea** Galleruca, J. C. Fabricius, Syst. Eleuth. I. 1801, 479.  
**roseus** Gardonus, C. L. Bonaparte, Cat. meth. Cipr. Eur. 1845, 7.—Leuciscus, 1839.  
**rosea** Glandina (Fér.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 78.—Helix.  
**rosea** Gorgonia, Lamarck, Mém. Mus. H. N. (Paris) II [2] Mar. 1816, 157.  
**rosea** Gracula (L.), C. Gloger, Notizen (Froriep) XVI. 1827, 279.—Turdus, 1758.  
**rosea** Gryllivora, W. Swainson, Anim. in Menag., Dec. 1837, 342.  
**roseus** Gunnellus (Pall.), Cuvier & Valenc., H. N. Poiss. XI. 1836, 438.—Blennius.  
**rosea** Haemaphysalis, C. L. Koch, Arch. f. Naturg. X (1) 1844, 237.  
**roseus** Haemorrhous (Vieill.), T. C. Jerdon, Madras Journ. XI (26) Jan. 1840, 36.—Cocco-  
**rosea** Haltica, D. H. Schneider, Verz. Insectensamml. 1828, 84 [*n. n.*]. [thraustes.  
**rosea** Harmonia (Deg.), O. G. Costa, Fauna Regno Napoli, Coleott. Coccin., 33 (Sept.  
 1849).—Coccinella, 1775.  
**rosea** Harpa, Lamarck, Ency. Méth. (Vers) 1816, pl. 404, Liste, p. 3 [*n. et f.*].  
**rosea** Harpa, W. Wood, Suppl. Index Test. 1828, 39.—Buccinum, 1828.  
**roseus** Harpacticus, J. D. Dana, P. Amer. Ac. I. 1848, 153.  
**rosea** Hecuba, C. F. Schumacher, Essai Vers test. 1817, 157. [Chrysis rosae, 1792.  
**roseum** Hedycrum (Rossi), Lepeletier, Ann. Mus. H. N. (Paris) VII (38) Dec. 1805, 123.—  
**rosea** Helix, Férussac, H. N. gén. et part. Moll. (wrapper of livr. XXI. 1823), 2.  
**rosea** Helix (Cochlicopa), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 54.  
**rosea** Helricea (Müll.), J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 20.—Asterias,  
 1776.

- rosea* Hirroneura, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 228.  
*rosea* Hispa, F. Weber, Obs. Ent. 1801, 66.  
*rosea* Holigocladodes (Reyn.), J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. I (24) Jan. 1837, 191.—Rhizostoma.  
*rosea* Hydractinia, P. J. van Beneden, Bull. Ac. Roy. Brux. XI (2) 1844, 314 [*n. n.*]; N. Mém. Ac. Roy. Brux. XVII. 1844, 63.  
*rosea* Hynnis, H. Burmeister, Handb. Ent. II (1) 1835, 154.  
*rosea* Hyria, Lefèvre in Potiez & Michaud, Gal. Moll. Douai, II. 1844, 158.  
*rosea* Ichla (L.), [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 75.—Turdus, 1758.  
*rosea* Itea, C. L. Koch, Deutsch. Crust., heft 22, 1838, tab. 16.  
*rosea* Iulis, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1835), 709.  
*roseus* Iulus, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847,  
*rosea* Janthina, H. E. Anton, Verz. Conch. 1839, 50. [181.  
*rosea* Lampselis, C. A. Poulson, Mon. Shell's Ohio, 1832, 28.  
*rosea* Lampsilis, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 299.  
*rosea* Lasiodora (Walck.), C. L. Koch, Uebers. Arachnidensyst. V. 1850, 73.—? Mygale.  
*roseum* Leiobunum, C. L. Koch, Uebers. Arachnidensyst. II. 1839, 36.  
*rosea* Leicsoma, T. Victor, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 46.  
*roseus* Leuciscus, C. L. Bonaparte, Icon. Faune Ital. (24) 1839.  
*roseus* Linnaeus, Gallenstein, Syst. Verz. Kärnten Conch. 1848, 16.  
*rosea* Lineola, A. Kölliker, 29 Verh. Allg. Schweiz. Gesellsch. 1844 (1845), 88.  
*rosea* Linkia (Müll.), W. Thompson, Ann. Nat. Hist. V. June 1840, 245.—Asterias, 1776.  
*rosea* Lithosia (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 198.—Bombyx,  
*rosea* Lobaria, C. F. Schumacher, Essai Vers test. 1817, 122. [1775-  
*rosea* Locusta, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 25 [*n. n.*].  
*rosea* Loxia, L. P. Vieillot, Ois. Chanteurs (11) *post* 1807, 99.  
*rosea* Loxia, A. Wilson, Amer. Ornith. II. 1810, 135.  
*roseus* Lumbricus, A. Risso, H. N. Europe, IV. 1826, 427.  
*roseus* Lynceus (Jur.), Desmarest, Dict. Sci. Nat. XXVIII. 1823, 404.—Monoculus.  
*rosea* Lynamorpha, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 28.  
*rosea* Macaria, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 221.  
*roseus* Macrothrix (Jur.), W. Baird, Hist. Berwickshire Nat. Club, II (13) [1846], 149.—  
*roseus* Malaconotus, Jardine & Selby, Ill. Orn., pl. 30 n. s. (1839). [Monoculus.  
*rosea* Marginella, Lamarck, An. s. vert. VII. 1822, 357.  
*rosea* Megalaima (Cuv.), G. R. Gray, Gen. Birds, II. Mar. 1846, 429.—Bucco.  
*roseus* Megamerus, A. Dugès, Ann. Sci. Nat. [2] (Zool.) II. July 1834, 50 & 53.  
*rosea* Melibe, S. Rang, Man. Moll. 1829, 130.  
*rosea* Membracis, L. Fairmaire, Ann. Soc. Ent. France [2] IV (2) Oct. 1846, 246.  
*rosea* Merula (L.), K. L. Koch, Syst. baier. Zool. I. 1816, 242.—Turdus, 1758.  
*rosea* Micrommata (Walck.), Latreille, N. Dict. H. N., ed. 2, XX. 1818, 518.—Sparassus.  
*rosea* Millepora (Esp.), W. G. Tilesius, Mém. Ac. Imp. Sci. St Pétersb. X. 1826, 323.—  
 Madrepora, 1789.  
*roseus* Miris (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 226.—Lygaeus, 1798.  
*rosea* Mitra (Sw.), L. Reeve, Conch. Icon. II.—Mitra, no. 300, Mar. 1845.—Tiara, ? Brod.  
*rosea* Monas, C. Morren, N. Mém. Ac. Roy. Brux. XIV. 1841 (Mém. IV.), 27 & 28.  
*rosea* Monas (Eumonas), Morren; C. M. Diesing, Syst. Helminth. I. 1850, 24.  
*roseus* Monoculus, L. Jurine, Hist. Monocles, 1820, 150.  
*rosea* Monodonta, Lamarck, An. s. vert. VII. 1822, 37.  
*roseus* Murex, S. A. Renier, Tavole [1804] ix [*n. n.*].  
*rosea* Muscicapa, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 486.  
*rosea* Mygale, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 213.  
*rosea* Narica, C. A. Récluz, Rev. Zool. (Soc. Cuv.) VII. Jan. 1844, 6.  
*rosea* Neaera, R. B. Hinds, Proc. Zool. Soc. London, XI (125) Dec. 1843, 78.  
*roseus* Nemertes, A. Kölliker, 29 Verh. Allg. Schweiz. Gesellsch. 1844 (1845), 92.  
*rosea* Nephesa (Spin.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843,  
 528.—Ricania.  
*rosea* Nereimyra (Fab.), de Blainville, Dict. Sci. Nat. LVII. 1828, 468.—? Nereis, 1780.  
*rosea* Nesaea, C. L. Koch, Deutsch. Crust., heft 10, 1837, tab. 7.

- rosea** Oculina (Pall.), Lamarck, An. s. vert. II. 1816, 287.—Madrepora, 1766.
- rosea** Ocyrhoe, L. Oken, Lehrb. Nat. III (1) 1815, 116.
- rosea** Odontis, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, 54 [*n. n.*].
- roseus** Oligobranchus, M. Sars, Fauna litt. Norveg. (1) 1846, 91.
- rosea** Omatoplea (Müll.), C. M. Diesing, Syst. Helminth. I. 1850, 251.—Fasciola, 1774.
- roseus** Oxyurus, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 140.
- roseus** Pachyrhynchus, W. King, Perm. Foss. (Pal. Soc.) 1850, 70.
- rosea** Partula, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (20) Aug. 1832, 125.
- roseus** Partulus (Brod.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 57.—Partula.
- roseus** Passer, P. S. Pallas, Zoographia, II. 1811, 23.—Fringilla, 1776.
- roseus** Pastor (Scop.), C. J. Temminck, Man. Orn. 1815, 83.—Sturnus, 1769.
- roseus** Patellus, Denys de Montfort, Conch. II. 1810, 67.
- roseus** Pecten, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 263.
- roseus** Pectunculus, L. Reeve, Conch. Icon.—Pectunculus, no. 19, Mar. 1843.
- roseus** Pericrocotus (Vieill.), E. Blyth, J. Asiat. Soc. Bengal, XV. Ap. 1846, 310.—  
Muscicapa.
- roseus** Pericrocotus (Vieill.), G. R. Gray, Gen. Birds, I. June 1846, 282.—Muscicapa.
- rosea** Petroica, J. Gould, Proc. Zool. Soc. London, VII (82) Mar. 1840, 142.
- roseum** Phasma (Fab.), A. A. H. Lichtenstein, Comm. Phasma, 1796 (*teste* Tr. Linn. Soc. VI. 1802), 14.—Mantis, 1793.
- roseus** Phoenicopterus, P. S. Pallas, Zoographia, II. 1811, 207.
- roseum** Phylliroe, A. d'Orbigny, Amér. Mérid. (Moll.) 1836, 183.
- roseus** Phytocoris (Fab.), C. F. Fallen, Hemipt. Sveciae, 1829, 101.—Lygaeus, 1798.
- rosea** Pileopsis, J. E. Gray, Ann. Phil. XXV. June 1825, 407.
- roseus** Pirates, Herrich-S., Wanzenart. Ins. VIII (3) Jan. 1846, 62.
- roseum** Pisidium, H. Scholtz, Schlesien's Land- und Wasser-Moll. 1843, 140.
- rosea** Platycrana (Fab.), G. R. Gray, Syn. Phasmidae, 1835, 37.—Phasma, 1798.
- rosea** Pleurotoma, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 524.
- rosea** Pleurotoma, G. B. Sowerby, I., Proc. Zool. Soc. London, I (12) Ap. 1834, 134.
- rosea** Poecilosoma (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65.—Lygaeus, 1798.
- rosea** Polia, S. d. Chiaje, Descr. An. invert. Sicilia, III. 1841, 126. [Fasciola, 1774.
- roseum** Polystemma (Müll.), A. S. Orsted, Naturhist. Tidsskrift, IV (6) 1843, 579.—
- roseus** Potamanthus (Steph.), F. J. Pictet, H. N. Ins. Neuropt., Ephémér. 1845 [*i. e.* Dec. 1845], 236.—Ephemera. [1776.
- roseus** Probateus, F. O. Morris, The Naturalist, II (9) June 1837, 124.—? Fringilla, Pall.
- rosea** Psammotaea (Gm.), S. Hanley, Ill. Cat. Bivalve Shells (1) *ineunte* 1843, 60.—  
Solen, 1790.
- rosea** Pupa, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1846), 102.
- rosea** Pyrrhula (Pall.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, 335.—Fringilla,
- rosea** Ranella, L. Reeve, Conch. Icon. II.—Ranella, no. 46, July 1844. [1776.
- rosea** Rhizostoma (Medusa), Reynaud; R. P. Lesson, Cent. Zool. (4-12) *ante* Mar. 1831, 97. [Evagora.
- rosea** Rhizoxenia (Ph.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 601.—
- rosea** Ricania, M. Spinola, Ann. Soc. Ent. France, VIII (3) *post* Nov. 1839, 400.
- rosea** Ricinula, L. Reeve, Conch. Icon. III.—Ricinula, no. 46, Oct. 1856.
- rosea** Rossia, C. L. Bonaparte, List Birds, Eur. Amer. 1838, 62.
- rosea** Rotalia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 272.
- rosea** Rotella, Lamarck, An. s. vert. VII. 1822, 8.
- rosea** Sanguinolaria, Lamarck, Syst. Anim. 1801, 125.
- rosea** Scutella, W. J. Broderip, Proc. Zool. Soc. London, II (18) Sept. 1834, 48.
- rosea** Serpula, W. Wood, Suppl. Index Test. 1828, 27 [*n. et f.*].
- roseus** Serranus, Cuvier & Valenc., H. N. Poiss. II. 1828, 306.
- roseus** Sigaretus, de Blainville, Dict. Sci. Nat. XLIX. 1827, 112.
- rosea** Siliquaria, F. J. F. Meyen, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 204.
- rosea** Siliquaria, de Blainville, Dict. Sci. Nat. XLIX. 1827, 214.
- rosea** Silpha, T. Marsham, Coleopt. Brit., Sept. 1802, 123.
- roseus** Sparassus (Clerck), C. A. Walckenaer, Tab. Aran. 1805, 40.—Aranea, 1757.

- rosea** Spongia, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 113.
- rosea** Stylaster (Lam.), J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 37.—Oculina.
- roseum** Sympodium, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 285.
- rosea** Tellinides, E. A. Crouch, Ill. Introd. Lamarck's Conch. 1827, 44.
- roseum** Terebellum (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 81.—Turritella.
- rosea** Terebratula, G. B. Sowerby, I., Proc. Zool. Soc. London, XIV (164) Nov. 1846, 92.
- rosea** Terebratula, "Humphrey"; G. B. Sowerby, I., Thes. Conch. I (7) *ante* 27 Nov.
- roseum** Theridion, H. Nicolet in Gay, Chili, III (Arach.) 1849, 527. [1846, 357.]
- roseus** Thremmaphilus (L.), W. Macgillivray, Hist. Brit. Birds, I. 1837, 613.—Turdus, 1758.
- rosea** Tiara, W. J. Broderip, Proc. Zool. Soc. London, III (36) Ap. 1836, 195.
- roseus** Trichoniscus, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 204.—Itea, 1838.
- rosea** Triloculina, A. d'Orbigny, Amér. Mérid. (Foram.) 1830 (1843), 69.
- roseus** Triphoris [Mastonia], R. B. Hinds, Ann. Mag. N. H. XI. Jan. 1843, 21.
- rosea** Triptera, Quoy & Gaimard, Ann. Sci. Nat. VI (21) Sept. 1825, 76.
- rosea** Triptera, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 416.
- roseum** Tritonium, S. Loven (*ex* Sars MS), Ofvers. K. Vet. Ac. Förh. III (5) 1846, 144.
- roseus** Trochus (Lam.), H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 224.—Monodonta.
- roseum** Trombidium (Dugès), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 171.—Megamerus.
- rosea** Truxalis, T. v. Charpentier, Horae Ent. 1825, 128. [Trochus, 1790.]
- roseus** Turbo (Gm.), H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 134.—
- rosea** Turritella, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834), 136.
- roseus** Tyrannus, R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Feb. 1831, 382.
- roseus** Usous, R. P. Lesson, Prod. Méduses [*auct. typ.*] 1837, 42; (Roret's Suite à Buffon), Acalèphes, 1843, 337.
- roseus** Vermetus, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834), 300.
- roseus** Volvox, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 13.
- roseus** Zeus, R. T. Lowe, Proc. Zool. Soc. London, XI (125) Dec. 1843, 85.
- rosicolor** Composternus, F. W. Hope, Ann. Mag. Nat. Hist. VIII (53) Feb. 1842, 454.
- rossii v. rossii**
- rosimon** Castalius (Fab.), J. Huebner, Verz. bekannt. Schmett. 1818, 70.—Papilio, 1775.
- rosimon** Lycaena (Fab.), T. Horsfield, Cat. Lepidopt. Ins. Mus. E. I. C. (1) 1828, 71.—Papilio, 1775.
- rosimon** Pecten, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 314.
- rosimon** Polyommatus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 658.—
- rosincola** Arge, F. v. P. Schrank, F. Boica, II (2) 1802, 228. [Papilio, 1775.]
- rosina** Anthophila (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. IV (Noct.) [1842], 237.—Geometra [=Noctua].
- rosina** Anthophila (Huebner), E. Eversmann, Lepidopt. Volgo-Ural. 1844, 337.—Noctua.
- rosina** Mesosemia (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 21.—Papilio, 1780.
- rosina** Micra (Huebner), A. Guénée, Ann. Soc. Ent. France, X (3) Nov. 1841, 225.—Noctua.
- rosina** Noctua, J. Huebner, Samml. Europ. Schmett. (Noctua) pl. 61, f. 299 [Fernaldo judice 1802; =rosea, 1790].
- rosina** Porphyria, J. Huebner, Verz. bekannt. Schmett. [1825], 256.—Noctua.
- rosmarus** Clerus, Knock; T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 190.
- rosmarus** Holocentrus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 345.
- rosmarus** Serranus (Lac.), G. Cuvier, R. Anim. II. 1817, 278.—Holocentrus.
- rosselii** Cellepora (Sav.), S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 37.—Flustra.
- rosselii** Flustra, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyyps) 1826, 240.
- rosselii** Maia, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Crust.) 1826, 87. [ross→; *ex nom.* J. & J. C. Ross; *rectius* rossii.]
- rossii** Buccinum, W. E. Leach, Journ. de Physique, LXXXVIII. June 1819, 464.
- rossii** Cirolana, A. White, List Crustacea Coll. B. M. 1847, 106 [*n. n.*].
- rossii** Eusoma, A. White, Zool. "Ereb. Terr." (Ins. 1846), 10.
- rossii** Fario (Rich.), Cuvier & Valenc., H. N. Poiss. XXI. 1848, 310.—Salmo.
- rossii** Hipparchia, J. Curtis in Ross, App. 2 Voy. 1835, p. lxvii.

- rossii** Laria, J. Curtis in Ross, App. 2 Voy. 1835, p. lxx.
- rossii** Larus, J. Richardson, App. Parry's Voy. 1821-23, 1825, 359. [App. II., p. lxiii.]
- rossii** Lepidonotus, W. E. Leach in J. Ross, Voy. Discov. Baffin's Bay, 4to, Ap. 1819,
- rossii** Leptonyx (Gray), J. A. Wagner in Schreber, Säugth. VII., 40 (1846-7).—Ommato-
- rossii** Notothenia, J. Richardson, Zool. "Ereb. Terr." (Fish, 1844), 9. [phoca.
- rossii** Ommatophoca, J. E. Gray, Zool. "Ereb. Terr." (Mamm. 1844), 3 & 8.
- rossii** Pomus (Orb.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 76.—Ampullaria.
- rossii** Primnoa, C. Stokes in J. C. Ross, Voy. Discov. S. & Antarctic, I. 1847, 336 [n. n.].
- rossi** Rhodostethia (Rich.), W. Macgillivray, Man. Brit. Orn. II. 1842, 253.—Larus.
- rossii** Salmo, J. Richardson, App. to Ross, Narr. Sec. Voy. (App.) 1835, p. lvi.
- rossii** Thinornis, G. R. Gray, Zool. "Ereb. Terr." (Birds, 1845), 12.
- rossii** Xenos, W. Kirby, Tr. Linn Soc. London, XI (1) 1813, 116.
- Rossia** R. Owen in J. C. Ross in Ross, App. 2 Voy. 1835, p. xcii.—Ceph.
- Rossia** C. L. Bonaparte, List Birds Eur. Amer. 1838, 62.—A.
- rossia** *v.* **rossi**→.
- rossiae** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 198, Dec. 1844.
- rossiana** Helix (Helicostyla), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821,
- rossianus** Lembulus, A. Risso, H. N. Europe, IV. 1826, 320. [73 [n. n.].
- rossiana** Phalaena (Pyralis), W. Turton, Linnaeus, Syst. Nat. III. 1802, 349.
- [**rossicus**, -a, -um.]
- rossica** Acerina, Cuvier & Valenc., H. N. Poiss. III. 1829, 17.
- rossicus** Cidaris, L. v. Buch, Arch. f. Bergbau, XVI. 1842, 523.
- rossicus** Colymbus, A. Andrzejewski, Bull. Soc. Imp. Nat. Moscou, 1839 (1) 1839, 20.
- rossicus** Echinocrinus (Buch), H. G. Bronn, Index Pal. 1848, 443.—Cidaris.
- rossica** Lucina (V. M. & K.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 165.—
- rossica** Lycosa, G. Fischer v. W., Oryct. Moscou, 1830, sign. f.<sup>1</sup> [n. et f.]. [Schizodus.
- russicus** Mystacinus (Gm.), C. L. Brehm, Isis, 1828, 1284.—Parus.
- rossica** Palaeocidaris (Buch), Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 34.—
- russicus** Parus, S. G. Gmelin, Reise Russl. II. 1774, 165 [teste H. G.]. [Cidaris.
- russicus** Pteromys, F. Tiedemann, Zool. 1808, 451.
- rossicus** Schizodus, E. de Verneuil in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 309.
- russica** Stratiomys, B. A. Gimmerthal, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (3) 1847, 169.
- russica** Tritoma (L.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 235.—Silpha, 1758.
- rossiella** Apis, W. Kirby, Mon. Apum Angl. II. 1802, 331.
- rossiellus** Bombus (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 165.—Apis.
- rossiellus** Psithyrus (Dahlb.), Le Peletier de S. F., Ann. Soc. Ent. France, I (4) c. Jan. [rossiensis.] [1833, 380.—Bombus, ? Ill.
- russiensis** Avicula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 372.
- russiensis** Belemnites, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 422.
- russiensis** Biradiolites, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 260.—Caprina, 1845.
- russiensis** Caprina, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 496.
- russiense** Cerithium, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 453.
- russiensis** Fenestrella, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 152.
- russiensis** Pholadomya, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 469.
- russiensis** Pinna, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 463. [rossi→; *ex nom.* P. Rossi; *rectius* rossii.]
- rossii** Allantus, Panzer in L. Jurine, N. Méth. class. Hyménopt. 1807, 56 [n. n.].
- rossii** Bacillus (Charp.), J. G. Audinet-S., Ann. Sci. Nat. XXII (85) Jan. 1831, 65.—Phasma rossium.
- rossia** Bacillus (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 16.—Phasma, 1798.
- rossii** Byrrus (*sic*), L. Ponz, Mém. Ac. Sci. Turin, 1804-5 (1805) Mém. prés., 45.
- rossii** Carabus, Bonelli in Dejean, Catal. Coléopt. 1821, 6; Spec. gén. Coléopt. II. 1826, 66.
- rossia** Chrysomela, Schoenh.; Dejean, Catal. Coléopt. 1821, 122 [n. n.; =? rossii].
- rossii** Cryptocephalus, E. Suffrian, Linnaea Entom. III. Ap. 1848, 48.

- rossii** Cryptohypnus, E. F. Germar, Zeitschr. f. d. Entom. V. 1844, 148.
- rossii** Helops, E. F. Germar, Reise Dalm. 1817, 191.
- rossii** Odynerus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 633.
- rossium** Phasma, T. v. Charpentier, Horae Ent. 1825, 93 [=P. rossia, Fab. 1798].
- rossii** Scydmaenus, Dejean, Catal. Coléopt. 1821, 41 [*n. n.*].
- rossium** Spectrum (Fab.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 119.—  
Phasma rossia, 1798.
- rossii** Spectrum (F.), Lamarck, An. s. vert. IV. 1817, 255.—Phasma rossia, 1798.
- rossii** Tenthredo (Jur.), P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 130.—
- rossium** *v. rossi*→. [Allantus.]
- [rossmaessler→.]
- rossmassleri** Bulimus, L. Pfeiffer, Proc. Zool. Soc. London, XIV (166) Jan. 26, 1847, 113.
- rossmässleri** Clausilia, L. Pfeiffer, Symb. Helic. I. 1841, 48.
- rossmässleri** Fusus, H. E. Anton, Verz. Conch. 1839, 77.
- rossmässleri** Helix, L. Pfeiffer, Symb. Helic. II. 1842, 98; Mon. Helic. I (2) 1848, 360.
- rossmaessleri** Pupa, F. J. Schmidt in E. A. Rossmassler, Icones L. u. S. Moll. Europ. II (1 & 2) June 1838, 39.
- rossmassleriana** Anodonta, D. Dupuy, Essai Moll. dépt. Gers, 1843, 74.
- rossmassleriana** Nerita, C. A. Récluz, Proc. Zool. Soc. London, XIII (152) Feb. 1846, 119.
- rosthainei** Pteroplatus, L. Buquet, Rev. Zool. (Soc. Cuv.) III. Sept. 1840, 287.
- rostellariformis** Murex, L. v. Buch, Rec. planches Pétrif. 1831, pl. vii, f. 3.
- rostellariformis** Spinigera (Buch), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 357.—
- rostellaria** [Pinus], G. Perry, Arcana, 1811. [Murex.]
- rostellata** Arca, S. G. Morton, Syn. Org. Rem. Cret. 1834, 64.
- rostellata** Arca, L. v. Buch, Pétrif. Amér. 1839, 14.
- rostellatum** Cyclostoma, L. Partiot, Mém. Cyclost. 1848, 19. [120.—Raia.]
- rostellatus** Dasybatus (Risso), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (July),
- rostellata** Halysis (Abildg.), J. G. H. Zeder, Anleit. Eingeweidewurm. 1803, 337.—  
Taenia, 1790.
- rostellatus** Hesperomys, J. A. Wagner in Schreber, Säugth., Suppl. III. 1843, 514.
- rostellatus** Hesperomys (Oxymycterus), A. Wagner, Arch. f. Naturg. VIII (1) 1842, 361.
- rostellatus** Mus (Wagn.), H. R. Schinz, Syst. Verz. Säug. II. 1845, 189.—Hesperomys.
- rostellata** Nuculites, T. A. Conrad, [5 A. Rep. N. Y. Geol. Surv.], Assembl. no. 150, 1841.
- rostellatum** Octobothrium, C. M. Diesing, Syst. Helminth. I. 1850, 603. [50.]
- rostellatus** Ophisurus, J. Richardson, Zool. "Ereb. Terr." (Fish, 1848), 105.
- rostellata** Raia, A. Risso, Ich. Nice, 1810, 8.
- rostellatus** Rohita, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 256.
- Rostellum** Denys de Montfort, Conch. II. 1810, 518.—G.
- rostellum** Cionus (Herbst), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 307.—Curculio,
- rostellum** Clausilia, F. Held, Isis (Oken), 1836, 276. [1795.]
- rostellum** Cleopus (Herbst), Dejean, Catal. Coléopt. 1821, 83.—Curculio, 1795.
- rostellum** Gymnetron (Hbst.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 752.—  
Curculio, 1795.
- rosthornii** Aganides (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 180.—  
Goniatites.
- rosthorni** Buccinum, M. Hoernes (*ex* Partsch MS), Verz. Fossil-Reste Wien, 1848, 17 [*n. n.*].
- rosthorni** Corbula, Deshayes, Mém. Soc. géol. France, II. 1835, 47 [*n. n.*].
- rosthornii** Goniatites, A. v. Klipstein, Beitr. geol. östl. Alpen (1) 1843, 142.
- Rostillaria** W. E. Leach, Syn. Cont. Brit. Mus. 1823, 63 [*teste* Scudder, *err. typ. pro*
- rostralina** Tellina, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1825, 82. [Rostellaria.]
- rostralina** Terebratula, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 20.
- rostralis** Corbula, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 125. [1758.]
- rostralis** Herminia (L.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 228.—Phalaena,
- rostralis** Hypena (L.), F. v. P. Schrank, F. Boica, II (2) 1802, 163.—Phalaena, 1758.
- rostralis** Leda (Lam.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 252.—Nucula.
- rostralis** Mactra (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 59.—Corbula.
- rostralis** Myadora, G. P. Deshayes, Traité élém. Conch. I (2) 2, 1850, 204.
- rostralis** Nucula, Lamarck, An. s. vert. VI (1) 1819, 59.

- rostralis** Ostrea, Lamarck, An. s. vert. VI (1) 1819, 205.
- rostralis** Pholadomya, J. L. R. Agassiz, Etudes crit. Moll. foss. (2) ii, 1845, 89.
- rostralis** Pyralis, J. Huebner, Europ. Schmett., Tab. Pyralis, 31 (Fernaldo judice 1832) [*n. et f.*].
- rostralis** Spirialis, Eydoux & Souleyet, Rev. Zool. (Soc. Cuv.) III, Aug. 1840, 236.
- rostralis** Tellina, Lamarck, Ann. Mus. H. N. (Paris) VII (39) Feb. 1806, 234.
- rostralis** Typhlops (Weigel), B. Merrem, Tent. Syst. Amph. 1820, 159.—Anguis, 1782.
- rostrator** Bracon, M. Spinola, Ins. Liguriae, II. 1808, 113.
- Rostratula** L. P. Vieillot, Analyse, 1816, 56.—A.
- rostrata** Aelia, J. C. Fabricius, Syst. Rhyng. 1803, 188.
- rostratus** Agonus, W. G. Tilesius, Mém. Ac. Imp. Sci. St Pétersb. IV. 1813, 448.
- rostrata** Alauna, H. D. S. Goodsir, Edinburgh New Phil. Journ. XXXIV (67) Jan. 1843,
- rostratus** Alepocephalus, A. Risso, Mem. R. Acc. Sci. Torino, XXV. 1820, 271. [127.
- rostratus** Alurnus, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 444.
- rostratus** Ammonites, J. Sowerby, Min. Conch. II. 1817, 163.
- rostratus** Amphacanthus, Cuvier & Valenc., H. N. Poiss. X. 1835, 158.
- rostrata** Amphinome (Pall.), A. E. Grube, Arch. f. Naturg. XVI (1) 1850, 288.—Aphro-
- rostratus** Ampyx, M. Sars, Isis (Oken), 1835, 334. [dita, 1766.
- rostrata** Anguilla (Le Sueur), J. Richardson, F. Bor.-Amer. (3) 1836, 267.—Muraena.
- rostrata** Anodonta, F. Held, Isis (Oken), 1836, 280.
- rostrata** Anodonta, Kokeil in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (4) Sept. 1836, 25.
- rostrata** Anomia, J. S. Schroeter, Archiv Zool. (Wiedemann) III (1) 1803, 45.
- rostrata** Anomia, J. Fleming, Hist. Brit. Anim. 1828, 399.
- rostrata** Anthalia, J. W. Zetterstedt, Dipt. Scand. I. 1842, 250.
- rostratus** Arcites, W. Martin, Petr. Derb. 1809, pl. 44.
- rostrata** Ardistomis (Dej.), J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 647.—
- rostratus** Arius, Cuvier & Valenc., H. N. Poiss. XV. 1840, 63. [Clivina.
- rostrata** Asarkina (Wied.), J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 138.—  
Syrphus.
- rostrata** Asindulum (Latr.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 188.—
- rostratus** Astacus, J. Phillips, Geol. Yorksh. I. 1829, 131 [*n. et f.*]. [Tipula.
- rostrata** Atrypa, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 202.
- rostratum** Auriscalpium, Nitzsch in Ersch & Gruber, Allg. Ency. VI. 1821, 418.
- rostrata** Balaenoptera (Müll.), F. Tiedemann, Zool. 1808, 572.—Balaena, 1776.
- rostratus** Balaninus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 13 [*n. n.*].
- rostratus** Balaninus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 374.
- rostratus** Belemnites, F. V. Raspail, Ann. Sci. Observ. I (2) Feb. 1829, 321.
- rostratus** Belemnites, C. H. v. Zieten, Pétrif. Wurt. (4) 1831, 30.
- rostrata** Belone, F. Faber, Nat. Fische Islands, 1829, 152.
- rostrata** Brachiella, H. Krøyer, Naturhist. Tidsskrift, I. 1837, 207.
- rostrata** Bulla, A. Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850, 596.
- rostrata** Bullaea, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 148. [1773.
- rostrata** Bursaria (Müll.), Bory de St V., Ency. Méth. (Zooph.) 1824, 161.—Cyclidium,
- rostratus** Bythinus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
- rostrata** Caecilia, G. Cuvier, Règne Anim., ed. 2, II. 1829, 100. [1845, 45.
- rostrata** Calliphora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 439.
- rostratus** Carabus, Sturm in K. Duftschmid, Fauna Austriae, II. 1812, 178.
- rostratus** Carapus (Schn.), G. Cuvier, R. Anim. II. 1817, 237.—Gymnotus, L. 1766.
- rostratus** Caratomus, L. Agassiz, Cat. ect. Ech. 1840; Mon. Ech. III. 1842, 38.
- rostratus** Cardium (Mart.), L. G. de Koninck, Descr. Anim. foss. (2) [Dec. 1841], 87.—  
Arcites.
- rostratus** Catostomus (Tiles.), C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I. no. 7, Nov. 1817, 134.—Cyprinus.
- rostrata** Cellepora, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 39.
- rostratus** Centrarchus, W. Jardine in Schomburgk, Fishes Brit. Guiana, II (Nat. Libr XXXVIII.) 1843, 163.

- rostratus** Cephalaspis, J. L. R. Agassiz, Poiss. Foss. II (1), 148 (1835).
- rostrata** Cephaloxys, F. Walker, List Homopt. Coll. B. M. (1) 1850, 233.
- rostrata** Ceromya (Sow.), Agassiz in Sowerby, Min. Conch. (Germ. ed.) 1842-44, 335 (334 French edit.).—Isocardia.
- rostratus** Chaenocetus (Müll.), D. F. Eschricht, Unters. Nord. Wallthiere, I. 1849, 21.—
- rostratus** Chalepus, H. Burmeister, Handb. Ent. V. 1847, 82. [Balaena, 1776.]
- rostrata** Chama, W. Wood, Suppl. Index Test. 1828, 6 [*n. et f.*].
- rostratus** Chelmon (L.), H. Cloquet, Dict. Sci. Nat. VIII. 1817, 370.—Chaetodon, 1758.
- rostratus** Chitonellus, L. Reeve, Conch. Icon. IV.—Chitonellus, no. 6, Ap. 1847.
- rostrata** Clivina, Dejean, Spec. gén. Coléopt. I. 1825, 419.
- rostratus** Clypeus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VII. Mar. 1847, 157.
- rostratum** Conocardium (Mart.), H. G. Bronn, Index Pal. 1848, 325.—Arcites.
- rostratum** Conocardium (Kon.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 132.—Cardium.
- rostrata** Corbula, Lamarck, Ann. Mus. H. N. (Paris) VIII (48) me judice Jan. 1807, 468.
- rostrata** Corbula, Broderip & G. B. Sowerby, I., Zool. Journ. IV (15) Jan. 1829, 361.
- rostrata** Corbula, J. G. Jeffreys, Malac. Conch. Mag. (2) 1839, 44 [*n. n.*].
- rostratus** Coricus (Bl.), Cuvier & Valenc., H. N. Poiss. XIII. 1839, 256.—Lutjanus, 1791.
- rostrata** Crania, F. W. Hoeninghaus, Crania, 1828, 3.
- rostrata** Crassatella, Lamarck, Ann. Mus. H. N. (Paris) VI (36) Dec. 1805, 408 [*n. n.*].
- rostrata** Crassatella, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1824, 35.
- rostrata** Cristellaria, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 292 [*n. n.*].
- rostratus** Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 27 [*n. n.*] & *var. caryatripes*, Knoch [*n. n.*].
- rostratus** Cyclops, W. G. Tilesius, N. Ann. Wetterau. Ges. Nat. I (1) 1818, 7.
- rostrata** Cypricardia, Lamarck, An. s. vert. VI (1) 1819, 28.
- rostrata** Cypricardia, W. Wood, Suppl. Index Test. 1828, 37.—Chama, 1828.
- rostratum** Cypridina, A. E. Reuss, Naturw. Abhandl. (Haidinger) III (1) 1850, 77.
- rostrata** Cyprina, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 341.
- rostratus** Cyprinus, W. G. Tilesius, Mém. Ac. Sci. St Pétersb. IV. 1813, 454.
- rostrata** Cypris, W. Dunker, Stud. Goetting. Ver. bergm. Freunde, V (2) [1843], 173; Norddeutsch. Wälderthon, 1843, 40; Mon. Norddeutsch. Weald. 1846, 61.
- rostratus** Cyrtognathus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 389.
- rostrata** Cytherea, F. C. L. Koch in R. A. Philippi, Abb. Conch. I (6) 1844, 150.
- rostratus** Dasybatus (Risso), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (July), 120.—Raia. [Delphinus, Desm.]
- rostratus** Delphinorhynchus (F. Cuv.), Boitard, Dict. Univ. Hist. Nat. IV. 1844, 625.—
- rostratus** Delphinus, G. Shaw, Gen. Zool. (Mamm.) II (2) 1801, 514.
- rostratus** Delphinus, Desmarest, N. Dict. H. N. IX. 1817, 160 [*non* Shaw, *teste* Trouessart].
- rostrata** Delthyris (Schl.), C. H. v. Zieten, Pétrif. Wurt. (7) 1832, 51.—Terebratulites.
- rostratum** Derostoma (Müll.), A. Dugès, Ann. Sci. Nat. XXI (81) Sept. 1830, 79.—Planaria, 1776.
- rostrata** Discopora (Chiaje), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, II. Aug. 1836, 252.—Cellepora.
- rostratus** Docophorus, H. Burmeister, Handb. Ent. II (2) i, 1838, 427.
- rostratus** Dolichopus, J. C. Fabricius, Syst. Antliat. 1805, 269.—Musca, 1775.
- rostratus** Dorysthenes (Fab.), N. A. Vigors, Zool. Journ. II (8) Jan. [*i.e.* Ap.] 1826, 516.—
- rostrata** Dryophis, Reinw.; F. Boie, Isis (Oken), 1827, 545. [Prionus, 1787.]
- rostrata** Eristalis, J. W. Zetterstedt, Dipt. Scand. II. 1843, 805.
- rostrata** Euglena, C. G. Ehrenberg, Infusionsthier. 1838, 113.
- rostrata** Felis, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-1811 (1815), 109 & Feronia, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 387. [122.]
- rostrata** Frondicularia, J. L. Neugeboren, Verh. Siebenb. Verh. Nat. (8) 1850, 122.
- rostratus** Fusus (Br.), DeFrance, Dict. Sci. Nat. XVII. 1820, 540.—Murex. [1792.]
- rostratus** Fusus (Ol.), G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 151 (T\*).—Murex,
- rostrata** Gastrochaena (Spengl.), J. H. Jonas, Zeitschr. f. Malakozool., Sept. 1844, 137.—Chaena, 1793.



- rostrata** Glessaria, Koch & Berendt, Die im Bernstein befindl. org. Reste, I (1) 1845, 60  
[*n. n.*].
- rostrata** Glyphea (Ph.), H. G. Bronn, Lethaea Geogn. I (5) 1836, 479.—Astacus.
- rostrata** Gresslya, J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 211.
- rostratus** Gymnothorax, L. Agassiz in J. B. v. Spix, Pisc. Brasil. 1831, 91.
- rostrata** Helix, L. Pfeiffer, Zeitschr. f. Malakozool., Jan. 1847, 12.
- rostratus** Helophilus, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 259.
- rostratus** Herion, Denys de Montfort, Conch. I. 1808, 231. [Crambus, 1798.
- rostratus** Herminia (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 413.—
- rostratus** Holaster, Deshayes in L. Agassiz, Cat. Ect. Ech. 1840, 1.
- rostrata** Hyalaea, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, 28.
- rostrata** Hydrachna, F. v. P. Schrank, F. Boica, III (1) 1803, 222.
- rostrata** Hydrachna, H. Lucas, Explor. Algér. (Artic. I.) 1846, 314.
- rostratus** Hydrophorus (Fab.), C. F. Fallen, Mon. Dolichop. Sveciae (1) 1823, 4.—Musca,
- rostratus** Hyperoodon, G. J. Billberg, Syn. Faunae Scand. I (1) 1827, 35. [1775.
- rostrata** Idia, C. R. W. Wiedemann, N. Dipt. Gen. 1820, 22.
- rostrata** Idia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- rostrata** Idia, H. Jensen, Bull. Soc. Imp. Nat. Moscou, IV. 1832, 340. [421.
- rostratus** Inoceramus, G. A. Goldfuss, Petref. German. II (5) 1836, 110.
- rostrata** Iridina, P. S. Rang, N. Ann. Mus. H. N. (Paris) IV [4] Ap. 1836, 316.
- rostrata** Isocardia, J. Sowerby, Min. Conch. III. 1821, 172.
- rostrata** Isocardia, G. v. Muenster, Beitr. zur Petref. (4) 1841, 87.
- rostratus** Jassus, Herrich-S. in Panzer, Ins. Germ., heft 122, 1834, tab. 2.
- rostrata** Kerona (Müll.), Bory de St V., Dict. Class. H. N. IX. 1826, 121.—Trichoda,  
1786.
- rostratus** Labeo (Tiles.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1024.—Cyprinus.
- rostratum** Laganum, L. Agassiz, Mon. Ech. II. 1841, 118.
- rostrata** Leda, C. F. Schumacher, Essai Vers test. 1817, 173.
- rostrata** Leda (Lam.), A. Hancock, Ann. Mag. N. H. XVIII. Nov. 1846, 333.—Nucula.
- rostratus** Lembulus, A. Risso, H. N. Europe, IV. 1826, 320.
- rostrata** Lentaculina, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 182.
- rostratus** Lepidogaster, J. G. Schneider, Bloch, Syst. Ichth. 1801, 1.
- rostratus** Lethrinus, Kuhl & v. Hasselt in Cuvier & Valenc., H. N. Poiss. VI. 1830, 296.
- rostratus** Leuciscus, L. Agassiz, Jahrb. f. Min. 1832, 132 [*n. n.*].
- rostrata** Libinia, T. Bell, Proc. Zool. Soc. London, III (35) Feb. 1836, 169.
- rostrata** Limnobia, T. Say, J. Acad. Nat. Sci. Philad. III. Ap. 1823, 22.
- rostrata** Limnobia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 35.
- rostratus** Lithodomus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 292.
- rostratus** Lophius, G. Shaw, Gen. Zool. (Pisc.) V (2) 1804, 383.
- rostrata** Lophocharis, E. v. Eichwald, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (2)
- rostrata** Loricaria, J. B. v. Spix, Pisc. Brasil. 1829, 5. [1849, 536.
- rostrata** Lutraria, F. W. Hoeninghaus, Jahrb. f. Min. 1830, 237 [*n. n.*].
- rostrata** Lutraria, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 139; Rep. trav.  
Soc. stat. Marseille, VI., 211.
- rostratus** Lynceus, C. L. Koch, Deutsch. Crust., heft 36, 1844, tab. 12.
- rostratus** Macroglossus, T. Horsfield in S. Raffles, Mem. T. S. Raffles, 1830, 638.—  
Pteropus, 1822.
- rostratus** Macropus, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 85.
- rostratus** Macrosemius, J. L. R. Agassiz, N. Jahrb. f. Min. 1834, 388; Poiss. Foss.,  
Feuilleton, 17 (1834); II (2), 150 (1844).
- rostrata** Mactra, L. Spengler, Skr. nat. Selsk. [Copen.] V (2) 1802, 115.
- rostrata** Mactra, R. A. Philippi in C. F. Roemer, Texas, 1849, 452.
- rostrata** Mactra, R. A. Philippi, Zeitschr. f. Malakozool. (Oct.) 1848 [Mar. 1849], 152.
- rostrata** Maja, L. A. G. Bosc, Crust. I (Castel's Buffon), 1801, 255.
- rostratum** Malacopteron, E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844, 383.—Trichastoma,  
1842.
- rostratus** Medeterus (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 61.—  
Musca, 1775.

- rostratus** Megarhynchus (Fab.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 180.—Aelia.
- rostratus** Micraster, J. Morris, Cat. Brit. Foss. 1843, 55.—Spatangus, Mant. 1822.
- rostrata** Microcera, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 572.
- rostrata** Miliola, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 371.
- rostratus** Mithrax, T. Bell, Proc. Zool. Soc. London, III (35) Feb. 1836, 171.
- rostratus** Monoculus, G. Montagu, Tr. Linn. Soc. London, XI (1) 1813, 14.
- rostrata** Muraena, C. A. Le Sueur, J. Acad. Nat. Sci. Philad. I. no. 5, Sept. 1817, 81.
- rostratus** Murex, G. Brocchi [*? non Ol.*], Conch. foss. Subap. II. 1814, 416.
- rostrata** Myopsis (Math.), J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 254.—Lutraria.
- rostrata** Myrmecia, J. C. Fabricius, Syst. Piezat. 1804, 425.—Formica, 1787.
- rostratus** Mysis, F. E. Guérin-M., Iconographie, 1844, Crust., 17.
- rostratus** Mytilites, E. F. v. Schlotheim, Die Petref. 1820, 300.
- rostrata** Neaera, R. B. Hinds, Proc. Zool. Soc. London, XI (125) Dec. 1843, 76.
- rostratus** Nemognathus (Fab.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 68.—Zonitis, 1792.
- rostrata** Nomada, Herrich-S. in E. F. Germar, Zeitschr. f. d. Entom. I (2) 1839, 280.
- rostratus** Nothrus, C. L. Koch, Deutsch. Crust., heft 29, 1839, tab. 19.
- rostrata** Nucula (Gm.), Lamarck, An. s. vert. VI (1) 1819, 58.—Arca, 1790.
- rostrata** Nucula, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 230.
- rostrata** Nukulana (Gm.), H. F. Link, Beschr. Nat. Samml. Univ. Rostock (3) 1807, 155.—Arca, 1790.
- rostratus** Numenius, G. R. Gray (*ex Latham MS*), Ann. Mag. Nat. Hist. XI. 1843, 194.
- rostrata** Odontomyia (Wied.), J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 190.—Stratiomys.
- rostrata** Oedemera (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 190.—Leptura,
- rostratus** Ophisurus, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1824, 242. [1787.
- rostratus** Ophisurus, J. M'Clelland, Calcutta Journ. Nat. Hist. V (18) July 1844, 184.
- rostrata** Ophyra (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 309.—Peronia.
- rostrata** Oreocincla, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83 [*n. n.*].
- rostrata** Oreocincla, B. H. Hodgson, Ann. Mag. N. H. XV. May 1845, 326.
- rostrata** Pachycnema, H. Burmeister, Handb. Ent. IV (1) 1844, 61.
- rostratus** Pagellus, R. T. Lowe, Tr. Zool. Soc. London, II (3) June 1839, 177.
- rostrata** Pandora, Lamarck, An. s. vert. V. 1818, 498.
- rostrata** Pangonia (L.), C. R. W. Wiedemann, Dipt. exot. 1821, 54.—Tabanus, 1764.
- rostratus** Pangonius (L.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 437.—Tabanus, 1764.
- rostrata** Panopaea (Math.), A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 333.—
- rostratus** Passalodon, J. L. R. Agassiz, Poiss. Foss. III., 352 (1843). [Lutraria.
- rostrata** Pelidnota, H. Burmeister, Handb. Ent. IV (1) 1844, 406.
- rostrata** Perna, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 342.
- rostrata** Peronia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 517.
- rostrata** Phalaena (Hyblaea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 339.
- rostratus** Philopterus (Burm.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 337.—Docophorus.
- rostrata** Pholadomya, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 136; Rep. trav. Soc. stat. Marseille, VI., 208. [pl. 24.
- rostrata** Pholas, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Atlas, 1846),
- rostrata** Phyllocephala (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 145.—Aelia.
- rostratum** Pithonoton, H. v. Meyer, N. Jahrb. f. Min. 1842, 303.—Prosopon, 1840.
- rostratus** (*sic*) Placodus, G. v. Muenster, Beitr. zur Petref. (1) 1839, 119.—rostratus, p. 121.
- rostratus** Placodus, v. Muenster in Agassiz, Poiss. Foss., Feuilleton, 121 (1839).
- rostrata** Planularia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 260.
- rostrata** Platessa, H. R. Storer, Boston Journ. N. H. VI (2) 1850, 268.

- rostrata** Platymya, J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 182.
- rostratus** Platyrrhynchus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 12.—  
[Todus, 1790. [Todus, 1790.]
- rostratus** Platyrrhynchus (Lath.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxvi.—
- rostrata** Pleuromya, J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 241.
- rostrata** Pleurotoma (Sol.), J. Sowerby, Min. Conch. II. 1816, 104.—Murex, 1766.
- rostratus** Poteriocrinites, T. Austin, Ann. Mag. N. H. X. Oct. 1842, 108 [*n. n.*].
- rostratus** Poteriocrinites, T. & T. Austin, Ann. Mag. N. H. XI. Mar. 1843, 196.
- rostrata** Procellaria, T. R. Peale in Wilkes, U. S. Expl. Exped. VIII. 1848, 296.
- rostrata** Pronomaea, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 379.
- rostrata** Proscopia, J. C. F. Klug, Horae phys. Berol. 1820, 24.
- rostratum** Prosopon, H. v. Meyer, N. Jahrb. f. Min. 1840, 587 [*n. n.*].
- rostratum** Prosopon, H. v. Meyer, Foss. Krebse, 1840, 24.
- rostratus** Proteus, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 197 & 203.
- rostratus** Pylonotus (Bl.), W. Swainson, N. H. Fishes etc. II. July 1839, 328.—Gym-
- rostratus** Pteropus, T. Horsfield, Zool. Researches Java (3) 1822. [notus, L. 1766.]
- rostratus** Pycnodus, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 221.
- rostratus** Pygorhynchus, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (1) 1840, 31.
- rostratus** Pygurus, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. III. 1839, 71.
- rostrata** Raia, A. Risso, H. N. Europe, III. 1826, 156.
- rostratus** Ramphichthys (Bloch), J. Müller, Abh. ph.-Kl. K. pr. Ak. Wiss. 1844 (1846),  
194.—Gymnotus, L. 1766.
- rostrata** Rhinyptia, H. Burmeister, Handb. Ent. IV (1) 1844, 229.
- rostratus** Rorqualus (Fab.), J. E. De Kay, N. H. New York (Mamm.) 1842, 130.—
- rostratus** Salmo, G. Shaw, Gen. Zool. (Pisc.) V (1) 1804, 86. [Balaena, Müll. 1776.]
- rostrata** Saxicola, C. G. Ehrenberg, Sym. Phys., Aves (1833), sign. *aa*.
- rostrata** Scaeva, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 607.
- rostratus** Scarus, G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 401.
- rostratus** Scomber, J. Hermann, Obs. Zool. 1804, 304.
- rostratus** Scymnus, A. Risso, H. N. Europe, III. 1826, 138.
- rostratus** Scymnus (Laemargus), A. Risso; Joh. Mueller & Henle, Syst. Plagiost. (2) 1839,
- rostratus** Solen, D. Solander, Catal. Portland Mus. 1786, 160. [95.]
- rostratus** Sparus (Bl.), G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 469.—Lutjanus, 1791.
- rostratus** Spatangus, G. A. Mantell, Foss. South Downs, May 1822, 192.
- rostratus** Spirifer (Schl.), J. Steininger, Verst. Uebergangsgeb. Eifel, 1831, 34.—Tere-
- rostratus** Spirifer, S. G. Morton, Amer. J. Sci. XXIX (1) Oct. 1835, 152. [bratulites.]
- rostratus** Spirifer, S. Kutorga, Verh. Russ.-Kais. min. Ges. St Petersburg. 1842 (1842)
- rostratus** Spirillus, F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 21. [[1843], 25.]
- rostrata** Spiroloculina, A. E. Reuss, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 382.
- rostratus** Spondylus, J. C. Chenu, Illustr. Conch. II., Spondylus, 1844-5, 7.
- rostratus** Squalius (Ag.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1041.—Leuciscus.
- rostratus** Steno (Cuv.), J. E. Gray, Zool. "Ereb. Terr." (Cetac. 1846), 43.—Delphinus,  
Desm. [? Fab. 1787.]
- rostratus** Stenorhynchus (L.), A. White, List Brit. Anim. B. M. (Crust.) 1850, 3.—Cancer,
- rostrata** Stenostoma (Fab.), P. A. Latreille, Consid. gén. Crust. etc. 1810, 217.—
- rostratus** Stomis (Dufts.), Dejean, Catal. Coléopt. 1821, 5.—Carabus. [Leptura, 1787.]
- rostrata** Stratiomys, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 68.
- rostrata** Sturisoma (Spix), W. Swainson, N. H. Fishes etc. I. Oct. 1838, 335.—Loricaria.
- rostratus** Sus, L. Oken, Lehrb. Nat. III (2) 1816, 771.
- rostratus** Syrphus, C. R. W. Wiedemann, Anal. Entom. 1824, 34.
- rostrata** Tanyglossa, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 75.
- rostratus** Tarsipes, F. L. P. Gervais & J. Verreaux, Magasin de Zool. (2) IV. 1842, pl. 35.
- rostratus** Tarsipes, Gerv. & Verreaux, Proc. Zool. Soc. London, X (108) June 1842, 1.
- rostratus** Tellinites, E. F. v. Schlotheim, Die Petref. 1820, 185.
- rostrata** Terebratula, S. Borson, Mem. R. Acc. Sci. Torino, XXIX. 1825, 300.
- rostrata** Terebratula, J. De C. Sowerby, Min. Conch. VI. 1826, 71.
- rostrata** Terebratula, Sow.; *var. difformis*, A. de Leymerie, Mém. Soc. géol. France, IV  
(2) 1841, 321 [*n. n.*]; *ibid.* V (1) 1842, 18.

- rostratus** Terebratulites, E. F. Schlotheim, *Tasch. Min.* 1813, 73.
- rostrata** Thia, G. A. Goldfuss, *Handb. Zool.* (1) 1820, 160.
- rostrata** Tipula, P. A. Latreille in *Sonnini's Buffon* (Ins.) III. 1802, 424.
- rostratum** Trichastoma, E. Blyth, *J. Asiat. Soc. Bengal*, XI. 1842 (*post July*), 795.
- rostratus** Trichechus, G. Fischer, *Zoogn.*, ed. 3, III. 1814, 637.
- rostratus** Trigonocheilus, de Haan; Dejean, *Catal. Coléopt.*, ed. 2 (1) Jan. 1833, 59.
- rostrata** Trigonocoelia (Mart.), Nyst & Galeotti, *Bull. Ac. Roy. Brux.* II. 1835, 294.—  
Nucula [*? Arcites*].
- rostrata** Triloculina, G. Michelotti, *Mem. Soc. Ital. Sci.* XXII. 1841, 300.
- rostratum** Trogulus (Latr.), P. A. Latreille, *Sonnini's Buffon*, Ins. III (1802), 61.—  
Phalangium, 1798.
- rostrata** Tropicotrachops (Reinw.), L. Fitzinger, *Syst. Rept.* 1843, 27.—*Dryophis*.
- rostrata** Truncatella, A. A. Gould, *Proc. Boston Soc. N. H.* II. 1848 (1847), 209.
- rostrata** Unio, Lamarck, *An. s. vert.* VI (1) 1819, 77.
- rostratus** Unio, Studer, *Nat. Anz. Allg. Schweiz. Gesellsch.* III (12) 1820, 93.
- rostrata** Unio, A. Valenciennes in *Humboldt, Voy. Intér. Amér.* (Obs. Zool. II. 1827),  
233.
- rostratus** Uranodon (—), H. B. Melchior, *Danske Pattedyr*, 1834, 295.—*Balaena*, ? Müll.
- rostrata** Urda, G. v. Muenster, *Beitr. zur Petref.* (3) 1840, 21. [1776.]
- rostrata** Venus, D. Solander, *Catal. Portland Mus.* 1786, 68 [*n. n.*].
- rostrata** Vermilia, Lamarck, *An. s. vert.* V. 1818, 369.
- rostrata** Zelia, J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*, II. 1830,
- rostratus** Zeus, S. L. Mitchill, *Tr. Lit. Phil. Soc. N. York*, I. 1815, 384. [315.]
- rostellum** Lucilia, J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*, II.  
1830, 460.
- rostrella** Palpula (Huebner), F. Treitschke, *Schmett. Europa*, IX (2) 1833, 52.—*Tinea*,  
1796.
- rostrella** Pleurota, J. Huebner, *Verz. bekannt. Schmett.* 1826, 406.—*Tinea*, 1796.
- rostrella** Plutella (Huebner), F. Treitschke, *Schmett. Europa*, VIII. 1830, 298.—*Tinea*,
- Rostrhamus** R. P. Lesson, *Traité Ornith.* (1) Feb. 1830, 55.—A. [1796.]
- rostriformis** Belemnites, F. A. Quenstedt, *Petref. Deutschl.* I (Ceph.) (4 & 5) 1848, 425.
- rostriformis** Crepidula, A. A. Gould, *Proc. Boston Soc. N. H.* II. 1848 (1846), 160.
- rostriformis** Mytilus, G. P. Deshayes, *Mém. Soc. géol. France*, III (1) 1838, 61.
- rostriformis** Pinna, S. G. Morton, *Proc. Acad. Nat. Sci. Philad.* I (9) Dec. 1841, 132.
- rostriformis** Terebratula, F. A. Roemer, *Verst. Norddeutsch. Oolith.* (1) 1835, 40.
- Rostrinus** F. P. Jarocki, *Zoologia*, IV. 1822, 351.—P. [*typus Gymnotus rostratus*, Gm.].
- rostro-crassa** Alauda, J. Wilkes, *Ency. Londin.* I. 1796, 235.
- rostro-major** Steneosaurus, E. Geoffroy, *Mém. Mus. H. N. (Paris)* XII [2] Sept. 1825, 149.
- rostro-minor** Mosellaesaurus, Monard, *Bull. Soc. H. N. Moselle*, IV. 1846, 66.
- rostro-minor** Steneosaurus, E. Geoffroy, *Mém. Mus. H. N. (Paris)* XII [2] Sept. 1825, 149.
- Rostrotrema** J. Lycett, *Ann. Mag. N. H.* [2] II (10) Oct. 1848, 252.—G.
- rostrum** Apion (Melsh.), T. Say, *J. Acad. Nat. Sci. Philad.* V. Nov. 1826, 253.—*Curculio*.
- rostrum** Arca, W. Wood, *Suppl. Index Test.* 1828, 6 [*n. et f.*].
- rostrum** Curculio, Knoch in F. V. Melsheimer, *Ins. Pennsylv.* 1806, 32 [*n. n.*].
- rostrum** Listrion, L. K. Schmarda, *Kleine Beitr. Nat. Infus.* 1846, 20.
- rostrum** Loxodes (Müll.), C. G. Ehrenberg, *Abh. ph.-Kl. K. pr. Ak. Wiss.* 1830 (1832)  
[1830], 42.—*Kolpoda*, 1773.
- rostrum** Lyriodon (Ag.), H. G. Bronn, *Index Pal.* 1848, 688.—*Trigonia*.
- rostrum** Peleioda (Müll.), F. Dujardin (*Roret's Suite à Buffon*), *Infusoires*, June 1841,  
403.—*Kolpoda*, 1773.
- rostrum** Trigonia, J. L. R. Agassiz, *Etudes crit. Moll. foss.* (1) 1841, 15.
- Rosula** J. E. Gray, *Syn. Cont. Brit. Mus.*, ed. 42, 1840, 64.—Ech. [*n. n.*].
- rosula** Actinia (Entacmaea), C. G. Ehrenberg, *Abh. ph.-Kl. K. pr. Ak. Wiss.* 1832 (1834),
- rosula** Cellepora, A. E. Reuss, *Naturw. Abhandl. (Haidinger)* II. 1848, 78. [261.]
- rosula** Ceriopora, F. v. Hagenow, *N. Jahrb. f. Min.* 1839, 286.
- rosula** Ophiocoma (Flem.), E. Forbes, *Mem. Werner. N. H. Soc.* VIII (1) 1839, 127.—
- rosula** Ophiura, J. Fleming, *Hist. Brit. Anim.* 1828, 489. [Ophiura.]
- rosulans** Dermaleichus, C. L. Koch, *Deutsch. Crust.*, heft 38, 1844, tab. 22.

- rosulans** Linotaenia, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 188.
- rosularia** Echinastraea (Lam.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 344.—
- rosularia** Echinopora, Lamarck, An. s. vert. II. 1816, 253. [Echinopora.]
- rosularia** Ophiura, Lamarck, An. s. vert. II. 1816, 546.
- rota** Ammonites, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 18.
- rota** Ditremaria (Desl.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 301.—Trocho-
- rota** Fissurella, L. Reeve, Conch. Icon. VI.—Fissurella, no. 79, June 1850. [toma.]
- rota** Gallina (Sow.), J. D. W. Hartmann, Erd- u. Süssw. Gast. (8) 1844, 197.—Helix (Carocolla), Brod.
- rota** Helix (Brod.), L. Pfeiffer, Symb. Helic. II. 1842, 38.—Helix (Carocolla).
- rota** Helix (Carocolla), W. J. Broderip, Proc. Zool. Soc. London, IX (100) Oct. 1841, 45.
- rota** Murex, J. Mawe, Linnaean syst. Conch. 1823, 134 [*n. et f.*].
- rota** Planorbis, H. Beck, Index Moll. Mus. Ch. Fred. (2) 1838, 120 [*n. n.*].
- rota** Skenea, Forbes & Hanley, Hist. Brit. Moll. III. 1850, 160.
- rota** Trochotoma, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VII. 1842, 105.
- Rotaclea** J. E. Gray, London Med. Repos. XV. 1821, 230.—? Ceph.
- rotaedens** Pleurotoma, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. III (11) Oct. 1847, 285.
- Rotala** Albers, 1850; *sic* Marschall, *sed err. pro* Rotula, *q.v.*
- Rotala** Meg. Cat.; Scudder, Suppl. List, 1882, 296.—G.
- rotalaria** Alecto (Lam.), J. Mueller, Ber. Verh. k. pr. Ak. Wiss. 1841, 184.—Comatula.
- rotalaria** Comatula, Lamarck, An. s. vert. II. 1816, 534.
- rotalaria** Comatula (Actinometra), Lamarck; J. Mueller, Abh. ph.-Kl. K. pr. Ak. Wiss. 1847 (1849), 256.
- Rotalia** Lamarck, Ann. Mus. H. N. (Paris) V (27) Nov. 1804, 183.—Rh.
- Rotalina** H. D. de Blainville, Faune Française (18) Malac. 1828, 66.—Rh.
- Rotalina** A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 74.—Rh.
- rotalis** Corbula, R. B. Hinds, Proc. Zool. Soc. London, XI (124) Nov. 1843, 56.
- rotalis** Patella, W. Turton, Linnaeus, Syst. Nat. IV. 1802, 590.
- rotalitus** Ilotes, Denys de Montfort, Conch. I. 1808, 199.
- Rotalites** Lamarck, Syst. Anim. 1801, 401.—? Rh. [Ammonites.]
- rotatorius** Aganides (Kon.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 115.—
- rotatorius** Ammonites, L. G. de Koninck, Descr. Anim. foss. (12) Ap. 1844, 565.
- rotatorius** Discocephalus, C. G. Ehrenberg, Sym. Phys., Phyt. 1831 (pls. 1828), sign. c.
- rotatorius** Goniatites (Kon.), H. G. Bronn, Index Pal. 1848, 544.—Ammonites.
- rotatoria** Helix, v. d. Busch in R. A. Philippi, Abb. Conch. I (1) 1842, 10.
- rotatoria** Helix, v. d. Busch in L. Pfeiffer, Symb. Helic. II. 1842, 38.
- rotatoria** Vorticella, C. S. Rafinesque, Specchio d. Sci. II (9) Sept. 1814, 68.
- rotata** Agaricia, G. A. Goldfuss, Petref. German. I (1) 1826, 42.
- rotata** Asterias, J. Foggo, Edinb. Journ. Sci. II (1) Jan. 1825, 78.
- rotata** Astrea (Goldf.), de Blainville, Dict. Sci. Nat. LX. 1830, 337.—Agaricia.
- rotatus** Murex, G. Brocchi, Conch. Subap. 1814, 434.
- rotatus** Nautilus, W. Turton, Brit. Fauna, 1807, 166.
- rotatus** Nautilus, Maton & Rackett, Tr. Linn. Soc. London, VIII. 1807, 114.
- rotata** Pedina, L. Agassiz, N. D. Allg. Schweiz. Gesellsch. IV. 1840, 36.
- rotata** Pleurotoma (Br.), S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821 [? 1822], 323.—Murex.
- rotata** Siderastraea (Goldf.), F. M'Coy, Ann. Mag. N. H. (2) II. Dec. 1848, 419.—Agaricia.
- rotata** Synastrea (Goldf.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849,
- Rotella** Lamarck, An. s. vert. VII. 1822, 6.—G. [156.—Agaricia.]
- Rotella** de Blainville (*ex* Schum. MS), Dict. Sci. Nat. XLVI. 1827, 310.—G. [*teste* Herrm.].
- rotella** Ammonites, Lamarck, An. s. vert. VII. 1822, 640.
- rotella** Cristellaria, T. A. Conrad, Amer. J. Sci. (2) II (6) Nov. 1846, 399.
- rotella** Helicina, G. B. Sowerby, II., Thes. Conch. I (1) May 1842, 12.
- rotella** Orbiculina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 142.
- rotella** Orbis, I. Lea, Contrib. to Geol. 1833, 123.
- rotella** Planorbis, L. Rousseau in Démidoff, Voy. Russie, II. 1842, 791.
- rotellaeformis** Delphinula, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (11) 1828, 203.

- rotellaeformis** Pleurotomaria, W. Dunker, Palaeontographica, I (2) Mar. 1847, 111.
- rotellaris** Helicina, C. T. Menke, Syn. meth. Moll. 1828, 80.
- rotellaris** Helix, P. Matheron, Ann. Sci. Midi France, III (9 & 10) Sept. & Oct. 1832, 57.
- rotellaris** Trochus, A. J. Michelotti, N. Jahrb. f. Min. 1846, 54 [*n. n.*].
- rotellaris** Trochus, G. Michelotti, Nat. Verh. Hollandsche Maat. Wetensch. te Haarlem (2)
- rotelliformis** Turbo, J. C. Jay, Cat. Shells, ed. 3, 1839, 111. [III (2) 1847, 182.]
- rotellina** Helix, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 230.
- rotellinus** Trochus (Monodonta), A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1849),
- rotelloides** Trochus, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 120. [108.]
- rotelloides** Turbo (Forbes), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 224.—Trochus.
- rotelloidea** Helicina, J. W. Mighels, Proc. Boston Soc. N. H. II. 1848 (1845), 19.
- rotengulus** Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 318.
- rotermundi** Capsus, Scholz, Uebers. Arb. schles. Ges. 1846 (1847), 130.
- rothii** Carabus, Findell; J. Sturm, Catal. Ins. Samml. 1826, 111.
- rothii** Carabus, Kollar in Dejean & Boisduval, Icon. Coléopt. I. 1830, 297.
- rothii** Julodis, J. Sturm, Catal. Käfer Samml. 1843, 328.
- Rotidus** C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 163.—? Ech.
- rotifer** Ammonites, T. Brown, Ill. Foss. Conch. G. B. I. [1845–9], 246.
- rotifer** Murex, H. G. Bronn, Zschr. Min. 1827, II (1828), 534 [*n. n.*].
- rotifer** Tritonium, H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 545 [? Murex, 1827].
- Rotiferus** C. S. Rafinesque, Analyse, 1815, 155.—Coel. [*n. n.*].
- rotifera** Botrylloides, H. M. Edwards, Mém. Ac. Roy. Sci. Inst. France, XVIII. 1842,
- rotiferum** Oplarium, M. Losana, Mem. R. Acc. Sci. Torino, XXXIII. 1829, 17. [301.]
- rotifera** Pedicellaria, Lamarck, An. s. vert. II 1816, 64.
- rotifera** Pleurotoma, T. A. Conrad, J. Acad. Nat. Sci. Philad. VI. Aug. 1830, 224.
- rotifera** Turritella, Lamarck, An. s. vert. VII. 1822, 59.
- rotiformis** Ammonites, J. De C. Sowerby, Min. Conch. V. 1824, 76.
- rotiformis** Goniaticites, J. Phillips, Geol. Yorksh. II. 1836, 237.
- rotiformis** Millericrinus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 346.
- rotleri** Caranx (Bl.), Cuvier & Valenc., H. N. Poiss. IX. 1833, 29.—Scomber, 1793.
- [rotomagensis.]
- rhotomagensis** Ammonites, Defrance in Cuvier & Brongniart, Desc. Géol. Paris, ed. 3, 1822, 391.
- rhotomagensis** Crania, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 139.
- rhotomagense** Dentalium, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 156.
- rothomagensis** Galerites, L. Agassiz, Cat. Ect. Ech. 1840, 7; & in E. Sismonda, Mem. R. Acc. Sci. Torino [2] VI. 1844, 391.
- rhotomagensis** Lima, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 557
- rothomagensis** Pecten, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 609.
- rhotomagensis** Turbo, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 223.
- rhotomagensis** Venus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 443.
- Rotula** C. F. Schumacher, Essai Vers test. 1817, 33 & 84.—Ech.
- Rotula** L. Agassiz (*ex* Klein), Mon. Ech. II. 1841, 23.—Ech.
- Rotula** J. C. Albers, Die Heliceen, 1850, 115.—G.
- rotula** Ammonites (Rein.), W. de Haan, Mon. Ammon. 1825, 106.—Nautilus.
- rotula** Ammonites, J. De C. Sowerby, Min. Conch. VI. 1827, 136.
- rotula** Anomalina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 172.
- rotula** Astrea, G. A. Goldfuss, Petref. German. I (1) 1826, 70.
- rotula** Cnemidium, G. A. Goldfuss, Petref. German. I (1) 1826, 16.
- rotula** Cryptocoenia (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 277.—Astrea.
- rotula** Diastopora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 51.
- rotula** Discoidea (Brongn.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 186.—Galerites.
- rotula** Discoidea, Desor in L. Agassiz, Mon. Ech. III. 1842, pl. vii [=favrina].
- rotula** Euomphalus, G. A. Goldfuss, Petref. German. III (8) 1844, 81.
- rotula** Fungia, C. D. E. König, Icones foss. 1825, pl. 19 [*n. et f.*].
- rotula** Galerites, Al. Brongniart in Cuvier & B., Desc. Géol. Paris, ed. 3, 1822, 399.
- rotula** Helix, R. T. Lowe, Tr. Cambridge, Phil. Soc. IV (1) 1831, 53.

- rotula** Helix, A. A. Gould, Proc. Boston Soc. N. H. III. 1851 (1848), 38.
- rotula** Hyppurites, E. F. v. Schlotheim, Die Petref. 1820, 354.
- rotula** Liostephania, R. H. Schomburgk, Ann. Mag. N. H. XX. Aug. 1847, 127.
- rotula** Nautilus, I. C. M. Reinecke, Maris Protog. 1818, 59.
- rotula** Nummulites, DeFrance, Dict. Sci. Nat. XXXV. 1825, 224.
- rotula** Nummulites, Schafhüttl, N. Jahrb. f. Min. 1846, 417.
- rotula** Nummulites, Grateloup in A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 336.
- rotula** Ochtheptila (Lowe), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 17.—Helix.
- rotula** Planorbis, W. H. Benson, Ann. Mag. N. H. (2) V. May 1850, 351.
- rotula** Polystomella, G. Michelotti, Mem. Soc. Ital. Sci. XXII. 1841, 288.
- rotula** Pyrina (Brongn.), C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 104.—
- rotula** Serpula, G. A. Goldfuss, Petref. German. I (3) 1831, 237. [Galerites.]
- rotula** Spirorbis (Goldf.), H. M. Edwards in Lamarck, H. N. Anim. s. Vert., ed. 2, V. Dec. 1837, 615.—Serpula.
- rotula** Stellispongia (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 391.—  
Cnemidium. [Euomphalus.]
- rotula** Straparollus (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 65.—
- rotula** Trochogonium, C. G. Ehrenberg, Vossisch. Zeitg., Ap. 1846; Inhalts-verz. S. B. Ges. nat. Fr. Berlin, 1860, 5.
- rotula** Vermetus, S. G. Morton, Syn. Org. Rem. Cret. 1834, 81.
- Rotularia** DeFrance, Dict. Sci. Nat. XLVI. 1827, 322.—Verm.
- rotulare** Cnemidium, G. v. Muenster, Beitr. zur Petref. (4) 1841, 31.
- rotulare** Diadema, L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 139.
- rotularis** Discodea, J. E. Gray, Ann. Phil. XXVI. Dec. 1825, 429. [186.—Galerites.]
- rotularis** Discoidea (Lam.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836),
- rotularis** Echinogalerus, C. D. E. König, Icones foss. 1825, pl. 14 [n. et f.].
- rotularis** Echinus, Lamarck, An. s. vert. III. 1816, 50.
- rotularis** Galerites, Lamarck, An. s. vert. III. 1816, 21.
- rotularis** Radiolites, Lamarck, An. s. vert. VI (1) 1819, 233.
- rotularis** Sphaerulites (Lam.), C. Des Moulins, Bull. H. N. Soc. Linn. Bordeaux, I (5) 1827, 258; ed. 2, 1830, 111.—Radiolites.
- rotularis** Vorticella, E. J. C. Esper, Pflanzenth. Vort., tab. vii [n. d. 1810?].
- rotularia** Astrea, H. Michelin, Icon. Zoophyt. (9-12) 1844, 108.
- rotularia** Nummulina (Desh.), H. G. Bronn, Index Pal. 1848, 831.—Nummulites.
- rotularius** Nummulites, G. P. Deshayes, Mém. Soc. géol. France, III (1) 1838, 68.
- rotularius** Trochus, Lamarck, An. s. vert. VII. 1822, 12. [Lenticulites.]
- rotulata** Cristellaria (Lam.), A. d'Orbigny, Mém. Soc. géol. France, IV (1) 1840, 26.—
- rotulata** Lenticulites, Lamarck, Ency. Méth. (Vers) 1816, pl. 466, Liste, p. 14 [n. et f.].
- rotulatus** Neritites, E. F. v. Schlotheim, Die Petref. 1820, 111.
- rotulata** Nummulina (Lam.), A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 296.—  
Lenticulites.
- rotulata** Pleurotoma, Bonelli in Bellardi & Michelotti, Mem. R. Acc. Sci. Torino [2] III.
- Rotulina** F. de Pourtalès, P. Amer. Assoc. 1850 (1850), 88.—Rh. [1841, 96.]
- rotuloides** Pleurotomaria, J. Hall, N. H. New York (Pal. I.) 1847, 173.
- rotulosa** Astrea (E. & S.), Lamarck, Syst. Anim. 1801, 371.—Madrepora, 1786.
- rotulosa** Astraea (Orbicella) (E. & S.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 210.—Madrepora, 1786.
- rotulosa** Favia (S. & E.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 319.—Madrepora, 1786.
- rotulosa** Parastrea (Lam.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848,
- rotunda** v. rotundus, -a, -um. [495.—Astrea.]
- rotundana** Ditula (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Tortrix.
- rotundana** Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 429.
- Rotundaria** C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) Sept. 1820, 306 & 308.—L.
- rotundarius** Astrolepas, J. E. Gray, Ann. Phil. XXVI. 1825, 105.
- rotundaria** Cabera (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 196.—Geometra.
- rotundaria** Geometra, A. H. Haworth, Lepidopt. Brit. (2) 1809, 289.
- rotundaticornis** Tachina, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1143.

- rotundator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 271.
- rotundatus** Acanthias (Reuss), C. G. Giebel, Fauna d. Vorwelt, I (3) 1848, 301.—Spinax.
- rotundatum** Acratrichis, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1) 1850, 244.—Ptilium, 1845.
- rotundatum** Agathidium (Gyll.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 101.—Anisotoma.
- rotundatum** Agonum (Paykull), Dejean, Catal. Coléopt. 1821, 10.—Carabus, 1790.
- rotundata** Altica, A. G. Olivier, Entom. VI. 1808, 695.
- rotundata** Amara, Dejean, Catal. Coléopt. 1821, 9 [*n. n.*].
- rotundata** Amara, Dejean, Spec. gén. Coléopt. III. 1828, 492.
- rotundatum** Amblyomma, C. L. Koch, Arch. f. Naturg. X (1) 1844, 229.
- rotundatus** Ammonites, J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 1.
- rotundatum** Amphidesma, J. Phillips, Geol. Yorksh. I. 1829, 161 [*n. et f.*].
- rotundata** Ampluria (*sic*), T. Say, Dissem. Useful Knowledge, Aug. 1829, 245. = Ampul-
- rotundatus** Ananchites, A. Risso, H. N. Europe, V. 1826, 283. [Iaria.]
- rotundatus** Ancyclus, A. Férussac, Dict. Class. H. N. I. 1822, 346.
- rotundatum** Anisotoma, L. Gyllenhal, Ins. Suecica, I (4) 1827, 513.
- rotundata** Anisotoma, W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 56.
- rotundatus** Anodon, W. Swainson, Exot. Conch. (second issue) Part 5, Jan. 1835, pl. 37 [*n. et f.*].
- rotundata** Anomia, J. S. Schroeter, Archiv Zool. (Wiedemann) III (2) 1803, 35.
- rotundatus** Anomites, W. Martin, Petr. Derb. 1809, pl. 48.
- rotundatum** Anthidium, J. C. Fabricius, Syst. Piezat. 1804, 367.—Apis, 1787.
- rotundatum** Anthophora (Fab.), F. Klug, Ges. Nat. Fr. Berlin, Mag. II. 1808, 57.—  
Anthidium. [1839, 546.—Megilla, Ill.]
- rotundata** Anthophora (Panz.), M. Spinola, Ann. Soc. Ent. France, VII (4) *post* Jan.
- rotundata** Apis, Fab.; G. W. F. Panzer, F. Ins. Germ., heft 56, 1798, Tab. 9.
- rotundata** Aranea, C. A. Walckenaer, Faune Paris. II. 1802, 231.
- rotundata** Arca, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 342.
- rotundata** Arcopagia, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 416.
- rotundatus** Arthrodeis, A. J. J. Solier, Ann. Soc. Ent. France, III (3) *post* Sept. 1834, 515.
- rotundata** Ascaris, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 39.
- rotundata** Astarte, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 113.
- rotundata** Astarte, W. Bean, Mag. Nat. Hist., n. s. III. Feb. 1839, 59 [*n. n.*].
- rotundata** Astrea, de Blainville, Dict. Sci. Nat. LX. 1830, 337.
- rotundatus** Axinus, T. Brown, Trans. Manchester Geol. Soc. I. 1841, 65.
- rotundatus** Balistus, Marion de Procé, Bull. Sci. Soc. Philom. Paris, 1822 (Sept.), 130.
- rotundatus** Bellerophon (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 8.—  
Bucania.
- rotundata** Blaps, A. J. J. Solier in Baudi & Truqui, Studi Ent. I. 1848, 325.
- rotundatus** Bolboceras, F. W. Hope, Ann. Mag. Nat. Hist. IX (59) July 1842, 423.
- rotundatus** Brachyrhinus (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 173.—
- rotundatus** Bruchus, Knoch; Dejean, Catal. Coléopt. 1821, 79 [*n. n.*]. [Curculio, 1792.]
- rotundata** Bucania, J. Hall, N. H. New York (Pal. I.) 1847, 33.
- rotundata** Buccinella, G. Perry, Conchology, Ap. 1811, pl. 27.
- rotundata** Bulla, A Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850, 583.
- rotundata** Buprestis, F. E. Guérin, Magasin de Zool. II. 1832, pl. 28.
- rotundatus** Carabus, T. Marsham, Coleopt. Brit., Sept. 1802, 457.
- rotundatum** Cardium, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 263.
- rotundata** Cassis, G. Perry, Conchology, Ap. 1811, pl. 33.
- rotundata** Cassis, DeFrance, Dict. Sci. Nat. VII. 1817, 211. [1802, 452.]
- rotundatus** Chaetodon, *id. ac* rotundus, L.; B. G. E. de Lacepède, Hist. Nat. Poiss. IV.
- rotundatus** Chalceus, W. Jardine in Schomburgk, Fishes Brit. Guiana, I (Nat. Libr. XXXII.) 1841, 209.
- rotundatus** Charopus, W. F. Erichson, Entomographien, 1840, 121.
- rotundata** Chlorota, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 208.
- rotundata** Chrysomela, Dejean, Catal. Coléopt. 1821, 122 [*n. n.*].



- rotundatus** Cilibe, F. de Brême, Ess. Cossyph. (1) 1842, 50.
- rotundata** Cinips, Boyer de F., Ann. Sci. Nat. XXVI (103) July 1832, 294.
- rotundata** Ciris, C. L. Koch, Die Arachniden, XIV (2) Dec. 1846, 85.
- rotundatus** Cirrus, J. De C. Sowerby, Min. Conch. V. 1823, 36. [40.—Haliplus.
- rotundatus** Cnemidotus (Dahl), C. Aubé in Dejean & Boisduval, Icon. Coléopt. V. 1838,
- rotundatus** Coccimorphus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 270.
- rotundata** Colpodes, Ol.; Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 394.
- rotundatus** Copris, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 181.
- rotundata** Corbis, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 113.
- rotundata** Corbula, J. De C. Sowerby, Min. Conch. VI. 1827, 140.
- rotundatus** Cryptodon, S. V. Wood, I., Ann. Mag. N. H. VI. Dec. 1840, 247 [*n. n.*].
- rotundata** Cucullaea, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 104.
- rotundata** Cucullaea, F. A. Roemer, Verst. Norddeutsch. Kreidegeb. (2) 1841, 70.
- rotundatum** Cyclostoma, F. Du Bois de M., Conch. foss. Wolhyni, 1831, 48.
- rotundata** Cyprina, Braun in Agassiz, N. D. Allg. Schweiz. Gesellsch. VII. 1845, 53.
- rotundata** Cyrena, I. Lea, Tr. Amer. Phil. Soc., n. s. V (1) 1834, 107.
- rotundatus** Cyrtonus, Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 399 [*n. n.*].
- rotundatus** Cyrtonus, Mulsant & Wachanru (*ex Dej. Cat.*), Mém. Acad. Lyon, II. 1849 *vel*  
1850, 401.
- rotundata** Cytherea (Soland.), J. Morris, Cat. Brit. Foss. 1843, 87.—Venus.
- rotundata** Daphnia, T. Say, J. Acad. Nat. Sci. Philad. I (15) Nov. 1818, 440.
- rotundatus** Dendrophilus (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 9.—Hister,  
? Kug. 1792.
- rotundata** Diplorrhina, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 47.
- rotundatus** Discus (Drap.), L. J. Fitzinger, Beitr. Landeskr. Oesterr. Enns (Ver. Vaterl.  
Gesch. Wien) III. 1833, 99.—Helix, Müll. 1774.
- rotundatum** Epilasium, J. Curtis (*ex Dej. Cat.*), Proc. Linn. Soc. London (21) June 1844,
- rotundatus** Erodium, Dejean, Catal. Coléopt. 1821, 63 [*n. n.*] [201.
- rotundatus** Euomphalus (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 314.—Cirrus.
- rotundata** Eurychora, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,  
192.
- rotundatus** Euspira (Sow.), Agassiz in Sowerby, Min. Conch. (Germ. ed.) 1842–44, 453  
(448 French edit.)—Turbo. [Helix, 1774.
- rotundata** Eyryomphala (Müll.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 9.—
- rotundata** Glandulina, A. E. Reuss, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 366.
- rotundata** Globiconcha, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 143.
- rotundata** Globigerina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 277 [*n. n.*].
- rotundatum** Grammostomum, C. G. Ehrenberg, Ber. Verh. k. pr. Ak. Wiss. 1845, 370.
- rotundatus** Graphipterus, F. Klug in Ehrenberg, Sym. Phys., Ins. III (1832), sign. b.
- rotundatum** Gresslya (Phill.), J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 204.—  
Amphidesma.
- rotundata** Gymnosoma (Fab.), J. W. Meigen, Mag. f. Insektenk. (Illiger) II. 1803, 279.—
- rotundata** Haliotis, G. Perry, Conchology, Ap. 1811, pl. 52. [Musca, L. 1758.
- rotundatus** Haliplus, Dejean, Catal. Coléopt., ed. 2 (1) 1833, 56 [*n. n.*].
- rotundata** Halticoptera, M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 149  
[*n. n.*].
- rotundatus** Harpalus (Payk.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 158.—Carabus, 1790.
- rotundatus** Harpalus, Dejean, Spec. gén. Coléopt. IV. 1829, 212.—Ophonus, 1821.
- rotundatus** Harpalus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3) 1844,  
448.
- rotundata** Helicella (Sturm), J. E. Gray, Figs. Moll. Anim. IV. 1850, 115.—Helix,
- rotundatus** Helicites, E. F. v. Schlothheim, Die Petref. 1820, 100. [? Müll. 1774.
- rotundatus** Heliodromus, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 197.
- rotundata** Helix, W. Turton [*non Gm.*], Conch. Dict. 1819, 53.
- rotundata** Helix, S. d. Chiaje, Mem. An. s. vert. Napoli, Tab. pro V. & VI. 1830, pl. 83.
- rotundata** Helix (Helicella), Müll.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
- rotundatus** Henops, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 135. [1821, 44.
- rotundata** Hispa, J. C. Fabricius, Syst. Eleuth. II. 1801, 65.

- rotundatus** Hydroporus, Koch; J. Sturm, Catal. Ins. Samml. 1826, 156.  
**rotundatus** Hygrobatas, C. L. Koch, Deutsch. Crust., heft 10, 1837, tab. 15.  
**rotundata** Isocardia, C. d'Orbigny, Rec. Trav. Soc. amat. Sci. Lille, 1823-4, 1826, 288.  
**rotundata** Lasius (Panz.), L. Jurine, N. Méth. class. Hyménopt. 1807, 238.—*Apis*,  
? Fab. 1787.  
**rotundata** Lima, G. B. Sowerby, II., Thes. Conch. I (3) *ante* 23 June 1843, 86.  
**rotundata** Limacina (Orb.), Catlow & Reeve, Conch. Nomen. 1845, 325.—*Atlanta*  
*rotunda*.  
**rotundatus** Limulus, H. Milne-Edwards, Tr. Geol. Soc. London [2] V. 1840, expl. pl. 41.  
**rotundata** Lingulina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 61. [1823].  
**rotundatus** Littorina, J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 10.—*Turbo*,  
**rotundata** Littorina (Sow.), J. Morris, Cat. Brit. Foss. 1843, 149.—*Turbo*.  
**rotundata** Lobiopa, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 294.  
**rotundata** Lucina (Mont.), W. Turton, Conch. Insul. Brit. 1822, 114.—*Tellina*.  
**rotundata** Lucina, G. P. Deshayes, Traité Conch., expl. pl. 16 (1839).  
**rotundatus** Lupocyclus, A. White, List Crustacea Coll. B. M. 1847, 127 [*n. n.*].  
**rotundatus** Lupocyclus, Adams & White, Zool. "Samarang" (4) Crust., Mar. 1849, 47.  
**rotundata** Lutraria (Phill.), G. A. Goldfuss, Petref. German. II (7) 1840, 256.—*Amphi-*  
*desma*.  
**rotundata** Lyonsia (Ph.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 252.—  
*Amphidesma*.  
**rotundata** Masicera (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 288.—  
*Phryxe*.  
**rotundata** Megilla (Panz.), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 136.—*Apis*,  
**rotundata** Microstoma, A. Risso, H. N. Europe, III. 1826, 475. [1798].  
**rotundatus** Mochtherus, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 77.  
**rotundata** Monanthia, Herrich-S., Wanzenart. Ins. IV (3) Ap. 1838, 59.  
**rotundata** Mya, D. Solander, Catal. Portland Mus. 1786, 24 [*n. n.*].  
**rotundata** Mya, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 613.  
**rotundata** Mysia (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xvi, f. 11.—*Tellina*.  
**rotundata** Natica (Sow.), E. Forbes, Q. J. Geol. Soc. London, I. 1845, 346.—*Turbo*.  
**rotundata** Nitidula, Dejean, Catal. Coléopt. 1821, 43 [*n. n.*].  
**rotundatus** Nyctiplanus, J. E. Gray, Proc. Zool. Soc. London, XVI (184) Jan. 30, 1849, 58.  
**rotundata** Ocyptera (F.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 195.—  
*Musca*, L. 1758.  
**rotundatus** Odontonyx (Payk.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) Mar. 1828, 96.—  
*Carabus*, 1790.  
**rotundata** Odontopleura, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 156.  
**rotundatus** Odynerus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 34 [*n. n.*].  
**rotundatus** Olisthopus (Payk.), Dejean, Spec. gén. Coléopt. III. 1828, 177.—*Carabus*,  
**rotundatus** Omias, Meg.; Dejean, Catal. Coléopt. 1821, 96 [*n. n.*]. [1790].  
**rotundatus** Omias (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 177.—*Curculio*, 1792.  
**rotundatum** Opatrum, Dejean, Catal. Coléopt. 1821, 66 [*n. n.*].  
**rotundatus** Ophonus, Dejean, Catal. Coléopt. 1821, 14 [*n. n.*].  
**rotundata** Orthambonites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 81.  
**rotundata** Ostrea, C. G. Giebel, De Geogn. Hercyn. 1848, 26 [*n. n.*].  
**rotundatus** Otiorhynchus, C. T. v. Siebold, N. preuss. Prov.-Blätter, III. 1847, 431.  
**rotundata** Paludina, S. Woodward, Geol. Norf. 1833, 44.  
**rotundata** Panopaea, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 337.  
**rotundatus** Paradoxides, J. Barrande, Not. prélim. Silur. 1846, 11.  
**rotundatus** Paramithrax, A. White, List Crustacea Coll. B. M. 1847, 124 [*n. n.*].  
**rotundata** Patula (Müll.), F. Held, Isis (Oken), 1837, 916.—*Helix*, 1774.  
**rotundatus** Patularia, W. Swainson, Treat. Malacol., May 1840, 381.—*Anodon*, 1835.  
**rotundatus** Pecten, Lamarck, An. s. vert. VI (1) 1819, 179.  
**rotundata** Phryxe, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.  
**rotundata** Pileopsis, Castelnau, Ess. Silur. Amér. sept. 1843, 36. [1830, 160]  
**rotundata** Pimelia, A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 149.  
**rotundatus** Planorbis, J. L. M. Poiret, Coq. Aisne, 1801, 93.

- rotundatus** Planorbis, Al. Brongniart, Ann. Mus. H. N. (Paris) XV (89-90) Oct. 1810, 370.  
**rotundatus** Planorbis, L. Mauduyt, Tabl. Moll. Vienne, 1839, 86.  
**rotundatum** Platyschisma, J. Morris in P. E. de Strzelecki, Phys. descr. N. S. W. 1845, 286.  
**rotundata** Pleuromya (Goldf.), J. L. R. Agassiz, Etudes crit. Moll. foss. (4) 1845, 234.—  
**rotundata** Pleurotomaria, J. De C. Sowerby, Min. Conch. VII. 1844, 70. [Lutraria.  
**rotundata** Pleurotomaria, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 73.  
**rotundatus** Podalirius (Panz.), C. A. Walckenaer, Faune Paris. II. 1802, 126.—*Apis*, 1798.  
**rotundata** Podalirius (Fab.), P. A. Latreille, H. N. Fourmis, etc., May 1802, 430.—  
*Apis*, 1787.  
**rotundata** Porambonites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 98.  
**rotundatus** Praocis, J. T. Lacordaire, Ann. Sci. Nat. XX (79) July 1830, 284.  
**rotundatus** Productus, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 85.  
**rotundata** Psammobia (Mont.), J. Fleming, Hist. Brit. Anim. 1828, 438.—*Tellina*.  
**rotundatus** Pteromalus (Boyer), C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 424.—  
*Cinips*.  
**rotundatum** Ptilium, Motschulski, Bull. Soc. Imp. Nat. Moscou, 1845, 535; 1850 (1) 1850,  
 244.  
**rotundata** Renoidea, T. Brown, Ill. Conch. G. B. I. 1827, pl. i, f. 14 [*n. et f.*].  
**rotundata** Rotalina, H. D. de Blainville, Faune Française (18) Malac. 1828, 66.  
**rotundatus** Saprinus (Payk.), W. F. Erichson, Jahrb. Insectenk. I. 1834, 175.—*Hister*,  
 ? Kug. 1792.  
**rotundata** Saropoda (Panz.), P. A. Latreille, Gen. Crust. Ins. IV. 1809, 177.—*Apis*, 1798.  
**rotundatus** Schizodus (Brown), W. King, Perm. Fossils (Pal. Soc. III.) Aug. 1850, 190.—  
*Axinus*.  
**rotundatus** Selenoptychus, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 46.  
**rotundatus** Siphostoma (Michah.), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 90.—  
*Syngnathus*.  
**rotundata** Sphaerodema, F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 18.  
**rotundatum** Sphaerotherium, J. F. Brandt, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 198.  
**rotundatus** Spinax, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 220.  
**rotundatus** Spirifer, J. De C. Sowerby, Min. Conch. V. 1824, 89. [Jan. 1841, 119.  
**rotundatus** Spirostreptus, J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. VIII (7 & 8)  
**rotundata** Stenocara, A. J. J. Solier, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 558.  
**rotundatus** Stenus, S. I. Ljungh, Arch. Syst. Naturges. I (1) 1804, 67.  
**rotundata** Succinea, A. A. Gould, Proc. Boston Soc. N. H. II 1848 (1847), 182.  
**rotundatus** Syngnathus, Michahelles, Isis (Oken), 1829, 1014.  
**rotundata** Tachina (L.), J. C. Fabricius, Syst. Antliat. 1805, 311.—*Musca*, 1758.  
**rotundata** Tellina, G. Montagu, Test. Brit. I. 1803, 71.  
**rotundata** Terebratula, Lamarck, An. s. vert. VI (1) 1819, 246.  
**rotundata** Terebratula (Sow.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2,  
 VII. Jan. 1836, 374.—*Spirifer*.  
**rotundata** Terebratula, F. A. Roemer, Verst. n.-deutsch. Oolith.-Geb. 1836, 214 [*teste*  
*H. Muir-Wood*].  
**rotundata** Terebratula, G. v. Muenster, Beitr. zur Petref. (3) 1840, 75.  
**rotundatus** Thomisus, C. A. Walckenaer, Tab. Aran. 1805, 30.—*Aranea*, 1802.  
**rotundatus** Thorectes, H. Lucas, Explor. Algér. (Artic. II.) 1846, 271.  
**rotundata** Timarcha, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 80 [*n. n.*].  
**rotundatum** Trachusa (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 252.—*An-*  
*thidium*. [23.  
**rotundatus** Trechus, Dejean, Catal. Coléopt. 1821, 16 [*n. n.*]; Spec. gén. Coléopt. V. 1831,  
**rotundatus** Trichopteryx, S. S. Haldeman, Journ. Acad. Nat. Sci. Philad. I (2) Aug. 1848,  
 108.  
**rotundata** Triloculina, T. Brown, Ill. Conch. G. B. I., ed. 2, 1844, 2.—*Renoidea*, 1827.  
**rotundatus** Trochalus, F. L. de Laporte, Magasin de Zool. II. 1832, pl. 44.  
**rotundatus** Turbo, J. De C. Sowerby, Min. Conch. V. 1823, 45.  
**rotundatus** Turbo, Martin, Tr. Geol. Soc. London [2] IV. 1836, 159 [*n. n.*].  
**rotundatum** Unicardium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 236.  
**rotundata** Unio, Lamarck, An. s. vert. VI (1) 1819, 75.

- rotundatus** Unio, W. Wood, Suppl. Index Test. 1828, 57.—Mya, 1828; ? Sol. 1786.
- rotundata** Venus, Solander in Brander, Foss. Hanton. 1766, 37 [*? non* Linn.].
- rotundata** Venus (Mont.), J. E. Gray, Ann. Phil. XXV. 1825, 137.—Tellina.
- rotundatus** Zabrus, P. Rambur, F. Ent. Andal. I (2) Mar. 1838, 103.
- rotundata** Zephronia (Brandt), Gervais (F. L. P.), Ann. Sci. Nat. [2] (Zool.) VII. Jan. 1837, 42.—Sphaerotherium.
- rotundatus** Zonites (Müll.), J. E. Gray in W. Turton, Man. L. & F. W. Shells, ed. 2, May 1840, 165.—Helix, 1774.
- rotundata** Zophosis, E. Ménétriés, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2 = Sci. Nat. VI.) (4) Nov. 1849, 218.
- rotundella** Depressaria, J. W. Douglas, The Zoologist, IV (3) 1846, 1270.
- rotundicauda** Limulus, Latreille, N. Dict. H. N., ed. 2, XVIII. 1817, 67.
- rotundicauda** Milvus [Pearson], Bengal Sporting Mag. VII (28) Oct. 1836, 182.
- rotundicaudae** Limulus, P. A. Latreille, Sonnini's Buffon, Ins. IV (1802), 98.
- rotundiceps** Bisnius, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Nov. 1833, 248.
- rotundiceps** Dryinus, J. Curtis, Guide Brit. Ins. (4) 1829–30, 110 [*n. n.*].
- rotundiceps** Heteronyx, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 111.
- rotundicollis** Acupalpus, S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (31) Oct. 1843,
- rotundicolle** Agonum, J. Sturm, Catal. Ins. Samml. 1826, 89 [*n. n.*]. [302.
- rotundicollis** Allecula, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
- rotundicollis** Anoplomerus, F. E. Guérin-M., Iconographie, 1844, Ins., 224. [243.
- rotundicollis** Anthaxia, Laporte & Gory, H. N. Coléopt. II. 1838, 6.
- rotundicollis** Anthophagus, O. Heer in Froebel & Heer, Mitth. theor. Erdkunde, I. 1834,
- rotundicollis** Anthophagus, O. Heer, Coleopt. Helvet. (2) 1839, 195. [76 [*n. n.*].
- rotundicolle** Apion, Meg.; Dejean, Catal. Coléopt. 1821, 81 [*n. n.*].
- rotundicollis** Argutor, Sturm; Dejean, Catal. Coléopt. 1821, 11 [*n. n.*].
- rotundicollis** Bagous, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 75.
- rotundicollis** Bioderus, V. v. Mochulski, Kaefer Russl., *post* May 1850, 24 [*n. n.*].
- rotundicollis** Calathus, Dejean, Catal. Coléopt. 1821, 11 [*n. n.*]; Spec. gén. Coléopt. III. 1828, 75.
- rotundicollis** Cantharis, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 166.
- rotundicollis** Carabus, T. Marsham, Coleopt. Brit., Sept. 1802, 471.
- rotundicollis** Carabus, Jas. Sowerby, Brit. Miscell. (7) Aug. 1805, 73.
- rotundicollis** Carabus, K. Duftschmid, Fauna Austriae, II. 1812, 93.
- rotundicollis** Cardiophorus, I. Frivaldszky, K. magyar termes. Tarsulat évkön. I [1845],
- rotundicollis** Carterus, P. Rambur, F. Ent. Andal. I (1) 1837, 54. [181.
- rotundicollis** Catops, A. Kellner, Entom. Zeitung, Stettin, VII (6) June 1846, 176.
- rotundicollis** Chrysobothris, Laporte & Gory, H. N. Coléopt. II. 1835–1836, 51.
- rotundicollis** Ccindela, Dejean, Spec. gén. Coléopt. I. 1825, 56.
- rotundicollis** Cis, Dejean, Catal. Coléopt. 1821, 102 [*n. n.*]. [Mar. 1835, 351.
- rotundicollis** Clivina, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5)
- rotundicollis** Colymbetes, C. C. Babington, Tr. Entom. Soc. Lond. III (1) Jan. 1842, 7.
- rotundicollis** Cryptophagus, Dejean, Catal. Coléopt. 1821, 45 [*n. n.*]. [1844, 329.
- rotundicollis** Cryptorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1)
- rotundicollis** Ctenoncus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850, 369.
- rotundicollis** Cychrus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 10 [*n. n.*].
- rotundicollis** Dendarus, H. Lucas, Explor. Algér. (Artic. II.) 1846, 329. [373.
- rotundicollis** Dinodes, Dejean, Catal. Coléopt. 1821, 9 [*n. n.*]; Spec. gén. Coléopt. II. 1826,
- rotundicollis** Elater, T. Say, Ann. Lyceum N. H. New York, I (8) June 1825, 259.
- rotundicollis** Eleodes, Dejean, Catal. Coléopt., ed. 2 (3) 1834, 189.
- rotundicollis** Gymnetron, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 753.
- rotundicollis** Gyrohypnus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 23 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Nov. 1833, 259.
- rotundicollis** Harpalus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 44.
- rotundicollis** Harpalus, F. A. Kolenati, Melet. Entom. (1) Aug. 1845, 65.

- rotundicollis** Helops, H. Lucas, Explor. Algér. (Artic. II.) 1846, 350.
- rotundicollis** Helops, Dejean in H. C. Kuester, Käfer Europas, XXI. 1850, 40.
- rotundicollis** Hesperophanes, H. Lucas, Ann. Sci. Nat. [2] (Zool.) XVIII. Sept. 1842, 185.
- rotundicollis** Hypsonotus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 258.
- rotundicollis** Julodis, Laporte & Gory, H. N. Coléopt. I. 1835–1836, 23.
- rotundicollis** Lepidodes, J. O. Westwood, Ann. Mag. N. H. VIII. Oct. 1841, 124.
- rotundicollis** Merionus, Dejean, Catal. Coléopt. 1821, 90 [*n. n.*].
- rotundicollis** Nyctobates, J. O. Westwood, Proc. Zool. Soc. London, X (116) Jan. 1843, 120.
- rotundicollis** Odontonyx (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) Mar. 1828, 96.—Carabus.
- rotundicolle** Olophrum (Sahlb.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 866.—Omalium.
- rotundicolle** Omalium, C. R. Sahlberg, Diss. Ent. Ins. Fenn. (19) 1830, 286; & Ins. Fenn. I. 1834, 281.
- rotundicolle** Omalium, T. Say, Tr. Amer. Phil. Soc., n. s. IV (3) 1834, 464.
- rotundicollis** Omaseus, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 8 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Feb. 1835, 376.
- rotundicollis** Oopterus, A. White, Zool. "Ereb. Terr." (Ins. 1846), 6.
- rotundicolle** Opatrum, J. Sturm, Catal. Ins. Samml. 1826, 179 [*n. n.*].
- rotundicollis** Ophonus, Dejean, Catal. Coléopt. 1821, 13 [*n. n.*].
- rotundicollis** Phaenicocerus, Dupont in J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 29.
- rotundicollis** Platysma (Dufts.), J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 87.—
- rotundicollis** Ptinus, H. Lucas, Explor. Algér. (Artic. II.) 1846, 209. [Carabus.]
- rotundicollis** Rhynchites, Ziegl.; Dejean, Catal. Coléopt. 1821, 80 [*n. n.*].
- rotundicollis** Sphenoptera, Laporte & Gory, H. N. Coléopt. II. 1839, 30.
- rotundicollis** Staphylinus, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 145. [876.]
- rotundicollis** Strophosomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840,
- rotundicollis** Thinobatis, G. R. Waterhouse, Ann. Mag. N. H. XVI. Nov. 1845, 320.
- rotundicollis** Thylacites, Dejean, Catal. Coléopt. 1821, 95 [*n. n.*]. [138.]
- rotundicollis** Trichius (Trichinus), W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837,
- rotundicollis** Trogodes, J. O. Westwood in Schaum, Verz. Lam. Melitoph. 1848, 64 [*n. n.*].
- rotundicollis** Upis, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 213.
- rotundicollis** Urodon, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 144.
- rotundicollis** Xysta (Dejean), F. Eschscholtz, Zool. Atlas, III. 1829, 9.—Eleodes.
- rotundicollis** Zabrus, E. Ménétriés, Bull. Sci. Ac. Imp. Sci. Pétersb. I (19) Nov. 1836, 149.
- rotundicollis** Zabrus, P. Rambur, F. Ent. Andal. I (2) Mar. 1838, 104.
- rotundicornis** Anthomyza, J. W. Zetterstedt, Dipt. Scand. V. 1846, 1772.
- rotundicornis** Hemiptycha, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 314.
- rotundicornis** Tachina, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 641.
- rotundicosta** Dalader, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 188.
- rotundicostata** Arca, L. Reeve, Conch. Icon. II.—Arca, no. 46, Feb. 1844.
- rotundifolia** Lophosmilia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 247.
- rotundifolius** Vampyrus, C. Ranzani, Elem. Zool. II (2) 1820, 191.
- rotundiformis** Xantho, H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 397.
- rotundifrons** Acaste (Emmr.), Goldfuss, N. Jahrb. f. Min. 1843, 563.—Phacops.
- rotundifrons** Phacops, H. F. Emmerich, De Trilobitis, 1839, 23.
- rotundifrons** Tetralobus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) X. Feb. 1847, 52.
- rotundilirata** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 178, Nov. 1844.
- rotundipennis** Carabus, K. Duftschmid, Fauna Austriae, II. 1812, 176.
- rotundipennis** Dolichopus, H. Loew, Entom. Zeitung, Stettin, IX (11) Nov. 1848, 329.
- rotundipennis** Dyschirius, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 742.
- rotundipennis** Graphipterus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4)
- rotundipennis** Lebia, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 389. [1843, 714.]
- rotundipennis** Lissonotus, Dejean, Catal. Coléopt. 1821, 109 [*n. n.*].
- rotundipennis** Malachus, Dejean, Catal. Coléopt. 1821, 38 [*n. n.*]. [Pasimachus.]
- rotundipennis** Molobrus (Chevr.), J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 364.—

- rotundipennis** Pasimachus, L. A. A. Chevrolat, Coléopt. Mex. (2) Mar. 1834, no. 20.  
**rotundipennis** Polybothris, L. A. A. Chevrolat, Revue Entom. V (2) c. Sept. 1838, 68.  
**rotundipennis** Scarites, Dejean, Spec. gén. Coléopt. I. 1825, 401.  
**rotundipennis** Sciara, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 294.  
**rotundipennis** Scydmaenus, H. Schaum in Germar, Zeitschr. f. d. Entom. V. 1844, 466.  
**rotundipennis** Sphaerorhinus, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Oct. 1849, 504.  
**rotundipennis** Stenocorus, Dejean, Catal. Coléopt. 1821, 105 [*n. n.*].  
**rotundipennis** Trechus (Dufts.), J. Sturm, Deutschl. Fauna (Insecten) VI. 1825, 91.—  
**rotundita** Arca, P. H. Nyst, Mém. Ac. Roy. Belg. XXII. 1848, 64. [Carabus.  
**rotundiventris** Aricia, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1557.  
**rotundiventris** Ceratina, M. Spinola in G. Osculati, Esplor. Reg. Equat. 1850, 201 [*n. n.*].  
**rotundiventris** Miltogramma, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1209.  
**rotundiventris** Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 129.  
**rotundiventris** Pteromalus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 426.  
**rotundiventris** Tachina, C. F. Fallen, Mon. Muscidum Sveciae (2) 1820, 23.  
**rotundiventris** Tephritis, C. F. Fallen, K. Vet. Ac. Handl. 1814 (2) 1815, 176.  
**rotundiventris** Trypeta (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 325.—  
Tephritis.  
**rotundiventris** Urophora (Fall.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,  
**rotundiventris** Verlusia, M. Spinola, Ess. Ins. Hémipt. 1837, 147. [456.—Tephritis.  
[rotundus, -a, -um.]  
**rotunda** Aglaura (Q. & G.), H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 259.—Dianaea.  
**rotunda** Alcinoe, Forbes & Goodsir, 9 Rept. Brit. Assoc. (Birm. 1839) 1840, Trans., 85.  
**rotundus** Ammonites, J. Sowerby, Min. Conch. III. 1821, 169.  
**rotundus** Anodon, J. B. v. Spix, Testac. Brasil. 1827, 28.  
**rotunda** Anodonta (Spix), H. C. Kuester in Martini & Chemnitz, Syst. Conch. Cab.,  
ed. 2, Najadea (14) 1839, 33.—Anodon.  
**rotunda** Anomia, C. G. Giebel, De Geogn. Hercyn. 1848, 26 [*n. n.*].  
**rotundus** Apicrinites, J. S. Miller, N. H. Crinoidea, 1821, 18.  
**rotunda** Argonauta, G. Perry, Conchology, Ap. 1811, pl. 42.  
**rotunda** Astarte, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. 61  
**rotundus** Athyreus, J. O. Westwood, Proc. Linn. Soc. London (34) Mar. 1848, 358.  
**rotunda** Atlanta, A. d'Orbigny, Amér. Mérid. (Moll.) 1836, 175.  
**rotunda** Atrypa, J. D. C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 629.  
**rotunda** Atrypa (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 94.—  
Terebratula.  
**rotundus** Baculites, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 210.  
**rotunda** Cardita (Conr.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 384.—Veneri-  
cardia, Lea.  
**rotundus** Crioceratites (Sow.), J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840,  
409.—Hamites.  
**rotunda** Cypraea, L. C. Kiener, Spec. Coquilles (Cypraea) 1845, 141.  
**rotunda** Cyrena, W. Dunker, Norddeutsch. Wälderthon, 1843, 23; Stud. Goetting. Ver.  
bergm. Freunde, V (2) [1843], 145.  
**rotunda** Daphnia, H. E. Strauss, Mém. Mus. H. N. (Paris) VI [1-3] Aug. 1820, 161.  
**rotunda** Dianaea, Quoy & Gaimard, Ann. Sci. Nat. X (38) Feb. 1827, 181.  
**rotundum** Diplodon, J. B. v. Spix, Testac. Brasil. 1827, 34 [*n. n.*].  
**rotunda** Distorta, G. Perry, Conchology, Ap. 1811, pl. 10.  
**rotunda** Dromia, W. S. M'Leay in A. Smith, Ill. Zool. S. Afr. (Ins.) 1838, 71.  
**rotundus** Echinus, A. Gras, Bull. Soc. stat. Isère, IV. 1846 (May 1848), 322.  
**rotunda** Egeria, I. Lea, Contrib. to Geol. 1833, 50.  
**rotundus** Euomphalus, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 173.  
**rotunda** Geochelone (Latr.), L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 122.—  
**rotunda** Gonambonites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 78. [Testudo.  
**rotundus** Hamites, J. Sowerby, Min. Conch. I. 1814, 136.  
**rotunda** Helicina, A. d'Orbigny in Sagra, Cuba (Moll. I.) 1842, 252.  
**rotundus** Helicoceres (Sow.), J. Morris, Cat. Brit. Foss. 1843, 181.—Hamites.  
**rotunda** Helix, *err. pro* rotundata, Drap.; W. Hartmann, N. Alpina, I. 1821, 231.

- rotunda** Helix, A. E. Férussac, *err. pro rotundata*, Müller; G. P. Deshayes in A. E. Férussac, H. N. g. et p. Moll. I. 1850, 79.
- rotunda** Hemipronites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 75.
- rotundus** Hydrophilus, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 188.
- rotundum** Infundibulum (*ex List.*), S. V. Wood, I., Ann. Mag. N. H. IX. Aug. 1842, 462.
- rotundum** Leiobunum (Latr.), C. L. Koch, Uebers. Arachnidensyst. II. 1839, 36.—Phalangium, 1798.
- rotunda** Limacina (Orb.), J. E. Gray, Cat. Moll. Coll. B. M. (2) Feb. 1850, 32.—Atlanta.
- rotunda** Limacina (Orb.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 123.—Atlanta.
- rotunda** Lucina, I. Lea, Contrib. to Geol. 1833, 56.
- rotundus** Micradelus, F. Walker, Entom. Mag. II (2) Ap. 1834, 170.
- rotunda** Mya, W. Wood, Suppl. Index Test. 1828, 2 [*n. et f.*].
- rotundus** Nucleolites, H. G. Galeotti, Mém. cour. Ac. Roy. Brux. XII. 1837, 190.
- rotunda** Nudaria, A. H. Haworth, Lepidopt. Brit. (2) 1809, 156.
- rotunda** Oceania (Q. & G.), J. F. Eschscholtz, Syst. Acalephen, 1829, 100.—Dianaea.
- rotunda** Orthambonites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 82.
- rotunda** Pandeia (Q. & G.), R. P. Lesson, Prod. Méduses [*auct. typ.*] 1837, 16; (Roret's Suite à Buffon), Acalèphes, 1843, 289.—Dianaea.
- rotundus** Pecten, F. v. Hagenow, N. Jahrb. f. Min. 1842, 554.
- rotundus** Pentacrinites, T. Austin, Ann. Mag. N. H. X. Oct. 1842, 109 [*n. n.*].
- rotundus** Pentacrinites, T. & T. Austin, Ann. Mag. N. H. XI. Mar. 1843, 198.
- rotundum** Phyllostoma, E. Geoffroy, Ann. Mus. H. N. (Paris) XV (87) *inter* Ap.—Sept. 1810, 181.
- rotunda** Pileopsis, J. M'Clelland, Calcutta Journ. Nat. Hist. II (6) July 1844, 242.
- rotunda** Pimelia, T. Say, J. Acad. Nat. Sci. Philad. III. Jan. 1824, 251.
- rotundus** Pleuronectes, W. Turton, Linnaeus, Syst. Nat. I. 1802, 773.
- rotunda** Porambonites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 98.
- rotundus** Productus, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 85.
- rotunda** Pronites, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 72.
- rotunda** Quinqueloculina, F. A. Roemer, N. Jahrb. f. Min. 1838, 394.
- rotunda** Roubulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 290.
- rotunda** Sanguinolaria, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 100.
- rotunda** Spiroloculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 299.
- rotundum** Temnoplectron, J. O. Westwood, Ann. Mag. Nat. Hist. X (62) Sept. 1842, 67.
- rotunda** Terebratula (Murch.), G. v. Muenster, Beitr. zur Petref. (3) 1840, 78.—Atrypa.
- rotundus** Teredo, J. De C. Sowerby in F. Dixon, Geol. Sussex, 1850, 346.
- rotunda** Testudo, P. A. Latreille, suite à Deterville ed. Buffon, Rept. I. 1801, 107.
- rotunda** Testudo (Chersine), B. Merrem, Tent. Syst. Amph. 1820, 32.
- rotunda** Thelphusa, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 527.
- rotunda** Triloculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 299 [*n. n.*].
- rotunda** Ungula, C. H. Pander, Beitr. Geogn. Russ. Reichs, 1830, 59.
- rotundus** Unio, J. A. Wagner in J. B. v. Spix, Testac. Brasil. 1827, 34.
- rotunda** Venericardia, I. Lea, Contrib. to Geol. 1833, 70.
- rouaulti** Conus, d'Archiac, Mém. Soc. géol. France (2) III (2) 1850, 448.
- rouaultiana** Arca, P. H. Nyst, Mém. Ac. Roy. Belg. XXII. 1848, 64.
- roubaudianus** Ammonites, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 64.
- rougetii** Rallus, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VI. Nov. 1843, 322.
- rouillierii** Arca, P. H. Nyst, Mém. Ac. Roy. Belg. XXII. 1848, 64.
- rouillieri** Pleurotomaria, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 356.
- rouillieri** Stenotrachelus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 84.
- rouillieri** Trochus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 354.
- rouleti** Eublepharus, Gay & Solier, Ann. Soc. Ent. France, VIII (1 & 2) *post* June 1839, 17.
- rouleti** Moluris, A. J. J. Solier, Mem. R. Acc. Sci. Torino [2] VI. 1844, 292.
- rouletii** Zemina, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 487.
- roulinii** Bacteria, Goudot, Magasin de Zool. (2) V. 1843, pl. 125.
- roulini** Holaster, Deshayes in L. Agassiz, Cat. Ect. Ech. 1840, 1.
- roulinii** Phengodes, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VI. Jan. 1843, 17.

- roulini** Polydesmus, F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 110.
- roulinii** Tapirus, J. B. Fischer, Add. ad Syn. Mamm. 1830, 406. [Holaster.]
- roulini** Toxaster (Desh.), Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VIII. July 1847, 25.—
- roulroul** Rollulus (Scop.), G. R. Gray, List Birds B. M. III. 1844, 42.—Phasianus rouloul,
- Rousettus** J. E. Gray, London Med. Repos. XV. 1821, 299.—M. [1786.]
- rousaeanus** Heterocyathus, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. June 1848, 324.
- rousseaui** Echinopora, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849, 188.
- rousseaui** Microcyphus, Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 358.
- rousseaui** Parastrea, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849, 168.
- rousseaui** Prionastrea, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849, 131.
- rousseau** Spirifer, M. Rouault, Bull. Soc. géol. France (sér. 2) IV. 1847, 322.
- rousselii** Elodes, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 460.
- rousselii** Myzine, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) June 1838, 103.
- rousselii** Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 297.
- rousselii** Zemina, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 489.
- rousso** Cervus, G. Cuvier, Oss. Foss., ed. 2, V (2) 1824, 529.
- [roux→.]
- rouxii** Calotes, Duméril & Bibron (Roret's Suite à Buffon), Erpét. IV. Oct. 1837, 407.
- rouxii** Caphyra, F. E. Guérin, Ann. Sci. Nat., XXV (99) Mar. 1832, 287.
- rouxi** Chrysodema, Laporte & Gory, H. N. Coléopt. I. 1837, 9.
- rouxii** Cicindela, Barthélemy, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 600.
- rouxii** Decatoma, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 268.
- rouxii** Glycera, Audouin & Edwards, Ann. Sci. Nat. XXIX (115) July 1833, 264.
- rouxii** Graphipterus, F. L. de Laporte, Etudes Entom. (1) 1834, 57.
- rouxii** Lytta, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 274.
- rouxii** Patella, B. C. Payraudeau, Cat. Moll. Corse, 1826, 90.
- rouxii** Pieris, Boisduval (Roret's Suite à Buffon), Lépid. I. Ap. 1836, 481.
- rouxii** Pleurotomaria, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 132.
- rouxi** Rhinolophus, C. J. Temminck, Mon. Mamm. II. 1837, 30 *b*.
- rouxii** Rohita, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 270.
- rouxii** Sepia, A. d'Orbigny in A. E. Férussac & d'O., H. N. Céph. acétab. 1848, 271.
- rouxii** Theonistes, H. Burmeister, Handb. Ent. V. 1847, 177.
- rouxii** Unio, D. Dupuy, Cat. extramar. Galliae Test., Feb. 1849, 4.
- rouxianus** Ammonites, F. J. Pictet, Mém. Soc. Phys. H. N. Genève, XI (2) 1848, 355.
- rouyanus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 362.
- rouyana** Baculina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 66.
- rouyanum** Cardium, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 388.
- rouyanum** Cerithium, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 382.
- rouyana** Chemnitzia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 67.
- rouyanum** Chnemidium (*sic*), A. d'Orbigny, Rev. et Mag. de Zool. (2) II. May 1850, 180.
- rouyanum** Cnemidium, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 96.
- rouyana** Cyclas, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 381.
- rouyana** Hemispongia, A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Nov. 1849, 549.
- rouyana** Leda, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 378.
- rouyana** Litharoea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 405.
- rouyana** Lucina, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 118.
- rouyana** Natica, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 345.
- rouyana** Pholadomya, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 73.
- rouyanus** Trochocyathus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 403.
- rouyana** Turritella, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 341.
- rouyanus** Vermetus, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 386.
- rouzeti** Paromalus, L. Fairmaire, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850, 421.
- roveredo** Aptychus, F. A. Quenstedt, Petref. Deutschl. I (Ceph.) (4 & 5) 1848, 315 & index (1849), 572.—[? *usu spec.*].
- Rovettus** Valenciennes in Webb & Berthelot, H. N. Canaries (Ichth.) 1843, 52.—P. [C. & V., H. N. Poiss. X. 1835, *teste* Agassiz, *non comp.*].



- Rovetus** F. Cantraine, Giorn. Sci. Litt. Pisa, 1833 [*teste* Poey]; N. Mém. Ac. Roy. Brux. X.  
**rowii** Calymene, J. Green, Amer. J. Sci. XXXIII (2) Jan. 1838, 406. [1837, 6.—P.  
**rowlstonensis** Ammonites, Young & Bird, Geol. Surv. Yorksh. Coast, 1822, 253.  
**Rox** C. v. Heyden, Isis (Oken), 1826, 611.—Ar.  
**Roxana** J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Aug. 1834, 118.—Lep.  
**Roxania** W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 268.—G. [*n. n.*].  
**Roxania** J. E. Gray (*ex* Leach MS), Proc. Zool. Soc. London, XV (178) Nov. 1847, 161.—G.  
**roxelana** Avicula, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 168.  
**roxelane** Dira (Cr.), J. Huebner, Verz. bekannt. Schmett. 1818, 60.—Papilio, 1777.  
**roxelana** Hipparchia (Fab.), F. Ochseneimer, Schmett. Europa, IV. 1816, 21.—? Papilio,  
 Cr. 1777.  
**roxalana** Lasiommata (Cr.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 136.—  
 Papilio, 1777.  
**roxelana** Maniola (Gm.), J. W. Meigen, Syst. Besch. Eurcp. Schmett. I (4) 1829, 124.—  
 Papilio, Cr. 1777.  
**roxelana** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 134 (Fernaldo iudice 1808—  
 16) [*n. et f.*].  
**roxelana** Satyrus (Fab.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 504.—Papilio, Cr.  
**roxelina** Papilio, J. Huebner, Nachtraege Europ. Schmett. 1824, 7. [1777.  
**Roxellaria** L. Agassiz, Nom. Zool. (Moll.) 1845, 79; *emend. pro* Rupellaria, F.-B. 1802, q.v.  
**roxus** Lycaena (L. & G.), T. Horsfield, Cat. Lepidopt. Ins. Mus. E.I.C. (1) 1828, 70.—  
 Polyommatus.  
**roxus** Polyommatus, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 659.  
**royanensis** Fistulana, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 395.  
**royana** Anatina, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 377.  
**royana** Arca, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1844, 243.  
**royana** Astrea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 277.  
**royana** Avellana, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 140.  
**royanum** Cerithium, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 230.  
**royana** Crisisina, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 113.  
**royana** Cyprina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 239.  
**royana** Entalophora, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 114.  
**royana** Eschara, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 112.  
**royanus** Fusus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 228. [royanensis, 1845.  
**royana** Gastrochaena, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 235.—Fistulana  
**royana** Natica, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 165.  
**royana** Osculipora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 268.  
**royanus** Pecten, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 613.  
**royana** Perna, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1846, 499.  
**royana** Phasianella, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 224.  
**royana** Pholadomya, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 360.  
**royana** Pleurotomaria, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 269.  
**royana** Radiolites, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 228.  
**royana** Reteporoidea, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 112.  
**royanus** Spondylus, A. d'Orbigny, Pal. Franç., Crét. III. (Lam.) 1847, 671.  
**royana** Tellina, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 422.  
**royanus** Turbo, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 223.  
**royana** Venus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 448.  
**royerii** Smaris, T. E. Bowdich, Excur. Madeira, 1825, 123.  
**royerianus** Ammonites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1841, 365.  
**royerianus** Belemnites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1843, 132.  
**royerianus** Hamites, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 531.  
**royeriana** Hamulina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 115.—Hamites, 1842.  
**royeriana** Janira, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 119.  
**royeriana** Lima, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1847, 527.  
**royeriana** Nerinea, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1842, 80.  
**royeriana** Nerinella (Orb.), D. Sharpe, Q. J. Geol. Soc. London, VI. 1850, 107.—Nerinea.  
**royeriana** Pholadomya, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 335.

- royeriana** Rhynchonella, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 343.  
**royeriana** Rostellaria, A. d'Orbigny, Pal. Franç., Crét. II (Gast.) 1843, 298.  
**royeriana** Terebratula, A. d'Orbigny in Murchison, V. & K., Geol. Russia, II. Aug. 1845,  
**royerianus** Toxoceras, A. d'Orbigny, Pal. Franç., Crét. I (Céph.) 1842, 481. [484.  
 [royle→.]  
**roylei** Arvicola, J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 265.  
**roylii** Callidea, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 16.  
**roylii** Cetonia, F. W. Hope in J. F. Royle, Ill. Bot. Himalay. 1840, p. liv.  
**roylii** Cetonia, Hope in J. O. Westwood, Madras Journ. XII (28) July 1840, 133.  
**roylei** Hypudaeus (Gray), J. A. Wagner in Schreber, Säugth., Suppl. III. 1843, 587.—  
 Arvicola.  
**roylii** Jumnos (Hope), H. Burmeister, Handb. Ent. III. 1842, 196.—Cetonia.  
**roylii** Lagomys, W. Ogilby in J. F. Royle, Ill. Bot. Himalay. 1840, p. lxix.  
**roylii** Lamia, F. W. Hope, Proc. Zool. Soc. London, I (5) July 1833, 64.  
**roylii** Mantis, J. O. Westwood (*ex* Hope MS), Madras Journ. XII (28) July 1840, 131 [*n. n.*].  
**roylii** Nycteribia, J. O. Westwood, Proc. Zool. Soc. London, II (23) Mar. 1835, 138.  
 [roys→.]  
**roysii** Terebratula, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 321.  
**royssi** *v. et* roissyi.  
**royssianus** *v. roissyanus*.  
**rozeti** Capra, A. Pomel, C. R. Acad. Sci. (Paris) XIX. 1844, 227.  
**rozeti** Helix, Michaud, Mém. Soc. H. N. Strasbourg, I (2) 1833, 6.  
**rozeti** Macroscelides, G. L. Duvernoy, Mém. Soc. H. N. Strasbourg, I (2) 1833, 18.  
**rozeti** Sorex (Macrocelides), H. D. de Blainville, Ostéogr., Insectiv. 1840, 112.  
**rozeti** Trochus, d'Archiac, Mém. Soc. géol. France (2) II (2) 1847, 336.  
**rozieri** Flustra, V. Audouin in Savigny, Egypte, I (4) (Expl. pls. Polyyps) 1826, 239.  
**rozieri** Hemiplacuna, J. E. Gray, Proc. Zool. Soc. London, XVII (197) Jan.—June 1850,  
**rozovii** Cibicides, G. Fischer, Bull. Soc. Imp. Nat. Moscou, I (10) 1829, 333. [124.  
**rubago** Phalaena, E. Donovan, Brit. Ins. X. 1801, 32.  
**rubané** Taenia, Diesing, 1850; *sic* Stiles & H., *sed vernac*.  
**Rubecola** B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83.—A. [*n. n.*].  
**rubecola** Charadrius, P. P. King, Zool. Journ. IV (13) July 1828, 96.  
**rubecola** Fistularia, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 128.  
**rubecola** Platyrus, W. Swainson, N. H. Classif. Birds, II. June 1837, 319.  
**rubecola** Saxicola, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83 [*n. n.*].  
**Rubecula** C. L. Brehm (*ex* Brisson), Handb. Nat. Vögel Deutschl. 1831, 358.—A.  
**Rubecula** E. Blyth, Field Naturalist, I (10) Oct. 1833, 424.—A.  
**rubeculae** Docophorus, H. Denny, Mon. Anoplur. 1842, 108.  
**rubeculae** Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),  
 Aptères, III. 1844, 340.—Docophorus.  
**rubeculinus** Dermaleichus, C. L. Koch, Deutsch. Crust., heft 33, 1844, tab. 22. [[*n. n.*].  
**rubeculoides** Chaitaris (Niltava), B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 84  
**rubeculoides** Cyornis (Vig.), E. Blyth, J. Asiat. Soc. Bengal, XII. 1843, 941.—Phoenicura.  
**rubecoloides** Myiagra, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 253.  
**rubeculoides** Niltava (Vig.), G. R. Gray, Gen. Birds, I. Aug. 1846, 264.—Phoenicura.  
**rubeculoides** Phoenicura, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (3) Mar. 1831,  
 35.  
**rubeculoides** Propyrrhula, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 85 [*n. n.*].  
**rubeculoides** Propyrrhula, B. H. Hodgson, Proc. Zool. Soc. London, XIII (146) Aug. 1845,  
 36. [1845, 36.  
**rubeculoides** Pyrrhoptes, B. H. Hodgson, Proc. Zool. Soc. London, XIII (146) Aug.  
**rubeculoides** Ruticilla (Yarr.), R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Sept. 1840, 265.—  
 Phoenicura.  
**rubeculoides** Saxicola, W. H. Sykes, Proc. Comm. Sci. Zool. Soc. London (18) July 1832, 92.  
**rubecula** Aphis, S. S. Haldeman, Proc. Boston Soc. N. H. I (2-3) [1844-5], 168.  
**rubecula** Bucco, J. B. v. Spix, Avium Brasil. I. 1824, 51.  
**rubecula** Curruca, T. Forster, Syn. Cat. Brit. Birds, 1817, 54.  
**rubecula** Cyornis (Sw.), E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844, 390.—Muscicapa.

- rubecula** Dandalus (L.), F. Boie, Isis (Oken), 1826, 972.—Motacilla, 1758.
- rubecula** Erithacus (L.), C. D. Degland, Orn. Europ. I. 1849, 509.—Motacilla, 1758.
- rubecula** Erythaca (Scop.), W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831, 488.—Sylvia, 1769.
- rubecula** Erythrosterna (Sw.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 318.—Muscicapa.
- rubecula** Geocichla, J. Gould, Proc. Zool. Soc. London, IV (37) Ap. 1836, 7.
- rubecula** Gregarina (Hamm.), A. de Frantzius, De Gregarinis, 1846, 24.—Pyxinia.
- rubecula** Gryllus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. IX. 1824, 416.
- rubecula** Julis, J. Richardson, Ann. Mag. N. H. XI. June 1843, 423.
- rubecula** Leptonyx (Kittl.), A. d'Orbigny, Amér. Mérid. (Ois.) 1838, 196.—Pteroptochos.
- rubecula** Lypornix (Spix), J. Wagler, Syst. Avium, I. 1827, sign. 111.—Bucco.
- rubecula** Mergus, S. Palmer, The Analyst, IV (16) July 1836, 273.
- rubecula** Monasa (Spix), R. P. Lesson, Traité Ornith. (2) May 1830, 157.—Bucco.
- rubecula** Muscicapa, W. Swainson, Flycatchers (Nat. Libr. XXI.) June 1838, 221.
- rubecula** Muscicapa, E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844 (*post Oct.*), 386.
- rubecula** Muscicapula, E. Blyth, J. Asiat. Soc. Bengal, XII. 1843 (? Nov.), 940.
- rubecula** Myiagra (Lath.), G. R. Gray, Ann. Mag. N. H. XI. Mar. 1843, 190.—Todus.
- rubeculus** Neuroterus, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 339.
- rubecula** Phaeca (L.), [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 65.—Motacilla, 1758.
- rubecula** Philomela (Bechst.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (1) 1806, 33.—Sylvia, ? Scop. 1769.
- rubecula** Platyrhynchus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 16.—Todus.
- rubeculus** Pomatorhinus, J. Gould, Proc. Zool. Soc. London, VII (82) Mar. 1840, 144.
- rubeculus** Pomatostomus (Gould), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 83.—Pomatorhinus.
- rubecula** Pteroptochos, F. H. v. Kittlitz, Mém. présentés Ac. Imp. Sci. St Pétersb. I (2)
- rubecula** Pyxinia, K. E. Hammerschmidt, Isis (Oken), 1838, 357. [June 1830, 179.
- rubecula** Rhondella, J. Rennie in White, Selborne, 1833, 437.
- rubecula** Rhondella, J. Rennie, Time's Telescope, 1833, 3.
- rubecula** Rubecula (Lath.), C. L. Landbeck, Syst. Vögel Wuert. 1834, 39 [*mihi non visum*].—Sylvia, ? Scop. 1769.
- rubecula** Rubecula (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 295.—Motacilla,
- rubecula** Septa, G. Perry, Conchology, Ap. 1811, pl. 14. [1758.
- rubecula** Sylvia, L. P. Vieillot, Ency. Méth. (Orn.) 1820, 477.
- rubecula** Tenthredo, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (1) 1847, 56.
- rubecula** Todus, J. Latham, Index Orn., Suppl. 1801, p. xxxii.
- rubecula** Xanthia (Esp.), F. Ochseneimer, Schmett. Europa, IV. 1816, 83.—Phalaena,
- rubedinella** Pempelia, P. C. Zeller, Isis (Oken), 1848, 885. [1799.
- rubefactum** Aspisoma, Lacord.; Dejean, Catal. Coléopt., ed. 2 (3) *ante Oct.* 1834, 206.
- rubellanum** Buccinum, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (2) 1805, 88.
- rubellana** Cochylis (Huebner), F. Treitschke, Schmett. Europa, VII. 1829, 234.—Tortrix.
- rubellana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 46 (Fernaldo iudice 1823)
- rubellator** Ichneumon, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 361. [[*n. et f.*].
- rubellicus** Leucos, C. L. Bonaparte, Cat. méth. Cipr. Eur. 1845, 6.
- Rubellio** J. Fleming, Hist. Brit. Anim. 1828, 186.—P.
- rubellio** Ctenolabrus, J. Richardson, Zool. "Sulphur," 1845, 93.
- rubellum** Acridium, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],
- rubella** Agrion, P. L. v. d. Linden, Opusc. Sci. (Bologna) IV (2) 1820, 105. [645.
- rubellus** Alburnus, J. L. R. Agassiz, Lake Superior, 1850, 364.
- rubella** Anomma, T. S. Savage, Proc. Acad. Nat. Sci. Philad. IV (10) Aug. 1849, 196.
- rubella** Atomaria, O. Heer, Coleopt. Helvet. (3) 1841, 431.
- rubellus** Bulimulus (Brod.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 67.—Bulinus.
- rubellus** Bulinus, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (20) Aug. 1832, 124.
- rubellum** Cardium, G. D. Nardo (*ex Chiereghini MS*), Sin. mod. spec. Lag. Veneto, 1847, 23.
- rubellus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 293.

- rubella** Epeira, N. M. Hentz, Boston Journ. N. H. V (4) 1847, 478.  
**rubellus** Epierus, W. F. Erichson, Jahrb. Insectenk. I. 1834, 163.  
**rubella** Filaria, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 5.  
**rubella** Glandina, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 14.  
**rubellus** Halictus, A. H. Haliday, Tr. Linn. Soc. London, XVII (3) 1836, 321.  
**rubella** Helicina, J. Green, Doughty's Cab. N. H. II (extra no.) 1833, 291 [*teste* C. W. R.].  
**rubella** Helix (Risso), L. Pfeiffer, Mon. Helic. I (2) 1848, 430.—Theba.  
**rubella** Hispa, C. J. Schoenherr, Syn. Insect. I (3) 1817, 7.  
**rubella** Hyla, F. M. Daudin, H. N. Rainettes, 1802, 56.  
**rubella** Hyla, J. E. Gray, Zool. Miscell. (Gray) (3) Ap. 1842, 56.  
**rubella** Leuciscus, C. L. Bonaparte, Icon. Faune Ital. (20) 1837.  
**rubella** Leucos, J. J. Heckel in Russegger, Reise, I (2) 1843, 1038 [*n. n.*].  
**rubella** Libellula, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 82.  
**rubellus** Lixus, J. W. Randall, Boston Journ. N. H. II (1) 1838, 41.  
**rubellus** Lumbricus, W. Hoffmeister, Arch. f. Naturg. IX (1) 1843, 187.  
**rubella** Lymnea, I. Lea, P. Amer. Phil. Soc. II (17) Ap. 1841, 33.  
**rubella** Marginella, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 1.  
**rubella** Marginella, G. B. Sowerby, II., Thes. Conch. I (7) *ante* 27 Nov. 1846, 391.  
**rubellus** Mesoprion, Cuvier & Valenc., H. N. Poiss. II. 1828, 475.  
**rubella** Mitra, Adams & Reeve, Zool. "Samarang" (6) Moll., May 1850, 27.  
**rubella** Mytilus (Lam.), W. Wood, Suppl. Index Test. 1828, 46.—Ostrea.  
**rubella** Neriene, J. Blackwall, Tr. Linn. Soc. London, XVIII (4) 1841, 648.  
**rubellus** Onthophagus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 150.  
**rubella** Orthosia, Duponchel in J. B. Godart, H. N. Lépid. France, Suppl. III (Noct.)  
**rubella** Ostrea, Lamarck, An. s. vert. VI (1) 1819, 210. [1838, 249.  
**rubella** Phasianella, C. T. Menke, Syn. meth. Moll. 1828, 28.  
**rubellus** Pompilius, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (2) 1846, 442.  
**rubellus** Pompilus, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (4) 1849,  
**rubellus** Pselaphus, Ziegler; Dejean, Catal. Coléopt. 1821, 133 [*n. n.*]. [371.  
**rubellus** Ptinus, T. Marsham, Coleopt. Brit., Sept. 1802, 85.  
**rubella** Pupa, C. B. Adams, Proc. Boston Soc. N. H. II. 1848 (1845), 15.  
**rubella** Rana, F. M. Daudin in Latreille, s. à Deterville ed. Buffon, Rept. II. 1801, 160.  
**rubella** Saica, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 372.  
**rubella** Sarcophaga, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 357.  
**rubella** Sciaena, W. Jardine in Schomburgk, Fishes Brit. Guiana, II (Nat. Libr.  
 XXXVIII.) 1843, 133.  
**rubella** Spiroptera, Mehlis, Arch. f. Naturg. XII (1) 1846, 135 [*n. n.*].  
**rubella** Taeniocampa (Dup.), Guénee, Ann. Soc. Ent. France, VIII (3) *post* Nov. 1839,  
 480.—Orthosia.  
**rubella** Terebratula, G. B. Sowerby, I., Proc. Zool. Soc. London, XIV (164) Nov. 1846,  
**rubella** Theba, A. Risso, H. N. Europe, IV. 1826, 75. [94.  
**rubellus** Unio, T. A. Conrad, New F. W. Shells U. S. 1834, 38.  
**rubens** Achatinella, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1845), 27.  
**rubens** Actinia, W. G. Tilesius, Voigt's Mag. Naturk. IX (5) 1805, 446 [*n. n.*].  
**rubens** Agrion, W. F. Evans, Brit. Libell. 1845, 14.  
**rubens** Anodonta, Lamarck, An. s. vert. VI (1) 1819, 85.  
**rubens** Anthonomus, Dejean, Catal. Coléopt. 1821, 87 [*n. n.*].  
**rubens** Anthus, B. Merrem in Ersch & Gruber, Allg. Ency. IV. 1820, 290.  
**rubens** Aphodius, Dejean, Catal. Coléopt. 1821, 54 [*n. n.*].  
**rubens** Aphodius, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 97.  
**rubens** Apion, Ingall in J. Walton, Entom. Mag. V (1) Oct. 1837, 20 [*n. n.*].  
**rubens** Apion, J. F. Stephens, Man. Brit. Coleopt. 1839, 256.  
**rubens** Arca (Pectunculus), F. S. Voigt in Cuvier, Thierreich, III. 1834, 480.  
**rubens** Ascidia, Forbes & Goodsir, Athenaeum, 1839, 647.  
**rubens** Asteracanthion (Lam.), J. Mueller, Ber. Verh. k. pr. Ak. Wiss. 1840, 102.—  
 Asterias, L. 1758.  
**rubens** Baris, Dejean, Catal. Coléopt. 1821, 99 [*n. n.*]. [1792.  
**rubens** Blemus (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 172.—Carabus,

- rubens** Botryllus, Alder & Hancock, Tr. Tyneside Nat. F. C. I (2) 1848, 204.  
**rubens** Brachionus, C. G. Ehrenberg, Infusionsthier. 1838, 513.  
**rubens** Bracon, Nees v. E., Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 22.  
**rubens** Bruchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 34.  
**rubens** Callidium, Dejean, Catal. Coléopt. 1821, 110 [*n. n.*].  
**rubens** Calodera, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 304.  
**rubens** Camptodes, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 339.  
**rubens** Cantharis, J. C. Fabricius, Syst. Eleuth. I. 1801, 297.  
**rubens** Centropomus, M. Spinola, Ann. Mus. H. N. (Paris) X (58-59) Oct. 1807, 370.  
**rubens** Cercopis, Erichson in Klug, Doubl. Verz. Senegall. Ins. 1842, 12.  
**rubens** Chalcis, F. Klug in Ehrenberg, Sym. Phys., Ins. IV (1834), sign. g.  
**rubens** Cicindela, I. Frivaldszky, K. magyar tudos Tarsasag évkön. II. 1835, 251.  
**rubens** Coluber, H. Gachet, Bull. H. N. Soc. Linn. Bordeaux, III (18) 1829 [2 1830], 255.  
**rubens** Colubris, C. T. Wood, Orn. Guide, Jan. 1837, 137.  
**rubens** Cryptarcha, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 358.  
**rubens** Cyclogramma, M. Perty, Mitth. Nat. Ges. Bern, 1849, 39.  
**rubens** Cyclostoma, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1832), 189.  
**rubens** Distoma, F. Dujardin (Roret's Suite à Buffon), Helminthes, 1845 [Nov. 1844], 411.  
**rubens** Dorcatoma, J. J. Hoffmann etc., Entom. Hefte, II. 1803, 103.  
**rubens** Edessa, J. C. Fabricius, Syst. Rhyng. 1803, 151.—Cimex, 1794.  
**rubens** Epeira, N. M. Hentz, Boston Journ. N. H. V. (4) 1847, 477.  
**rubens** Erotylus, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 22.  
**rubens** Eurypus, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 390.  
**rubens** Falco, F. A. L. Thienemann, Rhea (1) 1846, 72.  
**rubens** Fusus, Lamarck, An. s. vert. VII. 1822, 131.  
**rubens** Geophilus, T. Say, J. Acad. Nat. Sci. Philad. II. Oct. 1821, 113.  
**rubens** Glaucea (Müll.), C. L. Koch, Deutsch. Crust., heft 35, 1844, tab. 4.—Cyclops, 1785.  
**rubens** Gobius, C. S. Rafinesque-S., Car. n. gen. 1810, 35.  
**rubens** Gonia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 343.  
**rubens** Homalilus, Meg.; J. Sturm, Catal. Ins. Samml. 1826, 154.  
**rubens** Hydrocena (Quoy), L. Pfeiffer, Zeitschr. f. Malakozool. 1847, 112.—Cyclostoma.  
**rubens** Iania (L.), O. G. Costa, Corrip. Zool. I. 1839, 82.—Corallina, 1758.  
**rubens** Ichneumon, Boyer de Fonscolombe, Ann. Soc. Ent. France [2] V (3) Nov. 1847, 407.  
**rubens** Iridina (Lam.), G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 320 (Rr\*).—  
     Anodonta.  
**rubens** Jania (S. & E.), J. V. F. Lamouroux, Hist. Polyp. 1816, 272.—Corallina, L. 1758.  
**rubens** Lycus, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 76; & App. 1817, 31.  
**rubens** Megalopus, F. Klug, Jahrb. Insectenk. I. 1834, 216.  
**rubens** Micryphantus, C. L. Koch, Uebers. Arachnidensyst. I. 1837, 12.  
**rubens** Neriene, J. Blackwall, Lond. & Edinb. Phil. Mag., 3rd ser. III (15) Sept. 1833, 189.  
**rubens** Paludina, C. T. Menke, Syn. meth. Moll., ed. 2, 1830, 134.  
**rubens** Pectunculus, Lamarck, An. s. vert. VI (1) 1819, 51.  
**rubens** Perilitus, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 36.—Bracon, 1811.  
**rubens** Perilitus (Meteorus), Nees; A. H. Haliday, Entom. Mag. III (1) Ap. 1835, 30.  
**rubens** Phalangium, J. F. Hermann, Mém. Aptér. 1804, 105.  
**rubens** Phasianella, Lamarck, An. s. vert. VII. 1822, 53.  
**rubens** Pneumora, C. P. Thunberg, K. Vet. Ac. Nya Handl. XXXI (1) 1810, 58.  
**rubens** Realia (Q. & G.), W. Baird, Nomen. Moll. Coll. B. M. (1) June 1850, 64.—Cyclo-  
     stoma.  
**rubens** Realia (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 120.—Cyclostoma.  
**rubens** Rhynchites, Meg.; Dejean, Catal. Coléopt. 1821, 80 [*n. n.*].  
**rubens** Scydmaenus, H. R. Schaum, Symb. Mon. Scyd. 1841, 28.  
**rubens** Sepia, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 203.  
**rubens** Siro, P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 62 [*n. n.*].  
**rubens** Spatha (Desh.), I. Lea, Tr. Amer. Phil. Soc., n. s. VI (1) 1838, 141.—Iridina.  
**rubens** Stellonia (L.), E. Forbes, Mem. Werner. N. H. Soc. VIII (1) 1839, 121.—Asterias,  
     1758.  
**rubens** Tautoga, Mitchill in Cuvier & Valenc., H. N. Poiss. XIII. 1839, 302.

- rubens** Tellina, H. F. Link, *Beschr. Nat. Samml. Univ. Rostock* (3) 1807, 147.
- rubens** Temnaspis (Klug), T. Lacordaire, *Mém. Soc. R. Sci. Liège*, III (2) Nov. 1845, 720.—Megalopus.
- rubens** Trechus (Fab.), J. R. Schellenberg, *Helvet. Entom.* II. 1806, 26.—Carabus, 1792.
- rubens** Uloma, J. Sturm, *Catal. Ins. Samml.* 1826, 205 [*n. n.*].
- rubens** Uloma, F. L. de Laporte in Brullé, H. N. *Anim. artic. (Coléopt.)* II. 1840, 220.
- rubens** Unio, C. T. Menke, *Syn. meth. Moll.* 1828, 90.
- rubens** Uraster (L.), E. Forbes, *Hist. Brit. Starfish* (2) Nov. 1840, 83.—Asterias, 1758.
- rubens** Zetes, C. L. Koch, *Deutsch. Crust.*, heft 31, 1841, tab. 10.
- rubeocolle** Callidium, E. Newman, *The Zoologist*, II (3) 1844, 477.
- rubeola** Angia (Q. & G.), Edwards & Haime, *C. R. Ac. Sci. (Paris)* XXVII. Nov. 1848, 496.—Dendrophyllia.
- rubeola** Chiridota (Q. & G.), J. F. Brandt, *Prod. anim. Mertens.* I. 1835, 75.—Fistularia.
- rubeola** Dendrophyllia, H. D. de Blainville, *Dict. Sci. Nat.* LX. 1830, 320 [*n. n.*].
- rubeola** Dendrophyllia, Quoy & Gaimard in d'Urville, *Voy. "Astrolabe," Zool.* IV. 1833, 197.
- rubeola** Fistularia, Quoy & Gaimard in d'Urville, *Voy. "Astrolabe" (Zool.)* IV. 1834, 128.
- rubeola** Hyla, Péron & Lesueur, *Voy. Aust.* I. 1807, 407.
- rubeolus** Scarabaeus, Palisot de B., *Ins. Afr. Amér.* (—) 1809, 90.
- rubeola** Tubipora, Quoy & Gaimard in d'Urville, *Voy. "Astrolabe," Zool.* IV. 1833, 257.
- ruber** Achelous (Lam.), A. White, *List Crustacea Coll. B. M.* 1847, 28.—Portunus.
- ruber** Agelaius (Lath.), L. P. Vieillot, *N. Dict. H. N.*, ed. 2, XXXIV. 1819, 553.—Oriolus, Gm. 1788.
- ruber** Agrypnus (Perty), E. F. Germar, *Zeitschr. f. d. Entom.* II (2) 1840, 253.—Elater.
- ruber** Alpheus (Raf.), H. M. Edwards (Roret's Suite à Buffon), *Crustacés*, II. 1837, 351.—Cryptophthalmus.
- rubra** Alveopora, Quoy & Gaimard in d'Urville, *Voy. "Astrolabe," Zool.* IV. 1833, 242.
- ruber** Amblyrhynchus (Gm.), G. R. Gray, *List Gen. Birds*, 1840, 41.—Oriolus, 1788.
- ruber** Ammocetus (Lac.), H. Cloquet, *Dict. Sci. Nat. (ed. 2)* II (Suppl.) 1816, 15.—Petromyzon, 1800.
- rubra** Ampelis (Querula), F. S. Voigt in Cuvier, *Thierreich*, I. 1831, 459.
- rubra** Amphisbaena, M. H. C. Lichtenstein, *Zool. Mus. Univ. Berlin*, ed. 2, 1818, 69.
- rubra** Anguinaria, C. F. Schumacher, *Essai Vers test.* 1817, 262.
- ruber** Anguis, P. A. Latreille, s. à Deterville ed. Buffon, *Rept.* IV. 1801, 224.
- ruber** Anthus (Gm.), J. F. Stephens in G. Shaw, *Gen. Zool. (Aves)* XIII (2) 1826, 239.—Alauda, 1788.
- ruber** Anumbius (Vieill.), A. d'Orbigny & Lafresnaye, *Syn. Av. Amér. mérid. in Magasin de Zool.* VIII. 1838, 18.—Furnarius.
- ruber** Apogon, B. G. E. de Lacepède, *Hist. Nat. Poiss.* III. 1802, 411.
- rubra** Arca, G. Perry, *Conchology*, Ap. 1811, pl. 60. [1777.]
- rubra** [Aspalax] (L.), J. Wagler, *Nat. Syst. Amph.* 1830, 14.—Talpa, ? Zimm. *vel* Erx.
- ruber** Attus, C. A. Walckenaer (Roret's Suite à Buffon), *Aptères*, I. 1837 [1836], 458.
- rubra** Auletris (Daud.), J. Wagler, *Nat. Syst. Amph.* 1830, 201.—Hyla, ? Laur. 1768.
- ruber** Basileuterus (Sw.), J. Cabanis, *Mus. Heineanum* (1) 1850 [1851], 18.—Setophaga.
- rubra** Bdella, Lamarck, *Syst. Anim.* 1801, 179.
- ruber** Blennius, Cuvier & Valenc., *H. N. Poiss.* XI. 1836, 211.
- rubrum** Botrylloides, H. M. Edwards, *Mém. Ac. Roy. Sci. Inst. France*, XVIII. 1842, 304.
- ruber** Brachyurus, C. P. Thunberg, *K. Vet. Ac. Handl.* 1821 (2) 1822, 371.
- ruber** Brenthus, W. F. Erichson, *Arch. f. Naturg.* XIII (1) 1847, 127.
- rubra** Bryaxis, C. Aubé, *Ann. Soc. Ent. France* [2] II (2) Aug. 1844, 115.
- rubrum** Buccinum, Potiez & Michaud, *Gal. Moll. Douai*, I. Oct. 1838, 381.
- ruber** Buceros, J. Latham, *Index Orn.*, Suppl. 1801, p. xxiii.
- ruber** Calamita (Laur.), B. Merrem, *Tent. Syst. Amph.* 1820, 171.—Hyla, 1768.
- ruber** Caligonus, C. L. Koch, *Deutsch. Crust.*, heft 20, 1838, tab. 20.
- rubra** Calliaspis, C. H. Boheman, *Mon. Cassid.* I. 1850, 86.
- rubra** Cardellina (Sw.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 312.—Setophaga.
- rubrum** Cardium, G. Montagu, *Test. Brit.* I. 1803, 83.
- rubra** Cassida, A. G. Olivier, *Entom.* VI. 1808, 974.

- rubra** Cavolina, de Blainville, Dict. Sci. Nat. VII. 1817, 312.
- ruber** Centropomus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 253.
- rubrum** Cercaria, A. Pritchard, N. H. Animalcules, 1834, 108. [616.—Cicada, 1758.
- rubra** Cercopis (L.), W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,
- ruber** Ceutorhynchus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—  
Curculio.
- rubra** Ceyx (Bodd.), G. R. Gray, Gen. Birds, I. Aug. 1846, 80.—Alcedo, 1783.
- rubra** Chalepus, C. P. Thunberg, Goettingen gelehrte Anz. 1805, 282.
- rubra** Chama, L. Reeve, Conch. Icon. IV.—Chama, no. 37, Jan. 1847.
- ruber** Chiton (Stenosemus), Linn.; T. v. Middendorff, Mém. Ac. Imp. Sci. St Pétersb.  
[6] VIII (2 = Sci. Nat. VI.) (1 & 2) Feb. 1848, 181.
- rubra** Chrysochloris (Gm.), J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–1811  
(1815), 78, 109 & 120.—Talpa, Erx. 1777.
- rubra** Cingula (Adams), J. Fleming, Hist. Brit. Anim. 1828, 308.—Turbo, 1797.
- ruber** Cinyris, R. P. Lesson, Traité Ornith. (4) Sept. 1830, 296.
- rubra** Clythra, P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 359.
- ruber** Coeliodes (Marsh.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 284.—Curculio.
- rubrum** Corallium, Lamarck, Syst. Anim. 1801, 378.
- ruber** Coregonus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 243.
- ruber** Corvus, J. Wilkes, Ency. Londin. V. 1802, 245.
- rubra** Crioceris, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (2) 1808, 272.
- ruber** Cryptophthalmus, C. S. Rafinesque-S., Précis Som. 1814, 23.
- ruber** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 251.
- ruber** Cymodocea (Mont.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840,  
216.—Oniscus [? MS].
- ruber** Cypris (Jur.), Desmarest, Dict. Sci. Nat. XXVIII. 1823, 411.—Monoculus.
- ruber** Dentex, Cuvier & Valenciennes, H. N. Poiss. VI. 1830, 247.
- rubra** Dicaeum (Vieill.), Cuvier, Règne Anim. I. 1817, 410.—Certhia, ? Gm. 1788.
- rubra** Dienezia, J. O. Westwood, Mag. Nat. Hist. VIII. Oct. 1835, 552.—Hippolyte, 1835.
- rubra** Diomyza, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 53 [*n. n.*]; & Syst. Cat. Brit.
- ruber** Dipterodon, C. S. Rafinesque-S., Car. n. gen. 1810, 47. [Ins., Aug. 1829, 240.
- ruber** Discodactylus, J. Wagler, Isis (Oken), 1833, 890.
- rubrum** Distoma, J. C. Savigny, Mém. An. s. Vert. (2) 1816, 38.
- rubra** Donax, G. Montagu, Test. Brit. Suppl. 1808, 38.
- rubra** Doris, Risso, Journ. de Physique, LXXXVII. Nov. 1818, 369.
- ruber** Doxococcus, C. G. Ehrenberg, Infusionsthier. 1838, 29. [Erx. 1777.
- rubra** Ducantalpa (Gm.), P. Boitard, Jardin d. Plantes, 1842 [*i. e.* 1841], 125.—Talpa,
- rubra** Durganda, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 341.
- rubra** Dynamene (Mont.), W. E. Leach, Dict. Sci. Nat. XII. 1818, 344.—Oniscus [? MS].
- rubra** Ectrichodia, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 344.
- rubra** Elania, G. R. Gray, Gen. Birds, I. May 1847, 251 [? *non* Vieill.].
- ruber** Elater, M. Perty, Del. anim. artic. Brasil. (1) 1830, 20.
- rubra** Emarginula, Lamarck, An. s. vert. VI (2) 1822, 7.
- rubra** Emea, J. Leidy, Proc. Acad. Nat. Sci. Philad. V (6) Dec. 1850, 125.
- rubra** Eos (Gm.), J. G. Wagler, Abh. K. bayer. Ak. Wiss. I. 1829–30 (Dec. 1832), 558.—  
Psittacus, 1788.
- ruber** Eudocimus, J. G. Wagler, Isis (Oken), 1832, 1232.—Ibis, 1802.
- ruber** Eumolpus, P. A. Latreille, Gen. Crust. Ins. III. 1807, 56.
- rubra** Euphyllia (Q. & G.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848,
- rubra** Euplectes, W. Swainson, Anim. in Menag., Dec. 1837, 309. [161.—Turbinolia.
- rubra** Euryope (Latr.), J. W. Dalman, Ephem. Entom. 1824, 19.—Eumolpus.
- rubrum** Flabellum (Q. & G.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) IX. May 1848,
- rubra** Fringilla, T. v. Swinderen, Figurarum Avium, 1820, 12. [280.—Turbinolia.
- rubra** Fucola, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 321.
- rubra** Fungia, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1826, 644.
- ruber** Furnarius, L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 118.
- ruber** Gadus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 671.
- ruber** Glaucia (Gm.), F. Boie, Isis (Oken), 1831, 545.—Trochilus, L. 1758.

- rubra** Globigerina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 82.  
**ruber** Gnatocerus, C. P. Thunberg, K. Vet. Ac. Handl. 1814 (1) 1814, 47.  
**ruber** Gobioides, F. Hamilton, Fish. Ganges, 1822, 38.  
**ruber** Gymnocephalus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 346.  
**ruber** Haliotis, W. E. Leach, Zool. Miscell. I. 1814, 54.  
**rubra** Haltica, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 123.  
**rubra** Haltica, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 29.  
**rubra** Helicina, L. Pfeiffer, Arch. f. Naturg. V (1) 1839, 355.  
**rubra** Helix, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847, 87.  
**ruber** Herpestes (Geoff.), A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 213.—  
**rubrum** Himatidium, C. H. Boheman, Mon. Cassid. I. 1850, 78. [Ichneumon.  
**rubra** Hippolyte, J. O. Westwood, Mag. Nat. Hist. VIII. May 1835, 272.  
**rubra** Hispa, F. Weber, Obs. Ent. 1801, 66. [Epinephelus, 1793.  
**ruber** Holocentrus (Bl.), B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 343.—  
**ruber** Holocentrus, J. W. Bennett, Fishes Ceylon (1) May 1828, no. 4.  
**ruber** Holocentrus, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.),  
 Fische (15) 1829, 83.  
**rubra** Hylotoma, F. Klug, Ges. Nat. Fr. Berlin, Mag. VI (4) 1814, 299.  
**ruber** Ibis (L.), F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802],  
**rubra** Ibis, T. Brown, Ill. Amer. Orn. 1835, Syst. Index, p. ii. [334.—Scolopax, 1758.  
**ruber** Ichneumon, E. Geoffroy St H. in Savigny, Égypte, II (Mamm.) 1818, 139.  
**ruber** Johnius, J. G. Schneider, Bloch, Syst. Ichth. 1801, 75.  
**rubra** Kellia (Mont.), W. Turton, Conch. Insul. Brit. 1822, 57.—Cardium. [1768.  
**rubra** Lacerta (Laur.), C. W. Hahn in Reider & Hahn, F. Boica (Vogel) 1832.—Seps,  
**rubra** Lamia, Dalman in C. J. Schoenherr, Syn. Insect. I (3) 1817, 391; & App. 1817, 167.  
**ruber** Larinus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845,  
 101.  
**rubra** Lasaea (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xx, f. 18.—Cardium.  
**ruber** Lemur, E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 159.  
**ruber** Lepadogaster, E. Plucar, Fischplatz zu Triest, 1846, 25.  
**ruber** Lepimphis, C. S. Rafinesque-S., Car. n. gen. 1810, 34.  
**rubra** Leptomera, Lamarck, An. s. vert. V. 1818, 172.  
**rubra** Leucocelis (De G.), H. Burmeister, Handb. Ent. III. 1842, 423.—Scarabaeus, 1778.  
**rubra** Linaria, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 29.  
**ruber** Linarius, H. Freyer, Fauna Krain, 1842, 21.  
**rubra** Linophaga, F. O. Morris, The Naturalist, II (9) June 1837, 125.  
**rubra** Linyphia, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 280.  
**rubra** Litorina, H. E. Anton, Verz. Conch. 1839, 53.  
**ruber** Lorius (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 132.—  
 Psittacus, 1788.  
**rubra** Lupea (*sic*) (Lam.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834,  
**ruber** Luvianus, C. S. Rafinesque-S., Ind. itt. Sic. 1810, 63. [454.—Portunus.  
**ruber** Lycus, F. V. Melsheimer, Ins. Pennsylv. 1806, 40 [*n. n.*].  
**rubra** Lytta, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 32.  
**ruber** Mangusta (Geoff.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Mamm., Syn.  
 1827, 158.—Ichneumon.  
**rubra** Manica (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 279.—Formica, L.  
**rubrum** Mariana, Quoy & Gaimard, Ann. Sci. Nat. VI (21) Sept. 1825, 81. [1758.  
**rubrum** Mariana, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 515.  
**rubra** Meandrina, C. A. Lesueur, Mém. Mus. H. N. (Paris) VI [4-6] Ap. 1821, 280.  
**ruber** Melanerpes (Lath.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 39.—Picus, Gm.  
 1788.  
**rubra** Mellisuga (L.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 249.—  
 Trochilus, 1758.  
**ruber** Milvus, C. L. Brehm, Isis, 1828, 1270 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831, 50.  
**rubra** Mitra (Sw.), L. Reeve, Conch. Icon. II.—Mitra, no. 286, Mar. 1845.—Tiara, ? Brod.  
**rubra** Molge (Latr.), B. Merrem, Tent. Syst. Amph. 1820, 185.—Salamandra.  
**ruber** Monochamus, F. W. Hope, Proc. Linn. Soc. London (5) Dec. 1839, 43.



- ruber** Monoculus, L. Jurine, Hist. Monocles, 1820, 172.
- rubrum** Monostoma, Kuhl & v. Hasselt, Algem. Konst. Letter-Bode, 1822 (6) Feb. 1822, 82; Isis (Oken), 1822, 114 (sign. 7\*).
- rubra** Montagua (Cantr.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 108.—Cavolina, ? Bl.
- rubra** Motacilla, J. Wilkes, Ency. Londin. XVI. 1817, 86.
- ruber** Mullus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 382.
- rubra** Murcia, C. L. Koch, Deutsch. Crust., heft 31, 1841, tab. 20. [453.]
- rubrum** Myosoma, A. Brullé in Lapeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- rubra** Myrmecia, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 (1836), 387.
- rubra** Myrmica (L.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 179.—  
Formica, 1758.
- rubra** Nectarinia, M. H. C. Lichtenstein, Verz. Samml. Säugth. etc. [Doubl. Zool. Mus. Berlin] 1842, 11.
- ruber** Nereis, R. Q. Couch, Trans. N. H. Soc. Penzance, Rept. for 1849, 331.
- ruber** Noctilio, J. R. Rengger, Naturg. Säug. Paraguay, 1830, 95.
- rubra** Nomada, F. Smith, The Zoologist, VII. 1849, App., p. xli.
- rubra** Obliquaria [*err. pro* Amblema], C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles)  
V. Sept. 1820, 314.—& *varr.* lineata; pallida.
- rubrum** Obrium, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 393.
- ruber** Octopus, C. S. Rafinesque-S., Précis Som. 1814, 28.
- rubra** Ocypete, W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 434.
- rubra** Ocypetes, A. Risso, H. N. Europe, V. 1826, 184.
- rubra** Ocyпода, Fréminville, Ann. Sci. Nat. [2] (Zool.) III. Ap. 1835, 222.
- rubra** Omatoplea (Müll.), C. M. Diesing, Syst. Helminth. I. 1850, 253.—Fasciola, 1774.
- ruber** Opeticrhynchus, D. Thon in Ersch & Gruber, Allg. Ency. (3) IV. 1833, 73.
- ruber** Orthorhynchus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799  
[1802], 281.
- ruber** Otolithus (Bl.), G. Cuvier, Règne Anim., ed. 2, II. 1829, 173.—Johnius, Schn.
- rubra** Oxytricha, C. G. Ehrenberg, Mitth. Ges. Nat. Fr. Berlin (1) 1836, 5.
- rubra** Panophrys, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 492.
- rubra** Paradisea, G. Fischer de W., Nat. Mus. Paris, II. 1803, 173.
- ruber** Pecten, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 266.
- rubra** Pepsis (Dru.), J. O. Westwood in Drury, Ill. Exot. Ent. II. 1837, 84.—Sphex, 1773.
- rubra** Perca (Forsk.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 90.—Sciaena, 1775.
- ruber** Periophthalmus, J. G. Schneider, Bloch, Syst. Ichth. 1801, 64.
- rubra** Petricola (Mont.), J. E. Gray, Ann. Phil. XXV. 1825, 136.—Cardium.
- rubra** Phoenisoma (Wils.), W. Swainson, N. H. Classif. Birds, II. June 1837, 284.—  
Tanagra, L. 1766.
- rubrum** Phthirium, G. A. Goldfuss, Handb. Zoöl. (1) 1820, 208.
- rubrum** Phylliroe, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 409.
- rubra** Pinicola, L. P. Vieillot, Ois. Amér. sept. 1807, p. iv.
- rubra** Planariola, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 568.
- rubra** Planorbulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 280 [*n. n.*].
- ruber** Ploceus (Gm.), G. R. Gray, Gen. Birds, II. Mar. 1849, 353.—Fringilla, L. 1758.
- ruber** Pneumodermon, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833),  
389.
- ruber** Pollicipes, G. B. Sowerby, I., Proc. Zool. Soc. London, I (6) Sept. 1833, 74.
- rubrum** Polyzona (L.), J. Fleming, Phil. Zool. II. 1822, 513.—Alcyonium, 1761.
- rubra** Poronia (Mont.), C. A. Récluz, Rev. Zool. (Soc. Cuv.) VI. June 1843, 175.—
- ruber** Portunus, Lamarck, An. s. vert. V. 1818, 260. [Cardium.]
- rubrum** Pristipoma, Cuvier & Valenc., H. N. Poiss. V. 1830, 283.
- rubra** Proboscidea, L. A. G. Bosc, s. à Deterville ed. Buffon, Vers, II. 1801, 45.
- rubra** Prosimia (P. & L.), A. Smith, S. African Quart. Journ. II. No. 1 (1) Dec. 1833,  
29.—Lemur, Geoff. 1812.
- rubra** Psadiroma, C. S. Rafinesque, Atlantic Journ. (2) 1832, 69.
- ruber** Pselaphus, [L. v. Beck], Beitr. baier. Insektenf. 1817, 10.
- ruber** Pseudotriton (Daud.), S. F. Baird, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850,  
286.—Salamandra.

- ruber** *Pyramis* (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. 1, f. 17.—Turbo, ? Adams, 1797.
- rubra** *Pyrranga*, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 11.—*Tanagra*, L. 1766. [26.]
- rubra** *Pyrrhula*, F. P. R. Jarocki (*ex* Briss.), Spis Ptakow Gab. zool. Warsz. Univ. 1819,
- ruber** *Raphignatus*, C. L. Koch, Uebers. Arachnidensyst. III (2) 1842, 57.—*Caligonus*,
- ruber** *Reduvius*, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 356. [1838.]
- rubra** *Rescula*, C. v. Heyden, Isis (Oken), 1826, 613.
- rubra** *Rissoa* (Ad.), W. Macgillivray, Hist. Moll. Aberdeen, 1843, 328.—Turbo, 1797.
- ruber** *Rutilus*, C. S. Rafinesque, Western Review, II (4) May 1820, 242; Ichth. Ohiensis [Dec.] 1820, 52.
- rubra** *Sabanaea* (Ad.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 270.—Turbo, 1797.
- rubra** *Salamandra*, P. A. Latreille, s. à Deterville ed. Buffon, Rept. IV. 1801, 305.
- rubra** *Salamandra*, F. M. Daudin, Sonnini's Buffon, Rept. VIII (1803), 227.
- ruber** *Sarcopterus*, C. S. Rafinesque-S., Précis Som. 1814, 30.
- ruber** *Sciurus*, Rafinesque, Ann. of Nature, 1820, 4.
- rubra** *Scolia*, L. Jurine, N. Méth. class. Hyménopt. 1807, 158.
- ruber** *Selosphorus* (L.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 82.—*Trochilus*,
- ruber** *Serranus* (Bl.), G. Cuvier, R. Anim. II. 1817, 278.—*Epinephelus*, 1793. [1758.]
- rubra** *Setophaga*, W. Swainson, Phil. Mag., n. s. I (5) May 1827, 368.
- rubra** *Silusa*, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 207.
- rubra** *Spelerpes* (Latr.), J. E. Gray, Cat. Amphib. Coll. B. M. (2) 1850, 45.—*Salamandra*.
- rubra** *Sphenorhina* (L.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 563.—*Cicada*, 1758.
- rubra** *Spongia*, C. S. Rafinesque, Specchio Sci. II (12) Dec. 1814, 169.
- rubra** *Steenstrupia*, E. Forbes, Mon. Brit. Medusae (Ray Soc.) 1848, 73.
- rubra** *Stomatella*, Lamarck, An. s. vert. VI (2) 1822, 210.
- rubra** *Stomatia* (Lam.), Catlow & Reeve, Conch. Nomen. 1845, 110.—*Stomatella*.
- rubrum** *Symphodium* (Müll.), C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 286.—*Alcyonium*, L. 1761.
- ruber** *Tabanus*, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 56.
- ruber** *Tabanus*, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 170.
- ruber** *Tachyphonus*, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXII. 1819, 359.
- rubra** *Tadorna*, C. L. Brehm, Isis, 1830, 997 [*n. n.*].
- rubra** *Tellina* (Mont.), W. Turton, Conch. Dict. 1819, 168.—*Cardium*.
- rubra** *Terebratula*, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 300.
- rubra** *Tetragnatha*, A. Risso, H. N. Europe, V. 1826, 168.
- rubra** *Tettigonia*, F. de Tigny, s. à Deterville ed. Buffon, Ins. IV. 1801, 155.
- ruber** *Thamnophilus* (Gm.), G. R. Gray, Gen. Birds, I. Aug. 1845, 298.—*Lanius*, 1788.
- rubra** *Tiara*, W. J. Broderip, Proc. Zool. Soc. London, III (36) Ap. 1836, 196.
- rubra** *Timarcha*, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 109.
- rubra** *Tonicia* (L.), J. E. Gray, Proc. Zool. Soc. London, XV (174) June 30, 1847, 67.—*Chiton*, 1767.
- rubra** *Tosia*, J. E. Gray, Proc. Zool. Soc. London, XV (174) June 30, 1847, 81.
- ruber** *Trachyderes*, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 305.
- rubra** *Tricolia*, A. Risso, H. N. Europe, IV. 1826, 122.
- rubra** *Tringa*, G. Perry, Arcana, 1811, C c 5.
- ruber** *Triphoris* [*Mastonia*], R. B. Hinds, Ann. Mag. N. H. XI. Jan. 1843, 19.
- ruber** *Triton* (Daud.), L. J. Fitzinger, Neue Classif. Rept. 1826, 66.—*Salamandra*.
- rubra** *Tritonia*, E. Rueppell & Leuckart in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.), Wirbellose Thiere (—) 1830 *vel* 1831, 15.
- rubra** *Turbinolia*, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 188.
- ruber** *Tychus*, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 44.
- rubra** *Ungulina*, F. M. Daudin in F. de Roissy, Sonnini's Buffon, Moll. VI (1805), 375.
- rubra** *Unio*, C. S. Rafinesque, Ann. gén. Sci. Phys. (Bruxelles) V. Sept. 1820, 314.
- ruber** *Urocentrus*, Duben, Ofvers. K. Vet. Ac. Förh. I (5) 1844, 111.

- ruber** Vespertilio, E. Geoffroy, Ann. Mus. H. N. (Paris) VIII (44-45) *inter* June-Sept. 1806, 204.
- rubra** Vespertilio, [G. Ord] in Guthrie, Geog. gram. (2 Amer. ed.) II. 1815, 291.
- ruberata** Acidalia, C. F. Freyer, Neuere Beitr. Schmett. I (6) 1831, 67.
- ruberrimum** Alcyonum, A. Risso, H. N. Europe, V. 1826, 381.
- ruberrima** Exoplectra, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 185.
- ruberrimus** Gunnellus, Cuvier & Valenc., H. N. Poiss. XI. 1836, 440.
- ruberrimus** Raphignathus, A. Dugès, Ann. Sci. Nat. [2] (Zool.) I. Jan. 1834, 15 & 22.
- ruberrimus** Serranus, F. H. Kittlitz in Litke, Voy. Monde, III. 1836, 303 [*n. n.*].
- ruberrimus** Trombidium (Dugès), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 172.—Raphignathus.
- rubescens** Alauda, [M. Tunstall], Orn. Britt. 1771, 2.
- rubescens** Alcedo, L. P. Vieillot, N. Dict. H. N., ed. 2, XIX. 1818, 408.
- rubescens** Amphibulima (Desh.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 98.—
- rubescens** Anthias, J. G. Schneider, Bloch, Syst. Ichth. 1801, 307. [Succinea.
- rubescens** Apis, W. Turton, Linnaeus, Syst. Nat. III. 1802, 557.
- rubescens** Attus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 429.
- rubescens** Blennius, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 117.
- rubescens** Bolboceras, F. W. Hope, Ann. Mag. Nat. Hist. IX (59) July 1842, 423.
- rubescens** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 148, June 1848.
- rubescens** Ceuthorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845,
- rubescens** Cinnyris, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXI. 1819, 506. [136.
- rubescens** Columba, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 346 [*ex* Krus. Voy.].
- rubescens** Conger, C. Ranzani, N. Comm. Ac. Sci. Inst. Bonon. IV. 1840, 82.
- rubescens** Conus, J. S. Schroeter, Archiv Zool. (Wiedemann) III (2) 1803, 73.
- rubescens** Copius, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1848, 222.
- rubescens** Coricus, A. Risso, H. N. Europe, III. 1826, 333.—Lutjanus, 1810.
- rubescens** Corizus, F. A. Kolenati, Melet. Entom. (2) Oct. 1845, 59.
- rubescens** Crenilabrus (Risso), H. Cloquet, Dict. Sci. Nat. XI. 1818, 386.—Lutjanus.
- rubescens** Cryptophasa, W. J. Lewin, Prod. Ent. Lep. Ins. N. S. W. 1805, 13.
- rubescens** Cypraea, J. E. Gray, Proc. Comm. Sci. Zool. Soc. London (24) Jan. 1833, 185.
- rubescens** Dentalium, G. P. Deshayes, Mém. Soc. H. N. Paris, II (2) Ap. 1826, 363.
- rubescens** Dicaeum, L. P. Vieillot, N. Dict. H. N., ed. 2, IX. 1817, 408.
- rubescens** Dicrocerus, C. S. Rafinesque-S., Précis Som. 1814, 32.
- rubescens** Dipsas, J. E. Gray, Ill. Indian Zool. II (19, 20) Feb. 1835 (pl. 84).
- rubescens** Echinomya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- rubescens** Elater, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 40. [1830, 46.
- rubescens** Eurystomus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXIX. 1819, 426.
- rubescens** Exocetus, C. S. Rafinesque, Amer. Monthly Mag. II (3) Jan. 1818, 205.
- rubescens** Fera, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 310.
- rubescens** Fissurella (L.), G. Fischer, Mus. Démid. III. 1807, 124.—Patella, Gm. 1790.
- rubescens** Formica, W. E. Leach, Zool. Journ. II (7) Oct. 1825, 289.
- rubescens** Heteronyx, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.
- rubescens** Lepidion, W. Swainson, N. H. Fishes etc. II. July 1839, 300. [1850, 111.
- rubescens** Locustella, E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (*post* Sept.), 582.
- rubescens** Lutjanus, A. Risso, Ich. Nice, 1810, 271.
- rubescens** Melanophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 273.
- rubescens** Merluccius, O. G. Costa, Fauna Regno Napoli, Pesci, I., Gadoides, 14 (July 1844).
- rubescens** Morinia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- rubescens** Mullus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 384. [265.
- rubescens** Murex, W. J. Broderip, Proc. Comm. Sci. Zool. Soc. London (24) Jan. 1833, 174.
- rubescens** Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 359.
- rubescens** Nectarinia (Vieill.), G. R. Gray, Gen. Birds, I. June 1847, 98.—Cinnyris.
- rubescens** Nerius, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 399. [264.
- rubescens** Nyctia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,

- rubescens** Papilio *var.* iris, Esper, Die Schmett. I (2) Forts. Tagschm. 1781, 111 [*teste*].
- rubescens** Partula, L. Reeve, Conch. Icon. VI.—Partula, no. 12, Ap. 1850. [A. F. H.].
- rubescens** Peleteria, J. B. Robineau-D., Ann. Soc. Ent. France [2] II (1) June 1844, 10.—Echinomya, 1830.
- rubescens** Picus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 90. [1830, 117.
- rubescens** Platymya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- rubescens** Plectris, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850 128.
- rubescens** Polydesmus, P. Gervais, Ann. Soc. Ent. France, V (2) *post* May 1836, 379.
- rubescens** Polyphysa, S. d. Chiaje, Mem. An. s. vert. Napoli, I (1) 1823, 61.
- rubescens** Polyphysa (Raf.), H. D. de Blainville, Man. Actin. 1834, 557.—Physidium
- rubescens** Pomanotis, A. Guichenot, Rev. Zool. (Soc. Cuv.) X. Dec. 1847, 392. [[? *ubi*].
- rubescens** Rhyncholophus, A. Dugès, Ann. Sci. Nat. [2] (Zool.) I. Jan. 1834, 15 & 33.
- rubescens** Saperda, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 28.
- rubescens** Sapromyza, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 346.
- rubescens** Siphostoma (Risso), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 90.—Syn-
- rubescens** Succinea, G. P. Deshayes, Magasin de Zool. I. 1831, 4. [gnathus.
- rubescens** Syngnathus, A. Risso, Ich. Nice, 1810, 66.
- rubescens** Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 143.
- rubescens** Tachina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 188. [1825, 64.
- rubescens** Tachyphonus, W. Swainson, Q. Journ. Sci. (R. Inst. Gt. Brit.) XX (39) Oct.
- rubescens** Tellina, S. Hanley, Proc. Zool. Soc. London, XII (134) Sept. 1844, 60.
- rubescens** Trochus, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 182.
- rubescens** Trombidium (Dugès), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 184.—Rhyncholophus.
- rubescens** Turbo, W. Swainson; Anon., Manchester N. H. Soc. Catal. Shells, 1837, 63 [*n. n.*].
- rubescens** Turritella, L. Reeve, Conch. Icon. V.—Turritella, no. 63, June 1849.
- rubescens** Volutella, G. Perry, Conchology, Ap. 1811, pl. 26.
- rubeschii** Retepora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 48.
- Rubeta** Meg. Cat.; Scudder, Suppl. List, 1882, 297.—G.
- rubeta** Bufo (L.), B. Merrem in Ersch & Gruber, Allg. Ency. XIII. 1824, 402.—Rana, 1758.
- Rubetra** C. Partington, Brit. Cyclop. N. H. I (8) Nov. 1834, 506.—A.
- Rubetra** C. T. Wood, Orn. Guide, 1835, 191.—A.
- rubetra** Acalles, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 207.
- rubetra** Baris, Fab.; Dejean, Catal. Coléopt. 1821, 98 [*n. n.*].
- rubetra** Calandra (Fab.), A. G. Olivier, Entom. V. 1807, 85.—Curculio, 1787.
- rubetra** Ceutorhynchus (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 114.—Rhynchaenus.
- rubetra** Cleogonus (Fab.), C. J. Schoenherr, Isis (Oken), 1825, 587.—Rhynchaenus.
- rubetra** Fruticicola (L.), W. Macgillivray, Hist. Brit. Birds, II. 1839, 273.—Motacilla, 1758.
- rubetra** Herbina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 699.
- rubetra** Melolontha, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5) Mar. 1838, 376. [Scop. 1769.
- rubetra** Oenanthe (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 427.—Sylvia,
- rubetra** Philomela (Bechst.), H. F. Link, Beschr. Nat. Samml. Univ. Rostock (1) 1806, 33.—Saxicola.
- rubetra** Pratincola (L.), K. L. Koch, Syst. baier. Zool. I. 1816, 191.—Motacilla, 1758.
- rubetra** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 439.—Curculio, 1787.
- rubetra** Saxicola (L.), J. M. Bechstein, Orn. Taschenb. (1) 1802, 218.—Motacilla, 1758.
- rubetra** Sipalus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 812.—Calandra.
- rubetra** Sylvia; L. P. Vieillot, Ency. Méth. (Orn.) 1820, 487.
- rubetra** Tylodes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 405.
- rubetrae** Echinorhynchus, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 77 [*n. n.*].
- rubetta** Motacilla, J. S. T. Frenzel, Beschr. Vögel Wittenberg, 1801, 32.
- rubeuncula** Apamea, H. Donzel, Ann. Soc. Ent. France, VII (3) *post* Nov. 1838, 430.
- rubea** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 16 (Fernaldo *judice* 1802) [*n. et f.*].

- rubea** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 56 (Fernaldo judice 1802-08) [*n. et f.*].
- rubea** Chama, L. Reeve, Proc. Zool. Soc. London, XIV (166) Jan. 26, 1847, 120.
- rubea** Laria (Gm.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (1) 1830, 7.—Phalaena, Borkh. 1790.
- rubea** Linyphia, J. Blackwall, Tr. Linn. Soc. London, XVIII (4) 1841, 661. [1775.]
- rubea** Liparis (D. & S.), F. Ochsenheimer, Schmett. Europa, III. 1810, 190.—Bombyx,
- rubea** Ocneria (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1820], 158.—Phalaena, 1775.
- rubeus** Orthoceratites, H. F. Link, Besch. Nat. Samml. Univ. Rostock (4) 1807, 8.
- rubea** Penthophera (D. & S.), E. F. Germar, Syst. Gloss. Prod. 1811, 33.—Bombyx, 1775.
- rubea** Rodolia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 903.
- rubi** Agrilus (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 10.—Buprestis, 1767.
- rubi** Allantus, G. W. F. Panzer, Ins. Germ., heft 91, 1804, tab. 14.
- rubi** Altica, Dejean, Catal. Coléopt. 1821, 121 [*n. n.*].
- rubi** Anthonomus (Fab.), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 324.—Rhyn-
- rubi** Aphis, J. H. Kaltenbach, Mon. Pflanzenläuse, 1843, 24. [chaenus.]
- rubi** Argus (Fab.), Lamarck, An. s. vert. IV. 1817, 23.—Hesperia, 1793.
- rubi** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 39 (Fernaldo judice 1802) [*n. et f.*].
- rubi** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 66 (Fernaldo judice 1818-22)
- rubi** Ceraphron, J. Curtis, Brit. Entom. VI (62) Feb. 1829, no. 249 [*n. n.*]. [[*n. et f.*].]
- rubi** Coccus, F. v. P. Schrank, F. Boica, II (1) 1801, 144.
- rubi** Coraebus (L.), Laporte & Gory, H. N. Coléopt. II. 1839, 7.—Buprestis, 1767.
- rubi** Crioceris (Payk.), J. C. Fabricius, Syst. Eleuth. I. 1801, 468.—Galeruca, 1799.
- rubi** Cryptocephalus, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 238.
- rubi** Cupido (L.), F. v. P. Schrank, F. Boica, II (1) 1801, 218.—Papilio, 1758.
- rubi** Cynips, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 37 [*n. n.*].
- rubi** Cynips, P. F. Bouché, Nat. Ins. 1834, 163. [? Cynips, Kirby.]
- rubi** Diastrophus, T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. II (1) 1840, 194.—
- rubi** Gastropacha (L.), F. Ochsenheimer, Schmett. Europa, III. 1810, 270.—Bombyx, Fab. 1775.
- rubi** Graphiphora (View.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 77.—Noctua, 1790.
- rubi** Haltica (Payk.), J. J. Hoffmann etc., Entom. Hefte, II. 1803, 43.—Galeruca, 1799.
- rubi** Hylecthrus, S. S. Saunders, Proc. Entom. Soc. Lond., n. s. I. Sept. 1850, 9.
- rubi** Jassus, C. H. Boheman, Ofvers. K. Vet. Ac. Förh. II (6) 1845, 162.
- rubi** Lasiocampa (Fab.), F. v. P. Schrank, F. Boica, II (2) 1802, 154.—Bombyx, 1775.
- rubi** Lycaena (Fab.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 285.—Hesperia, 1793.
- rubi** Lycus (L.), J. Huebner, Verz. bekannt. Schmett. 1818, 74.—Papilio, 1758.
- rubi** Megaspilus (Curt.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 37.—Ceraphron.
- rubi** Metanastria (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 186.—Phalaena, 1758.
- rubi** Microps (Curt.), A. H. Haliday, Entom. Mag. I (2) Jan. 1833, 180.—Ceraphron.
- rubi** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 72 (Fernaldo judice 1799) [*n. et f.*].
- rubi** Papilio, J. Huebner, Europ. Schmett., Tab. Papilio, 157 (Fernaldo judice 1823)
- rubi** Pirene, A. H. Haliday, Tr. Entom. Soc. Lond. III (4) Jan. 1844, 296. [[*n. et f.*].]
- rubi** Polydrosus (Gyll.), C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 152.—Curculio, ? Hbst. 1795.
- rubi** Polyommatus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 117.—Hesperia, 1793.
- rubi** Rhynchaenus (Herbst), J. C. Fabricius, Syst. Eleuth. II. 1801, 446.—Curculio, 1795.
- rubi** Tenthredo (Panz.), P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 129.—
- rubi** Tipula, F. v. P. Schrank, F. Boica, III (1) 1803, 87. [Allantus.]
- rubi** Typhlocyba, J. Hardy, Tr. Tyneside Nat. F. C. I (5) 1850, 417.
- rubi** Zephyrus (L.), J. W. Dalman, K. Vet. Ac. Handl. 1816 (1) 1816, 94.—Papilio, 1758.
- rubi maculata** Colobogaster, Laporte & Gory, H. N. Coléopt. II. 1835-1836, 10.
- rubiaceus** Ectatops, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 273.

- rubiana** Steganoptycha (Vill.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47.—Phalaena, Scop. 1763. [1763.]
- rubiana** Tortrix (Vill.), A. H. Haworth, Lepidopt. Brit. (3) 1811, 450.—Phalaena, Scop.
- rubiapex** Midas, C. R. W. Wiedemann, N. A. Ac. Caes. Leop. Car. XV (2) 1831, 40.
- rubicatus** Picus, J. G. Wagler, Isis (Oken), 1829, 516.
- Rubicilla** Bonaparte & Schlegel, Mon. Loxiens, 1850, p. xiv.—A. [teste C. W. R.]
- rubicilla** Carpodacus (Guld.), Bonaparte & Schlegel, Mon. Loxiens, 1850, 23.—Loxia, 1775.
- rubicilla** Coccothraustes (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 524.—Sylvia, 1787.
- rubicoides** Phoenicothraupis (Lafr.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 24.—Saltator.
- rubicoides** Saltator, De Lafresnaye, Rev. Zool. (Soc. Cuv.) VII. Feb. 1844, 41.
- Rubicola** “Vieill.”; Jameson ed. Wilson, Amer. Orn. III (Constable, Miscell. LXX.) 1831, 98.—A. [teste C. W. R.; Scolopacidae].
- Rubicola** “Hodgson”; Blyth, Journ. Asiat. Soc. Bengal, XI (128) 1842, 808.—A. [teste
- rubicola** Biplex, G. Perry, Conchology, Ap. 1811, pl. 5. [C. W. R.; Phasianidae].
- rubicola** Crabro (Ectemnius) (Duf.), A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 389.—Solenius.
- rubicola** Hylaesus, S. S. Saunders, Tr. Entom. Soc. Lond., n. s. I (2) Sept. 1850, 58.
- rubicola** Odynerus, L. Dufour, Ann. Sci. Nat. [2] (Zool.) XI. Feb. 1839, 102.
- rubicola** Oenanthe (L.), L. P. Vieillot, Faune Française (9 & 10), Oiseaux, 1824, 192.—Motacilla, 1766. [344.]
- rubicola** Perdica, “Parbattia” [*i.e.* Hodgson], Bengal Sporting Mag. IX (41) May 1837,
- rubicola** Pratincola (L.), K. L. Koch, Syst. baier. Zool. I. 1816, 192.—Motacilla, 1766.
- rubicola** Rubetra, Partington, Brit. Cyclop. N. H. I (8) Nov. 1834, 506.
- rubicola** Saxicola (L.), J. M. Bechstein, Orn. Taschenb. (1) 1802, 220.—Motacilla, 1766.
- rubicola** Solenius, Dufour & Perris, Ann. Soc. Ent. France, IX (1) *post* Mar. 1840, 25.
- rubicollis** Cleogonus, J. A. Boisduval in d’Urville, Voy. “Astrolabe,” Ent. (2) 1835, 442.
- rubicollis** Podiceps, T. Brown, Ill. Amer. Orn. 1835, Syst. Index, p. ii.
- rubicolor** Perdica, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 85 [*n. n.*].
- rubicon** Pogonias, C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxviii.
- rubiculus** Cuculus, W. Swainson, Birds W. Africa, II (Nat. Libr. XIX.) Sept. 1837, 181.
- rubicula** Homalota, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 130.
- rubicula** Lypornix, W. Swainson, Orn. drawings Birds Brazil, 1834–5, pl. 35.
- rubiculus** Sarniculus (Sw.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 105.—Cuculus.
- rubicundaria** Crocota, J. Huebner, Zuträge z. Exot. Schmett. III. 1825, 28.
- rubicundella** Piesmopoda, P. C. Zeller, Isis (Oken), 1848, 864.
- rubicundulus** Bulimus, A. A. Gould, Proc. Boston Soc. N. H. I (2–3) [1844–5], 158.
- rubicundulus** Ceuthorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 155. [588.]
- rubicundula** Colombella, Quoy & Gaimard in d’Urville, Voy. “Astrolabe,” Zool. II (1833),
- rubicundulus** Conotrachelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 447.
- rubicundula** Libellula, T. Say, J. Acad. Nat. Sci. Philad. VIII., *post* Jan. 1840, 26.
- rubicundum** Achilleum, A. F. Schweigger, Beob. naturh. Reisen, 1819, Tab. vii.
- rubicundus** Acipenser, C. A. Le Sueur, Tr. Amer. Phil. Soc., n. s. I. 1818, 388.
- rubicunda** Altica, F. V. Melsheimer, Ins. Pennsylv. 1806, 22 [*n. n.*].
- rubicundum** Amarucium, Frey & Leuckart, Beitr. Kennt. wirbelloser Thiere, 1847, 140.
- rubicunda** Anomia, D. Solander, Catal. Portland Mus. 1786, 14, 64 & 136 [*n. n.*].
- rubicunda** Aphthona (F. V. Melsh.), F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. III (7) Feb. 1847, 166.—Altica.
- rubicundum** Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 400.
- rubicunda** Ardea, G. Perry, Arcana, 1810, sign. M 5.
- rubicunda** Aspidomorpha, F. E. Guérin-M., Iconographie, 1844, Ins., 291.
- rubicunda** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 26 (Fernaldo iudice 1802) [*n. et f.*]. [498.]
- rubicundus** Brachyurus, I. Geoffroy & Deville, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848,
- rubicundus** Bruchus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 102.

- rubicunda** Bulla, J. S. Schroeter, *Archiv Zool. (Wiedemann) IV* (1) 1804, 18.  
**rubicunda** Calodera, W. F. Erichson, *Gen. Spec. Staph.* (1) 1839, 66.—Tachyusa, 1837.  
**rubicundus** Carabus, Quensel in C. J. Schoenherr, *Syn. Insect. I* (1) 1806, 186.  
**rubicunda** Cardita, C. T. Menke, *Moll. N. Holl.* 1843, 38.  
**rubicundum** Cardium, L. Reeve, *Conch. Icon. II.*—Cardium, no. 44, Dec. 1844.  
**rubicunda** Cassida, Dejean, *Catal. Coléopt.* 1821, 116 [*n. n.*].  
**rubicundus** Cateretes, Dejean in O. Heer, *Coleopt. Helvet.* (3) 1841, 411.  
**rubicundus** Cercus, Dejean, *Catal. Coléopt.* 1821, 44 [*n. n.*].  
**rubicunda** Cetonia, Dejean, *Catal. Coléopt.* 1821, 61 [*n. n.*]. [Curculio, ? Herbst, 1795.  
**rubicundus** Ceutorhynchus (Gyll.), E. F. Germar, *Ins. spec. novae, I.* 1824, 221.—  
**rubicundus** Chironomus, J. W. Meigen, *Syst. Besch. Zweifl. Insekt. I.* 1818, 35.  
**rubicundus** Chiton, O. G. Costa, *Cat. Test. Sicilie*, 1829, pp. i & iii.  
**rubicunda** Chlamys, V. Kollar, *Mon. Chlamydom*, 1824, 39. [Clausilia (99) 1850, 51.  
**rubicunda** Clausilia, H. C. Kuester in Martini & Chemnitz, *Syst. Conch. Cab.*, ed. 2,  
**rubicunda** Clubiona, C. L. Koch, *Die Arachniden*, X (6) 1843-4, 136.  
**rubicundus** Coeliodes (Gyll.), C. J. Schoenherr, *Gen. et Sp. Curc. IV* (1) 1837, 286.—  
     Rhynchaenus, ? Panz.  
**rubicunda** Cyclocephala, Dupont in H. Burmeister, *Handb. Ent. V.* 1847, 61.  
**rubicundum** Cyclostoma, P. M. A. Morelet, *Test. nov. Cubanae* (1) 1849, 22.  
**rubicunda** Cytherea (Artemis), R. A. Philippi, *Abb. Conch. II* (8) 1847, 230.  
**rubicunda** Dysdera, C. L. Koch, *Die Arachniden*, V (4) Sept. 1838, 79.  
**rubicundus** Ellescus, Ziegler; Dejean, *Catal. Coléopt.* 1821, 87 [*n. n.*].  
**rubicunda** Exoplectra, E. Mulsant, *Ann. Soc. Agric. Lyon* [2] II. 1850, 925.  
**rubicundus** Falciger, Gyll.; Dejean, *Catal. Coléopt.* 1821, 84 [*n. n.*].  
**rubicundus** Falciger, Herbst; J. Sturm, *Catal. Ins. Samml.* 1826, 142.  
**rubicunda** Galatea, R. A. Philippi, *Zeitschr. f. Malakozool. (Dec.)* 1848 [Ap. 1849], 190.  
**rubicunda** Galleruca, Dejean, *Catal. Coléopt.* 1821, 117 [*n. n.*].  
**rubicundus** Gobioides, F. Hamilton, *Fish. Ganges*, 1822, 37.  
**rubicundus** Halictus (Christ.), J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 35.—Apis, 1791.  
**rubicundus** Halictus (Kirby), W. Nylander, *Notiser Sallsk. fauna Fennica Förhandl. I.*  
     1848, 198.—Melitta.  
**rubicundus** Haliplus, C. C. Babington (*ex* Spence MS), *Tr. Entom. Soc. Lond. I* (3) Jan.  
     1837, 178.  
**rubicunda** Helix, L. Pfeiffer, *Proc. Zool. Soc. London*, XIII (148) Oct. 1845, 72.  
**rubicunda** Helix (Cochlogena), A. E. Férussac, *H. N. g. et p. Moll.*, *Tabl. Limaçons*,  
     1821, 58 [*n. n.*].  
**rubicunda** Hydromya, J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*,  
     II. 1839, 692.  
**rubicundus** Hylaeus (Kirby), K. Illiger, *Mag. f. Insektenk. (Illiger) V.* 1806, 53.—Melitta.  
**rubicundus** Lixus, Dejean, *Catal. Coléopt.* 1821, 97 [*n. n.*].  
**rubicundus** Lixus, B. Zubkov, *Bull. Soc. Imp. Nat. Moscou*, VI. 1833, 335.  
**rubicunda** Locusta (Schaeff.), J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 25.—Gryllus,  
**rubicundus** Lygaeus, C. F. Fallen, *Mon. Cimicum Sveciae*, 1807, 84. [? Gm. 1789.  
**rubicunda** Mantis, M. Houttyn in Stoll, *Spoken (Index Phasm. [1813])*, 79.  
**rubicunda** Melitta (Christ.), W. Kirby, *Mon. Apum Angl. II.* 1802, 53.—Apis, 1791.  
**rubicundus** Mesembrynus, J. Huebner, *Verz. bekannt. Schmett.* [1820], 119.  
**rubicunda** Miltochrista (D. & S.), J. Huebner, *Verz. bekannt. Schmett.* [1822], 166.—  
**rubicunda** Murex, G. Perry, *Conchology*, Ap. 1811, pl. 54. [Noctua, 1775.  
**rubicundus** Murex, G. D. Nardo (*ex* Chiereghini MS), *Sin. mod. spec. Lag. Veneto*, 1847, 59.  
**rubicunda** Muscicapa, M. H. C. Lichtenstein, *Verz. Säug. Vög. Z. M. Berlin*, 1835, 24  
     [*n. n.*].  
**rubicunda** Nebria (Quens.), H. C. Kuester, *Käfer Europas*, XV. 1848, 2.—Carabus.  
**rubicunda** Nerites, G. Perry, *Conchology*, Ap. 1811, pl. 34.  
**rubicunda** Nomada, A. G. Olivier, *Ency. Méth. VIII* (1) (Ins.) 1811, 365.  
**rubicundus** Octogonotes, Dejean, *Ann. Sci. Nat. XXI* (82) Oct. 1830, 189 [*n. n.*].  
**rubicundus** Padollus, Denys de Montfort, *Conch. II.* 1810, 115.  
**rubicundus** Pecten, C. A. Récluz in J. C. Chenu, *Illustr. Conch. I. Pecten*, 1843-4, 3.  
**rubicunda** Phalaena (Bombyx), W. Turton, *Linnaeus, Syst. Nat. III.* 1802, 203.

- rubicundum** Phasma [Necroschia], W. de Haan in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Ins.) 1842, 120.
- rubicunda** Photuris, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 559.
- rubicunda** Phytocoris (Fall.), J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 490.—Lygaeus.
- rubicundus** Poecilosoma (Fall.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65.—Lygaeus.
- rubicunda** Presbytes (Muell.), J. E. Gray, List Mamm. Coll. B. M. 1843, 2.—Semnopupa, C. T. Menke, Conch.-Samml. Malsburg, 1829, 8. [pithecus.
- rubicunda** Rhynchaenus, G. W. F. Panzer, Ins. Germ., heft 99, 1805-6, tab. 12.
- rubicunda** Rostellaria, G. Perry, Arcana, 1810, sign. B 2.
- rubicunda** Scydmaenus, H. R. Schaum, Symb. Mon. Scyd. 1841, 13.
- rubicundus** Scymnus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 185.
- rubicundus** Semnopithecus, S. Mueller, Tijdschr. nat. geschied. physiol. V (1 & 2) 1838, Septa, G. Perry, Conchology, Ap. 1811, pl. 14. [137.
- rubicunda** Setina (D. & S.), F. v. P. Schrank, F. Boica, II (2) 1802, 166.—Noctua, 1775.
- rubicundus** Sphinx, J. Huebner, Europ. Schmett., Tab. Sphinx, 30 (Fernaldo judice 1808-18) [*n. et f.*]. [134.
- rubicunda** Succinea, L. Pfeiffer, Proc. Zool. Soc. London, XVII (198) Jan.-June 1850,
- rubicunda** Synanceja (Horn.), J. G. Schneider, Bloch, Syst. Ichth. 1801, 196.—Trigla, Th. 1787.
- rubicunda** Syneta, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 230.
- rubicundus** Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 160.
- rubicundus** Tachys, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (3) 1850,
- rubicunda** Tachyusa, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 309. [168.
- rubicunda** Tellina, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1845), 37. [1823].
- rubicunda** Terebratula, E. Donovan (*ex* Solander MS), Nat. Repository, II., pl. 56 (Oct.
- rubicunda** Terebratula, G. B. Sowerby, I., Thes. Conch. I (7) *ante* 27 Nov. 1846, 351.
- rubicunda** Terebratula, G. B. Sowerby, I., Proc. Zool. Soc. London, XIV (164) Nov.
- rubicunda** Thereva, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 137. [1846, 92.
- rubicundum** Theridion, H. Nicolet in Gay, Chili, III (Arach.) 1849, 530.
- rubicunda** Triplax, T. Lacordaire, Mon. Erotyl., Sept. 1842, 207.
- rubicunda** Triplex, G. Perry, Arcana, 1810, sign. S 5. [Sphinx.
- rubicundus** Zygaena (Huebner), C. F. Freyer, Neuere Beitr. Schmett. III (34) 1836, 13.—
- rubica** Phoenicothraupis (Vieill.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 24.—Saltator.
- rubicus** Pyrranga (Vieill.), A. d'Orbigny, Amér. Mérid. (Ois.) 1839, 265.—Saltator.
- rubicus** Saltator, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 107.
- rubicus** Thamnophilus, L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 316. [1793.
- rubidalis** Asopia (Huebner), F. Treitschke, Schmett. Europa, VI (2) 1828, 316.—Phalaena,
- rubidalis** Hypsopygia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 348.—Pyralis,
- rubidana** Teras, Herrich-S., Syst. Bearb. Schmett. Europ. IV (46) 1851, 146. [1775.
- rubidapex** Midas, J. O. Westwood, Arcana Entom. (4) Nov. 1841, 51.
- rubidaria** Anticlea, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet B (Nov. 1847), 16.
- rubidata** Amoebe (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 333.—Geometra, 1775.
- rubidata** Anticlea (D. & S.), J. F. Stephens, Ill. Brit. Ent. (Haust. III.) May 1831, 236.—Geometra, 1775. [1775.
- rubidata** Cidaria (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 443.—Geometra,
- rubidata** Harpalyce (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—Phalaena, ? Geometra, D. & S. 1775.
- rubidata** Phalaena (Geometra), W. Turton, Linnaeus, Syst. Nat. III. 1802, 255.
- rubidella** Haemilis (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, XI (Noct. 8) [*ex ann.* 1838], 133.—Tinea, 1796. [1796.
- rubidella** Haemylis (Huebner), E. Eversmann, Lepidopt. Volgo-Ural. 1844, 570.—Tinea,
- rubidella** Pinaris, J. Huebner, Verz. bekannt. Schmett. 1826, 411.—Tinea, 1796.
- rubidella** Plutella (Huebner), F. Treitschke, Schmett. Europa, VIII. 1830, 297.—Tinea, 1796.
- rubicollis** Badister, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 58.
- rubicollis** Melanerpes (Vieill.), G. R. Gray, Gen. Birds, II. Sept. 1846, 444.—Picus.



- rubidicollis** Picus, L. P. Vieillot, Ois. Amér. sept. II. 1807, 63.
- rubidiventris** Coreus, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 23.
- rubidiventris** Erax, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 388.
- rubidiventris** Machlophus (Blyth), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 91.—
- rubidiventris** Parus, E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 445. [Parus.
- rubidoptera** Anas, C. F. Dubois, Ornith. Gallerie (c. 1837), 90.
- rubidum** Agrion, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 261.
- rubidus** Anas, A. Wilson, Amer. Ornith. VIII. 1814, 128.
- rubidus** Aphodius, Ol.; Dejean, Catal. Coléopt. 1821, 55 [*n. n.*].
- rubidus** Arvicola (Baillon), E. de Selys-L., Etudes Micromamm. 1839, 112.—Lemmus.
- rubidus** Balaninus, Dejean, Catal. Coléopt. 1821, 86 [*n. n.*].
- rubidus** Balaninus, Gyllenhal (*ex* Dej. Cat.) in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 384.
- rubidus** Brachysphoenus (Dup.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 338.—Erotylus.
- rubidus** Bracon (Rossi), M. Spinola, Ins. Liguriae, II. 1808, 137.—Ichneumon, 1794.
- rubidus** Calidris (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXX. 1819, 127.—Charadrius, Gm. 1788.
- rubida** Cerconectes (Wils.), J. G. Wagler, Isis (Oken), 1832, 282.—Anas.
- rubidus** Ceuthorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
- rubidus** Charadrius, A. Wilson, Amer. Ornith. VII. 1813, 129. [484.
- rubidus** Chilochorus, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 31.
- rubida** Clavatula, R. B. Hinds, Proc. Zool. Soc. London, XI (122) Oct. 1843, 40.
- rubida** Colpa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 544.
- rubidus** Cratonychus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. III. 1841, 110.
- rubidus** Culex, J. B. Robineau-D., Mém. Soc. H. N. Paris, III (3) Oct. 1827, 404.
- rubida** Cypris, E. G. Zaddach, Syn. Crust. Pruss. 1844, 36.
- rubidus** Dasytes, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 15; & App. 1817,
- rubidus** Dasytes, Meg.; Dejean, Catal. Coléopt. 1821, 39 [*n. n.*]. [12.
- rubida** Daulis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 340.
- rubida** Dumerillia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 39.
- rubida** Echinomyia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 79.—Dumerillia.
- rubida** Elaphopsis, J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 101.—
- rubidus** Elater, Ziegl.; Dejean, Catal. Coléopt. 1821, 33 [*n. n.*]. [Rhopalophora, 1834.
- rubidum** Enterion, J. C. Savigny, Mém. Ac. France, V. 1826, Hist., 182.
- rubida** Erismatura (Wils.), G. R. Gray, Gen. Birds, III. Sept. 1844, 627.—Anas.
- rubidus** Erotylus, Dejean, Catal. Coléopt. 1821, 128 [*n. n.*].
- rubidus** Erotylus, P. A. J. Duponchel, Mém. Mus. H. N. (Paris) XII [1] June 1825, 59.
- rubidus** Evagoras (Le P. & S.), Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 368.—Reduvius.
- rubida** Formica, P. A. Latreille, H. N. Fourmis etc., May 1802, 267.
- rubida** Fuligula (Wils.), C. L. Bonaparte, Ann. Lyceum N. H. New York, II (12) ? Jan.
- rubidus** Helops, Dejean, Catal. Coléopt. 1821, 70 [*n. n.*]; [1828, 390.—Anas.
- rubida** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 525.
- rubidus** Lemmus, L. A. F. Baillon, Mém. Soc. Emul. Abbeville, 1833 (1834), 54.
- rubidus** Leptogaster, C. R. W. Wiedemann, Dipt. exot. 1821, 242.
- rubidus** Ludius, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840, 240.
- rubida** Lycoris, Lamarck, An. s. vert. V. 1818, 313.
- rubida** Lycosa, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 321.
- rubidus** Malachius, Ziegl.; Dejean, Catal. Coléopt. 1821, 38 [*n. n.*].
- rubidus** Malachius, Ziegler in Laporte, Revue Entom. IV (1) 1836, 28.
- rubidus** Malachius, W. F. Erichson, Entomographien, 1840, 70.
- rubida** Manica, L. Jurine, N. Méth. class. Hyménopt. 1807, 279.
- rubida** Mniotilta (Vieill.), G. R. Gray, Gen. Birds, I. Dec. 1848, 197.—Sylvia.
- rubida** Mordella, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 123.
- rubidum** Obrium, J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 21.
- rubidus** Otophorus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 174.

- rubida** Patella, W. Turton, Linnaeus, Syst. Nat. IV. 1802, 572.
- rubidus** Pecten, R. B. Hinds, Zool. "Sulphur," 1844, 61.
- rubidus** Philanthus, L. Jurine, N. Méth. class. Hyménopt. 1807, 202 [*n. et f.*].
- rubidus** Philonthus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 475. [Clavatula.]
- rubida** Pleurotoma (Hinds), L. Reeve, Conch. Icon.—Pleurotoma, no. 220, Oct. 1845.—
- rubidus** Pocadius, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 320.
- rubida** Polistes, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836 [1835],
- rubidus** Reduvius, Le Peletier & Serville, Ency. Méth. X. (Ins.) 1825, 278. [523.]
- rubidus** Rhinolophus, E. F. Kelaart, Journ. Ceylon Br. R. Asiat. Soc. [II (5) 1849–50] 1850, 209; ed. 2, 1890, 322.
- rubidus** Rhisotragus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 38 [*n. n.*].
- rubidus** Rhizotrogus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 434.
- rubida** Rhopalophora, J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 101.
- rubida** Rhynchaspis (Wils.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824,
- rubidus** Rhiphorus, Dejean, Catal. Coléopt. 1821, 73 [*n. n.*]. [120.—Anas.]
- rubidus** Rogas (Spathius) (Rossi), A. H. Haliday, Entom. Mag. IV (1) July 1836, 42.—  
Ichneumon, 1794.
- rubidus** Sandalus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (8) Ap. 1845, 220.
- rubidus** Scymnus, T. Victor, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 418.
- rubidus** Spathius (Spin.), C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 14.—Bracon.
- rubidum** Spectrum, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- rubida** Sylvia, L. P. Vieillot, N. Dict. H. N., ed. 2, XI. 1817, 203. [[1802], 188.]
- rubida** Sylvicola (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 309.—Sylvia.
- rubidus** Tabanus, C. R. W. Wiedemann, Dipt. exot. 1821, 69.
- rubidus** Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 35.
- rubidus** Tachinus, Dejean, Catal. Coléopt. 1821, 26 [*n. n.*].
- rudibus** Toxotus [*err. pro rubidus*], S. S. Haldeman, Tr. Amer. Phil. Soc., n. s. X (1) 1847,
- rubida** Zonitis, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 211. [58.]
- rubiensis** Venus, A. Leymerie, Mém. Soc. géol. France (2) I (2) 1846, 361. [Fab. 1775.]
- rubifer** Hipporhinus (Ol.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 468.—Curculio,
- rubifrons** Psittacula, N. A. Vigors, Proc. Comm. Sci. Zool. Soc. London (8) Aug. 1831, 97.
- rubigana** Argyrolepia (Tr.), Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6) 1835, 437.—Tortrix.
- rubigana** Pyralis, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 122.
- rubigana** Tortrix, F. Treitschke, Schmett. Europa, VIII. 1830, 117.
- rubigaster** Laniarius (Vieill.), G. R. Gray, Gen. Birds, I. Aug. 1845, 299.—L. rubigaster.
- rubigenis** Batrachus, W. Swainson, N. H. Fishes etc. II. July 1839, 414. [1850, 64.]
- rubigincinctata** Phaesyloides, T. Bruand, Mém. Soc. Emul. Doubs, Vol. III. Tom. 3 (5 & 6)
- rubiginalis** Botys (Huebner), F. Treitschke, Schmett. Europa, VI (2) 1828, 314.—Pyralis, 1796.
- rubiginalis** Ecpyrrhorhoe, J. Huebner, Verz. bekannt. Schmett. 1826, 356.—Pyralis, 1796.
- rubiginaria** Zerene, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet B (Nov. 1847), 16.
- rubiginator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 260.
- rubiginata** Melanthia (D. & S.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1830, 261.—Geometra, 1775.
- rubiginata** Mesoleuca (D. & S.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 215.—  
Geometra, 1775.
- rubiginata** Phalaena, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 207. [metra, 1775.]
- rubiginata** Plemyria (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 327.—Geo-
- rubiginata** Zerene (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 444.—Geometra,
- rubiginella** Phycis, F. Treitschke, Schmett. Europa, IX (2) 1833, 270. [1775.]
- rubiginea** Calandra, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 174.
- rubiginea** Cerastis (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 84.—Noctua, 1775.
- rubiginea** Clausilia, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (3) Mar. 1836, 10.
- rubiginea** Dasycampa, A. Guénéé, Ann. Soc. Ent. France, VI (2) *post* June 1837, 225.

- rubiginea** Musca, F. v. P. Schrank, F. Boica, III (1) 1803, 116. [1775.]
- rubiginea** Orrhodia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 231.—Noctua,
- rubiginus** Rhynchophorus (Wied.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 824.—  
Calandra.
- rubiginipennis** Anthrax, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 335.
- rubiginipennis** Dasyogon, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 161.
- rubiginipennis** Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 167.
- rubiginosus** Acanonicus, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 8.
- rubiginosus** Aedon (M. & W.), C. D. Degland, Orn. Europ. I. 1849, 567.—Turdus.
- rubiginosa** Ammophila, Klug in Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt.  
III. 1845, 372.
- rubiginosa** Ancilla, W. Swainson, Phil. Mag. LXII (308) Dec. 1823, 403.
- rubiginosa** Ancillaria, W. Swainson, Q. Journ. Sci. (R. Inst. Gt. Brit.) XVIII (36) Jan.
- rubiginosa** Anculosa, I. Lea, P. Amer. Phil. Soc. II (19) Oct. 1841, 83. [1825, 283.]
- rubiginosa** Anisotoma, Schueppel; W. L. E. Schmidt in Germar, Zeitschr. f. d. Entom.  
III. 1841, 168.
- rubiginosus** Anoplognathus, M.L.; Dejean, Catal. Coléopt. 1821, 60 [*n. n.*].
- rubiginosa** Anthia, B. P. Perroud, Mélang. Entom. (1) 1846, 18.
- rubiginosum** Anthidium, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,
- rubiginosum** Apion, Dejean, Catal. Coléopt. 1821, 80 [*n. n.*]. [396.]
- rubiginosus** Archimerus, Herrich-S., Wanzenart. Ins. VI (5) June 1842, 83.
- rubiginosa** Argya (Ruepp.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 85.—Cratero-
- rubiginosus** Arrenurus, C. L. Koch, Deutsch. Crust., heft 2, 1835, tab. 23. [pus.]
- rubiginosus** Bledius, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 765.
- rubiginosa** Bonellia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.  
1830, 57.
- rubiginosus** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 624.
- rubiginosus** Brachypterus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 232.
- rubiginosum** Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 47, Dec. 1846.
- rubiginosus** Cadmus, MacLeay; Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 420.
- rubiginosus** Calliodon, A. Valenciennes in Cuvier, Règne Anim., disciples' ed., Poiss.,  
descr. to pl. 91 (1842).
- rubiginosa** Canistra (Guér.), C. H. Boheman, Mon. Cassid. I. 1850, 172.—Oxynodera.
- rubiginosus** Canthophrys, W. Swainson, N. H. Fishes etc. II. July 1839, 310.
- rubiginosus** Celeopicos (Sw.), A. Malherbe, Mém. Ac. Metz, XXX (*post* May) 1849, 335.—  
Picus.
- rubiginosus** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 753.
- rubiginosus** Cerambix, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) IV. June 1820, 352.
- rubiginosum** Cerithium, E. Eichwald, Nat. Lithuaen, 1830, 223.
- rubiginosa** Chalcoptis, C. L. Bonaparte, C. R. Ac. Sci. (Paris) XXX. Feb. 1850, 134.
- rubiginosa** Chilonycteris, J. Natterer, Arch. f. Naturg. IX (1) 1843, 367.
- rubiginosus** Chloronyerpes, W. Swainson, N. H. Classif. Birds, II. June 1837, 308.
- rubiginosus** Chlorophoneus (Sund.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 70.—  
Malaconotus.
- rubiginosa** Chlorota, H. Burmeister, Handb. Ent. IV (1) 1844, 366.
- rubiginosus** Chremylus (Nees), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III.  
1840, 344.—Hormius.
- rubiginosa** Clavatula, R. B. Hinds, Proc. Zool. Soc. London, XI (122) Oct. 1843, 43.
- rubiginosus** Conotrachelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845,
- rubiginosus** Conus, D. Solander, Catal. Portland Mus. 1786, 185 [*n. n.*]. [28.]
- rubiginosa** Corethrura (Temm.), G. R. Gray, Gen. Birds, III. Nov. 1846, 595.—Gallinula.
- rubiginosus** Coreus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) I (1838), 173.
- rubiginosa** Coturnix, Streubel in Ersch & Gruber, Allg. Ency. (3) XVI. 1842, 285.
- rubiginosus** Crateropus, E. Rueppell, Syst. Ueber. Vögel N.-O. Afr. 1845, 47.
- rubiginosus** Crossarchus, J. A. Wagner in Schreber, Säugth., Suppl. II. 1841, 329.
- rubiginosus** Cryptocephalus, MacLeay in J. A. Boisduval in d'Urville, Voy. "Astrolabe,"  
Ent. (2) 1835, 587.
- rubiginosus** Cryptorhynchus, Dejean, Catal. Coléopt. 1821, 85 [*n. n.*].

- rubiginosa* Cunicula (Lea), W. Swainson, Treat. Malacol., May 1840, 378.—Unio.  
*rubiginosus* Curculio, J. C. Fabricius, Syst. Eleuth. II. 1801, 521.  
*rubiginosa* Cyclocephala, H. Burmeister, Handb. Ent. V. 1847, 59. [Voluta.  
*rubiginosa* Cymba (Sw.), W. J. Broderip in B. & Sowerby, Spec. Conch. I (1) 1830, 6.—  
*rubiginosa* Cytherea, R. A. Philippi, Abb. Conch. I (8) Jan. 1845 [1844], 197.  
*rubiginosus* Dendrobates (Sw.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 126.—  
Hemicircus.  
*rubiginosus* Dendrocolaptes, F. de Lafresnaye, Magasin de Zool. III. 1833, pl. 16.  
*rubiginosa* Euophrys, C. L. Koch, Die Arachniden, XIII (6) June 1846, 209.  
*rubiginosus* Eurhopalus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 373.  
*rubiginosa* Exoprosopa, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 329.  
*rubiginosa* Felis, I. Geoffroy in C. Bélanger, Voy. Indes Orient. (2) Mar. 1831, 140.  
*rubiginosa* Formica, P. A. Latreille, H. N. Fourmis etc., May 1802, 170.  
*rubiginosa* Formica, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Oct. 1841, 324.  
*rubiginosa* Fulica, J. S. T. Frenzel, Besch. Vögel Wittenberg, Oct. 1801, 98.  
*rubiginosa* Gallinula, C. J. Temminck in T. & Laugier, Pls. color. (60) July 1825.  
*rubiginosa* Gasteracantha, C. L. Koch, Die Arachniden, XI (3) 1844, 55.  
*rubiginosa* Geocichla, S. Mueller in Temminck, Verh. nat. ges. Ned. overz. bezitt. (Land-  
en Volkenk.) (6 & 7) 1843, 172.  
*rubiginosa* Haliotis, L. Reeve, Conch. Icon. III.—Haliotis, no. 45, July 1846.  
*rubiginosa* Helix, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. II (1 & 2)  
June 1838, 3.  
*rubiginosa* Helix, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1846), 173. [150.  
*rubiginosus* Hemicircus, W. Swainson, Birds W. Africa, II (Nat. Libr. XIX.) Sept. 1837,  
*rubiginosus* Hemiteles (Gm.), J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 804.—  
Ichneumon, 1790.  
*rubiginosus* Herpestes, E. F. Kelaart, Journ. Ceylon Br. R. Asiat. Soc. [II (5) 1849–50]  
1850, 210; ed. 2, 1890, 324.  
*rubiginosus* Hormius, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 156.  
*rubiginosa* Hylotoma (Pal.), Le Peletier, Mon. Tenthred. 1823, 47.—Tenthredo.  
*rubiginosa* Hyphantornis (Ruepp.), G. R. Gray, Gen. Birds, II. Mar. 1849, 351.—Ploceus.  
*rubiginosus* Julis, J. Richardson, Ann. Mag. N. H. XI. June 1843, 425.  
*rubiginosus* Labrus, A. Risso, H. N. Europe, III. 1826, 306.  
*rubiginosus* Laniarius (Sund.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 359.—  
*rubiginosus* Lanius, J. Latham, Index Orn., Suppl. 1801, p. xix. [Malaconotus.  
*rubiginosa* Laripes, A. Risso, H. N. Europe, IV. 1826, 343.  
*rubiginosus* Linopodes, C. L. Koch, Deutsch. Crust., heft 18, 1838, tab. 23.  
*rubiginosus* Lixus, Dejean, Catal. Coléopt. 1821, 97 [n. n.].  
*rubiginosa* Loxia, G. A. Suckow, Naturg. II [2] 1801, 842.  
*rubiginosa* Lycosa, C. L. Koch, Die Arachniden, V (5) Sept. 1838, 121.  
*rubiginosus* Lymnoeus, H. Michelin, Magasin de Zool. I. 1831, 22.  
*rubiginosa* Macronema, F. E. Guérin-M., Iconographie, 1844, Ins., 395.  
*rubiginosus* Malaconotus, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (4) 1850, 106.  
*rubiginosa* Melolontha, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.)  
1809, 364.  
*rubiginosa* Micropalpis (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 318.—  
Bonellia.  
*rubiginosa* Micropalpus (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II.  
1835, 83.—Bonellia.  
*rubiginosa* Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 68, Sept. 1844.  
*rubiginosa* Motacilla, P. S. Pallas, Zoographia, I. 1811, 496.  
*rubiginosus* Murex, L. Reeve, Conch. Icon. III.—Murex, no. 32, May 1845.  
*rubiginosa* Mygale, H. Nicolet in Gay, Chili, III (Arach.) 1849, 330. [II. 1830, 343.  
*rubiginosa* Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France,  
*rubiginosus* Naupactus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 593.—  
*rubiginosa* Nitidula, O. Heer, Coleopt. Helvet. (3) 1841, 397. [Curculio.  
*rubiginosa* Oxynodera, F. E. Guérin-M., Iconographie, 1844, Ins., 289.  
*rubiginosa* Paludina, N. Boubée, Bull. hist. nat. France, 1833 (3), 20.

- rubiginosus** Penecerus (Nees), C. Wesmael, N. Mém. Ac. Roy. Brux. XI. 1838, 70.—
- rubiginosa** Perdix, A. Valenciennes, Dict. Sci. Nat. XXXVIII. 1825, 449. [Hormius.
- rubiginosus** Petalocheirus, Palisot de B., Ins. Afr. Amér. (—) 1806, 14.
- rubiginosus** Philentoma, T. C. Eyton, Ann. Mag. N. H. XVI. Oct. 1845, 229.
- rubiginosus** Picus, W. Swainson, Zool. Illust. (1) I (3) Dec. 1820, pl. 14.
- rubiginosa** Pleurotoma (Hinds), Catlow & Reeve, Conch. Nomen., Ap. 1845, 242.—
- rubiginosus** Ploceus, E. Rueppell, Neue Wirbelth. Abyssin. (13) 1840, 93. [Clavatula.
- rubiginosa** Polistes, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836 [1835], 524.
- rubiginosus** Pomatorhinus, E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 452. [1794.
- rubiginosus** Pyrrhocoris (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 284.—Lygaeus,
- rubiginosus** Rallus (Temm.), R. P. Lesson, Traité Ornith. (7) Ap. 1831, 537.—Gallinula.
- rubiginosus** Reduvius, Palisot de B., Ins. Afr. Amér. (—) 1806, 14.
- rubiginosus** Rogas (Chremylus) (Nees), A. H. Haliday, Entom. Mag. IV (1) July 1836, 51.—Hormius.
- rubiginosa** Rutela, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 120.
- rubiginosus** Scarus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 171.
- rubiginosa** Silusa, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 378.
- rubiginosa** Sitona, J. Sturm, Catal. Ins. Samml. 1826, 196 [*n. n.*].
- rubiginosa** Sylvia (Meyer), C. J. Temminck, Man. Orn., ed. 2, III. Ap. 1835, 129.—
- rubiginosa** Sylvia, H. Nicolet in Gay, Chili, III (Arach.) 1849, 468. [Turdus.
- rubiginosus** Tabanus, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 51.
- rubiginosa** Tachina (Desv.), F. Walker, List Dipt. Coll. B. M. (4) 1849, 737.—Bonellia.
- rubiginosa** Tenthredo, Palisot de B., Ins. Afr. Amér. (—) 1809, 98.
- rubiginosa** Tenthredo, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) II. Nov. 1819, 202.
- rubiginosus** Textilia (Hw.), W. Swainson, Treat. Malacol., May 1840, 312.—Conus, 1792.
- rubiginosus** Textor (Ruepp.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 442.—Ploceus.
- rubiginosus** Thamnophilus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 313.—  
Lanius, Suck. 1800.
- rubiginosa** Trivia, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 68.—Euophrys, 1846.
- rubiginosus** Trochus, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab. Pls.
- rubiginosus** Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 145. [1846].
- rubiginosus** Turdus, B. Meyer in B. M. & J. Wolf, Taschen. Deutsch. Vogelk. III. 1822, 66.
- rubiginosus** Tylomus, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,
- rubiginosus** Unio, I. Lea, Tr. Amer. Phil. Soc., n. s. III (4) 1829, 427. [569.
- rubiginosa** Uroplata, F. E. Guérin-M., Iconographie, 1844, Ins., 275. [Circus.
- rubiginosa** Venilia (Eyt.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 128.—Hemi-
- rubiginosa** Venus (Ph.), A. d'Orbigny, Amér. Mérid. (Moll.) 1846, 554.—Cytherea.
- rubiginosa** Voluta, W. Swainson, Exot. Conch., Part 4, March 1822 [pl. 28, p. 8].
- rubigipennis** Dasypogon, Macquart in H. Lucas, Explor. Algér. (Artic. III.) 1849, 435.
- Rubigula** Gray 1840; *sic* Waterhouse, *sed non comp.*
- Rubigula** E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (*post* Sept.), 576.—A.
- rubigus** Entedon, F. Walker, Mon. Chalcid. I. 1839, 91.
- rubilio** Leuciscus, C. L. Bonaparte, Icon. Faune Ital. (19) 1837.
- rubilio** Leucos, C. L. Bonaparte, Cat. meth. Cibr. Eur. 1845, 6.—Leuciscus, 1837.
- rubilio** Scardinius (Ag.), Bonaparte, Atti 6 Riun. Sci. Ital. 1845, 398.—Leuciscus.
- rubilio** Scardinius (Ag.), C. L. Bonaparte, Cat. meth. Cibr. Eur. 1845, 10.—Leuciscus.
- rubineus** Brachypus, T. C. Jerdon, Madras Journ. X (25) Oct. 1839, 246.
- rubineus** Heliomaster (Lath.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 70.—Tro-
- rubinea** chilus, Gm. 1788.
- rubinea** Mellisuga (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 247.—Trochilus, 1788. [146.
- rubinea** Ornismya, R. P. Lesson, H. N. Oiseaux-Mouches (11-13) *inter* Jan. & Ap. 1830,
- rubineus** Orthorhynchus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 282.
- rubineus** Pycnonotus (Jerd.), G. R. Gray, Gen. Birds, I. Oct. 1847, 237.—Brachypus.
- rubineus** Pyrocephalus (Bodd.), G. R. Gray, Gen. Birds, I. May 1847, 250.—Muscicapa  
rubinus, 1783.

- rubineus** Regulus, L. P. Vieillot, Ois. Amér. sept. II. 1807, 49.
- rubinia** Heliodoxa (Gm.), J. Gould, Proc. Zool. Soc. London, XVII (195) Jan.-June 1850, 96.—Trochilus, 1788.
- rubinicolor** Cypraea, J. S. Gaskoin, Proc. Zool. Soc. London, III (36) Ap. 1836, 199.
- rubinicolor** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 184, Oct. 1845.
- rubinoides** Heliodoxa (Bourc.), J. Gould, Proc. Zool. Soc. London, XVII (195) Jan.-June, 1850, 96.—Trochilus.
- rubinoides** Heliomaster (Bourc.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 70.—Trochilus.
- rubinoides** Mellisuga (B. & M.), G. R. Gray, Gen. Birds, I. Dec. 1848, 112.—Trochilus.
- rubinoides** Trochilus, Bourcier & Mulsant, Ann. Soc. Agric. Lyon, IX (3) 1846, 322.
- rubinus** Baridius, M. Perty, Del. anim. artic. Brasil. (2) 1832, 77.
- rubinus** Muscicapa, P. Boddaert, Tab. Planch. Enl. 1783, 42.
- rubina** Sylvia, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802],
- Rubis** G. R. Gray, List Gen. Birds, 1840, 14.—A. [270.]
- rubispina** Spongia, Lamarck, Ann. Mus. H. N. (Paris) XX (120) *inter* Feb.—Oct. 1814, 450.
- rubispinosa** Bacteria, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec.
- rubius** Proteus, M. Losana, Mem. R. Acc. Sci. Torino, XXIX. 1825, 204. [1838], 224.
- ruborum** Osmia, Dufour & Perris, Ann. Soc. Ent. France, IX (1) *post* Mar. 1840, 13.
- rubra** *v.* **ruher**, -ra, -rum.
- rubrana** Tortrix, C. H. G. Sodovski, Bull. Soc. Imp. Nat. Moscou, II (1) 1830, 71.
- rubraria** Ptychopoda, E. Doubleday in Dieffenbach, Trav. N. Z. II. 1843, 286.
- rubrater** Cinnyrus, R. P. Lesson, Dict. Sci. Nat. L. 1827, 30.
- rubrater** Myzomela, R. P. Lesson, Echo Monde Savant, XI. 28 July 1844, 184.
- rubraurantiaca** Patella, de Blainville, Dict. Sci. Nat. XXXVIII. 1825, 111. [179.]
- rubrella** Carcelia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- rubrella** Melieria, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- rubrens** Drassus, C. A. Walckenaer, Tab. Aran. 1805, 46 [*n. n.*]. [716.]
- rubrescens** Canthon, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 167.
- rubrescens** Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 346.
- rubrescens** Monocrepidius, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 136.
- rubrescens** Onthophagus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 183.
- rubrescens** Polyphyllum, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 165.
- rubro-alba** Actinia, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. IV. 1833, 148.
- rubroalbescens** Antilope, A. Desmoulins, Dict. Class. H. N. I. 1822, 446.
- rubroaurella** Lampronia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 51.—Tinea.
- rubro-aurella** Tinea, A. H. Haworth, Lepidopt. Brit. (4) 1828, 572.
- rubro-branchiata** Jojenia, A. Aradas, Atti Acc. Gioenia (2) IV. 1847, 118.
- rubricalis** Ecpyrrhorhoe, J. Huebner, Verz. bekannt. Schmett. 1826, 356.—Pyralis, 1796.
- rubricalis** Pyralis, J. Huebner, Samml. europ. Schmett. (Pyr.) 1796, 22, f. 106.
- rubricalis** Pyrausta (Huebner.), F. Treitschke, Schmett. Europa, VI (2) 1828, 317.—Ecpyrrhorhoe.
- rubricans** Calicurgus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 409.
- rubricans** Cryptus, Boyer de Fonscolombe, Ann. Soc. Ent. France [2] VIII (3) *post* Sept. [1850, 389.]
- rubricans** Foenus, F. E. Guérin-M., Iconographie, 1844, Ins., 407. [1850, 389.]
- rubricans** Mutilla, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 612.
- rubricans** Ophiusa, J. A. Boisduval, F. Ent. Madagas. (7) 1833, 106.
- rubricans** Ophiusa, J. A. Boisduval, N. Ann. Mus. H. N. (Paris) II [2] 3rd qtr. of 1833, 254.
- rubrocana** Cinnyrus (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 231.—Nectarinia.
- rubrocanaum** Dicaeum, C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, 71.—Nectarinia, 1822.
- rubro-cana** Nectarinia, C. J. Temminck in T. & Laugier, Pls. color. (18) Ap. 1822.
- rubrocanaus** Turdus, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83 [*n. n.*].
- Rubricapilla** S. D. W., Analyst, III (13) Oct. 1835, 32.—A.
- rubricapillus** Capito (Gm.), L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 497.—Bucco,
- rubricapilla** Curruca, C. L. Landbeck, Syst. Aufz. Vögel Württ. 1834, 44. [1788.]

- rubricapilla** Dicaeum, R. P. Lesson, *Traité Ornith.* (4) Sept. 1830, 303.  
**rubricapilla** Helinaia (Wils.), J. J. Audubon, *Synopsis*, 1839, 70.—Sylvia.  
**rubricapilla** Helminthophaga (Wils.), J. Cabanis, *Mus. Heineanum* (1) 1850 [1851], 20.—Sylvia. [Sylvia.]  
**rubricapilla** Helmitheros (Wils.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 315.—  
**rubricapilla** Megalaima (Gm.), G. R. Gray, *Gen. Birds*, II. Mar. 1846, 429.—Bucco, 1788.  
**rubricapillus** Momotus, J. F. Stephens in G. Shaw, *Gen. Zool. (Aves)* XIV (1) 1826, 84.  
**rubricapilla** Motacilla, S. R. Tickell, *J. Asiat. Soc. Bengal*, II. 1833, 576.  
**rubricapillus** Picus, T. Nuttall, *Man. Orn.*, ed. 2, I. 1840, 685.  
**rubrocapilla** Pipra, A. d'Orbigny, *Amér. Mérid. (Ois.)* 1839, 294.  
**rubricapillus** Prionites, M. H. C. Lichtenstein, *Zool. Mus. Univ. Berlin*, ed. 2, 1818, 42 [*n. n.*]  
**rubricapilla** Sylvia, A. Wilson, *Amer. Ornith.* VI. 1812, p. xv.  
**rubricapilla** Sylvia, C. L. Landbeck, *Isis (Oken)*, 1843, 599.—Curruca, 1834.  
**rubricapilla** Sylvicola (Vermivora) (Bonap.), W. Swainson in J. Richardson, *F. Bor.-Amer.* (2) Feb. 1831 [*i. e.* Feb. 1832], 220.—Sylvia.  
**rubricapilla** Vermivora (Wils.), J. E. De Kay, *N. H. New York (Birds)* 1844, 86.—Sylvia.  
**rubricarinata** Dexia, J. Macquart, *Mém. Soc. R. Sci. Lille*, 1844, 1845, 1846, 315.  
**rubricaria** Acidalia (Huebner), F. Treitschke, *Schmett. Europa*, V (2) 1825, 438.—Geometra, 1796.  
**rubricaria** Emmiltis (D. & S.), J. Huebner, *Verz. bekannt. Schmett.* 1826, 309.—Geometra,  
**rubricator** Bracon, M. Spinola, *Ins. Liguriae*, II. 1808, 108. [1796.]  
**rubricator** Coreus, J. C. Fabricius, *Syst. Rhyng.* 1803, 197.  
**rubricator** Ichneumon, G. W. F. Panzer, *Ins. Germ.*, heft 84, 1801, tab. 14.  
**rubricator** Ichneumon, C. P. Thunberg, *Mém. Ac. Imp. Sci. St Pétersb.* VIII. 1822, 256.  
**rubricata** Ampithoe, W. E. Leach, *Brewster's Edin. Ency.* VII (2) 1814, 432.—Gammarus, 1814.  
**rubricata** Andrena, F. Smith, *The Zoologist*, V (4) 1847, 1666. [marus, 1814.]  
**rubricata** Aranea, F. v. P. Schrank, *F. Boica*, III (1) 1803, 240.  
**rubricatus** Arvicola, J. Richardson, *Zool. "Blossom,"* 1839, 7.  
**rubricatus** Astacus, T. Pennant, *Brit. Zool.*, ed. 5, IV. 1812, 33.  
**rubricatus** Cancer Gammarus, G. Montagu, *Tr. Linn. Soc. London*, IX. 1808, 99.  
**rubricata** Certhia, M. H. C. Lichtenstein, *Verz. ausgestop. Säug. Vög.* 1818, 12.  
**rubricatus** Colaptes, C. L. Bonaparte, *N. Ann. Sci. Nat.* II. 1838, 403.  
**rubricatus** Colaptes, C. L. Bonaparte, *List Birds Eur. Amer.* 1838, 40.  
**rubricata** Emmelesia (D. & S.), J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 45.—Geometra, 1775. [Geometra, 1775.]  
**rubricata** Emmiltis (D. & S.), J. F. Stephens, *List Brit. Anim; B. M. (Lep.)* 1850, 221.—  
**rubricata** Estrelida (Licht.), G. R. Gray, *Gen. Birds*, II. June 1849, 368.—Fringilla.  
**rubricata** Fringilla, H. Lichtenstein, *Doublet Z. M. Berlin*, 1823, 27.  
**rubricatus** Gammarus, W. E. Leach, *Brewster's Edin. Ency.* VII (2) 1814, 403.  
**rubricata** Haltica, K. Illiger, *Mag. f. Insektenk. (Illiger)* VI. 1807, 122.  
**rubricata** Helix (Nanina), A. A. Gould, *Proc. Boston Soc. N. H.* II. 1848 (1847), 178.  
**rubricatus** Hypudaeus (Rich.), J. A. Wagner in Schreber, *Säugth., Suppl.* III. 1843, 594.—Arvicola.  
**rubricatum** Imatidium, F. E. Guérin-M., *Iconographie*, 1844, *Ins.*, 285.  
**rubricatus** Lygaeus, C. F. Fallen, *Mon. Cimicum Sveciae*, 1807, 91.  
**rubricatus** Lygus (Fall.), C. W. Hahn, *Wanzenart. Ins.* I (4) Feb. 1833, 156.—Lygaeus.  
**rubricata** Nassa, A. A. Gould, *Proc. Boston Soc. N. H.* III. 1851 (1850), 155.  
**rubricata** Origma (Lath.), G. R. Gray, *Ann. Mag. N. H.* XI. Mar. 1843, 193.—Sylvia.  
**rubricatus** Pardalotus, J. Gould, *Syn. Birds Austral.* (4) Ap. 1838.  
**rubricata** Phytocoris (Fall.), J. W. Zetterstedt, *Fauna Ins. Lapp.* 1828, 493.—Lygaeus.  
**rubricata** Pleurotoma, L. Reeve, *Conch. Icon.—Pleurotoma*, no. 321 (Pl. xxxix) Ap. 1846.  
**rubricatus** Poecilosoma (Fall.), J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 65.—Lygaeus.  
**rubricatus** Pselaphacus (Herbst), T. Lacordaire, *Mon. Erotyl.*, Sept. 1842, 85.—Erotylus,  
**rubricatus** Rhyncholophus, C. L. Koch, *Deutsch. Crust.*, heft 16, 1837, tab. 13. [1799.]  
**rubricata** Sylvia, J. Latham, *Index Orn.*, *Suppl.* 1801, p. lv.  
**rubricatus** Therapon, J. Richardson, *Ann. Mag. N. H.* IX. Ap. 1842, 127.  
**rubricatus** Trochus (Polydonta), R. A. Philippi, *Zeitschr. f. Malakozool. (Aug.)* 1848 [Mar 1849], 125.

- rubricauda** Isotoma, Bourlet, Mém. Soc. R. Sci. Lille, 1839 (1) 1839, 402.
- rubricauda** Phaenicura, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82 [*n. n.*].
- rubricauda** Podura (Bourl.), H. Lucas, Ann. Soc. Ent. France [2] I (4) Mar. 1844, 291.—  
Isotoma.
- rubri-cauda** Pomotis, D. H. Storer, Boston Journ. N. H. IV (2) 1842, 177; Proc. Boston  
Soc. N. H. I (—) 1844, 36.
- rubricauda** Trochilus, P. Boddaert, Tab. Planch. Enl. 1783, 17.
- rubricaudata** Cinnyrus, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (*post Feb.*), 192 [*n. n.*].
- rubricaudatus** Dendrocolaptes (Vieill.), R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Sept.  
1849, 270.—Dendrocopus.
- rubricaudatus** Dendrocopus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 115.
- rubricella** Coluber, C. S. Rafinesque, Amer. Monthly Mag. III (6) Oct. 1818, 446.
- rubriceps** Alysia, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 56.
- rubriceps** Blennius, Cuvier & Valenc., H. N. Poiss. XI. 1836, 248.
- rubriceps** Cormocephalus, G. Newport, List Myriap. Coll. B. M. 1844, 5.—Scolopendra,
- rubriceps** Epicauta, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 535. [1843.]
- rubriceps** Heteronyx, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.  
1850, 109.
- rubriceps** Ichthyocoris (Val.), C. L. Bonaparte, Cat. met. Pesci Eur. 1846, 67.—Blennius.
- rubriceps** Lithobius, G. Newport, Tr. Linn. Soc. London, XIX (4) 1845, 364.
- rubriceps** Lytta, J. Sturm, Catal. Ins. Samml. 1826, 166 [*n. n.*].
- rubriceps** Lytta, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 200.
- rubriceps** Metoponia, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 44.
- rubriceps** Myrmica, W. Nylander, Acta Soc. Sci. Fennicae, III (1) 1849, 44.
- rubriceps** Perilitus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 75.
- rubriceps** Ploceus (Hyphanthornis), C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (4)  
1850, 97.
- rubriceps** Pyrauga, G. R. Gray, Gen. Birds, II. July 1844, 364.
- rubriceps** Rutilia, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 92.
- rubriceps** Scolopendra, G. Newport in A. White in Dieffenbach, Trav. N. Z. II. 1843, 270.
- rubriceps** Sycobius, C. L. Bonaparte (*ex Sund. MS.*), Consp. gen. Avium, I. 1850, 438.
- rubricilla** Curruca, A. Risso, H. N. Europe, III. 1826, 43.
- rubrocinctus** Amphiprion, J. Richardson, Ann. Mag. N. H. IX. July 1842, 391.
- rubrocinctus** Apiomerus, Herrich-S., Wanzenart. Ins. VIII (4) June 1846, 76.
- rubro-cincta** Cetonia, F. W. Hope, Tr. Entom. Soc. Lond. V (2) Sept. 1847, 33.
- rubrocinctus** Ichneumon, H. Lucas, Explor. Algér. (Artic. III) 1849, 333.
- rubrocincta** Mutilla, H. Lucas, Explor. Algér. (Artic. III.) 1849, 289.
- rubrocinctum** Orthostomum, A. E. Grube, Actin. Adriat. 1840, 56.
- rubrocinctus** Pachycoris, Herrich-S., Wanzenart. Ins. IV (1) May 1837, 9.
- rubricinctus** Turbo, J. W. Mighels, Proc. Boston Soc. N. H. II. 1848 (1845), 22.
- rubricollis** Ampedus (Herbst), E. F. Germar, Zeitschr. f. d. Entom. V. 1844, 171.—Elatер.
- rubricollis** Ampelis (Gm.), C. J. Temminck, Cat. Syst. cab. Orn. 1807, 96.—Muscicapa,
- rubricollis** Anaspis, Dejean, Catal. Coléopt. 1821, 74 [*n. n.*]. [1788.]
- rubricollis** Atolmis (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 164.—Phalaena,
- rubricollis** Baris, Dejean, Catal. Coléopt. 1821, 98 [*n. n.*]. [1758.]
- rubricollis** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 23 (Fernaldo judice
- rubricollis** Bucco, G. Cuvier, Règne Anim. I. 1817, 428. [1802] [*n. et f.*].
- rubricollis** Calleida, Dejean, Spec. gén. Coléopt. I. 1825, 225.
- rubricolle** Callichroma, J. Sturm, Catal. Ins. Samml. 1826, 107 [*n. n.*].
- rubricollis** Campephilus (Bodd.), G. R. Gray, Gen. Birds, II. Sept. 1845, 436.—Picus, 1783.
- rubricollis** Cantharis, T. Marsham, Coleopt. Brit., Sept. 1802, 371.
- rubricollis** Cantharis, F. V. Melsheimer, Ins. Pennsylv. 1806, 42 [*n. n.*].
- rubricollis** Cantharis, L. Reiche in Ferret & Galinier, Voy. Abyssin. III. 1850, 382.
- rubricollis** Capito, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1426.
- rubricollis** Cetonia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, no. I., Cetoniidae,  
Nov. 1842, 7.
- rubricollis** Ceutorhynchus, J. Sturm, Catal. Ins. Samml. 1826, 114 [*n. n.*].
- rubricollis** Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835 sed me judice 1836], 88.
- rubricollis** Coccothraustes, L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 539.



- rubricollis** Colobotha, F. W. Hope, Proc. Linn. Soc. London (14) Mar. 1842, 128.
- rubricollis** Copturus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 641.
- rubricollis** Coracina, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 7.
- rubricollis** Corynetes, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 352.
- rubricollis** Crioceris, F. V. Melsheimer, Ins. Pennsylv. 1806, 25 [*n. n.*].
- rubricollis** Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 32 [*n. n.*].
- rubricollis** Cyphon, Norw.; J. Sturm, Catal. Ins. Samml. 1826, 129.
- rubricollis** Dicrania, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 372.
- rubricollis** Dryocopus (Bodd.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 134.—Picus,
- rubricollis** Elater, Herbst in Jablonsky, Nat. Ins. (Käfer) X. 1806, 49. [1783.]
- rubricollis** Elater, F. V. Melsheimer, Ins. Pennsylv. 1806, 43 [*n. n.*].
- rubricollis** Eryphus, F. Klug (Dej. *in litt.*), Insect. Doublet. Z. M. Berlin, 1829, 7.
- rubricollis** Erythrolomus, R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Sept. 1840, 275.
- rubricollis** Formicomus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7) 1849, 6 [“Mon. Anth.” *poster. edit.*].
- rubricollis** Francolinus (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (2) 1819, 335.—Perdix, Lath. 1790.
- rubricollis** Galbula, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) IX (1) 1815, 224.
- rubricollis** Galleruca, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 29.
- rubricollis** Gnophria (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Mar. 1829, 98.—
- rubricollis** Haltica, J. Sturm, Catal. Ins. Samml. 1826, 147 [*n. n.*]. [Phalaena, 1758.]
- rubricollis** Hispa, J. Sturm, Catal. Ins. Samml. 1826, 152 [*n. n.*].
- rubricollis** Homalota, Chevrier in O. Heer, Coleopt. Helvet. (3) 1841, 593.
- rubricollis** Hylaia, Dahl; Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 440.
- rubricollis** Hylotoma, F. Klug, Jahrb. Insectenk. I. 1834, 236.
- rubricollis** Latridius, Hammerschmidt, Isis (Oken), 1834, 737.
- rubricollis** Lema, J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 46. [ganea.]
- rubricollis** Linnophilus (Pict.), H. Burmeister, Handb. Ent. II (2) ii, 1839, 933.—Phry-
- rubricollis** Lithosia (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIV(1805), 197.—Bombyx,
- rubricollis** Lycoperdina, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 166. [1775.]
- rubricollis** Lycoperdina, E. F. Germar, Fauna Ins. Europ. (23) 1843, 18.
- rubricollis** Malachus (Marsh.), C. F. Fallen, Mon. Cantharid. Sveciae (2) 1807, 25.—  
Cantharis.
- rubricollis** Malachus, Gyll.; Dejean, Catal. Coléopt. 1821, 38 [*n. n.*]. [659.—Megalopus.
- rubricollis** Mastostethus (Chev.), T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845,
- rubricollis** Mastocera, F. W. Hope, Magasin de Zool. (2) IV. 1842, pl. 88.
- rubricollis** Megalopus, L. A. A. Chevrolat, Coléopt. Mex. (4) Jan. 1835, no. 78.
- rubricollis** Mutilla, H. Lucas, Explor. Algér. (Artic. III.) 1849, 297.
- rubricollis** Naupactus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 202.
- rubricollis** Oedemera, Dejean, Catal. Coléopt. 1821, 76 [*n. n.*].
- rubricollis** Omaloplia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.
- rubricollis** Onthophagus, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 22. [1850, 78.]
- rubricollis** Onthophagus, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 521.
- rubricollis** Paederus, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 138.
- rubricollis** Papilio, J. Sepp, Surinaam Vlinders, 1832-48, 79.
- rubricollis** Perdix, P. J. Cretzschmar in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.),
- rubricollis** Phryganea, F. J. Pictet, Rech. Phrygan. 1834, 135. [Vögel (14) 1829, 44.]
- rubricollis** Phytaecia, H. Lucas, Explor. Algér. (Artic. II.) 1849, 505.
- rubricollis** Picus, J. Wagler, Syst. Avium, I. 1827, sign. 21.
- rubricollis** Ploceus, W. Swainson, Anim. in Menag., Dec. 1837, 306.
- rubricollis-major** Podiceps, Temminck & Schlegel in Siebold, F. Japon. (Aves, 1849), 122.
- rubricollis** Pternistis, J. G. Wagler, Isis (Oken), 1832, 1229.—? Perdix, Cretzsch.
- rubricollis** Pteropus, E. Geoffroy, Ann. Mus. H. N. (Paris) XV (86) *inter* Ap.-Sept. 1810, 93.
- rubricollis** Querula (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 66.—  
Muscicapa, Gm. 1788.
- rubricollis** Recurvirostris, C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, pp. cii & 592.
- rubricollis** Rynchites, T. Say in Keating, Exped. Peter River, II. 1824, 288.
- rubricollis** Saperda, D. H. Schneider, Verz. Insectensamml. 1828, 82 [*n. n.*].

- rubricollis** Setina (—), F. v. P. Schrank, F. Boica, II (2) 1802, 167.—Noctua, Esp. 1787.
- rubricollis** Silis, Dejean, Catal. Coléopt. 1821, 37 [*n. n.*].
- rubricollis** Silis, T. v. Charpentier (*ex Dej. Cat.*), Horae Ent. 1825, 195.
- rubricollis** Sunius (Grav.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 24.—Paederus.
- rubricollis** Sycobius (Sw.), G. R. Gray, Gen. Birds, II. Mar. 1849, 352.—Ploceus.
- rubricollis** Sylvia, J. Latham, Index Orn., Suppl. 1801, p. lv.
- rubricollis** Tanagra, J. B. v. Spix, Avium Brasil. II. 1825, 43.
- rubricollis** Telephorus, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 26.
- rubricollis** Threnoedus (Gm.), J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 691.—Muscicapa, 1788.
- rubricollis** Tmesidera, F. W. Hope, Ann. Mag. Nat. Hist. XI (70) Ap. 1843, 318.
- rubricollis** Tyrannus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 226.
- rubricollis** Xanthornus, C. W. Hahn, Voegel aus Asien etc. (5) 1819, pl. 2.
- rubricollis** Zygops, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 94.
- rubricornis** Anthomyza, J. W. Zetterstedt, Dipt. Scand. VIII. 1849, 3326.
- rubricornis** Echinomya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 46.
- rubricornis** Galleruca, Dejean, Catal. Coléopt. 1821, 117 [*n. n.*].
- rubricornis** Homalota, J. L. Leconte in Agassiz, Lake Superior, 1850, 219 [*n. n.*].
- rubricornis** Lobodes, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XIX. 1846 (4) 1846, 479.
- rubricornis** Melanophora (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 231.—Paykullia.
- rubricornis** Metopia, J. Macquart, Ann. Soc. Ent. France [2] VIII (4) c. Jan. 1851, 442.
- rubricornis** Odontomyia, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 181.
- rubricorne** Oregostoma, J. G. Audinet-S., Ann. Soc. Ent. France, II (4) c. Mar. 1834, 553.
- rubricornis** Paykullia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 270.
- rubricornis** Proctacanthus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 238.
- rubricornis** Rhinotragus (Serv.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 441.—Oregostoma.
- rubricornis** Stomina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- rubricornis** Tachina, J. W. Zetterstedt, Dipt. Scand. III. 1844, 1105. [1830, 411.]
- rubrocostatus** Issus, M. Spinola, Ann. Soc. Ent. France, VIII (3) *post* Nov. 1839, 357.
- rubro-costata** Patella, G. Fischer, Mus. Démid. III. 1807, 118.
- rubricosa** Arctia, T. W. Harris, Rep. Insects Massach. 1841, 253.
- rubricosus** Bombylius, C. R. W. Wiedemann, Dipt. exot. 1821, 168. [1775.]
- rubricosa** Cerastis (D. & S.), F. Ochseneimer, Schmett. Europa, IV. 1816, 84.—Noctua,
- rubricosa** Glaea (D. & S.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) May 1829, 160.—Noctua, 1775.
- rubricosus** Syrphus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 137.
- rubricosa** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 305.
- rubricosa** Taeniocampa (Fab.), Guénée, Ann. Soc. Ent. France, VIII (3) *post* Nov. 1839, 480.—Noctua, ? Esp. 1787. [203.]
- rubrocoxata** Mantis, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838].
- rubro-cristata** Ampelis, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 39.
- rubrocristata** Carpornis (O. & L.), G. R. Gray, Gen. Birds, I. Dec. 1846, 279.—Ampelis.
- rubro-cristata** Heliochera (O. & L.), De Filippi, Atti 8 Riun. Sci. Ital. 1847, 449.—Ampelis.
- rubricunda** Bryaxis, C. Aubé, Ann. Soc. Ent. France [2] II (2) Aug. 1844, 116.
- rubro-cuprea** Cetonia, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 554.
- rubro-cuprea** Euchlora, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 478.
- rubrica** Amara, S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (31) Oct. 1843, 301.
- rubricus** Coeliodes, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 285.
- rubricus** Elater, F. V. Melsheimer, Ins. Pennsylv. 1806, 44 [*n. n.*].
- rubricus** Elater, T. Say, Ann. Lyceum N. H. New York, I (8) June 1825, 261.
- rubrica** Leptura, Knoch; T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 418.

- rubricus** Reduvius, E. F. Germar, Fauna Ins. Europ. (2) 1814, 22.
- rubricus** Rhynchaenus, A. Ahrens, N. Schr. Nat. Ges. Halle, II (2) 1812, 16.
- rubrica** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 255.
- rubrocyanea** Dimorpha, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83 [*n. n.*].
- rubrocyanea** Dimorpha, B. H. Hodgson, Proc. Zool. Soc. London, XIII (146) Aug. 1845, 26.
- rubro-delineata** Poecilaspis, C. H. Boheman, Mon. Cassid. I. 1850, 392.
- rubridens** Sorex, P. Boitard, Jardin d. Plantes, 1842 [*v. e.* 1841], 119.
- rubridentatus** Murex, L. Reeve, Conch. Icon. III.—Murex, no. 186, Ap. 1846.
- rubrofasciatus** Aetheocerus, Bourlet, Mém. Soc. R. Agric. Douai, 1841-2 (1843), 111.
- rubrifasciatus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 277, Oct. 1848.
- rubrofasciatus** Conorhinus (De G.), Amyot & Serville (Roret's Suite à Buffon), Hémip-  
ptères, 1843, 384.—Cimex, 1773.
- rubrifasciata** Crucirostra, C. L. Brehm, Isis (Oken), 1845, 245.
- rubrofasciatus** Dasytes, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1844, 97.
- rubrofasciata** Orchesella (Bourl.), H. Lucas, Ann. Soc. Ent. France [2] I (4) Mar. 1844,  
289.—Aetheocerus.
- rubrofasciata** Pantolia, H. R. Schaum, Ann. Soc. Ent. France [2] II (4) Ap. 1845, 415.
- rubrifasciata** Pleurotoma, L. Reeve, Conch. Icon.—Pleurotoma, no. 171, Oct. 1845.
- rubro-fasciata** Tetraodorhina, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, no. 1,  
Cetoniidae, Nov. 1842, 10.
- rubrofasciatus** Tillus, F. A. Kolenati, Melet. Entom. (5) June 1846, 46.
- rubrifasciella** Tinea, A. H. Haworth, Lepidopt. Brit. (4) 1828, 572.
- rubro flammulatus** Trochus, F. C. L. Koch in R. A. Philippi, Abb. Conch. I (3) 1843, 66.
- rubroflava** Helix, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847, 87.
- rubrifrons** Bucco, L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 497.
- rubrifrons** Centurus (Spix), G. R. Gray, Gen. Birds, II. Sept. 1846, 442.—Picus.
- rubrifrons** Ceromya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.  
1830, 87.
- rubrifrons** Cleonus, G. Fischer, Bull. Soc. Imp. Nat. Moscou, VIII. 1835, 164.
- rubrifrons** Erythrina, C. L. Brehm, Isis, 1828, 1276 [*n. n.*]. [Erythrina, 1828.
- rubrifrons** Erythrothorax, C. L. Brehm, Handb. Nat. Vögel Deutschl. 1831, 249.—
- rubrifrons** Euryope (Fab.), J. W. Dalman, Ephem. Entom. 1824, 18.—Cryptocephalus,  
1787.
- rubrifrons** Fellaea, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.
- rubrifrons** Lathamus, R. P. Lesson, Traité Ornith. (3) July 1830, 205. [1830, 478.
- rubrifrons** Masicera, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 85.
- rubrifrons** Melanerpes (Spix), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 116.—Picus.
- rubrifrons** Metopia, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 131.
- rubrifrons** Micropogon (Vieill.), E. Rueppell, Abh. Senckenb. Mus. II (3) 1837, 300.—
- rubrifrons** Muscicapa, J. P. Giraud, Descr. N. Amer. Birds, 1841. [Bucco.
- rubrifrons** Myopa, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- rubrifrons** Philedon, R. P. Lesson, Voy. "Coquille," Zool. I (2) 1830, 646. [247.
- rubrifrons** Phorocera, J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 279.
- rubrifrons** Picus, J. B. v. Spix, Avium Brasil. I. 1824, 61.
- rubrifrons** Pipra, L. P. Vieillot, N. Dict. H. N., ed. 2, XIX. 1818, 161.
- rubrifrons** Pogonias, W. Swanson, Zool. Illust. (1) II (13) Oct. 1821, pl. 68.
- rubrifrons** Psittacula, E. Lear, Psittacidae (9) 1831-2.
- rubrifrons** Psittacus, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 84.
- rubrifrons** Thryptocera (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II.  
1835, 90.—Ceromyia.
- rubro-fusca** Certhia, G. Shaw, Gen. Zool. (Aves) VIII (1) 1812, 222.
- rubrofusca** Cinnerys (Sh.), G. Cuvier, R. Anim. I. 1817, 412.—Certhia.
- rubrofuscus** Cyprinus, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 490.
- rubrofuscus** Holocentrus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 343.
- rubro-fuscus** Mytilus, J. S. Schroeter, Archiv Zool. (Wiedemann) III (2) 1803, 49.
- rubro-fusca** Nectarinia (Shaw), W. Jardine, Nectariniadae (Nat. Libr. XXXVI.) 1843,  
187.—Certhia.
- rubro-fusca** Pentatoma, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 185.

- rubrigaster** Laniarius, L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 300.  
**rubrigaster** Sylvia, L. P. Vieillot, N. Dict. H. N., ed. 2, XI. 1817, 277.  
**rubrigastra** Tachuris (Vieill.), A. d'Orbigny, Amér. Mérid. (Ois.) 1840, 333.—Sylvia.  
**rubro-genys** Ara, De Lafresnaye, Rev. Zool. (Soc. Cuv.) X. Mar. 1847, 65.  
**rubrigularis** Lamprotes, W. Swainson, N. H. Classif. Birds, II. June 1837, 284.  
**rubroguttata** Poecilaspis, C. H. Boheman, Mon. Cassid. I. 1850, 421.  
**rubrohirta** Julodis, Laporte & Gory, H. N. Coléopt. I. 1835–1836, 5. [21.  
**rubrohyalina** Tellina, G. D. Nardo (*ex* Chiereghini MS), Sin. mod. spec. Lag. Veneto, 1847,  
**rubrolimbata** Herega, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 354.  
**rubro-lineata** Amphidesma, T. A. Conrad, J. Acad. Nat. Sci. Philad. VII., *post* June 1837,  
**rubrilineata** Cermatia, G. Newport, Ann. Mag. N. H. XIII. Feb. 1844, 96. [239.  
**rubrolineata** Chrysomela, J. Sturm, Catal. Ins. Samml. 1826, 117 [*n. n.*].  
**rubro-lineata** Graphosoma (Hope), E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 51.—  
 Scutellera.  
**rubro-lineatus** Labrus, B. G. E. de Lacepède, Hist. Nat. Poiss. III. 1802, 433. [307.  
**rubrolineata** Odontota, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843,  
**rubrolineata** Passandra, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 205.  
**rubrolineata** Salpa, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1830, 272.  
**rubro-lineata** Scalaria, G. B. Sowerby, II., Thes. Conch. I (4) *ante* 11 Ap. 1844, 91.  
**rubrolineatus** Sciurus, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 333.  
**rubro-lineata** Scutellera, J. O. Westwood (*ex* De Haan MS) in F. W. Hope, Cat. Hemipt.  
 1837, 12.  
**rubro-lineata** Scutigera (Newp.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),  
 Aptères, IV. 1847, 223.—Cermatia.  
**rubrolineatus** Tamias (Desm.), H. R. Schinz, Syst. Verz. Säug. II. 1845, 48.—Sciurus.  
**rubro-maculata** Acmaeodera, H. Lucas, Rev. Zool. (Soc. Cuv.) VII. Mar. 1846, 88.  
**rubro-maculata** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 132.  
**rubromaculatus** Cancer (Liagore), W. de Haan in Siebold, F. Japon. (Crust. 1835), 49.  
**rubromaculatum** Canthon, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 165.  
**rubromaculata** Golema, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843,  
 212.  
**rubromaculatus** Pecten, G. B. Sowerby, II., Thes. Conch. I (2) *ante* 2 Nov. 1842, 67.  
**rubro-maculata** Peltophora (Guér.), H. Burmeister, Handb. Ent. II (1) 1835, 393.—  
 Scutellera.  
**rubromaculatus** Philonthus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1842, 82.  
**rubro-maculatus** Rynchaenus, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) III. Feb. 1820,  
 189.  
**rubro-maculatus** Stiretrus, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 18.  
**rubromarginata** Buprestis, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 19 [*n. n.*].  
**rubromarginata** Buprestis (Chevr.), Gory in Laporte & G., H. N. Coléopt. IV. 1840, 83.—  
 Psiloptera.  
**rubromarginata** Locusta (Aprion), W. de Haan in Temminck, Verh. nat. ges. Ned. overz.  
 bezitt., Zool. (Ins.) 1842, 206.  
**rubromarginatus** Phytocoris, H. Lucas, Explor. Algér. (Artic. III.) 1849, 81. [169.  
**rubromarginata** Platycoris, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838),  
**rubromarginatus** Polydesmus, H. Lucas, Rev. Zool. (Soc. Cuv.) IX. Aug. 1846, 285.  
**rubromarginatus** Polyxenus, H. Lucas, Rev. Zool. (Soc. Cuv.) IX. Aug. 1846, 283.  
**rubromarginata** Psiloptera, A. Chevrolat, Revue Entom. V (1) *c.* Sept. 1838, 64.  
**rubromarginatus** Telephorus, J. Curtis, Tr. Linn. Soc. London, XVIII (2) 1839, 201.  
**rubrinervis** Libellula, De Selys, Rev. Zool. (Soc. Cuv.) IV. Aug. 1841, 244.  
**rubrinervosa** Gryllacris, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec.  
**rubro-nigra** Cetonia, Gory & Percheron, Revue Entom. III (3) 1835, 127. [1838], 395.  
**rubroniger** Munia, B. H. Hodgson, Asiat. Researches, XIX (1) 1836, 153.  
**rubronotata** Acmaeodera, Laporte & Gory, H. N. Coléopt. I. 1835–1836, 5.  
**rubronotatus** Chalcodermus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,  
 387.  
**rubronotatus** Discogaster, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 219.  
**rubronotata** Ponerobia, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 354.

- rubronotatus** Scarus, C. G. Ehrenberg in Cuvier & Valenc., H. N. Poiss. XIV. 1839, 212.  
**rubronotata** Zemina, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 486.  
**rubro-ocellata** Cychla, W. Jardine in Schomburgk, Fishes Brit. Guiana, II (Nat. Libr. XXXVIII.) 1843, 153.  
**rubropectus** Erythrolanius, R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Sept. 1840, 274.  
**rubripeda** Sula, T. R. Peale in Wilkes, U. S. Expl. Exped. VIII. 1848, 274.  
**rubripennis** Aleochara, J. L. Leconte in Agassiz, Lake Superior, 1850, 219 [*n. n.*].  
**rubripennis** Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 372.  
**rubripennis** Bryaxis, C. Aubé, Psélaph. Mon. in Magasin de Zool. III. 1833, 29.  
**rubripennis** Carpophilus (Heer), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 135.—Ips.  
**rubripennis** Cebrio, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 70.  
**rubripennis** Cercopis, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 221.  
**rubripennis** Clythra (Labidostomis), H. Lucas, Rev. Zool. (Soc. Cuv.) VIII. Ap. 1845, 120.  
**rubripennis** Dasysterna, H. Lucas, Rev. et Mag. de Zool. (2) I. Nov. 1849, 583.  
**rubripennis** Dasytes, P. A. Latreille in A. Humboldt, Voy. intér. Amér. (Obs. Zool.) 1809, 258.  
**rubripenne** Deltochilum (Gory), H. Burmeister, Zeitung. f. Zool. I (17) Ap. 1848, 135.—  
**rubripennis** Diabrotica, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 168. [Hyboma.  
**rubripennis** Distichocera, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [*i.e.* Ap. 1826], 449.  
**rubripennis** Elaphocera, H. Lucas, Rev. Zool. (Soc. Cuv.) XI. July 1848, 219.  
**rubripennis** Hyboma, Gory, Magasin de Zool. I. 1831, 37.  
**rubripennis** Ips, Chevrier in O. Heer, Coleopt. Helvet. (3) 1841, 417.  
**rubripennis** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 526.  
**rubripennis** Leptura, Dejean, Catal. Coléopt. 1821, 113 [*n. n.*].  
**rubripennis** Melyris (Latr.), W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 84.—Dasytes.  
**rubripennis** Mylabris, A. Chevrolat, Revue Entom. V (5) 1840, 270.  
**rubripennis** Palaestra, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 251.  
**rubripennis** Philonthus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23 [*n. n.*]; Ill. Brit. Ent. (Mand. V.) July 1832, 239.  
**rubripennis** Philonthus, H. v. Kiesenwetter, Entom. Zeitung, Stettin, V (10) Oct. 1844, 346.  
**rubripennis** Purpuricenus, F. W. Hope, Proc. Linn. Soc. London (14) Mar. 1842, 128.  
**rubripennis** Saerangodes, J. Gistl, Nat. Thierr. 1848, 126.  
**rubripennis** Saerangodes, J. Gistl, Handb. Naturges. 1850 [1847], 412.  
**rubripennis** Selasia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 218.  
**rubripennis** Staphylinus, J. Sturm, Catal. Ins. Samml. 1826, 198 [*n. n.*].  
**rubripennis** Strigidia, H. Burmeister, Handb. Ent. IV (1) 1844, 390.  
**rubripennis** Truxalis, M. Perty, Del. anim. artic. Brasil. (2) 1832, 121.  
**rubripennis** Zonitis, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 276.  
**rubripes** Achoreutes, A. Herrich-Schaeffer in Fürnrohr, Fauna Ratisbon. III. 1840, 358.  
**rubripes** Amblyomma, C. L. Koch, Arch. f. Naturg. X (1) 1844, 228.  
**rubripes** Ammophila, M. Spinola, Ann. Soc. Ent. France, VII (4) *post* Jan. 1839, 465.  
**rubripes** Ammophorus, A. J. J. Solier, Ann. Soc. Ent. France, VII (1) *post* Mar. 1838, 42.  
**rubripes** Andrena, M. Spinola, Ann. Soc. Ent. France, VII (4) *post* Jan. 1839, 512.  
**rubripes** Anthonomus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 351.  
**rubripes** Argutor, Hoffmannsegg; Dejean, Catal. Coléopt. 1821, 11 [*n. n.*].  
**rubripes** Asilus, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 310.  
**rubripes** Astigis (Hoffm.), P. Rambur, F. Ent. Andal. I (2) Mar. 1838, 95.—Feronia.  
**rubripes** Calathus, Dejean, Spec. gén. Coléopt. V. 1831, 709.  
**rubripes** Carabus, Creutzer in K. Duftschmid, Fauna Austriae, II. 1812, 77.  
**rubripes** Cardiophorus (Germ.), W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840, 312.—Elater.  
**rubripes** Cerapsilon, J. Curtis, Guide Brit. Ins. (4) 1829–30, 109 [*n. n.*].  
**rubripes** Chelonus, H. Lucas, Explor. Algér. (Artic. III.) 1849, 339.  
**rubripes** Chrysobothris, A. Chevrolat, Revue Entom. V (2) *c.* Sept. 1838, 71.  
**rubripes** Clerus, Dejean, Ann. Sci. Nat. XX (79) July 1830, 252 [*n. n.*].  
**rubripes** Clubiona, C. W. Hahn, Mon. Spinnen (5) 1832.

- rubripes** Colaspis, J. Sturm, Catal. Ins. Samml. 1826, 123 [*n. n.*].  
**rubripes** Corinna, C. L. Koch, Die Arachniden, IX (1) *post* May 1841, 17.  
**rubripes** Corticaria, C. G. Mannerheim in Germar, Zeitschr. f. d. Entom. V. 1844, 41.  
**rubripes** Cryptocephalus, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 30.  
**rubripes** Dorcadion, Ziegler; Dejean, Catal. Coléopt. 1821, 108 [*n. n.*].  
**rubripes** Dorcadion, Ziegler, Bull. Soc. Imp. Nat. Moscou, V. 1832, 160.  
**rubripes** Elater, Dejean, Catal. Coléopt. 1821, 33 [*n. n.*].  
**rubripes** Elater, E. F. Germar, Ins. spec. novae, I. 1824, 59.  
**rubripes** Exoplectra, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 923.  
**rubripes** Feronia, Hoffm.; Dejean, Spec. gén. Coléopt. III. 1828, 248.—Argutor, 1821.  
**rubripes** Festus, W. S. MacLeay in P. P. King, Narr. Surv. Australia, II. 1827 [*i.e.* Ap.  
**rubripes** Formica, P. A. Latreille, H. N. Fourmis etc., May 1802, 112. [1826], 445.  
**rubripes** Harpalus, L. Gyllenhal, Ins. Suecica, I (2) 1810, 118.  
**rubripes** Harpalus, Dufts.; Dejean, Catal. Coléopt. 1821, 14 [*n. n.*].  
**rubripes** Helops, D. H. Schneider, Verz. Insectensamml. 1828, 78 [*n. n.*].  
**rubripes** Iulus (Newp.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères,  
 IV. 1847, 196.—Spirostreptus.  
**rubripes** Leuciscus, T. C. Jerdon, Madras Journ. XV (35) 1849, 323.  
**rubripes** Limosia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,  
**rubripes** Lucanus, F. W. Hope, Cat. Lucanoid Coleopt. 1845, 26. [536.  
**rubripes** Macquartia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.  
 1830, 205.  
**rubripes** Megacephalon (Q. & G.), G. R. Gray, Gen. Birds, III. Aug. 1846, 489.—Mega-  
 podius.  
**rubripes** Megapodius, Quoy & Gaimard, Voy. "Astrolabe" (Zool.) I. 1830, 239.  
**rubripes** Melyris, H. Lucas, Explor. Algér. (Artic. II.) 1846, 201.  
**rubripes** Microgaster, A. H. Haliday, Entom. Mag. II (3) July 1834, 253.  
**rubripes** Microstylum, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 144.  
**rubripes** Micryphantes, C. L. Koch in Panzer, Ins. Germ., heft 121, 1834, Tab. 24.  
**rubripes** Mimus (Temm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 276.—Turdus.  
**rubripes** Naupactus, J. Sturm, Catal. Ins. Samml. 1826, 172 [*n. n.*].  
**rubripes** Nebria, Beaudet Lafarge in Dejean, Catal. Coléopt. 1821, 7 [*n. n.*]; Spec. gén.  
 Coléopt. II. 1826, 241.  
**rubripes** Necrobia, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 25 [*n. n.*]. [485.  
**rubripes** Neriene, J. Blackwall, Lond. & Edinb. Phil. Mag., 3rd ser. VIII (49) June 1836,  
**rubripes** Nocarodes, Motschulsky in G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou,  
 VIII. 1846, 270.  
**rubripes** Onthophagus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 116 & 144.  
**rubripes** Phoracantha (Boisd.), E. Newman, Ann. Nat. Hist. V. Mar. 1840, 19.—Steno-  
 corus.  
**rubripes** Praeugena, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 241.  
**rubripes** Pyrophorus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 140.  
**rubripes** Rachys, Schoenh.; Dejean, Catal. Coléopt., ed. 3 (1-4) July 1836, 271.  
**rubripes** Saprinus, W. F. Erichson, Jahrb. Insectenk. I. 1834, 193.  
**rubripes** Sclerostomus (Guér.), H. Burmeister, Handb. Ent. V. 1847, 425.—Dorcus [*non*  
**rubripes** Scolopax, P. Picot-Lapeyrouse, Tabl. Méth. Mamm. Ois. (1799), 42. [*comp.*].  
**rubripes** Scolopendra, J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. VII (11) Mar. 1840,  
 156.  
**rubripes** Sparassus (Koch), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847,  
 561.—Corinna.  
**rubripes** Spirostreptus, G. Newport, Ann. Mag. N. H. XIII. Ap. 1844, 270.  
**rubripes** Stenocorus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 477.  
**rubripes** Sula, J. Gould, Syn. Birds of Australia & adj. islands (Descriptions, p. 7, Ap.  
**rubripes** Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 138. [1838].  
**rubripes** Tenebrio, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 31.  
**rubripes** Tenthredo, L. Dufour, Ann. gén. Sci. Phys. (Bruxelles) V. July 1820, 122.  
**rubripes** Tetraodon, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1850), 283.  
**rubripes** Theridion, C. W. Hahn, Die Arachniden, I (4) Mar. 1833, 92.

- rubripes** Thomisoides, H. Nicolet in Gay, Chili, III (Arach.) 1849, 353.
- rubripes** Thynnoides, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 233.—Thynnus on pl.
- rubripes** Thynnus (Guér.), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 22.—
- rubripes** Tipula, T. E. Schummel, Beitr. Entom. Schlesien (3) 1833, 49. [Thynnoides.]
- rubripes** Torymus, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 179.
- rubripes** Trachyderes, H. Dupont, Mon. Trachyd. in Magazin de Zool. VI. 1836, 37.
- rubripes** Turdus, C. J. Temminck, Pls. col. (69) Oct. 1826, pl. 409.
- rubripes** Zophomyia (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 160.—Macquartia.
- rubro-picta** Leptoscelis, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 17.
- rubropictus** Opinus, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1848, 339.
- rubropicta** Platymeris, Herrich-S., Wanzenart. Ins. VIII (2) Oct. 1845, 31.
- rubropictus** Rhipidophorus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 66.
- rubripilus** Epalpus, C. Rondani, N. Ann. Sci. Nat. [3] II. 1850 [Nov.], 169.
- rubripinna** Barbus, v. Hasselt, Alg. Konst. Letter-Bode, Aug. 1823, 132; Bull. des Sci. Nat. II. 1824, 375 [*n. n.*].
- rubripinnis** Apistus, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1843), 49.
- rubripinnis** Argyreus, J. J. Heckel in Russegger, Reise, I (2) 1843, 1040.
- rubripinnis** Barbus, Kuhl & v. Hasselt in Cuvier & Valenc., H. N. Poiss. XVI. 1842, 194.
- rubripinnis** Cirrhina, Cuvier & Valenc., H. N. Poiss. XVI. 1842, 288.
- rubripinnis** Cobitis, Temminck & Schlegel in Siebold, F. Japon. (Pisc. 1846), 220.
- rubripinnis** Isocephalus (Val.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1029.—Cirrhina.
- rubripinnis** Myletes, Mueller & Troschel, Arch. f. Naturg. X (1) 1844, 97.
- rubripinnis** Scarus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 199.
- rubroplagiata** Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 341.
- rubropunctaria** Ptychopoda, E. Doubleday in Dieffenbach, Trav. N. Z. II. 1843, 287.
- rubropunctatus** Acanthurus, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.), Fische (13) 1829, 59.
- rubripunctata** Actinia, A. E. Grube, Actin. Adriat. 1840, 4.
- rubro-punctatus** Bufo, A. Guichenot in Gay, Chili (Rept.) 1848, 128.
- rubropunctatum** Cerithium, H. E. Anton, Verz. Conch. 1839, 65.
- rubro-punctatus** Cirrhinus, T. C. Jerdon, Madras Journ. XV (35) 1849, 303.
- rubropunctatus** Crangon, A. Risso, H. N. Crust. 1816, 83. [Acanthurus.]
- rubropunctatus** Ctenodon (Ruepp.), W. Swainson, N. H. Fishes etc. II. July 1839, 256.—
- rubropunctata** Eremias (Licht.), Duméril & Bibron (Roret's Suite à Buffon), Erpét. V. Nov. 1839, 297.—Lacerta.
- rubropunctata** Lacerta, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 100.
- rubropunctata** Mesalina (Licht.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 43.—Lacerta.
- rubropunctatus** Salaris, Cuvier & Valenc., H. N. Poiss. XI. 1836, 348.
- rubropunctata** Saperda, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 137.
- rubropunctata** Scorpaena, C. G. Ehrenberg in Cuvier & Valenc., H. N. Poiss. IV. 1829, 324.
- rubro punctata** Scutellera, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 157.
- rubropunctata** Tachyscelis (D. & B.), L. Fitzinger, Syst. Rept. 1843, 21.—Eremias.
- rubropunctatus** Talitrus, A. Risso, H. N. Crust. 1816, 127. [1845, 400.]
- rubropygialis** Picus (Brachypternopicus), A. Malherbe, Rev. Zool. (Soc. Cuv.) VIII. Nov.
- rubropygialis** Tiga (Malh.), G. R. Gray, Gen. Birds, III. App. 1849, 22.—Picus.
- rubropygius** Eurylaimus, Hodgson; G. R. Gray, Gen. Birds, I. Jan. 1847, 65 [*n. et f.*].
- rubropygia** Raya, B. H. Hodgson, J. Asiat. Soc. Bengal, VIII. 1839 (Feb.), 36.
- rubropygia** Serilophus (Hodgs.), G. R. Gray, Cat. Hodgson Coll. B. M. 1846, 56.—Simornis.
- rubropygia** Simornis, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82 [*n. n.*].
- rubrirena** Mamestra, F. Treitschke, Schmett. Europa, V (2) 1825, 159. [[*n. et f.*].]
- rubrirena** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 174 (Fernaldo judice 1834)
- rubrirostris** Anser, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 86 [*n. n.*].
- rubrirostris** Arremon, De Lafresnaye, Rev. Zool. (Soc. Cuv.) III. Aug. 1840, 227.

- rubrirostris** Crax, J. B. v. Spix, Avium Brasil. II. 1825, 51.
- rubrirostris** Pipilopsis (Lafr.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 485.—
- rubrirostris** Pyrrhula, L. P. Vieillot, Ency. Méth. (Orn.) 1823, 1027. [Arremon,
- rubro-signata** Cetonia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, no. 1, Cetoniidae, Nov. 1842, 2. [1840, 275.
- rubro-signatus** Telephorus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I.
- rubrospinis** Gasteracantha, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 53.
- rubrospinosus** Hipporhinus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 750.
- rubrostigma** Aplocheilus, T. C. Jerdon, Madras Journ. XV (35) 1849, 331.
- rubrostriatus** Lopus, Herrich-S., Wanzenart. Ins. III (3) Feb. 1836, 45.
- rubro-taeniatus** Prochilodus, W. Jardine in Schomburgk, Fishes Brit. Guiana, I (Nat. Libr. XXXII.) 1841, 258.
- rubritarsata** Trupanea, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 215.
- rubrotessellatus** Oxyomus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 185.
- rubrotessellata** Parastasia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [ineunte 1851], 217.
- rubrotessellatus** Sphaenophorus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 204.
- rubro-testacea** Leptura, K. Illiger, Mag. f. Insektenk. (Illiger) IV. 1805, 122.
- rubrithorax** Asilus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 259.
- rubrithorax** Culex, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 313.
- rubrithorax** Dasypogon, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 370.
- rubrithorax** Myocoris, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 372.
- rubrithorax** Odontomyia, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 189.
- rubrithorax** Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 143.
- rubrotibiella** Phycis, Jos. Mann in J. E. Fischer v. R., Abbild. Schmett. (12) 1839, 158.
- rubrotibiella** Rhodophaea (F. v. R.), A. Guénée, Ann. Soc. Ent. France [2] III (3) Dec. 1845, 312.—Phycis.
- rubritincta** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 147, Oct. 1844.
- rubro-tinctus** Systemus, T. C. Jerdon, Madras Journ. XV (35) 1849, 317.
- rubritorquis** Bucco, T. R. Peale in Wilkes, U. S. Expl. Exped. VIII. 1848, 133.
- rubritorques** Pentharia (Sw.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 448.—Vidua.
- rubritorquis** Trichoglossus, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 291.
- rubritorques** Vidua, W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May 1837, 174.
- rubrius** Lamprotatus, F. Walker, Ann. Mag. N. H. XVII. Feb. 1846, 111.
- rubro varius** Conorhinus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 219.
- rubriventris** Bombus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836
- rubriventris** Centurus, W. Swainson, Anim. in Menag., Dec. 1837, 354. [[1835], 472.
- rubriventris** Cicindela, L. A. A. Chevrolat, Coléopt. Mex. (5) Jan. 1835, no. 101.
- rubriventris** Clemmys (Le Conte), L. J. Fitzinger, Ann. Wiener Mus. I [1] 1835, 124.—Testudo.
- rubriventris** Dasypogon, Macquart in H. Lucas, Explor. Algér. (Artic. III.) 1849, 437.
- rubriventris** Dexia, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 316.
- rubriventer** Dicaeum, R. P. Lesson, Traité Ornith. (4) Sept. 1830, 303.
- rubriventris** Emys (Lec.), Duméril & Bibron (Roret's Suite à Buffon), Erpét. II. May 1835, 281.—Testudo.
- rubriventris** Estrellda (Vieill.), G. R. Gray, Gen. Birds, II. June 1849, 369.—Fringilla.
- rubriventris** Eumerus, J. Macquart, Mém. Soc. R. Sci. Lille, 1827-8, 1829, 267.
- rubriventris** Fringilla, L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 184.
- rubriventris** Laphria, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 284.
- rubriventer** Lemur, I. Geoffroy, C. R. Ac. Sci. (Paris) XXXI. 1850, 876.
- rubriventris** Libellula, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 217.
- rubriventre** Myosoma, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 452.
- rubriventris** Pelidnota, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [ineunte 1851], 213.
- rubriventris** Picus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 103.
- rubriventris** Proctacanthus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 391.
- rubriventris** Salamandra, F. M. Daudin, Sonnini's Buffon, Rept. VIII (1803), 239.



- rubriventris** Salamandra, J. Green, J. Acad. Nat. Sci. Philad. I (12) Aug. 1818, 353.
- rubriventer** Sciurus, Forsten in Mueller & Schlegel in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Mamm.) 1844, 86.
- rubriventris** Senetainia, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 295.
- rubriventris** Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 135.
- rubriventris** Terrapene (Lec.), C. L. Bonaparte, Ann. Stor. Nat. IV (12) 1830, 368.—Testudo.
- rubriventris** Testudo, J. Le Conte, Ann. Lyceum N. H. New York, III (3 & 4) Feb. 1830,
- rubriventris** Tiliqua, J. E. Gray, Ill. Indian Zool. II (15, 16) Ap. 1834 (pl. 75). [101.
- rubriventris** Tipula, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 142.
- rubroviolaceus** Scarus, P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, IV (2) 1846, 162.
- rubroviridata** Locusta, J. F. Stephens (*ex* Haw. MS), Nom. Brit. Ins., Aug. 1829, 25 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 302.
- rubro-viridata** Phalaena, [A. H. Haworth], Prod. Lepidopt. Brit. 1802, 26 [*n. n.*].
- rubro-vittatus** Coniatus, Gory, Magasin de Zool. IV. 1834, pl. 120.
- rubrovittata** Eurymela, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843,
- rubrovittatus** Geophilus, H. Lucas, Rev. Zool. (Soc. Cuv.) IX. Aug. 1846, 288. [555.
- rubro-vittatus** Lucanus, Blanchard in d'Orbigny, Voy. Amér. mérid. (Ins.) [1846], 194, *in syn.* L. vittatus.
- rubrovittatus** Pagurus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 31. [Coniatus.
- rubrovittatus** Phytonomus (Gory), C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 343.—
- rubro-vittatus** Scortizus (Blanch.), H. Burmeister, Handb. Ent. V. 1847, 423.—Lucanus.
- rubro**→ *v. rubri*→.
- rubrus** *v. et ruber*.
- Rubula** Defrance, Dict. Sci. Nat. XLVI. 1827, 396.—? Cor.
- rubus** Actinia, Drayton in J. D. Dana, Wilkes, U. S. Exped., c. Mar. 1848, 147.
- rubus** Aterpus, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 187.
- rubus** Batocera (L.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 470.—Cerambyx.
- rubus** Bombyx, A. H. Haworth, Lepidopt. Brit. (1) 1803, 83 [rubi, L.].
- rubus** Cerithium (Mart.), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, IX. Nov. 1843, 310.—Clava, 1788.
- rubus** Dasybatus (Bl.), de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (July), 120.—
- rubus** Raia, A. Risso, H. N. Europe, III. 1826, 147. [Raja, 1784.
- Rucervus** B. H. Hodgson, Ann. Nat. Hist. I (2) Ap. 1838, 154.—M.
- ruckeri** Jumnos, W. W. Saunders, Tr. Entom. Soc. Lond. II (3) July 1839, 176.
- ruckeri** Polytmus (Bourc.), G. R. Gray, Gen. Birds, I. Dec. 1848, 108.—Trochilus.
- ruckeri** Trochilus, J. Bourcier, Proc. Zool. Soc. London, XV (171) May 17, 1847, 46.
- ruconius** Chanda, F. Hamilton, Fish. Ganges, 1822, 106.
- ruconius** Equula (Ham.), Cuvier & Valenc., H. N. Poiss. X. 1835, 79.—Chanda.
- ruddii** Bledius, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 105 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Dec. 1833, 308.
- ruddii** Chrysis, W. E. Shuckard, Entom. Mag. IV (2) Oct. 1836, 163.
- ruddii** Embolemus, J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser. II (12) June 1833, 444.—Hym.
- ruddii** Falagria, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 91 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Mar. 1835, 429 [politia].
- ruddii** Helophilus, J. Curtis, Brit. Entom. IX (107) Nov. 1832, no. 429.
- ruddii** Medon, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 103; & Ill. Brit. Ent. [(Mand. V.) Nov. 1833, 273.
- rude** *v. rudis*.
- ruderalis** Aranea, W. G. Tilesius, Voigt's Mag. Naturk. IX (5) 1805, 445 [*n. n.*].
- ruderalis** Chama, Lamarck, An. s. vert. VI (1) 1819, 96.
- ruderalis** Cypraea, Lamarck, Ann. Mus. H. N. (Paris) XVI (92) *post* Oct. 1810, 106.
- ruderalis** Harpes, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 165.
- ruderalis** Odontopleura, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 148.
- ruderalis** Phacops, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 99.
- ruderalites** Helix, Potiez & Michaud, Gal. Moll. Douai, I. Oct. 1838, 108.
- runderaria** Desmonota (Erichs.), C. H. Boheman, Mon. Cassid. I. 1850, 165.—Polychalca.

- ruderaria** Polychalca, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 151.
- ruderata** Agama, A. G. Olivier, Voy. Othoman. IV (1804), 395.
- ruderatus** Bombus (Fab.), C. A. Walckenaer, Faune Paris. II. 1802, 146.—Apis, 1775.
- ruderatus** Bremus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 259.—Bombus.
- ruderatus** Discus (Stud.), L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl. Gesch. Wien) III. 1833, 99.—Helix.
- ruderata** Eremioplanis (Ol.), L. Fitzinger, Syst. Rept. 1843, 82.—Agama.
- ruderata** Eryomphala (Stud.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 9.—Helix.
- ruderata** Helix, S. Studer, Nat. Anz. Allg. Schweiz. Gesellsch. II (11) 1820, 86.
- ruderata** Helix (Helicella), Studer; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
- ruderata** Patula (Stud.), F. Held, Isis (Oken), 1837, 916.—Helix. [1821, 44.]
- ruderata** Stelidota, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 303.
- ruderata** Trapelus (Ol.), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 258.—Agama.
- rudibus** Toxotus; *v.* **rubidus**.
- rudicollis** Barisia (Wieg.), J. E. Gray, Ann. Nat. Hist. I (5) July 1838, 390.—Gerrho-
- rudicollis** Buprestis, Gory in Laporte & G., H. N. Coléopt. IV. 1840, 89. [notus.]
- rudicollis** Donacia, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 108.
- rudicollis** Gerrhonotus, A. F. A. Wiegmann, Isis (Oken), 1828, 380.
- rudicollis** Tropicogerrhon (Wieg.), L. Fitzinger, Syst. Rept. 1843, 21.—Gerrhonotus.
- rudicollis** Uaranus, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 10.
- rudicornis** Anthocephalus, J. L. Drummond, Mag. Nat. Hist., n. s. III. May 1839, 227.
- rudioculatus** Bibio, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 26.
- rudipalpe** Phalangium, P. Gervais in Gay, Chili, IV (Arach.) 1849, 28.
- rudis** Alcyon, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82 [*n. n.*].
- rudis** Alophus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (2) 1842, 204.
- rudis** Ammonites, M. Simpson, Mon. Amm. 1843, 44.
- rude** Anthophyllum, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 62.
- rudis** Apoderus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 360.
- rudis** Arca, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1829, 210.
- rudis** Arca (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 310.—Cucullæa.
- rudis** Astraea, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 25.
- rudis** Attus, C. J. Sundevall, K. Vet. Ac. Handl. 1832 (1833), 205.
- rudis** Avicula, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 50.
- rudis** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1830, 658.
- rude** Bicornes, C. Sultz, Diss. ver. intest. 1801, 1.
- rudis** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 625.
- rudis** Bulimus, H. E. Anton, Verz. Conch. 1839, 43.
- rudis** Bulimus, L. Reeve (*ex* Anton MS), Conch. Icon. V.—Bulimus, no. 216 (pl. xlv) [=286], Oct. 1848.
- rudis** Buprestis, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 123.
- rudis** Callimome, F. Walker, Entom. Mag. IV (1) July 1836, 25.
- rudis** Calyptraea, W. J. Broderip, Proc. Zool. Soc. London, II (17) July 1834, 35.
- rude** Cerithium, H. E. Anton, Verz. Conch. 1839, 66.
- rude** Cerithium, J. De C. Sowerby, Tr. Geol. Soc. London [2] V. 1840, expl. pl. xxvi.
- rudis** Ceryle (Gm.), F. Boie, Isis (Oken), 1828, 316.—Alcedo, L. 1758.
- rudis** Chama, H. F. Link, Beschr. Nat. Samml. Univ. Rostock (4) 1807, 19.
- rudis** Chama, O. G. Costa, Atti Accad. Pontan. V (5) 1850, 395.
- rudis** Chione (Lam.), J. E. Gray, The Analyst, VIII (24) July 1838, 306.—Cytherea;
- rudis** Chironomus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 809. [Venus, Poli, 1795.]
- rudis** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 774.
- rudis** Coelosternus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 360.
- rudis** Columbella, G. B. Sowerby, I., Thes. Conch. I (4) *ante* 11 Ap. 1844, 116.
- rudis** Cryptorhynchus, Munck in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 149.
- rudis** Cucullæa, J. De C. Sowerby, Min. Conch. V. 1824, 68.
- rudis** Cucullæa (Arca), C. Rouillier, Bull. Soc. Imp. Moscou, XXI. 1848 (1) 1848, 273.
- rude** Cyathophyllum, J. De C. Sowerby, Tr. Geol. Soc. London [2] III. 1832, 417 [*n. et f.*].
- rude** Cyclosmilia (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 276.—Antho-  
phyllum.

- rude** Cyclostoma, Ziegler in C. T. Menke, Syn. meth. Moll. 1828, 22 [*n. n.*].
- rude** Diadema, E. Forbes, Q. J. Geol. Soc. London, VI. 1850, 197.
- rude** Dicerias, C. A. Rudolphi, Entoz. II (2) 1810, 258.
- rude** Distomum, C. M. Diesing, Syst. Helminth. I. 1850, 360. [1824, 320.—Dicerias.
- rudis** Ditrachyceros (Rud.), De Blainville in Bremser, Traité Zool. Vers intest. homme,
- rudis** Dolopius, Germar in H. C. Kuester, Käfer Europas, XIV. 1848, 34.
- rudis** Eyryomphala, Gray in H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 9.
- rudis** Fissurella, G. P. Deshayes, Ency. Méth. (Vers) II (2) 1830, 133 (R\*).
- rudis** Fusus, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 180.
- rudis** Goniastrea, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XII. Sept. 1849, 161.
- rudis** Helix, J. E. Gray, Ann. Phil. XXV. June 1825, 411.
- rudis** Helodus, F. M'Coy, Ann. Mag. N. H. (2) II. Aug. 1848, 123.
- rudis** Hippagus, O. G. Costa, Atti 7 Riun. Sci. Ital. 1846, 835.
- rudis** Ichneumon, Boyer de Fonscolombe, Ann. Soc. Ent. France [2] V (1) May 1847, 55.
- rudis** Iphipus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 250.
- rudis** Ispida (—), T. C. Jerdon, Madras Journ. XI (27) Ap. 1840, 232.—? Alcedo, L. 1758.
- rudis** Lacerta, B. Merrem, Tent. Syst. Amph. 1820, 68.
- rudis** Lima, J. Sowerby, Min. Conch. III. 1818, 25.
- rudis** Litorina (Mont.), C. T. Menke, Conch.-Samml. Malsburg, 1829, 11.—Turbo.
- rudis** Littorina (J. Sow.), J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 10.—Turbo.
- rudis** Littorina (Don.), A. A. Gould, Rep. Invert. Massach. 1841, 257.—Turbo, 1800.
- rudis** Lobophyllia, Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XI. Ap. 1849, 245.
- rudis** Lyriodon (Park.), H. G. Bronn, Index Pal. 1848, 688.—Trigonia.
- rudis** Meleus, J. Sturm, Catal. Ins. Samml. 1826, 169 [*n. n.*].
- rudis** Minyops, Schoenherr in Ménétris, Mém. Ac. Imp. Sci. St Pétersb. [6] VIII (2 = Sci. Nat. VI.) (4) Nov. 1849, 259.
- rudis** Monacanthus, J. Richardson, Proc. Zool. Soc. London, VIII (87) Aug. 1840, 27.
- rudis** Monodonta, J. E. Gray in P. P. King, Narr. Surv. Australia, II. 1827 [*i.e.* Ap. 1826], 480.
- rudis** Montlivaltia (Sow.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 258.—Cyathophyllum.
- rudis** Murex, S. Borson, Mem. R. Acc. Sci. Torino, XXVI. 1821 [? 1822], 308.
- rudis** Murex, A. Risso, H. N. Europe, IV. 1826, 193.
- rudis** Murex, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1835, 593.
- rudis** Mycetocharis, H. C. Kuester, Käfer Europas, XXI. 1850, 97.
- rudis** Nerita, W. Wood, Suppl. Index Test. 1828, 26 [*n. et f.*].
- rudis** Nodosaria, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 33.
- rudis** Opius, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 141.
- rudis** Otodus, A. E. Reuss, Verst. boehm. Kreidef. II. 1846, 99.
- rudis** Pecten, G. B. Sowerby, I., in C. R. Darwin, Geol. Obs. "Beagle," III. 1846, 254.
- rudis** Peritelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 152.
- rudis** Phloeoborus, W. F. Erichson, Arch. f. Naturg. II (1) 1836, 55.
- rudis** Placosmia (Mich.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 467.—Turbinolia.
- rudis** Placunanomia, W. J. Broderip, Proc. Zool. Soc. London, II (13) May 1834, 2.
- rudis** Pleurotoma, G. B. Sowerby, I., Proc. Zool. Soc. London, I (12) Ap. 1834, 134.
- rude** Pleurotoma, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 199.
- rudis** Pleurotoma, A. Scacchi, Cat. Conch. Neap. 1836, 12.
- rudis** Pleurotoma, H. E. Anton, Verz. Conch. 1839, 74. [n. s. IX (3) Dec. 1846, 246.
- rudis** Plicatula, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 164 [*n. n.*]; Tr. Amer. Phil. Soc.,
- rudis** Podops, E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 66.
- rudis** Pollenia (Fab.), J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 414.—Musca, 1794.
- rudis** Psammobia (Lam.), G. P. Deshayes, Descr. Coq. foss. Paris, I. 1824, 74.—Tellina.
- rudis** Purpura, H. F. Link, Besch. Nat. Samml. Univ. Rostock (3) 1807, 121.
- rudis** Raphitoma, M. Hoernes (*ex* Partsch MS), Verz. Fossil-Reste Wien, 1848, 20 [*n. n.*].
- rudis** Rissoa, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 128.
- rudis** Scalaria, R. A. Philippi, Tertiärverst. Wilhelmshöhe, 1841, 21.

- rudis** Scatophaga, Haliday in J. Curtis, Brit. Entom. IX (101) May 1832, no. 405.  
**rudis** Solea, O. G. Costa, Fauna Regno Napoli, Pesci, I., Pleuronettidae, 40 (Nov. 1847).  
**rudis** Spirifera, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 78.  
**rudis** Stomodes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 147.  
**rudis** Tachina, C. F. Fallen, K. Vet. Ac. Nya Handl. XXXI (4) 1810 [1811], 279.  
**rudis** Tanymecus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 84.  
**rudis** Tanyrhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 415.  
**rudis** Tellina (Desh.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 421.—Psammobia.  
**rudis** Terebra, J. E. Gray, Proc. Zool. Soc. London, II (19) Nov. 1834, 60.  
**rudis** Thecosmilia (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 203.—Cyatho-  
**rudis** Trigonina, J. Parkinson, Org. Rem. III. 1811, 177. [phyllum].  
**rudis** Triton, W. J. Broderip, Proc. Zool. Soc. London, I (1-3) May 1833, 6.  
**rudis** Turbinella, L. Reeve, Conch. Icon. IV.—Turbinella, no. 51, Aug. 1847.  
**rudis** Turbinolia (Sow.), H. Michelin, Icon. Zoophyt. (2) 1841, 17.—Cyathophyllum.  
**rudis** Turbo, J. Sowerby, Min. Conch. I (13) Oct. 1814, 164.  
**rudis** Turbo, Lamarck, An. s. vert. VII. 1822, 49.  
**rudis** Turbo, H. G. Waardenburg, Ann. Acad. Lugd.-Bat. 1826-27 (1828), 56.  
**rudis** Unio, T. A. Conrad, Mon. Unionidae N. Amer. 1836, 76.  
**rudis** Venus, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 262.  
**rudis** Voluta, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Moll. etc. 1834, 601.  
**rudissima** Littorina, W. Bean in C. Thorpe, Brit. Mar. Conch., Ap. 1844, 266.  
**Rudista** J. E. Gray, Syn. Cont. Brit. Mus. 1823, 61.—L. [teste Scudder, Suppl. List, 1882,  
**rudista** Cardita, Lamarck, An. s. vert. VI (1) 1819, 23. [297, *nom. fam. non gen.*]  
**rudista** Venericardia (Lam.), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 609.—Cardita.  
**rudiuscula** Arca, J. Lycett, Ann. Mag. N. H. (2) VI. Dec. 1850, 424.  
**rudiuscula** Helix, L. Pfeiffer, Symb. Helic. III. 1846, 68.  
**Rudolpha** C. F. Schumacher, Ess. Vers test. 1817, 63 & 210.—G.  
**rudolphi** Buccinum, W. Wood, Suppl. Index Test. 1828, 12 [*n. et f.*].  
**rudolphii** Cryptonymus, E. Eichwald, Geogn. Zool. Ingria, 1825, 50.  
**rudolphii** Illaenus (Eichw.), F. Holl, Handb. Petref. II. 1829, 169.—Cryptonymus.  
**rudolphi** Nereis, S. d. Chiaje, Mem. An. s. vert. Napoli, III (—) 1828, 176.  
**rudolphii** Panopaea, E. Eichwald, Nat. Lithuaen, 1830, 204.  
**rudolphi** Protula, A. Risso, H. N. Europe, IV. 1826, 406.  
**rudolphi** Purpura, Lamarck, An. s. vert. VII. 1822, 235.  
**rudolphi** Purpura, W. Wood, Suppl. Index Test. 1828, 50.—Buccinum, 1828.  
**rudolphi** Spiroptera, S. della Chiaje, Comp. Elmint. umana, ed. 2, 1833, 5.  
**rudolphi** Syllis, S. d. Chiaje, Descr. An. invert. Sicilia, III. 1841, 95.  
**rudolphianus** Coregonus, Cuvier & Valenc., H. N. Poiss. XXI. 1848, 531.  
**rudolphiana** Spiroptera, S. d. Chiaje, Comp. Elmint. umana, 1825, 7.  
**rudolphianum** Tristomum, C. M. Diesing, Syst. Helminth. I. 1850, 429.  
**Rudolphus** de Blainville, Dict. Sci. Nat. XLVI. 1827, 418 [= Rudolpha, Schum.].  
[rueppell→.]  
**rueppellii** Acanthurus, E. T. Bennett, Proc. Zool. Soc. London, III (36) Ap. 1836, 207.  
**rüppellii** Aegle, F. Krauss, Südafrik. Crust. 1843, 28.  
**rüppellii** Ammonites, A. v. Klipstein, Beitr. geol. östl. Alpen (1) 1843, 130.  
**rueppellii** Argya, R. P. Lesson, Traité Ornith. (6) Feb. 1831, 402.  
**rueppellii** Cerithium, R. A. Philippi, Zeitschr. f. Malakozool., Feb. 1848, 22.  
**rueppellii** Chama, L. Reeve, Proc. Zool. Soc. London, XIV (166) Jan. 26, 1847, 119.  
**rueppellii** Cicindela, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) X. Feb. 1847, 50.  
**rupelli** Cobitis, W. H. Sykes, Proc. Zool. Soc. London, VI (71) May 1839, 162.  
**rueppellii** Colobus, W. Macgillivray in Cuvier, Anim. Kingd. [fo. Edinb.] I., 158 (c. 1838).  
**rueppellii** Conus, L. Reeve, Conch. Icon.—Conus, no. 273, Ap. 1848.  
**rüppellii** Ctenodon, W. Swainson, N. H. Fishes etc. II. July 1839, 256.  
**rueppellii** Curruca (Temm.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 14.—Sylvia.  
**rüppellii** Dasypogon, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 569.  
**rueppellii** Diadema, Desor, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 349.  
**rupellii** Dysopes, C. J. Temminck, Mon. Mamm. I. 1826, 224.

- rüppellii** Felis, J. F. Brandt, Bull. Soc. Imp. Nat. Moscou, IV. 1832, 209.
- ruppellii** Fissurella, G. B. Sowerby, I., Proc. Zool. Soc. London, II (23) Mar. 1835, 128.
- rueppellii** Francolinus, G. R. Gray, List Birds Coll. B. M. III. 1844, 33.
- rueppellii** Fungia (Leuck.), J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 304.—
- ruppellii** Gelada, J. E. Gray, List Mamm. Coll. B. M. 1843, 9. [Herpolitha.]
- rueppellii** Herpolitha, F. S. Leuckart, Obs. zool. zooph. Corall. 1841, 54.
- ruppellii** Histioteuthys, G. B. Verany in Descr. Genova, I. 1846, 97 & 108.
- rueppellii** Hoplopodion, L. Fitzinger, Syst. Rept. 1843, 104.
- rueppellii** Miltogramma, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 279.
- ruppellii** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 179, Nov. 1844.
- ruppellii** Molossus (Temm.), R. P. Lesson, Man. Mamm., May 1827, 101.—Dysopes.
- ruppellii** Nyctinomus (Temm.), R. P. Lesson, H. N. Mamm. Ois. depuis 1788, V. 1836,
- ruppellii** Olistus, Cuvier & Valenc., H. N. Poiss. IX. 1833, 144. [135.—Dysopes.]
- ruppelli** Passer, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 510.
- rüppellii** Petronason, W. Swainson, N. H. Fishes etc. II. July 1839, 226.
- ruppellii** Picus, J. Wagler, Syst. Avium, I. 1827, sign. 28. [1848, 42.]
- rueppellii** Planorbis, W. B. R. H. Dunker, Proc. Zool. Soc. London, XVI (182) Nov. 14,
- rueppellii** Psittacus, G. R. Gray, Proc. Zool. Soc. London, XVI (188) Ap. 25, 1849, 125.
- rueppellii** Rhinobates, W. Swainson, N. H. Fishes etc. I. Oct. 1838, 185.
- rueppellii** Riopa, J. E. Gray, Ann. Nat. Hist. II. Jan. 1839, 332.
- ruppellii** Scarus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 259.
- ruppellii** Scolopsides, Cuvier & Valenc., H. N. Poiss. V. 1830, 332.
- ruppellii** Seriola, Cuvier & Valenc., H. N. Poiss. IX. 1833, 216.
- rueppellii** Strombus, L. Reeve, Conch. Icon. VI.—Strombus, no. 13, Dec. 1850.
- ruppelli** Sylvia, C. J. Temminck in T. & Laugier, Pls. color. (41) Dec. 1823.
- rueppellii** Syrphus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 141.
- rueppellii** Vespertilio, J. B. Fischer, Syn. Mamm. 1829, 109.
- Rueppellia** *vide* **Rupellia**, Sw.
- Rueppellia** *vide* **Rupellia**, Wiedemann.
- rüpelliae** Dalophis, J. McClelland, Calcutta Journ. Nat. Hist. V (18) July 1844, 213.
- rüppellianus** Bulimus, L. Pfeiffer, Symb. Helic. II. 1842, 50.
- rueppelliana** Vitrina, L. Pfeiffer, Proc. Zool. Soc. London, XVI (187) Ap. 25, 1849, 107.
- rufa** *v.* **rufus**, -a, -um.
- rufago** Jodia, J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 15.
- rufago** Jodia, J. Huebner, Verz. bekannt. Schmett. [1822], 234.
- rufalbus** Thriothorus, De Lafresnaye, Rev. Zool. (Soc. Cuv.) VIII. Sept. 1845, 337.
- rufangula** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [n. n.]; & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 135.
- rufangulus** Calathus (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) Mar. 1828, 100.—
- rufangulus** Carabus, T. Marsham, Coleopt. Brit., Sept. 1802, 441. [Carabus.]
- ruf-angulus** Elater, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 309; & App. 1817, 142.
- rufangulus** Monocrepidius, L. Fairmaire, Rev. et Mag. de Zool. (2) I. Jan. 1849, 35.
- rufa-nigra** Cyclocephala, Demay, Rev. Zool. (Soc. Cuv.) Feb. 1838, 23.
- rufannulata** Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 243. [1829.]
- rufana** Carpocapsa, J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Aug. 1834, 124.—Semasia,
- rufana** Lopas (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 384.—Tortrix, 1775.
- rufana** Peronaea (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—Pyralis, 1787.
- rufana** Semasia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 47 [n. n.]. [1796.]
- rufaria** Acidalia (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 438.—Geometra,
- rufaria** Leptomeris, J. Huebner, Verz. bekannt. Schmett. 1826, 310.—Geometra, 1796.
- rufatra** Formicivora (d'O. & Lafr.), A. d'Orbigny, Amér. Mérid. (Ois.) 1838, 180.—Thamnophilus.
- rufater** Tamnophilus, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 12.
- rufator** Ichneumon, J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Oct. 1835, 201.
- rufatorius** Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 388. [1790.]
- rufata** Pimpla (Gm.), J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 164.—Ichneumon,

- rufaxilla** Ampelion, J. J. v. Tschudi, Fauna Peru. (Orn.) 1846, 137.  
**rufaxilla** Ampelis, J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 270.  
**rufaxilla** Cotinga (Tsch.), G. R. Gray, Gen. Birds, I. Dec. 1846, 279.—Ampelis.  
**rufaxilla** Leptotila, W. Swainson, N. H. Classif. Birds, II. June 1837, 349.  
**rufaxillus** Pendulinus, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 432.  
**rufaxilla** Peristera (Wagl.), P. J. Selby, Pigeons (Nat. Libr. IX.) 1835, pl. 24.—Columba,  
**rufella** Lyonetia, P. C. Zeller (*ex* Scop.), Isis (Oken), 1839, 215. [R. & B. 1792.  
**rufella** Nepticula, P. C. Zeller, Linnaea Entom. III. Ap. 1848, 328.—Lyonetia, 1839.  
**rufella** Phycis, Duponchel in J. B. Godart, H. N. Lépid. France, X (Noct. 7) 1836, 170.  
**rufella** Tinea, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 140.  
**rufella** Tinea, J. M. J. af Tengström, Notiser Sällsk. fauna Fennica Förhandl. I. 1848, 111.  
**rufeola** Leptomerus, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 457.  
**rufeola** Lithosia, P. Rambur, Ann. Soc. Ent. France, I (3) c. Oct. 1838, 271.  
**ruferculina** Noctua, [A. H. Haworth], Prod. Lepidopt. Brit. 1802, 13 [*n. n.*].  
**rufescalis** Pyralis, [A. H. Haworth], Prod. Lepidopt. Brit. 1802, 30 [*n. n.*].  
**rufescens** Acanthis (Vieill.), Bonaparte & Schlegel, Mon. Loxiens, 1850, 50.—Linaria.  
**rufescens** Achoreutes, A. Herrich-Schaeffer in Fürnrohr, Fauna Ratisbon. III. 1840, 358.  
**rufescens** Aeshna, P. L. van der Linden, Mon. Libell. Europ. 1825, 27.  
**rufescens** Aetheocerus (L.), Bourlet, Mém. Soc. R. Agric. Douai, 1841-2 (1843), 108.—  
 Podura, Wulf. 1788.  
**rufescens** Agra, F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1821, 281.  
**rufescens** Agrion, J. F. Stephens (*ex* Leach MS), Nom. Brit. Ins., Aug. 1829, 26 [*n. n.*];  
 & Ill. Brit. Ent. (Mand. VI.) June 1836, 74.  
**rufescens** Agrodroma (Temm.), W. Swainson, N. H. Classif. Birds, II. June 1837, 293.—  
**rufescens** Aimophila, W. Swainson, Anim. in Menag., Dec. 1837, 315. [Anthus.  
**rufescens** Alauda, L. P. Vieillot, N. Dict. H. N., ed 2, XXIX. 1819, 516.  
**rufescens** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*];  
 & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 128.  
**rufescens** Alseonax (Jerd.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 53.—Butalis.  
**rufescens** Amphimallus (Latr.), E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842,  
 452.—Melolontha.  
**rufescens** Anabaenus (*sic*), W. Swainson, Anim. in Menag., Dec. 1837, 346.  
**rufescens** Anser, C. L. Brehm, Beitr. Vögelk. III. 1822, 871.  
**rufescens** Anthocoris, A. Costa, Atti R. Ist. Incoragg. Napoli, VII. 1847, 264.  
**rufescens** Anthrax, F. Walker, List Dipt. Coll. B. M. (2) 1849, 238.  
**rufescens** Anthus, C. J. Temminck, Man. Orn. 1815, 150.  
**rufescens** Anthus, Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826, 230.  
**rufescens** Anthus, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool.  
 VII. 1837, 27.  
**rufescens** Antilope, C. H. Smith (*ex* Burch. MS) in Griffith's Cuvier, Anim. Kingd., Mamm.  
 IV., 249 (1827); Syn. 1827, 341.  
**rufescens** Aphaneura, J. O. Westwood in Griffith, Anim. Kingd. XV. 1832, 575.  
**rufescens** Aphodius, J. C. Fabricius, Syst. Eleuth. I. 1801, 74.  
**rufescens** Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 273.  
**rufescens** Apocrytus, G. R. Waterhouse, Ann. Mag. N. H. IX. June 1842, 310.  
**rufescens** Arca, L. Reeve, Conch. Icon. II.—Arca, no. 53, Feb. 1844.  
**rufescens** Arctomys (K. & B.), E. Eversmann, Estest. Istoriya Orenburghsk. Kraya, II.  
**rufescens** Ardea, J. G. Wagler, Isis (Oken), 1829, 660. [1850, 137.—Spermophilus.  
**rufescens** Arvicola, E. de Selys-L., Essai Mon. Campagnols, 1836, 13.  
**rufescens** Arvicola, J. E. De Kay, N. H. New York (Mamm.) 1842, 85.  
**rufescens** Ascomys (Max Wied), J. A. Wagner in Schreber, Säugth., Suppl. III. 1842,  
 387.—Thomomys.  
**rufescens** Attelabus, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 159 [*n. n.*].  
**rufescens** Aurellia, Péron & Lesueur, Ann. Mus. H. N. (Paris) XIV (83) Jan. 1810, 359.  
**rufescens** Bembidium, Hoffm.; J. Sturm, Catal. Ins. Samml. 1826, 100.  
**rufescens** Bembidium, Dejean, Spec. gén. Coléopt. V. 1831, 47.—Tachys, 1821.  
**rufescens** Berytus, Herrich-S. in Panzer, Ins. Germ., heft 135, 1835, tab. 8.  
**rufescens** Bettongia, J. E. Gray, Mag. Nat. Hist., n. s. I. Nov. 1837, 584.

- rufescens** Blatta, Palisot de B., Ins. Afr. Amér. (—) 1813-20, 183.
- rufescens** Bombus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836 [1835],  
**rufescens** Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 319. [460.  
**rufescens** Bradybaena (Penn.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 20.—Helix,  
 1777.
- rufescens** Bulimulus (Gray), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 66.—Bulimus.  
**rufescens** Bulimus, J. E. Gray, Ann. Phil. XXV. June 1825, 414.  
**rufescens** Bulla, J. S. Schroeter, Archiv Zool. (Wiedemann) IV (1) 1804, 19.  
**rufescens** Buphaga, L. P. Vieillot, Gal. des Ois. I (2) 1823, 139.  
**rufescens** Butalis, Jerdon, J. Asiat. Soc. Bengal, XVI. 1847, 120.  
**rufescens** Calamodyta (K. & B.), G. R. Gray, Gen. Birds, I. Aug. 1848, 172.—Salicaria.  
**rufescens** Calamoherpe (K. & B.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 286.—  
 Salicaria.
- rufescens** Callirhynchus (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 500.—  
**rufescens** Canis, J. E. Gray, Ill. Indian Zool. II (13, 14) Mar. 1834 (pl. 3). [Pyrrhula.  
**rufescens** Cantharis, Letzner, Uebers. Arb. schles. Ges. 1846 (1847), 76.  
**rufescens** Cardiorhinus, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.  
**rufescens** Cardita, Lamarck, An. s. vert. VI (1) 1819, 24.  
**rufescens** Catops (Ill.), J. C. Fabricius, Syst. Eleuth. II. 1801, 563.—Ptomaphagus, 1798.  
**rufescens** Caulobius, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.  
 1850, 112.
- rufescens** Cavia, Lund, Ann. Sci. Nat. [2] (Zool.) XII. Sept. 1839, 206.  
**rufescens** Cerambyx, Dejean, Catal. Coléopt. 1821, 105 [*n. n.*].  
**rufescens** Chemnitzia, E. Forbes, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, Trans., 66.  
**rufescens** Chirodota, J. F. Brandt, Prod. anim. Mertens. I. 1835, 59.  
**rufescens** Chloroperla, J. F. Stephens, Ill. Brit. Ent. (Mand. VI.) Aug. 1836, 139.  
**rufescens** Choleva (F.), P. A. Latreille, Sonnini's Buffon, Ins. IX (1804), 250.—Catops.  
**rufescens** Chrysomela, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (2) 1808, 267.  
**rufescens** Cicada (Fab.), E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 45.—  
 Tettigonia.
- rufescens** Cincloramphus (V. & H.), J. Gould, Birds of Australia, III (26) 1847, pl. 76.—  
 Anthus.
- rufescens** Cleodora (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Sept. 1834, 221.—  
**rufescens** Clivina, Dejean, Spec. gén. Coléopt. V. 1831, 504. [Recurvaria.  
**rufescens** Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, sed me judice 1836], 16.  
**rufescens** Cochlea, da Costa; *non* Helix [*teste* Winckworth].  
**rufescens** Coelioxys, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 109.  
**rufescens** Collurio, S. D. W., The Analyst, III (14) Jan. 1836, 201.  
**rufescens** Colon, G. Kraatz, Entom. Zeitung, Stettin, XI (6) June 1850, 188.  
**rufescens** Coluber (Natrix), Gm.; B. Merrem, Tent. Syst. Amph. 1820, 95.—Coluber, 1789.  
**rufescens** Coptodera, L. Buquet, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 617.  
**rufescens** Corethrura (Vieill.), G. R. Gray, Gen. Birds, III. Nov. 1846, 595.—Rallus.  
**rufescens** Coronella, H. Schlegel, Essai phys. Serp. 1837, I., 137; II., 72.  
**rufescens** Crotaphopeltis (Schleg.), L. Fitzinger, Syst. Rept. 1843, 27.—Coronella.  
**rufescens** Cryptohypnus, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (4) 1847, 423.  
**rufescens** (*sic*) Crypturus (Temm.), H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 67.—  
 Tinamus.
- rufescens** Crypturus (Temm.), W. Jardine (Nat. Libr. VI.) 1834, 193.—Tinamus.  
**rufescens** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 316.  
**rufescens** Cyclostoma, G. B. Sowerby, I., Thes. Conch. I (3) *ante* 23 June 1843, 94.  
**rufescens** Cymindis, F. Gebler, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. III (7) June  
 1844, 98.
- rufescens** Cynips (Rossi), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 314.—Ich-  
 neumon, ? Gm. 1790.
- rufescens** Cypraea, J. E. Gray in G. B. Sowerby, I., Conch. Illustr. (6) 1832, f. 31; Catal.  
 (131) 1837, 13.
- rufescens** Dasycephala, W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.*  
 Feb. 1832], 486.—Tyrannus, 1826.

- rufescens** Dasypogon, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 295.
- rufescens** Diaprepes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 346.
- rufescens** Dicaeum, L. P. Vieillot, N. Dict. H. N., ed. 2, IX. 1817, 407.
- rufescens** Dictyonota, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 64 [*n. n.*].
- rufescens** Diplolepis (Deg.), M. Spinola, Ins. Liguria, II. 1808, 160.—Ichneumon, Retz. 1783.
- rufescens** Dolichonyx (Vieill.), G. R. Gray, Gen. Birds, II. Dec. 1844, 349.—Passerina.
- rufescens** Donacia, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 112.
- rufescens** Drymoica (Vieill.), G. R. Gray, Gen. Birds, III. App. 1849, 30<sup>a</sup>.—? Dicaeum.
- rufescens** Egretta (Gm.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 47.—Ardea, 1788.
- rufescens** Elachestus (Rossi), F. Walker, List Hymenopt. Coll. B. M. (1) 1845, 68.—
- rufescens** Elater, C. W. Fallen, Obs. Entom. I. 1802, 17. [Ichneumon, 1794.]
- rufescens** Elater, Dejean, Catal. Coléopt. 1821, 33 [*n. n.*].
- rufescens** Embrenagra (Sw.), G. R. Gray, Gen. Birds, II. July 1844, 361.—Aimophila.
- rufescens** Empis, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 167.
- rufescens** Ephemera, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 26 [*n. n.*]; & Ill. Brit. Ent. (Mand. VI.) Ap. 1836, 59.
- rufescens** Eucera, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 130.
- rufescens** Eulophus (Spin.), C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 161.—Diplolepis.
- rufescens** Euprepis (Shaw), T. Cantor, J. Asiat. Soc. Bengal, XVI. 1847, 652.—Lacerta.
- rufescens** Eurysternus, J. W. Dalman, Ephem. Entom. 1824, 12.
- rufescens** Evaesthetes, Nees; J. Sturm, Catal. Ins. Samml. 1826, 141.
- rufescens** (*sic*) Falcon, W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May 1837,
- rufescens** Feronomorpha, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 225. [109.]
- rufescens** Fodia, L. Oken, Lehrb. Nat. III (1) 1815, 216.
- rufescens** Forficisila (Pal.), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 24.—Forficula.
- rufescens** Forficula, Palisot de B., Ins. Afr. Amér. (—) 1806, 35.
- rufescens** Fringilla, L. P. Vieillot, Faune Française (5 & 6) Oiseaux, 1822, 83.
- rufescens** Geomyza, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62 [*v. n.*].
- rufescens** Georychus, E. Eversmann, Estest. Istoriya Orenburghsk. Kraya, II. 1850, 175.
- rufescens** Gryllus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 245.
- rufescens** Haliotis, W. Swainson, App. Cat. Bligh, 1822, 2.
- rufescens** Halticus, H. Burmeister, Handb. Ent. II (1) 1835, 278.
- rufescens** Halys, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 24.
- rufescens** Harmonia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 76.
- rufescens** Harpalus, Dejean, Spec. gén. Coléopt. IV. 1829, 387.
- rufescens** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 190.
- rufescens** Helix, S. Studer, Nat. Anz. Allg. Schweiz. Gesellsch. III (11) 1820, 87.
- rufescens** Helix, O. G. Costa, Fauna Regno Napoli, Moll., Helix, 19 (*ante* 1839).
- rufescens** Helix, Grateloup, Actes Soc. Linn. Bordeaux, XI (55) 1840, 162. [1821, 48.]
- rufescens** Helix (Helicella), Mont.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons,
- rufescens** Herodias (Gm.), G. R. Gray, List Birds Coll. B. M. III. 1844, 79.—Ardea, 1788.
- rufescens** Heterogaster, Herrich-S. in Panzer, Ins. Germ., heft 135, 1835, tab. 17.
- rufescens** Hogardia, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 289.
- rufescens** Hylotoma, A. Drapiez, Ann. gén. Sci. Phys. (Bruxelles) II. Oct. 1819, 49.
- rufescens** Hylurgus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 12 [*n. n.*]; & Ill. Brit. Ent. (Mand. III.) Dec. 1830, 364.
- rufescens** Hypsiprymnus (Gray), Waterhouse, Marsupials (Nat. Libr. XXX.) Aug. 1841;
- rufescens** Ichneumon, P. Rossi, Mant. Ins. II. 1794, App., p. 113. [188.—Bettongia.]
- rufescens** Ichneumon, G. Cuvier, Revue Entom. I (5) c. Nov. 1833, 209.
- rufescens** Ichneumon, J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Oct. 1835, 207.
- rufescens** Ips, T. Marsham, Coleopt. Brit., Sept. 1802, 55.
- rufescens** Ischnosoma, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) May 1832, 170.
- rufescens** Labeo (L.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1024.—Cyprinus, 1762.
- rufescens** Lacerta, G. Shaw, Gen. Zool. (Amph.) III (1) 1802, 285.



- rufescens** Lagomys, J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 266.
- rufescens** Lagria, Latr.; Dejean, Catal. Coléopt. 1821, 72 [*n. n.*].
- rufescens** Lagria, Latreille in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 286.
- rufescens** Lathrobium, A. Nordmann, Mém. présentés Ac. Imp. Sci. St Pétersb. IV (1 & 2) Oct. 1837, 148. [1775.]
- rufescens** Lebia (F.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 251.—Carabus,
- rufescens** Leistus (Fab.), J. R. Schellenberg, Helvet. Entom. II. 1806, 150.—Carabus, 1775.
- rufescens** Leptura, W. Turton, Linnaeus, Syst. Nat. II. 1802, 344.
- rufescens** Leucania (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 42.—Noctua.
- rufescens** Limnea, J. E. Gray in G. B. Sowerby, II., Gen. Shells (7) 1822.
- rufescens** Limnephila, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 479.
- rufescens** Linaria, L. P. Vieillot, Mem. R. Acc. Sci. Torino, XXIII. 1818, 202.
- rufescens** Liparis, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 95.
- rufescens** Lissonota, F. Boie, Entom. Zeitung, Stettin, XI (6) June 1850, 216.
- rufescens** Lobipes, C. T. Wood, Orn. Guide, 1836, 205.
- rufescens** Lumbricus, G. Johnston, Zool. Journ. III (11) Aug.—Nov. [*i.e.* Dec. 31] 1827,
- rufescens** Lygus, C. W. Hahn, Wanzenart. Ins. I (1) Feb. 1831, 28. [327.]
- rufescens** Mactra, Lamarck, An. s. vert. V. 1818, 476.
- rufescens** Malacocercus, E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 453.
- rufescens** Medea, J. F. Eschscholtz, Syst. Acalephen, 1829, 38.
- rufescens** Megalurus (V. & H.), G. R. Gray, Gen. Birds, I. Aug. 1848, 169.—Anthus.
- rufescens** Megarthrus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 24 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Jan. 1834, 331.
- rufescens** Melania, I. Lea, P. Amer. Phil. Soc. II (24) Dec. 1842, 237.
- rufescens** Melolontha, P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 188.
- rufescens** Mus, J. E. Gray, Mag. Nat. Hist., n. s. I. Nov. 1837, 585.
- rufescens** Mycetophila, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 865.
- rufescens** Myrmecophorus, J. O. Westwood, Mag. Nat. Hist. VI. Nov. 1833, 496.
- rufescens** Nematus, T. Hartig, Adelfl. Deutschl. I. 1837, 191.
- rufescens** Nemoicus, Kirby in J. Walton, Entom. Mag. V (1) Oct. 1837, 20 [*n. n.*].
- rufescens** Noctilio, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–1811 (1815), 109 [*n. n.*].
- rufescens** Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 175.—*rufescensina*, 1802.
- rufescens** Notoxus, Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 112 [*n. n.*].
- rufescens** Ochrosopsis, W. W. Saunders, Tr. Entom. Soc. Lond. IV (2) Nov. 1845, 154.
- rufescens** Oecanthus, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 361.
- rufescens** Oligura (Vieill.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 44.—Dicaeum.
- rufescens** Omalus, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 396.
- rufescens** Onchosoma, W. W. Saunders, Tr. Entom. Soc. Lond. IV (3) Mar. 1846, 207.
- rufescens** Opilio, C. L. Koch, Uebers. Arachnidensyst. II. 1839, 33.
- rufescens** Orchesella (Wulf.), H. Lucas, Ann. Soc. Ent. France [2] I (4) Mar. 1844, 288.—Podura, 1788.
- rufescens** Orchestes (Fab.), A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 527.—Rhynchaenus.
- rufescens** Ostrea, W. Turton, Linnaeus, Syst. Nat. IV. 1802, 270.
- rufescens** Pachyrhinus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13 [*n. n.*]; & Ill. Brit. Ent. (Mand. IV.) Mar. 1831, 50.
- rufescens** Pachyrhynchus, J. B. v. Spix, Avium Brasil. II. 1825, 34.
- rufescens** Panorpa, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 330.
- rufescens** Parus, J. K. Townsend, J. Acad. Nat. Sci. Philad. VII., *post* June 1837, 190.
- rufescens** Passerina, L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 25.
- rufescens** Pelecanus, E. Blyth, Ann. Mag. N. H. XIV. Aug. 1844, 122.
- rufescens** Phora, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 63 [*n. n.*].
- rufescens** Phrurolithus, C. L. Koch, Die Arachniden, VI (5) *ante* July 1839, 113.
- rufescens** Phytobius (Steph.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 464.—Rhynchaenus, Fab.

- rufescens** Pipilo, W. Swainson, Phil. Mag., n. s. I (6) June 1827, 434.
- rufescens** Platyrhynchos (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 17.—  
Muscicapa, Gm. 1788.
- rufescens** Pleurotoma, H. D. de Blainville, Faune Française (20) Malac. 1829, 104.
- rufescens** Podura, H. Nicolet, N. D. Allg. Schweiz. Gesellsch. VI. 1842, 57.
- rufescens** Poecila (Townsend), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 230.—Parus.
- rufescens** Pogonophorus (F.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 271.—  
Carabus, 1775.
- rufescens** Polyergus, P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 179.—  
Formica, 1798.
- rufescens** Porzana (Jerd.), E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (1843), 886.—Rallus.
- rufescens** Prinia, E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 456.
- rufescens** Priocera (Dej.), M. Spinola, Ess. mon. Clérites, I. 1844, 119.—Notoxus.
- rufescens** Psarocolius (Vieill.), J. Wagler, Syst. Avium, I. 1827, sign. 232.—Passerina.
- rufescens** Psocus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 27 [*n. n.*]; & Ill. Brit. Ent.  
(Mand. VI.) Aug. 1836, 125.
- rufescens** Ptenoedus (Vig.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 39.—Anthus.
- rufescens** Pupa, W. Wood, Suppl. Index Test. 1828, 50.—Turbo, 1828.
- rufescens** Pyrrhula, L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 298.
- rufescens** Rallus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 565.
- rufescens** Rallus, T. C. Jerdon, Madras Journ. XII. 1840, 205.
- rufescens** Recurvaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 555.
- rufescens** Rhizotrogus (Latr.), O. Heer, Coleopt. Helvet. (3) 1841, 537.—Melolontha.
- rufescens** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 493.
- rufescens** Rhynchotus (Temm.), J. Wagler, Syst. Avium, I. 1827, sign. 1914.—Tinamus.
- rufescens** Salicaria, Keyserling & Blasius, Wirbelth. Europas, 1840, p. liv.
- rufescens** Salpingus, Dejean, Catal. Coléopt. 1821, 77 [*n. n.*].
- rufescens** Scarabaeus, L. Ponza, Mém. Ac. Sci. Turin, 1804-5 (1805) Mém. prés., 33.
- rufescens** Scincus (Shaw), B. Merrem, Tent. Syst. Amph. 1820, 71.—Lacerta.
- rufescens** Scleroderma (Nees), J. O. Westwood, Tr. Entom. Soc. Lond. II (3) July 1839,  
168.—Omalus.
- rufescens** Scytodes, L. Dufour, Ann. gén. Sci. Phys. (Bruxelles) V. Aug. 1820, 203.
- rufescens** Sigalphus, P. A. Latreille, Gen. Crust. Ins. IV. 1809, 13.
- rufescens** Spermophilus, Keyserling & Blasius, Wirbelth. Europas, 1840, pp. xii & 42.
- rufescens** Stomatella, J. E. Gray in Jukes, Narr. Voy. of "Fly," II. 1847, 360.
- rufescens** Strix, T. Horsfield, Tr. Linn. Soc. London, XIII (1) 1821, 140.
- rufescens** Strix, Temminck & Schlegel in Siebold, F. Japon. (Aves 1847), 30.
- rufescens** Strongylus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 9.
- rufescens** Sylvia, P. Savi, Ornit. Toscana, I. 1827, 223.
- rufescens** Sylvieta (Vieill.), G. R. Gray, List Gen. Birds, 1840, Addenda, p. 1.—Dicaeum.
- rufescens** Tabanus, J. C. Fabricius, Syst. Antliat. 1805, 100.
- rufescens** Tachinus, Dejean, Catal. Coléopt. 1821, 26 [*n. n.*].
- rufescens** Tachis, F. E. Guérin-M., Bull. Sci. Soc. Philom. Paris, 1823 (Aug.), 123.
- rufescens** Tachyporus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 343.
- rufescens** Tachys, Hoffm.; Dejean, Catal. Coléopt. 1821, 16 [*n. n.*].      [? Pult. 1799.]
- rufescens** Teba (Mont.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 269.—Helix,
- rufescens** Tellina, L. W. Dillwyn (*ex* Chemn. *non* Gm.), Catal. Shells, 1817, 85.
- rufescens** Tetrastemma, A. S. Orsted, Naturhist. Tidsskrift, IV (6) 1843, 576.
- rufescens** Tettigonia, J. C. Fabricius, Syst. Rhyng. 1803, 41.
- rufescens** Thomomys, Max Wied, N. A. Ac. Caes. Leop. Car. XIX (1) 1839, 378.
- rufescens** Tiliqua (Shaw), J. E. Gray, Cat. Lizards Coll. B. M. 1845, 109.—Lacerta.
- rufescens** Timalia (Blyth), G. R. Gray, Gen. Birds, III. App. 1849, 10.—Malacocercus.
- rufescens** Tinamus, C. J. Temminck, Pig. et Gallin. III. 1815, 552.
- rufescens** Tityra (Lath.), G. R. Gray, Gen. Birds, I. June 1846, 254.—? Muscicapa, Gm.  
1788.
- rufescens** Tragulus, A. Smith, S. African Quart. Journ. II. no. 3 (1) June 1834, 213.
- rufescens** Trichostoma, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 492.
- rufescens** Tringa, J. M. Bechstein in Latham, Vögel, IV (2) 1812, 448.

- rufescens** *Tringoides* (Vieill.), G. R. Gray, List Brit. Anim. B. M. (Birds) 1850, 178.—  
*Tringa*, ? Bechst.
- rufescens** *Trogus*, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 388.
- rufescens** *Truxalis*, Palisot de B., Ins. Afr. Amér. (—) 1806, 17.
- rufescens** *Turbo*, W. Wood, Suppl. Index Test. 1828, 19 [*n. et f.*].
- rufescens** *Tyrannus*, W. Swainson, Q. Journ. Sci. (R. Inst. Gt. Brit.) XX (40) Jan. 1826,
- rufescens** *Tyrannus*, A. d'Orbigny, Amér. Mérid. (Ois.) 1839, 308. [278.]
- rufescens** *Tyrannus* (Gm.), C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, p. 24.—*Muscicapa*, 1788.
- rufescens** *Venus*, Renier in G. Brocchi, Conch. Subap. 1814, 549.
- rufescens** *Vespertilio*, C. L. Brehm, Isis (Oken), 1829, 640.
- rufescens** *Vitrina*, L. Pfeiffer, Proc. Zool. Soc. London, XVI (187) Ap. 25, 1849, 106.
- rufescens** *Xantholinus*, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 328.
- rufescens** *Xyletinus*, J. Sturm, Catal. Ins. Samml. 1826, 206 [*n. n.*].
- rufescens** *Zelus*, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 244.
- rufescensina** *Noctua*, [A. H. Haworth], Prod. Lepidopt. Brit. 1802, 13 [*n. n.*].
- rufescente fuscus** *Hypudaeus*, H. R. Schinz, An die zuercherische Jugend, 1844, 9.
- rufea** *Clubiona*, H. Nicolet in Gay, Chili, III (Arach.) 1849, 434.
- ruffini** *Anomia*, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (33) Dec. 1843, 323.
- ruffinii** *Echinus*, E. Forbes, Proc. Geol. Soc. London, IV. 1844, 560.
- ruffinii** *Trochus*, H. C. Lea, P. Amer. Phil. Soc. III. 1843, 164 [*n. n.*]; Tr. Amer. Phil. Soc., n. s. IX (3) Dec. 1846, 265.
- ruffina** *Glabella*, W. Swainson, Treat. Malacol., May 1840, 324.
- ruffina** *Voluta*, D. Solander, Catal. Portland Mus. 1786, 27 [*n. n.*].
- ruffulus** *Dacelo*, De Lafresnaye, Rev. Zool. (Soc. Cuv.) Sept. 1838, 224.
- ruffula** *Halcyon* (Lafr.), G. R. Gray, Gen. Birds, I. Aug. 1846, 79.—*Dacelo*.
- ruffa** *Euclea* (L.), J. Huebner, Verz. bekannt. Schmett. [1820], 149.—*Phalaena*, 1767.
- rufoaenea** *Agra*, L. A. A. Chevrolat, Coléopt. Mex. (8) Sept. 1835, no. 182.
- rufo-aenea** *Amara*, Dejean, Catal. Coléopt. 1821, 9 [*n. n.*].
- rufoaenea** *Amara*, Dejean, Spec. gén. Coléopt. III. 1828, 499.
- rufoaeneus** *Anchomenus*, L. Reiche in Ferret & Galinier, Voy. Abyssin. III. 1850, 271.
- rufo-aenea** *Chrysomela*, Dejean, Catal. Coléopt. 1821, 122 [*n. n.*].
- rufo-aeneus** *Dyschirius*, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843,
- rufoaeneus** *Pogonus*, Gebler; Dejean, Spec. gén. Coléopt. III. 1828, 19. [741.]
- rufoalba** *Perdix*, C. C. Gmelin, Naturg. (Vögel) II. 1807, 86.
- rufo-alba** *Perdix*, F. P. R. Jarocki (*ex* Briss.), Spis Ptakow Gab. zool. Warsz. Univ. 1819,
- rufo analis** *Bombylius*, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 424. [40.]
- rufianalis** *Dasypogon*, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 367.
- rufibarba** *Carduelis*, Hemprich & Ehrenberg, Symb. Phys., Aves (2) [1831?], pl. 13.
- rufibarba** *Pithecia*, Kuhl in A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 90.
- rufobarbata** *Loxia*, C. W. Hahn, Voegel aus Asien etc. (7) 1820, pl. 6.
- rufibarbata** *Pithecia*, H. Kuhl, Beitr. Zool. I. 1820, 44.
- rufobarbata** *Pyrrhula*, C. W. Hahn, Voegel aus Asien etc. (7) 1820, pl. 6.
- rufo-barbata** *Spermophila* (Jacq.), G. R. Gray, Gen. Birds, II. Oct. 1844, 386.—*Fringilla*,
- rufibarbis** *Asilus*, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 311. [1784.]
- rufibarbis** *Asilus* (Macq.), F. Walker, List Dipt. Coll. B. M. (2) 1849, 399.—*Erax*.
- rufibarbis** *Ctenus* (Perty), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 369.—*Phoneutria*.
- rufibarbis** *Erax*, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 232.
- rufibarbis** *Eutolmus* (Meig.), H. Loew, Linnaea Entom. III. Ap. 1848, 459.—*Asilus*.
- rufibarbis** *Laphria*, J. C. Fabricius, Syst. Antliat. 1805, 157.
- rufibarbis** *Leistus*, Fab.; Dejean, Catal. Coléopt. 1821, 7 [*n. n.*].
- rufibarbis** *Oestrus*, Wiedemann in J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 172.
- rufibarbis** *Phoneutria*, M. Perty, Del. anim. artic. Brasil. (3) 1833, 197.
- rufibarbis** *Pogonophorus* (Fab.), Audinet-S., Faune Française (1 & 2) Coleopt. 1821, 71.—  
*Carabus*, 1792.
- rufibarbis** *Trupanea*, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 185. [128.]
- rufo-brachiatus** *Sciurus*, G. R. Waterhouse, Proc. Zool. Soc. London, X (116) Jan. 1843,

- rufobranhialis** Coryptella (A. & H.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 109.—Eolis, ? Johnst.
- rufibranchialis** Eolidia, G. Johnston, Ann. Nat. Hist. I (2) Ap. 1838, 121.—Eolis, 1832.
- rufibranchialis** Eolis, G. Johnston, Mag. Nat. Hist. V. June 1832, 428.
- rufibranchialis** Flabellina (A. & H.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 109.—Eolis, ? Johnst.
- rufocaligata** Mellisuga (Gould), G. R. Gray, Gen. Birds, I. Dec. 1848, 113.—Trochilus.
- rufocaligata** Spathura, J. Gould, Mon. Trochilidae, III (1) 1849, pl. 165.
- rufocaligatus** Trochilus (Ocreatus), J. Gould, Proc. Zool. Soc. London, XIV (164) Nov. 1846, 86.
- ruficandis** v. ? **ruficaudis**.
- rufocanus** Falco, J. R. Forster in Levaillant, Nat. Afrik. Voegel, 1798, 62.
- rufocanus** Hypudaeus, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. III (5) 1846, 122.
- rufocanus** Lemmus (Sund.), S. Nilsson, Skand. Fauna, Daggd., ed. 2, 1847, 365.—Hy-
- ruficapa** Motacilla, J. Wilkes, Ency. Londin. XVI (1094) 1818, 80. [pudaeus.
- ruficapillus** Agelaius, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIV. 1819, 536.
- ruficapilla** Alauda, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 24.
- rufocapilla** Alauda, F. S. Voigt in Cuvier, Thierreich, I. 1831, 552.
- ruficapilla** Ardea, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 409.
- ruficapillus** Baryphonus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 315.
- ruficapillus** Charadrius, C. J. Temminck in T. & Laugier, Pls. color. (8) Ap. 1822.
- ruficapillus** Coccyzus, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 278.
- ruficapilla** Dendrocolaptes (Vieill.), C. Ranzani, Elem. Zool. III (3) 1822, 13.—Synallaxis.
- ruficapilla** Drymoica, A. Smith, Ill. Zool. S. Afr. (Aves), pl. lxxiii, 1842.
- ruficapilla** Drymoica, L. Fraser, Proc. Zool. Soc. London, XI (121) July 1843, 16.
- ruficapilla** Elania (Vieill.), G. R. Gray, Gen. Birds, I. May 1847, 251.—Muscicapa.
- rufficapillus** Enicurus, C. J. Temminck in T. & Laugier, Pls. color. (90) July 1832.
- ruficapillus** Eresus, C. L. Koch, Die Arachniden, XIII (1) Jan. 1846, 4. [184.
- ruficapillus** Eristhetus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840,
- ruficapillus** Euaesthetus (B. & L.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 575.—Eristhetus.
- ruficapilla** Grallaria, De Lafresnaye, Rev. Zool. (Soc. Cuv.) V. Nov. 1842, 333.
- ruficapilla** Hiaticula (Temm.), G. R. Gray, List Birds Coll. B. M. III. 1844, 71.—Charadrius.
- ruficapillus** Hypsibemon (Lafr.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 217.—Grallaria.
- ruficapillus** Icterus (Vieill.), Dumont & Lesson, Dict. Sci. Nat. LV. 1828, 514.—Agelaius.
- ruficapilla** Lypornix, J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 300.
- ruficapilla** Lytta, C. J. Schöenherr, Syn. Insect. I (3) 1817, 25.
- rufocapillus** Megalonyx, R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. July 1842, 209.
- ruficapillus** Merops, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 23.
- ruficapilla** Mniotilta (Wils.), G. R. Gray, Gen. Birds, I. Dec. 1848, 196.—Sylvia.
- ruficapilla** Mniotilta (Vieill.), G. R. Gray, Gen. Birds, I. Dec. 1848, 197.—Sylvia.
- ruficapillus** Momotus (Vieill.), Jardine & Selby, Ill. Orn., sign. H 2 (1827).—Baryphonus.
- ruficapillus** Momotus (Ill.), G. R. Gray, Gen. Birds, I. Sept. 1847, 68.—Prionites, Licht.
- ruficapilla** Monasa (Tsch.), G. R. Gray, Gen. Birds, I. Dec. 1846, 74.
- ruficapilla** Muscicapa, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 459.
- ruficapilla** Muscicapa, R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Feb. 1831, 392.
- ruficapilla** Nemosia, L. P. Vieillot, N. Dict. H. N., ed. 2, XXII. 1818, 493.
- ruficapilla** Olynthia, H. Burmeister, Handb. Ent. II (2) ii, 1839, 770.
- ruficapillus** Onthophagus, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 169.
- rufi-capillus** Pachygaster, Ziegl.; Dejean, Catal. Coléopt. 1821, 91 [*n. n.*].
- ruficapilla** Passerina, L. P. Vieillot, N. Dict. H. N., ed. 2, XXV. 1817, 28.
- ruficapilla** Pogonocichla, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (4) 1850, 105.
- ruficapillus** Prionites, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 25.
- rufocapillus** Pteroptochos (Less.), G. R. Gray, Gen. Birds, I. Mar. 1847, 155.—Megalonyx.
- ruficapilla** Rhimamphus (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 311.—
- ruficapillus** Saltator, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 108. [Sylvia.
- ruficapilla** Sylvia, A. Wilson, Amer. Ornith. III. 1811, 120.

- ruficapillus** Sylvia, L. P. Vieillot, N. Dict. H. N., ed. 2, XI. 1817, 179.
- ruficapilla** Sylvicola (Lath.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 22.—Sylvia, 1790.
- ruficapilla** Synallaxis, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXII. 1819, 310.
- ruficapillus** Thamnophilus, L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 318.
- ruficapitella** Microsetia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Tinea.
- ruficapitella** Tinea, A. H. Haworth, Lepidopt. Brit. (4) 1828, 586.
- ruficarpus** Nematus, T. Hartig in Saxesen, Verz. Harze Vespen, 1841, 6 [*n. n.*].
- rufo-castaneus** Dysopes, H. R. Schinz, Syst. Verz. Säug. I. 1844, 142.
- [**ruficauda.**]
- ruficaudus** Accipiter, L. P. Vieillot, Ois. Amér. sept. I. 1807, 43.
- ruficauda** Alseonax (Sw.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 52.—Butalis.
- ruficauda** Amadina, J. Gould, Syn. Birds Austral. (1) Jan. 1837.
- ruficauda** Anadaenus, T. R. Peale in Wilkes, U.S. Expl. Exped. VIII. 1848, 142.
- ruficauda** Anilios, J. E. Gray, Cat. Lizards Coll. B. M. 1845, 136.
- ruficauda** Asilus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 476.
- ruficauda** Butalis (Sw.), E. Blyth, Journ. Asiat. Soc. Bengal, XVI. 1847, 120.—Muscicapa.
- ruficaudus** Calliphlox (Vieill.), F. Boie, Isis (Oken), 1831, 544.—Trochilus.
- ruficauda** Certhia (Gm.), C. Illiger, Prod. 1811, 212.—Motacilla, 1788.
- ruficauda** Chrysomela (Fab.), A. G. Olivier, Entom. V. 1807, 557.—Galleruca, 1792.
- ruficauda** Cinclocerthia (Gould), G. R. Gray, List Gen. Birds, 1840, 17.—Stenorhynchus.
- ruficaudus** Cinclodes (Meyen), G. R. Gray, Gen. Birds, I. Feb. 1846, 132.—Ochetorhynchus.
- ruficauda** Clythra, C. P. Forsberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 274.
- ruficauda** Cordylura, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 733.
- ruficauda** Criorhina (Meig.), J. Macquart, Mém. Soc. R. Sci. Lille, 1827–8, 1829, 328.—Milesia.
- ruficauda** Crithagra, W. Swainson, Anim. in Menag., Dec. 1837, 317.
- ruficaudus** Dacus, J. C. Fabricius, Syst. Antliat. 1805, 276.—Musca, 1794.
- ruficaudus** Dandalus (Gm.), Boie in Ersch & Gruber, Allg. Ency. XXIII. 1832, 196.—Turdus, 1788.
- ruficauda** Dasypogon (Fab.), C. R. W. Wiedemann, Dipt. exot. 1821, 225.—Laphria.
- ruficauda** Drymophila, R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Aug. 1840, 226.
- ruficauda** Dumecola, W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.* Feb. 1832], 205 & 489.
- ruficauda** Erioptera, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 830.
- ruficauda** Erpictchys (Ehr.), W. Swainson, N. H. Fishes etc. II. July 1839, 275.—Salarias.
- ruficauda** Estrelida, J. Gould, Birds of Australia, III (7) 1842, pl. 84.—Amadina, 1837.
- ruficauda** Formicivora (Less.), G. R. Gray, Gen. Birds, I. Dec. 1846, 212.—Drymophila.
- ruficauda** Fringilla (Gould), G. Bennett, Cat. Austral. Mus. 1837, 21.—Amadina.
- ruficauda** Galbula, G. Cuvier, Règne Anim. I. 1817, 420.
- ruficaudus** Glyphorhynchus, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 1150.
- ruficauda** Gnamptodon, J. Curtis, Guide Brit. Ins. (4) 1829–30, 107 [*n. n.*].
- ruficauda** Helomyza, J. W. Zetterstedt, Dipt. Scand. VI. 1847, 2456.
- ruficauda** Ichneumon, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 23.
- ruficauda** Laphria, J. C. Fabricius, Syst. Antliat. 1805, 161.
- ruficaudus** Leptorhynchus, W. Swainson, N. H. Classif. Birds, II. June 1837, 300.
- ruficaudus** Lepus, H. R. Schinz, Syst. Verz. Säug. II. 1845, 302.—ruficaudatus, I. Geoff.
- ruficauda** Milesia (Deg.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 239.—Musca, ? Fab. 1794.
- ruficauda** Mniotilta (Gm.), G. R. Gray, Gen. Birds, I. Dec. 1848, 196.—Motacilla, 1788.
- ruficauda** Molobrus (Meig.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 54.—Sciara.
- ruficauda** Muscicapa, W. Swainson, Flycatchers (Nat. Libr. XXI.) June 1838, 251.
- ruficauda** Muscipeta, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 920.
- ruficauda** Myiothera, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 1060.
- ruficaudus** Neops, L. P. Vieillot, Analyse, 1816, 68.
- ruficaudus** Ochetorhynchus, F. J. F. Meyen, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 81.
- ruficaudus** Opetiorynchos, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 671.

- ruficauda** Paragus, J. W. Zetterstedt, Dipt. Scand. II. 1843, 852.  
**ruficauda** Platyrhynchus, J. B. v. Spix, Avium Brasil. II. 1825, 9.  
**ruficaudus** Salaria, C. G. Ehrenberg in Cuvier & Valenc., H. N. Poiss. XI. 1836, 328.  
**ruficauda** Sarcophaga, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 650.  
**ruficauda** Sciara, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 280.  
**ruficauda** Setophaga (Sw.), G. R. Gray, Gen. Birds, III. App. 1849, 30<sup>b</sup>.—Muscicapa.  
**ruficauda** Steganopleura (Gould), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 457.—  
 Amadina.  
**ruficauda** Stenorhynchus, J. Gould, Proc. Zool. Soc. London, III (36) Ap. 1836, 186.  
**ruficauda** Synallaxis, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXII. 1819, 310.  
**ruficauda** Synallaxis, J. B. v. Spix, Avium Brasil. I. 1824, 84.  
**ruficauda** Tachina, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 643.  
**ruficauda** Tityra (Wied), G. R. Gray, Gen. Birds, I. June 1846, 254.—Muscicapa.  
**ruficaudus** Trichius, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 447.  
**ruficaudus** Trochilus, G. A. Suckow, Naturges. II (1) 1800, 682.  
**ruficaudus** Trochilus, L. P. Vieillot, Ency. Méth. (Orn.) 1822, 573.  
**ruficauda** Tyrannula, R. P. Lesson, Echo Monde Savant, XI. 8 Aug. 1844, 253.  
**ruficauda** Upucerthia (Meyen), O. Des Murs in Gay, Chili (Aves) 1847, 285.—Ochetorhynchus.  
**ruficaudatus** Anabates, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VIII. 1838, 15.  
**ruficaudatus** Lepus, I. Geoffroy St H., Dict. Class. H. N. IX. 1826, 381.  
**ruficaudatus** Myiobius (Vieill.), G. R. Gray, Gen. Birds, I. May 1847, 249.—Platyrhynchus.  
**ruficaudatus** Platyrhynchus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 17.  
**ruficaudatus** Pycnonotus, T. C. Eyton, Ann. Mag. N. H. XVI. Oct. 1845, 228.  
**ruficaudatus** (*sic*) Trochilus, J. M. Bechstein in Latham, Vögel, IV (1) 1811, 222.  
**ruficaudis** Anabates, C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, p. 66.  
**ruficaudis** (*sic*) Anathrotus, L. W. Dillwyn, Memo. Col. Ins. Swansea, 1829, 33 [*auct. typ.*].  
**ruficaudis** Elater, L. Gyllenhal, Ins. Suecica, I. 1808, 409.  
**ruficaudis** Sesia, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 303.  
**ruficaudis** Thereva, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820,  
**ruficentris** Ardea, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (4) 1850, 110. [123.  
**ruficeps** Agromyza, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 608.  
**ruficeps** Alauda, E. Rueppell, Neue Wirbelth. Abyssin. (13) 1840, 102.  
**ruficeps** Alysia, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 246.—Bassus, 1812.  
**ruficeps** Ammodromus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 245.  
**ruficeps** Anabates (Spix), M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835,  
**ruficeps** Anaspis, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 290. [20.—Parulus.  
**ruficeps** Anisotoma, C. R. Sahlberg, Ins. Fenn. I. 1834, 472.  
**ruficeps** Anthomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 177.  
**ruficeps** Anthomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 698.  
**ruficeps** Anthrax, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 352.  
**ruficeps** Aptinus, Fab.; Dejean, Catal. Coléopt. 1821, 4 [*n. n.*].  
**ruficeps** Aramides (Spix), G. R. Gray, Gen. Birds, III. Nov. 1846, 594.—Gallinula.  
**ruficeps** Ascogaster, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 242.—Gallinula.  
**ruficeps** Astemma (Perty), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 129.—Lygaeus.  
**ruficeps** Bassus, Nees v. E., Ges. Nat. Fr. Berlin, Mag. VI (3) 1812, 205.  
**ruficeps** Bombylius, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 366.  
**ruficeps** Brachinus, J. C. Fabricius, Syst. Eleuth. I. 1801, 219.  
**ruficeps** Brachysphoenus (Guér.), T. Lacordaire, Mon. Erotyl., Sept. 1842, 359.—Erotylus  
**ruficeps** Callichen, C. L. Brehm, Isis, 1830, 922 & 999 [*n. n.*]. [(Morphoides).  
**ruficeps** Calobata (Taenioptera), F. E. Guérin-M., Iconographie, 1844, Ins., 553.  
**ruficeps** Chilocorus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 457.  
**ruficeps** Chleuasicus, E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845 (*post* Sept.), 578.  
**ruficeps** Chlorops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 157.  
**ruficeps** Chrysomela, MacLeay in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 578.

- ruficeps** Clerus, Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 113 [*n. n.*].
- ruficeps** Columba, C. J. Temminck in T. & Laugier, Pls. color. (95) 1835.
- ruficeps** Colymbetes, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 141.
- ruficeps** Conophaga, De Lafresnaye, Magasin de Zool. (2) VI. 1844, pl. 51.—Muscicapa (Todiostrostrum), 1843.
- ruficeps** Conopophaga, W. Swainson, Orn. drawings Birds Brazil, 1834–5, pls. 67, 68.
- ruficeps** Coua, G. R. Gray, Gen. Birds, II. Sept. 1846, 454 [*n. et f.*].
- ruficeps** Cynips, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 410.
- ruficeps** Cysticola, J. Gould, Syn. Birds of Australia & adj. islands (Descriptions, p. 4,
- ruficeps** Dacelo, Cuvier in R. P. Lesson, Traité Ornith. (4) Sept. 1830, 247. [Ap. 1838].
- ruficeps** Demetrias, Gené in Cadolini, Enum. Carab. Ticin. 1830, 9.
- ruficeps** Drymoica, Ruepp.; G. R. Gray, Gen. Birds, I. Aug. 1848, 163.—Malurus.
- ruficeps** Drymoica (Gould), G. R. Gray, Gen. Birds, I. Aug. 1848, 164.—Cysticola.
- ruficeps** Echinomyia, Macquart, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 263.
- ruficeps** Edela, R. P. Lesson, Traité Ornith. (4) Sept. 1830, 309.
- ruficeps** Elania (Sw.), G. R. Gray, Gen. Birds, III. App. 1849, 30<sup>b</sup>.—Lepturus.
- ruficeps** Eristalis, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 111.
- ruficeps** Erotylus (Morphoides), F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. Ap. 1841, 118.
- ruficeps** Euphonia, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 30.
- ruficeps** Evania (Hyptia) (Shk.), J. O. Westwood, Tr. Entom. Soc. Lond. III (4) Jan. 1844, 247.—Hyptiam.
- ruficeps** Exothecus, C. Wesmael, N. Mém. Ac. Roy. Brux. XI. 1838, 78.
- ruficeps** Forficula, H. Burmeister, Handb. Ent. II (2) i, 1838, 755.
- ruficeps** Formica, J. C. Fabricius, Syst. Piezat. 1804, 404.
- ruficeps** Gallinula, J. B. v. Spix, Avium Brasil. II. 1825, 74. [1844, 106.
- ruficeps** Gastrophysa, F. Gebler, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. III (7) June
- ruficeps** Gonia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 5.—Tachina.
- ruficeps** Gryllacris, J. G. Audinet-S., Ann. Sci. Nat. XXII (86) Feb. 1831, 139.
- ruficeps** Hapalocercus (Sw.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 254.—Lepturus.
- ruficeps** Helomyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 767. [philus.
- ruficeps** Hemithraupis (Wied.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 21.—Hylo-
- ruficeps** Heteromorpha, E. Blyth, J. Asiat. Soc. Bengal, XIV. 1845, 578.—Paradoxornis,
- ruficeps** Hirundo, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 58. [1842.
- ruficeps** Hydrellia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 373.—Notiphila,
- ruficeps** Hydroporus, Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 57 [*n. n.*]. [1830.
- ruficeps** Hydroporus, C. Aubé (*ex Dej.*), Spec. gén. Hydroc. 1838, 574.
- ruficeps** Hydroporus, C. H. Boheman, Ins. Caffr. I (1) 1848, 253.
- ruficeps** Hylophilus, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 725.
- ruficeps** Hyptiam, W. E. Shuckard, Entomologist (8) June 1841, 121.
- ruficeps** Hyrax, C. G. Ehrenberg, Sym. Phys., Mamm. I (1828).
- ruficeps** Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 633.
- ruficeps** Illigera (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 247.—
- ruficeps** Lamprias, W. S. Macleay, Annulosa Javanica, 1825, 25. [Tachina.
- ruficeps** Lanius, T. S. Raffles, Tr. Linn. Soc. London, XIII (2) 1822, 309.
- ruficeps** Lepturus, W. Swainson, Flycatchers (Nat. Libr. XXI.) June 1838, 181.
- ruficeps** Loricula, J. Curtis, Guide Brit. Ins., ed. 2, 1837, 228 [*n. n.*].
- ruficeps** Loxocrepis (M'Leay), F. Eschscholtz, Zool. Atlas, II. 1829, 6.—Lamprias.
- ruficeps** Lucilia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 252.—
- ruficeps** Lygaeus, M. Perty, Del. anim. artic. Brasil. (3) 1833, 172. [Musca.
- ruficeps** Macropygia (Temm.), G. R. Gray, Gen. Birds, II. Sept. 1844, 471.—Columba.
- ruficeps** Malurus, P. J. Cretzschmar in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Vögel (—) 1830 *vel* 1831, 54.
- ruficeps** Megalonyx, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 15.
- ruficeps** Megalophonus (Ruepp.), G. R. Gray, Gen. Birds, III. App. 1849, 18.—Alauda.
- ruficeps** Megalurus, W. H. Sykes, Proc. Comm. Sci. Zool. Soc. London (18) July 1832, 91.
- ruficeps** Megastoma, W. Swainson, Anim. in Menag., Dec. 1837, 285.

- ruficeps** Mellisuga (Gould), G. R. Gray, Gen. Birds, I. Dec. 1848, 112.—Trochilus.  
**ruficeps** Mixornis, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83 [*n. n.*].  
**ruficeps** Mixornis, B. H. Hodgson, Proc. Zool. Soc. London, XIII (146) Aug. 1845, 23.  
**ruficeps** Monomachus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.  
**ruficeps** Mordella, J. F. Stephens, Man. Brit. Coleopt. 1839, 333. [1846, 535.  
**ruficeps** Musca, J. C. Fabricius, Syst. Antliat. 1805, 299.  
**ruficeps** Musca, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 55.  
**ruficeps** Muscicapa (Todiostrostrum), De Lafresnaye, Rev. Zool. (Soc. Cuv.) VI. Oct. 1843,  
**ruficeps** Myobia, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 89. [291.  
**ruficeps** Myothera, J. B. v. Spix, Avium Brasil. I. 1824, 72.  
**ruficeps** Nomada, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 475.  
**ruficeps** Notiphila, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 75.  
**ruficeps** Oberea, G. Fischer de W., Cat. Col. Sibir. [1842], 18.  
**ruficeps** Ophthalmicus, E. F. Germar, Revue Entom. V (3) 1840, 136.  
**ruficeps** Opius, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 143.  
**ruficeps** Ortalida (Wagl.), G. R. Gray, Gen. Birds, III. July 1844, 485.—Penelope.  
**ruficeps** Oscinis (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 602.—  
**ruficeps** Pachyrynchus, W. Swainson, Anim. in Menag., Dec. 1837, 288. [Chlorops.  
**ruficeps** Paederus, F. Baudi in B. & Truqui, Studi Ent. I. 1848, 138.  
**ruficeps** Panorpa, E. Newman, Proc. Entom. Soc. Lond., n. s. I. Sept. 1850, 14.  
**ruficeps** Panorpa, E. Newman, The Zoologist, VIII. 1850, 2835.  
**ruficeps** Paradoxornis, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (*post* Feb.), 177.  
**ruficeps** Parulus, J. B. v. Spix, Avium Brasil. I. 1824, 85.  
**ruficeps** Pellorneum, W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.* Feb.  
**ruficeps** Penelope, J. Wagler, Isis (Oken), 1830, 1111. [1832], 487.  
**ruficeps** Pepsis, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 489.  
**ruficeps** Perilitus, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 39.  
**ruficeps** Phasia, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 627.  
**ruficeps** Picus, J. B. v. Spix, Avium Brasil. I. 1824, 63.  
**ruficeps** Pipilopsis (Strickl.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 485.—Tachy-  
 phonus.  
**ruficeps** Ploceus, W. Swainson, Birds W. Africa, II (Nat. Libr. XIX.) Sept. 1837, 262.  
**ruficeps** Pompilus, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (4) 1849, 376.  
**ruficeps** Rallus, R. P. Lesson, Traité Ornith. (7) Ap. 1831, 537.  
**ruficeps** Rallus (Spix), G. R. Gray, List Birds Coll. B. M. III. 1844, 115.—Gallinula.  
**ruficeps** Ramphomicron (Gould), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 79.—  
 Trochilus.  
**ruficeps** Rhynchomyia (Fab.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,  
**ruficeps** Scatophaga, J. C. Fabricius, Syst. Antliat. 1805, 209. [247.—Musca.  
**ruficeps** Sciomyza, J. W. Zetterstedt, Dipt. Scand. V. 1845, 2097.  
**ruficeps** Segestria, F. E. Guérin, Magasin de Zool. II. 1832, pl. 1.  
**ruficeps** Siphonella, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 586.  
**ruficeps** Sphenura, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 42.  
**ruficeps** Spirostreptus, J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. VIII (7 & 8) Jan.  
**ruficeps** Stachyris, E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 452. [1841, 111.  
**ruficeps** Sylvia, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool.  
**ruficeps** Tachina, C. F. Fallen, Mon. Muscidum Sveciae (1) 1820, 4. [VII. 1837, 20.  
**ruficeps** Tachina (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 319.—  
 Musca.  
**ruficeps** Tachyphonus, H. E. Strickland, Ann. Mag. N. H. XIII. June 1844, 419.  
**ruficeps** Tachyphonus, De Lafresnaye, Rev. Zool. (Soc. Cuv.) XI. June 1848, 173.  
**ruficeps** Telephorus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 106.  
**ruficeps** Thamnophilus, G. Such, Zool Journ. I (4) Jan. 1825, 559.  
**ruficeps** Thanasimus (Dej.), M. Spinola, Ess. mon. Clérites, I. 1844, 189.—Clerus.  
**ruficeps** Thynnus (Guér.), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 37.—  
 Ammodromus.  
**ruficeps** Timalia (Blyth), G. R. Gray, Gen. Birds, III. App. 1849, 10.—Stachyris.  
**ruficeps** Tityra (Sw.), G. R. Gray, Gen. Birds, I. June 1846, 254.—Pachyrynchus.



- ruficeps** Todirostrum, Lafr.; G. R. Gray, Gen. Birds, I. Aug. 1846, 257.—Muscicapa.
- ruficeps** Trichas, G. R. Gray, Gen. Birds, I. Dec. 1848, 197.
- ruficeps** Triplax, J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (1) Dec. 1847, 72.
- ruficeps** Trochilus, J. Gould, Proc. Zool. Soc. London, XIV (164) Nov. 1846, 89.
- ruficeps** Westwoodia, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 127.
- ruficervix** Tanagra, Prévost & Des Murs in Du Petit-Thouars, Voy. "Vénus" (Tab. Planch. 1846).
- ruficiliana** Tortrix, A. H. Haworth, Lepidopt. Brit. (3) 1811, 402. [Tortrix r—iana.
- ruficiliella** Cochylis (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Sept. 1834, 186.—
- Ruficilla** J. Forster, Pocket Encycl. Nat. Phenom. 1827, 118 [*typus* Motacilla phoenicurus, L.; *teste* Iredale].
- ruficilla** Phoenicurus, T. I. M. Forster, Syn. Cat. Brit. Birds, 1817, 16.
- ruficinctaria** Nebula, T. Bruand, Mém. Soc. Emul. Doubs, Vol. II (Tom. 2, pts. 3 & 4) 1846,
- rufo-cincta** Adalia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 59. [134.
- rufocincta** Amara (Sahlb.), Dejean, Spec. gén. Coléopt. III. 1828, 485.—Harpalus.
- rufo-cincta** Apis, W. Kirby, Mon. Apum Angl. II. 1802, 216.
- rufocinctus** Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 580.
- rufocincta** Cassida, J. Sturm, Catal. Ins. Samml. 1826, 112 [*n. n.*].
- rufocinctus** Cimex, Herrich-S., Wanzenart. Ins. IV (6) May 1839, 94.
- rufocinctus** Emphytus (Klug), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 30.—Tenthredo.
- rufo-cinctus** Harpalus, C. R. Sahlberg, Diss. Ent. Ins. Fenn. (? 17) 1827, 249; & Ins. Fenn. I. 1834, 249.
- rufocinctus** Harpalus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843,
- rufocinctus** Hemiteles, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 811. [786.
- rufocinctus** Mesoleptus, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 686.
- rufocincta** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 160 (Fernaldo judice 1826-33) [*n. et f.*].
- rufocincta** Nomada (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 93.—Apis.
- rufo-cinctus** Quedius (Mann.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 551.—Staphy-
- rufocincta** Sepsis, Hoffmeister, 8 Jahresb. Ver. Nat. Cassel, 1844, 13. [linus.
- rufocincta** Sphex, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 367.
- rufo-cinctus** Staphylinus, Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 440.
- rufo-cinctus** Stizus, A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 478.
- rufocincta** Tenthredo (Emphytus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (4) 1818, 286.
- rufo-cinerea** Aphelosetia (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Nov. 1834,
- rufocinerea** Dacnis, Bonaparte, Atti 6 Riun. Sci. Ital. 1845, 404. [289.—Porrectaria.
- rufo-cinerea** Porrectaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 535.
- rufocinerea** Saxicola, E. Rueppell, Neue Wirbelth. Abyssin. (10) 1837, 76.
- ruficingulus** Ichneumon, F. v. P. Schrank, F. Boica, II (2) 1802, 275.
- rufoclavatus** Lepyrus, Esch.; J. Sturm, Catal. Ins. Samml. 1826, 162.
- ruficlavis** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 312.
- ruficlavis** Sitona (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 14.—Curculio.
- ruficoccix** Bradypterus, R. P. Lesson, Echo Monde Savant, XI. 8 Aug. 1844, 254.
- ruficoccyx** Bradypterus, R. P. Lesson, Descr. mamm. et ois. récemment découvr. 1847, 293.
- rufococcix** Turdampelis, R. P. Lesson, Echo Monde Savant, XI. 25 July 1844, 156.
- ruficollaris** Alcyone, R. A. Bankier, Ann. Mag. N. H. VI. Jan. 1841, 394.
- rufocollaris** Hirundo, T. R. Peale in Wilkes, U. S. Expl. Exped. VIII. 1848, 175.
- ruficollaris** Xenops, R. P. Lesson, Cent. Zool. (4-12) *ante* Mar. 1831, 101.
- ruficollis** Acupalpus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 267.
- ruficollis** Aedemera, F. de Tigny, s. à Deterville ed. Buffon, Ins. VII. 1801, 148
- ruficolle** Agathidium (Fab.), Dejean, Catal. Coléopt. 1821, 129.—Sphaeridium, 1787.
- ruficollis** Agelaius, W. Swainson, Anim. in Menag., Dec. 1837, 302.
- ruficollis** Agrilus (Fab.), Solier, Ann. Soc. Ent. France, II (2) c. July 1833, 305.—Buprestis,
- ruficollis** Aleochara, Dahl; Dejean, Catal. Coléopt. 1821, 28 [*n. n.*]. [1787.
- ruficollis** Aleochara (Falagria), J. Walzl, Isis (Oken), 1838, 268.
- ruficollis** Altica, Dejean, Catal. Coléopt. 1821, 119 [*n. n.*].

- ruficollis** Altica, H. Lucas, Explor. Algér. (Artic. II.) 1849, 546. [1792.]
- ruficollis** Anaspis (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 184.—Mordella,
- ruficollis** Anchomenus, Dejean, Catal. Coléopt. 1821, 10 [*n. n.*]. [1781.]
- ruficollis** Anoncodes (Fab.), W. Schmidt, Linnaea Entom. I. Feb. 1846, 114.—Necydalis,
- ruficollis** Anthelephila, W. W. Saunders, Tr. Entom. Soc. Lond. I (1) Nov. 1834, 65.
- ruficollis** Anthicus, J. C. Fabricius, Syst. Eleuth. I. 1801, 289.
- ruficollis** Anthicus, W. L. E. Schmidt, Entom. Zeitung, Stettin, III (8) Aug. 1842, 172.
- ruficollis** Anthrax, W. W. Saunders, Tr. Entom. Soc. Lond. III (1) Jan. 1842, 59.
- ruficollis** Anthus, R. P. Lesson, Traité Ornith. (6) Feb. 1831, 424.
- ruficollis** Antilope, C. H. Smith in Griffith's Cuvier, Anim. Kingd. (Mamm.) IV. 1827, 205.
- ruficollis** Aphanobius, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 132.
- ruficollis** Apocyrus, G. R. Waterhouse, Ann. Mag. N. H. IX. June 1842, 304.
- ruficollis** Apoderus (Fab.), A. G. Olivier, Entom. V. 1807, 13.—Attelabus, 1781.
- ruficollis** Aramides (Lath.), Pucheran, Rev. Zool. (Soc. Cuv.) VIII. Aug. 1845, 277.—  
Gallinula, 1790.
- ruficollis** Arrhenodes (Hbst.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 334.—Brentus,  
1797.
- ruficollis** Asclera (Say), S. S. Haldeman, Journ. Acad. Nat. Sci. Philad. I (2) Aug. 1848,  
96.—Oedemera. [1775.]
- ruficollis** Asphalia (D. & S.), J. Huebner, Verz. bekannt. Schmett. [1822], 238.—Noctua,
- ruficollis** Astemma (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III.  
1840, 129.—Lygaeus, 1794.
- ruficollis** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 655.
- ruficollis** Bembidion (Panz.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 226.—  
Elaphrus, 1798.
- ruficollis** Bernicla (Pall.), F. Boie, Isis (Oken), 1822, 563.—Anser, 1769.
- ruficollis** Bolitobius, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*]; & Ill. Brit.  
Ent. (Mand. V.) May 1832, 176.
- ruficollis** Bostrichus, J. C. Fabricius, Syst. Eleuth. II. 1801, 388.
- ruficollis** Bothriocephalus, H. W. Eysenhardt, Ges. Nat. Fr. Berlin, Verh. I (3) [1821—  
1823], 151.
- ruficollis** Brachidia, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 433.
- ruficollis** Brachyrhinus (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 167.—  
Curculio, 1787.
- ruficollis** Bucco, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 7 [*n. n.*].
- ruficollis** Buceros, L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 600.
- ruficollis** Buprestis, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 46 [*n. n.*].
- ruficollis** Calao (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 90.—Buceros.
- ruficollis** Calathus, Eschscholtz in Dejean, Spec. gén. Coléopt. III. 1828, 78.
- ruficollis** Calleida (Fab.), Dejean, Spec. gén. Coléopt. V. 1831, 339.—Carabus, 1787.
- ruficollis** Caloderus (L.), J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 270.—  
Elater, 1758.
- ruficollis** Campomeris, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845,  
500.
- ruficollis** Cantharis, F. V. Melsheimer, Ins. Pennsylv. 1806, 42 [*n. n.*] & *var. tomentosa*,  
Knoch [*n. n.*].
- ruficollis** Cantharis, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (4) 1847, 432.
- ruficollis** Capito, J. G. Wagler, Isis (Oken), 1829, 658.
- ruficollis** Caprimulgus, C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, 438.
- ruficollis** Capsus, J. C. Fabricius, Syst. Rhyng. 1803, 244.—Lygaeus, 1794.
- ruficollis** Carabus, T. Marsham, Coleopt. Brit., Sept. 1802, 456.
- ruficollis** Carabus (Panz.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 224.—Elaphrus, 1798.
- ruficollis** Cardiophorus (F.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829,  
34.—Elater, L. 1758.
- ruficollis** Cartallum (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834,  
95.—Callidium, 1781.
- ruficollis** Cathartes, J. B. v. Spix, Avium Brasil. I. 1824, 2.
- ruficollis** Celyphus, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 410.

- ruficollis** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 781.  
**ruficollis** Ceraphron, J. Curtis (*ex* Hal. MS), Brit. Entom. VI (62) Feb. 1829, no. 249 [*n. n.*].  
**ruficollis** Ceropales, J. C. Fabricius, Syst. Piezat. 1804, 186.—Evania, 1798.  
**ruficollis** Certallum (Fab.), Dejean, Catal. Coléopt. 1821, 111.—Callidium, 1781.  
**ruficollis** Certhia, L. P. Vieillot, Ency. Méth. (Orn.) II. 1822, 600.  
**ruficollis** Ceutorhynchus, J. Sturm, Catal. Ins. Samml. 1826, 114 [*n. n.*].  
**ruficollis** Chalcis, J. C. Fabricius, Syst. Piezat. 1804, 166.  
**ruficollis** Charadrius, J. G. Wagler, Isis (Oken), 1829, 653.  
**ruficollis** Chironomus, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 54.  
**ruficollis** Chlamys, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 214.  
**ruficollis** Clerus, Laporte, Revue Entom. IV (1) 1836, 45.  
**ruficollis** Coelinius, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 154, 1838, tab. 22.  
**ruficollis** Colaspis, Dejean, Catal. Coléopt. 1821, 124 [*n. n.*].  
**ruficollis** Corethrura (J. E. Gray), G. R. Gray, Gen. Birds, III. Nov. 1846, 595.—Crex.  
**ruficollis** Corticaria, T. Marsham, Coleopt. Brit., Sept. 1802, 111.  
**ruficollis** Corvus, R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Feb. 1831, 329.  
**ruficollis** Corynetes, J. C. Fabricius, Syst. Eleuth. I. 1801, 286.—Dermestes, 1775.  
**ruficollis** Cotyle (Vieill.), G. R. Gray, Gen. Birds, I. Mar. 1845, 60.  
**ruficollis** Crex, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 13.  
**ruficollis** Cryptophagus, G. W. F. Panzer, Ins. Germ., heft 99, 1805-6, tab. 13.  
**ruficollis** Cyclocephala, H. Burmeister, Handb. Ent. V. 1847, 57.  
**ruficollis** Cyinnyris, L. P. Vieillot, Ency. Méth. (Orn.) 1822, 600. [Noctua, 1775].  
**ruficollis** Cymatophora (D. & S.), F. Treitschke, Schmett. Europa, V (1) 1825, 89.—  
**ruficollis** Cymindis, F. Gebler, Bull. Phys. Math. Ac. Imp. Sci. St Pétersb. III (7) June  
**ruficollis** Cyphon, Melsh.; J. Sturm, Catal. Ins. Samml. 1826, 129. [1844, 98].  
**ruficollis** Cypsnagra (Licht.), G. R. Gray, Gen. Birds, II. July 1844, 367.—Tanagra.  
**ruficollis** Dasytes, Bonelli, Ann. Soc. Ent. France [2] V (1) May 1847, 135.  
**ruficollis** Dasyrhynchus, F. A. Kolenati, Melet. Entom. (1) Aug. 1845, 23.  
**ruficollis** Dromius, V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov.  
**ruficollis** Drypta, Dejean, Spec. gén. Coléopt. V. 1831, 292. [1844, 57].  
**ruficollis** Egretta, P. H. Gosse, Birds of Jamaica, 1847, 338.  
**ruficollis** Elaphrus, G. W. F. Panzer, F. Ins. Germ., Heft 38, 1796, Tab. 12.  
**ruficollis** Elater, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 44 [*n. n.*].  
**ruficollis** Eucera (Lep.), F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. *k.*—  
**ruficollis** Eudesmia, J. Huebner, Exot. Schmett. II. Tab. [187] [*n. et f.*]. [Macrocera.  
**ruficollis** Eumolpus, J. C. Fabricius, Syst. Eleuth. I. 1801, 422.  
**ruficollis** Eupodotis (Cuv.), G. R. Gray, List Birds Coll. B. M. III. 1844, 58.—Otis, ? Wagl.  
**ruficollis** Eurymela, H. Burmeister, Gen. Ins. (1) 1837, no. 3.  
**ruficollis** Falco, W. Swainson, Birds W. Africa, I (Nat. Libr. XVII.) May 1837, 107.  
**ruficollis** Fornax, Laporte, Revue Entom. III (4) 1835, 172.  
**ruficollis** Galerita, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1817),  
**ruficollis** Galerites, Dejean, Spec. gén. Coléopt. I. 1825, 191. [120].  
**ruficollis** Gallinula, W. Swainson, Two centenaries Birds, 1838, 349. [Ianthocinclia.  
**ruficollis** Garrulax (J. & S.), E. Blyth, J. Asiat. Soc. Bengal, XII. 1843 (? Nov.), 950.—  
**ruficollis** Gazella (C. H. Smith), J. E. Gray, Glean. Menag. Knowsley Hoof. Quadr., Aug.  
 1850, 5.—Antilope.  
**ruficollis** Glaucia (Vieill.), F. Boie, Isis (Oken), 1831, 545.—Trochilus.  
**ruficollis** Grypus, J. B. v. Spix & C. F. P. v. Martius, Reise Brasil. (1) 1823, 165 [*n. n.*].  
**ruficollis** Grypus, J. B. v. Spix, Avium Brasil. I. 1824, 79.  
**ruficollis** Halipus (Deg.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Aug. 1828, 42.—  
 Dytiscus, 1774. [Kangurus].  
**ruficollis** Halmaturus (Desm.), J. Gould, Mon. Macropidae (2) May 1842, pl. 17.—  
**ruficollis** Hemicrepidius, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 132.  
**ruficollis** Hemiteles, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 853.  
**ruficollis** Heteroneura, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 128.  
**ruficollis** Heterornis (Wagl.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 418.—Pastor.  
**ruficollis** Hirundo, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 523.  
**ruficollis** Hispa, J. C. Fabricius, Syst. Eleuth. II. 1801, 63.

- ruficollis** Hoplopterus (Licht.), G. R. Gray, Gen. Birds, III. Mar. 1847, 542.—Charadrius, Wagl.
- ruficollis** Hyponotus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 265.
- ruficollis** Ianthocincla, Jardine & Selby, Ill. Orn., pl. 21, n. s. (1838).
- ruficollis** Ichneumon, G. Cuvier, Revue Entom. I (5) c. Nov. 1833, 205.
- ruficollis** Ichneumon, J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Oct. 1835, 206.
- ruficollis** Iulus (Newp.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 175.—Spirobolus.
- ruficollis** Jynx, Lichtenstein in J. Wagler, Nat. Syst. Amph. 1830, 118.
- ruficollis** Kangurus, Desmarest, N. Dict. H. N. XVII. 1817, 37.
- ruficollis** Lagria, M.L.; Dejean, Catal. Coléopt. 1821, 72 [*n. n.*].
- ruficollis** Lagria, F. W. Hope, Zool. Miscell. (Gray) (1) Feb. 1831, 32.
- ruficollis** Lamprotes (Spix), G. R. Gray, Gen. Birds, II. July 1844, 362.—? Tanagra.
- ruficollis** Lampyrus, W. Turton, Linnaeus, Syst. Nat. II. 1802, 363.
- ruficollis** Lampyrus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 40 [*n. n.*].
- ruficollis** Lampyrus (Lusciola), Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 75.
- ruficollis** Languria, P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 209 [*n. n.*].
- ruficollis** Lanius, G. Shaw, Gen. Zool. (Aves) VII (2) 1809, 316.
- ruficollis** Lathridius, O. Heer in Froebel & Heer, Mitth. theor. Erdkunde, I. 1834, 79 [*n. n.*].
- ruficollis** Latridius, G. W. F. Panzer, Ins. Germ., heft 99, 1805-6, tab. 13.
- ruficollis** Latridius (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 8.—Corticaria.
- ruficollis** Latridius, Kunze in Germar, Zeitschr. f. d. Entom. V. 1844, 62 [*n. n.*]. [1787.
- ruficollis** Lebia (F.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 248.—Carabus.
- ruficollis** Leptopeza (Meig.), J. W. Zetterstedt, Dipt. Scand. I. 1842, 211.—Ocydromia.
- ruficollis** Leptura, T. Say, J. Acad. Nat. Sci. Philad. III. June 1824, 421.
- ruficollis** Leucopygia, W. Swainson, Anim. in Menag., Dec. 1837, 312.
- ruficollis** Libellula, T. de Charpentier, Libell. Europ. 1840, 80.
- ruficollis** Lithophilus, Dahl; Dejean, Catal. Coléopt. 1821, 68 [*n. n.*].
- ruficollis** Lycoperdina, Dejean, Catal. Coléopt. 1821, 132 [*n. n.*].
- ruficollis** Lycus (Cladophorus), Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 73.
- ruficollis** Macrocera, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 333.
- ruficollis** Macrocera, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 89.
- ruficollis** Macrolenes (Fab.), H. C. Kuester, Käfer Europas, VII. 1846, 98.—Clythra, 1798.
- ruficollis** Macropus (P. & L.), R. P. Lesson, Man. Mamm., May 1827, 226.—Kangurus.
- ruficollis** Malthinus, P. A. Latreille, Gen. Crust. Ins. I., *post* July 1806, 261. [Desm.
- ruficollis** Megaspilus (Curt.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 37.—Ceraphron.
- ruficollis** Melandrya (Fab.), J. Sturm, Deutschl. Fauna (Insecten) II. 1807, 278.—Dircaea.
- ruficollis** Merops, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 22. [1798.
- ruficollis** Micetophagus, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 44.
- ruficollis** Mniotilta (Vieill.), G. R. Gray, Gen. Birds, I. Dec. 1848, 197.—Sylvia.
- ruficollis** Mycetophila, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 262.
- ruficollis** Mycetoporus, F. G. Mäklin, Spec. Fenn. Mycetop. 1847, 7.
- ruficollis** Myrmedonia, B. Grimm, Entom. Zeitung, Stettin, VI (4) Ap. 1845, 126.
- ruficollis** Necrobia (L.), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 88.—Dermestes, Fab. 1775.
- ruficollis** Nectarinia (Vieill.), G. R. Gray, Gen. Birds, I. June 1847, 99.—Certhia.
- ruficollis** Nematus, T. Hartwig, Entom. Zeitung, Stettin, I (2) Feb. 1840, 27.
- ruficollis** Nevromus, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 443.
- ruficollis** Nitidula, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 362.
- ruficollis** Notoxus (Fab.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 394.—Anthicus.
- ruficollis** Ocydromia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 353.
- ruficollis** Oedemera (Knoch), T. Say, J. Acad. Nat. Sci. Philad. III. Feb. 1824, 271.—Necydalis, ? Fab. 1781.
- ruficollis** Oenas, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 453. [1787.
- ruficollis** Omias (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 503.—Curculio.
- ruficollis** Omophilus (Fab.), H. C. Kuester, Käfer Europas, XII. 1847, 81.—Cistela, 1781.

- ruficollis** Orsodachna, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 391.
- ruficollis** Orsodacne (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 223.—Lema,
- ruficollis** Ortalida, G. R. Gray, Gen. Birds, III. July 1844, 485. [1798.]
- ruficollis** Ortygometra, G. R. Gray, List Birds Coll. B. M. III. 1844, 120.—Cress, 1831.
- ruficollis** Otis, J. G. Wagler, Isis, 1831, 520.
- ruficollis** Oxypoda, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 155.
- ruficollis** Pachyderes, Guérin in Latreille, Ann. Soc. Ent. France, III (1) *post* Mar. 1834,
- ruficollis** Pastor, J. Wagler, Syst. Avium, I. 1827, sign. 6<sub>12</sub>. [150.]
- ruficollis** Paussus, J. C. Fabricius, Syst. Eleuth. II. 1801, 75.—Cerocoma, 1792.
- ruficollis** Pedilus, D. Zeigler, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844, 47.
- ruficollis** Pentagonica, H. M. Schmidt-G., F. Coleopt. Birman. (1) [1846], 48.
- ruficollis** Pernis, R. P. Lesson, Traité Ornith. (1) Feb. 1830, 73.
- ruficollis** Petroica (Vieill.), G. R. Gray, Gen. Birds, I. May 1846, 183.—Sylvia.
- ruficollis** Phalaropus, P. S. Pallas, Zoographia, II. 1811, 203.
- ruficollis** Philonthus (Grav.), W. F. Erichson, Gen. Spec. Staph. (2) 1840, 431.—Staphy-
- ruficollis** Philydor, J. B. v. Spix, Avium Brasil. I. 1824, 74. [linus.]
- ruficollis** Phryganea, F. J. Pictet, Rech. Phrygan. 1834, 145.
- ruficollis** Phytocoris, C. F. Fallen, Hemipt. Sveciae, 1829, 107.
- ruficollis** Pimpla, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 153.
- ruficollis** Platydema, Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831, 375.
- ruficollis** Platyderus (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) Ap. 1828, 102.—  
Carabus.
- ruficollis** Platyrhynchus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 13.
- ruficollis** Platyura, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 240.
- ruficollis** Pleomorpha, W. W. Saunders, Ann. Mag. Nat. Hist. XVIII (Suppl.) Jan. 1847,
- ruficollis** Pomatorhinus, B. H. Hodgson, Asiatic Researches, XIX (1) 1836, 182. [472.]
- ruficollis** Sammobius, Meg.; J. Sturm, Catal. Ins. Samml. 1826, 188.
- ruficollis** Pyrochroa, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 40 [*n. n.*].
- ruficollis** Pyrrhocoris (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 285.—Lygaeus, 1794.
- ruficollis** Pyrrhulagra (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 493.—Tanagra,  
1788. [1788.]
- ruficollis** Rallus (Gm.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 566.—Fulica,
- ruficollis** Raphirus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23 [*n. n.*]; & Ill. Brit. Ent.  
(Mand. V.) Nov. 1833, 244.
- ruficollis** Rhinosimus (Panz.), A. G. Olivier, Entom. V. 1807, 455.—Anthribus, 1794.
- ruficollis** Rhinosimus (L.), J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 293.—Curculio, 1761.
- ruficollis** Rhynchites, E. F. Germar, Ins. spec. novae, I. 1824, 188.
- ruficollis** Ripiphorus, Dejean, Catal. Coléopt. 1821, 73 [*n. n.*].
- ruficollis** Rodolia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 903.
- ruficollis** Rutela, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 310.
- ruficollis** Salpingus (L.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 640.—Curculio, 1761.
- ruficollis** Sciara, F. Walker, List Dipt. Coll. B. M. (1) 1848, 104.
- ruficollis** Sclerurus, W. Swainson, N. H. Classif. Birds, II. June 1837, 315.
- ruficollis** Scolopendra, E. F. Germar, Reise Dalm. 1817, 269.
- ruficollis** Silpha, T. Marsham, Coleopt. Brit., Sept. 1802, 124.
- ruficollis** Sparvius, L. P. Vieillot, N. Dict. H. N., ed. 2, X. 1817, 322.
- ruficollis** Spirobolus, G. Newport, Ann. Mag. N. H. XIII. Ap. 1844, 269.
- ruficollis** Staphylinus, J. L. C. Gravenhorst, Mon. Coleopt. micropt. 1806, 71.
- ruficollis** Staphylinus, F. V. Melsheimer, Ins. Pennsylv. 1806, 57 [*n. n.*].
- ruficollis** Strangalia (Say), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850,  
331.—Leptura.
- ruficollis** Sylvia, L. P. Vieillot, N. Dict. H. N., ed. 2, XI. 1817, 266.
- ruficollis** Sylvicola (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 309.—Sylvia.
- ruficollis** Tachyporus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 128.
- ruficollis** Tachyporus, Gyll.; Dejean, Catal. Coléopt. 1821, 27 [*n. n.*].
- ruficollis** Tachyporus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*]; & Ill. Brit.  
Ent. (Mand. V.) May 1832, 180.
- ruficollis** Tanagra, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 30.

- ruficollis** Tanagra, J. B. v. Spix, Avium Brasil. II. 1825, 39.
- ruficollis** Tanagrella (Gm.), P. H. Gosse, Birds of Jamaica, 1847, 236.—Tanagra, 1788.
- ruficollis** Telephorus (Fab.), E. F. Germar, Fauna Ins. Europ. (11) [1825–28], 9.—Cantharis, 1775.
- ruficollis** Temnocerus (Fab.), C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 123.—Attelabus, 1781.
- ruficollis** Tethea (D. & S.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 64.—Noctua,
- ruficollis** Tettigonia, C. P. Thunberg, Hemip. Capen. I. 1822, 5. [1775.]
- ruficollis** Thamnophilus, J. B. v. Spix, Avium Brasil. II. 1825, 27.
- ruficollis** Tibesia (Fab.), W. E. Leach, Zool. Journ. I (1) Mar. 1824, 41.—Cebrio, 1798.
- ruficollis** Trechus, Dejean, Catal. Coléopt. 1821, 16 [*n. n.*].
- ruficollis** Trechus, J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 168.
- ruficollis** Triplax, Dejean, Catal. Coléopt. 1821, 129 [*n. n.*].
- ruficollis** Triplax, J. F. Stephens (*ex Dej. Cat.*), Ill. Brit. Ent. (Mand. III.) July 1830, 89.
- ruficollis** Trochilus, L. P. Vieillot, N. Dict. H. N., ed. 2, VII. 1817, 362.
- ruficollis** Vociferator, N. Wood, The Analyst, II (12) July 1835, 421.
- ruficollis** Xantholinus, H. Lucas, Explor. Algér. (Artic. II.) 1846, 107.
- ruficollis** Xyletinus, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (4) 1847, 437.
- ruficornis** Acanthocinus, J. Sturm, Catal. Ins. Samml. 1826, 88 [*n. n.*].
- ruficornis** Acanthoscelis (Fab.), Dejean, Spec. gén. Coléopt. I. 1825, 403.—Scarites.
- ruficornis** Aceratodes, Herrich-S., Wanzenart. Ins. IX (6) Nov. 1851, 311.
- ruficorne** Agathidium, J. L. Leconte in Agassiz, Lake Superior, 1850, 222.
- ruficornis** Agra, F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1821, 289.
- ruficornis** Agramma (Germ.), F. X. Fieber, Entom. Monogr. 1844, 38.—Tingis.
- ruficornis** Agriotes (—), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.—Elater, ? Sturm.
- ruficornis** Agromyza, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 608.
- ruficornis** Aleochara, J. L. C. Gravenhorst, Coleopt. micr. 1802, 91.
- ruficornis** Allantus, Gimmerthal, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 125.
- ruficornis** Altica, G. W. F. Panzer, F. Ins. Germ., Heft 79, 1800, tab. 19.
- ruficornis** Altica (F.), P. A. Latreille, Sonnini's Buffon, Ins. XII (1804), 10.—Crioceris,
- ruficornis** Alysia, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 248. [? Ol. 1791.]
- ruficornis** Amara, Dejean, Spec. gén. Coléopt. III. 1828, 500.
- ruficornis** Anabarhynchus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 406.
- ruficornis** Anisotamia, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 359.
- ruficorne** Anomalon, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 655.
- ruficorne** Anthobium (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 25.—Omalium
- ruficorne** Anthrenus, P. A. Latreille, Gen. Crust. Ins. II. 1807, 39. [[*non comp.*].]
- ruficornis** Anthribus, J. Sturm, Catal. Ins. Samml. 1826, 94 [*n. n.*].
- ruficornis** Aphodius, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 400.
- ruficornis** Asida, A. J. J. Solier, Ann. Soc. Ent. France, V (3) *post* Aug. 1836, 421.
- ruficornis** Atomaria (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 8.—Silpha.
- ruficornis** Autalia, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 20 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Mar. 1832, 102.
- ruficornis** Bassus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 378.
- ruficornis** Bembidium, J. Sturm, Deutschl. Fauna (Insecten) VI. 1825, 133.
- ruficornis** Bethylus, F. Klug, Beitr. zur Naturkunde, II. 1810, 193.
- ruficornis** Bitoma (Ol.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 240.—Ips, 1790.
- ruficornis** Blacus (Nees); A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 262.—Bracon.
- ruficornis** Blacus (Ganychorus) (Nees), A. H. Haliday, Entom. Mag. III (1) Ap. 1835, 42.—Bracon.
- ruficornis** Blapstinus, W. F. Erichson in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 565.
- ruficornis** Bledius, J. L. Leconte in Agassiz, Lake Superior, 1850, 220 [*n. n.*].
- ruficornis** Brachyrhinus (L.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 170.—Curculio, 1758.
- ruficornis** Brachyrhopala, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 52.
- ruficornis** Bracon, Nees v. E., Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 18.

- ruficornis** Bruchus, E. F. Germar, Mag. Entom. (Germar) III. 1818, 1.  
**ruficornis** Buprestis, J. Sturm, Catal. Ins. Samml. 1826, 105 [*n. n.*].  
**ruficornis** Caenosa, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 348.  
**ruficorne** Callidium, L. Petagna, Atti R. Accad. Sci. [Napoli] I. 1819, 39.  
**ruficornis** Callirhipis, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. I. 1832, 365.  
**ruficornis** Cantharis, J. C. Fabricius, Syst. Eleuth. I. 1801, 296.  
**ruficornis** Cateretes (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 7.—Nitidula.  
**ruficornis** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 757.  
**ruficornis** Centris, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 144 [*n. n.*].  
**ruficornis** Ceratopogon, J. Macquart, Rec. Trav. Soc. amat. Sci. Lille, 1823-4, 1826, 178.  
**ruficorne** Cercyon, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Feb. 1829, 137.  
**ruficornis** Ceutorhynchus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13 [*n. n.*]; & Ill. Brit. Ent. (Mand. IV.) Feb. 1831, 25.  
**ruficornis** Cheilosa (Fab.), J. Macquart, Mém. Soc. R. Sci. Lille, 1827-8, 1829, 207.—Syrphus, 1775.  
**ruficornis** Cheilosia (Latr.), J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 555.—  
**ruficornis** Chlaenius, C. H. Boheman, Ins. Caffr. I (1) 1848, 154. [Elophilus.  
**ruficornis** Chrysomela (Panz.), T. Marsham, Coleopt. Brit., Sept. 1802, 199.—Altica.  
**ruficornis** Cinetus, J. Curtis, Guide Brit. Ins. (4) 1829-30, 109 [*n. n.*].  
**ruficornis** Cinetus, J. Curtis, Brit. Entom. VIII (95) Nov. 1831, no. 380.  
**ruficornis** Cis (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 12.—Ptinus.  
**ruficornis** Clytus (Ol.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 469.—Callidium, 1790.  
**ruficornis** Coeliodes (Steph.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 307.—  
**ruficornis** Colaspis, J. C. Fabricius, Syst. Eleuth. I. 1801, 416. [Ceutorhynchus.  
**ruficornis** Collyris, Audouin & Brullé, Archives Mus. H. N. (Paris) I [2] *post* Mar. 1839, 139.  
**ruficorne** Colydium, J. C. Fabricius, Syst. Eleuth. II. 1801, 557.  
**ruficornis** Corynetes, J. Sturm, Deutschl. Fauna (Insecten) XI. 1837, 42.  
**ruficornis** Crabro, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 443.  
**ruficornis** Cryptophagus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 8 [*n. n.*]; & Ill. Brit. Ent. (Mand. III.) June 1830, 78.  
**ruficornis** Cryptorhynchus, J. Sturm, Catal. Ins. Samml. 1826, 128 [*n. n.*].  
**ruficornis** Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 574.  
**ruficornis** Ctenophora, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 284.  
**ruficornis** Cuphocera, Macquart, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 268.—  
 Micropalpus, 1835.  
**ruficornis** Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 30 [*n. n.*].  
**ruficornis** Cylindrotoma, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 292.  
**ruficornis** Cyrtonus, L. Fairmaire, Ann. Soc. Ent. France [2] VIII (4) c. Jan. 1851, 544.  
**ruficornis** Dacnusa, J. Curtis, Guide Brit. Ins. (4) 1829-30, 107 [*n. n.*].  
**ruficornis** Dasypogon (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 269.—  
**ruficornis** Diaperis, J. Sturm, Catal. Ins. Samml. 1826, 69. [Asilus, 1794.  
**ruficornis** Diaperis, J. Sturm, Catal. Ins. Samml. 1826, 131 [*n. n.*].  
**ruficornis** Diplolepis, J. C. Fabricius, Syst. Piezat. 1804, 149.—Cynips, 1793.  
**ruficornis** Ditomus, H. Lucas, Ann. Sci. Nat. [2] (Zool.) XVIII. July 1842, 62.  
**ruficornis** Dolichus, J. Sturm, Catal. Ins. Samml. 1826, 132 [*n. n.*].  
**ruficornis** Dorcadion, J. Sturm, Catal. Ins. Samml. 1826, 133 [*n. n.*].  
**ruficornis** Dryinus, J. W. Dalman, Anal. Entom. 1823, 11.—Gonatopus, 1818.  
**ruficornis** Dyschirius, Ziegler in J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 553.  
**ruficornis** Dytiscus, F. V. Melsheimer, Ins. Pennsylv. 1806, 48 [*n. n.*].  
**ruficornis** Echinomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 183.  
**ruficornis** Elater, J. Sturm, Catal. Ins. Samml. 1826, 137 [*n. n.*].  
**ruficornis** Elophilus, P. A. Latreille, Gen. Crust. Ins. IV. 1809, 324.  
**ruficornis** Emus, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 148.  
**ruficornis** Eristalis, J. C. Fabricius, Syst. Antliat. 1805, 243.—Syrphus, 1775.  
**ruficornis** Eucera, J. C. Fabricius, Syst. Piezat. 1804, 383.  
**ruficornis** Eucnemis, T. Say, Trans. Amer. Phil. Soc. 1839, 187.—Melasis, 1823.  
**ruficornis** Eumerus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 206.  
**ruficornis** Eumicrus (Denny), F. L. de Laporte, Etudes Entom. (2) 1835, 138.—Scydmaenus.

- ruficornis** Euplectus, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 90 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Mar. 1835, 428.
- ruficornis** Euthorax, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 346.
- ruficornis** Evania (Hyptia), Fab.; J. O. Westwood, Tr. Entom. Soc. Lond. III (4) Jan. 1844, 245.
- ruficornis** Figites (Rossi), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 307.—Cynips,
- ruficornis** Gelis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 204. [1794.]
- ruficornis** Gonatopus, J. W. Dalman, K. Vet. Ac. Handl. 1818 (1) 1818, 83.
- ruficornis** Gorytes, P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 309.
- ruficornis** Grammoptera (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, IV (2) *post* June 1835, 216.—Leptura, 1781.
- ruficornis** Haematopota, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 173.
- ruficornis** Hammaticherus, E. Newman, Entomologist (15) Jan. 1842, 245.
- ruficornis** Harpalus (Fab.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 107.—Carabus, 1775.
- ruficornis** Helomyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 60.
- ruficornis** Heteracanthia, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 348.
- ruficornis** Hydrellia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 375.
- ruficornis** Hyphydrus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 139.
- ruficornis** Larra, J. C. Fabricius, Syst. Piezat. 1804, 221.—Bembex, 1787.
- ruficorne** Lathrobium, P. A. Latreille, Gen. Crust. Ins. I., *post* July 1806, 290.
- ruficornis** Limnobia, T. E. Schummel, Schles. Ges. vat. Kultur, Beitr. Entom. 1829, 180.
- ruficornis** Lissonota, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 98.
- ruficornis** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 28.
- ruficornis** Lucilia, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 326.
- ruficornis** Macrocera (Fab.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 107.—Eucera.
- ruficornis** Maemactes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 277.
- ruficornis** Masicera, J. Macquart, Ann. Soc. Ent. France [2] VIII (4) *c.* Jan. 1851, 472.
- ruficornis** Mazoreus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850, 452.
- ruficornis** Medeterus, A. H. Haliday, Ann. Nat. Hist. II (9) Nov. 1838, 184.
- ruficornis** Megalopus, J. C. Fabricius, Syst. Eleuth. II. 1801, 367.
- ruficornis** Megilla (Fab.), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 141.—Eucera.
- ruficornis** Melasis, T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 166.
- ruficornis** Mellinus, C. A. Walckenaer, Faune Paris. II. 1802, 94.
- ruficornis** Merodon, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 358.
- ruficornis** Mesoleptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 43.
- ruficornis** Microgaster, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 179.
- ruficornis** Micropalpus, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 83.
- ruficornis** Miltogramma, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824,
- ruficornis** Miris, C. F. Fallen, Mon. Cimicum Sveciae, 1807, 112. [231.]
- ruficornis** Musca (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 306.—Pollenia.
- ruficornis** Mycetocharus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. III (3) June 1846, 59.
- ruficornis** Mycetomyza, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62 [*n. n.*].
- ruficornis** Mycetophila, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 45.
- ruficornis** Mydas, C. R. W. Wiedemann, Anal. Entom. 1824, 20.
- ruficornis** Myzine, Guérin in Dict. pittoresque H. N. V. June 1837, 577; N. Dict. class. H. N., ed. 2, XXVI. 1846, 55.
- ruficornis** Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 40.
- ruficornis** Nematus, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 167.
- ruficornis** Nemistrina, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 293.
- ruficornis** Nitidula, T. Marsham, Coleopt. Brit., Sept. 1802, 131.
- ruficornis** Nitidula, O. Heer, Coleopt. Helvet. (3) 1841, 404.
- ruficornis** Nomia, M. Spinola, Ann. Soc. Ent. France, VII (4) *post* Jan. 1839, 514.
- ruficornis** Notoxus, J. O. Westwood in A. White, Nomen. Coleopt. Coll. B. M. (4) 1849, 57.
- ruficornis** Odontomyia, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 352.



- ruficornis** Omalium, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 25 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Jan. 1834, 352.
- ruficornis** Onthophagus, Meg.; Dejean, Catal. Coléopt. 1821, 53 [*n. n.*].
- ruficorne** Opatrum, Ziegl.; Dejean, Catal. Coléopt. 1821, 66 [*n. n.*].
- ruficornis** Oxyroda (Grav.), Mannerheim, Mém. présentés Ac. Imp. Sci. St Pétersb. I (5) Feb. 1831, 483.—Staphylinus.
- ruficornis** Pangonia, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 153.
- ruficornis** Pedetes (Asaphes), W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 146.
- ruficornis** Pedinus, E. F. Germar, Ins. spec. novae, I. 1824, 141.
- ruficornis** Pepsis, J. C. Fabricius, Syst. Piezat. 1804, 215.—Sphex, 1775.
- ruficorne** Phanerotoma, A. J. J. Solier (*ex* Dej.), Mem. R. Acc. Sci. Torino [2] VI. 1844, 298.
- ruficornis** Philonthus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (2) Ap. 1844, 38.
- ruficornis** Phora, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 218.
- ruficornis** Phytomyza, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2825.
- ruficornis** Pipiza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 252.
- ruficornis** Platygaster, P. A. Latreille, Gen. Crust. Ins. IV. 1809, 32.—Scelio, 1804;
- ruficornis** Platynus, J. L. Leconte in Agassiz, Lake Superior, 1850, 205.
- ruficornis** Platypalpus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 401.
- ruficornis** Pollenia, J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 154.
- ruficornis** Polydrusus, Dejean, Catal. Coléopt. 1821, 93 [*n. n.*].
- ruficornis** Pompilus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 122.—Pepsis.
- ruficornis** Proscopia, J. C. F. Klug, Horae phys. Berol. 1820, 24.
- ruficornis** Psilota, J. W. Zetterstedt, Dipt. Scand. II. 1843, 847.
- ruficornis** Ptilinus, T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 186.
- ruficornis** Ptinus, T. Marsham, Coleopt. Brit., Sept. 1802, 87.
- ruficornis** Rhinodes, Dejean, Catal. Coléopt. 1821, 98 [*n. n.*].
- ruficornis** Rhisiotrogus (Fab.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 561.—Melolontha, 1775.
- ruficornis** Rogas, Herrich-S. in Panzer, Ins. Germ., Heft 156, 1838, tab. 9.
- ruficornis** Saperda, J. Sturm, Catal. Ins. Samml. 1826, 192 [*n. n.*].
- ruficornis** Sarcophaga (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 358.—Musca, 1794.
- ruficornis** Sargus, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 183.
- ruficornis** Scarites, J. C. Fabricius, Syst. Eleuth. I. 1801, 124.
- ruficornis** Scelio, P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 227.
- ruficornis** Scleroderma, H. Lucas, Explor. Algér. (Artic. III.) 1849, 322.
- ruficornis** Scydmaenus, H. Denny (*ex* Kirby MS), Mon. Pselaph. 1825, 59.
- ruficornis** Sepsis, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 288.
- ruficornis** Serenthia (Germ.), Herrich-S., Wanzenart. Ins. IV (3) Ap. 1838, 48.—Tingis.
- ruficornis** Siagona, J. Sturm, Catal. Ins. Samml. 1826, 195 [*n. n.*].
- ruficornis** Silpha, T. Marsham, Coleopt. Brit., Sept. 1802, 125.
- ruficorne** Simulium, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 88.
- ruficornis** Siphonella, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 585.
- ruficornis** Staphylinus, Gravenhorst in P. A. Latreille, Sonnini's Buffon, Ins. IX (1804), 326.
- ruficornis** Stenocara, A. J. J. Solier, Ann. Soc. Ent. France, IV (3) *post* Sept. 1835, 569.
- ruficornis** Stilicus, H. Lucas, Explor. Algér. (Artic. II.) 1846, 119.
- ruficornis** Stizus (Ol.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 344.—Bembex, Fab. 1787.
- ruficornis** Stizus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 178.—Larra.
- ruficornis** Stratiomyia, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 184.
- ruficornis** Synergus, T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. II (1) 1840, 198.
- ruficornis** Tachina, Gimmerthal, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 101.
- ruficornis** Tachyporus, F. V. Melsheimer, Ins. Pennsylv. 1806, 58 [*n. n.*].
- ruficornis** Thereva, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 303. [155.
- ruficornis** Thereva, B. A. Gimmerthal, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (3) 1847,
- ruficorne** Therion (Grav.), J. Curtis, Brit. Entom. XVI (184) Ap. 1839, no. 136.—Ichneumon, ? Gm. 1790.
- ruficornis** Tingis, E. F. Germar, Fauna Ins. Europ. (15) [1831-35], 12.

- ruficornis** Tiphia, Spinola in Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III.
- ruficornis** Trineura, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2863. [1845, 555.]
- ruficornis** Trogoderma, Latr.; Dejean, Catal. Coléopt. 1821, 46 [*n. n.*].
- ruficornis** Trogoderma, P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 511.—
- ruficornis** Uloma, J. Sturm, Catal. Ins. Samml. 1826, 205 [*n. n.*]. [Anthrenus, 1807.]
- ruficornis** Xylocopa, J. C. Fabricius, Syst. Piezat. 1804, 341.
- ruficornis** Zelus, J. C. Fabricius, Syst. Rhyng. 1803, 285.
- ruficostana** Peronea, J. Curtis, Brit. Entom. I (4) Ap. 1824, no. 16.
- ruficostata** Geometra, P. C. Zeller, Entom. Zeitung, Stettin, X (7) July 1849, 215.—Idaea,
- ruficostata** Idaea, P. C. Zeller, Isis (Oken), 1847, 507. [1847.]
- ruficoxa** Nemopoda, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 481.
- ruficoxa** Piophila, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 543.
- ruficoxatus** Asilus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 397.
- ruficoxatus** Ichneumon, J. L. C. Gravenhorst, Ichneum. Europ. I. 1829, 597.
- ruficoxis** Bibio, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 321.
- ruficoxis** Brachistes, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 110.
- ruficoxis** Calyptus (Wesm.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 333.—Brachistes.
- ruficoxis** Mesostenus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 215.
- rufocrinitalis** Hercyna, J. W. Zetterstedt, Ins. Lapp. descr. 1839, 975.
- ruficrista** Eupodotis (A. Smith), G. R. Gray, Gen. Birds, III. Feb. 1845, 533.
- ruficrista** Lophotis (A. Smith), H. G. L. Reichenbach, Synop. Avium, No. III. Feb. 1848, [4].—Otis.
- ruficrista** Otis, A. Smith, Rpt. Exp. C. Afr. 1836, 56; Ill. Zool. S. Afr. (Aves), pl. iv, 1838,
- ruficristana** Peronea, G. Capucina [W. Johnson], Ann. Mag. N. H. X. Dec. 1842, 366.
- rufocristata** Ampelis, Boissonneau, Rev. Zool. (Soc. Cuv.) III. Jan. 1840, 3.
- ruficuris** Elater (Cardiophorus), A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 140.
- ruficuris** Harpalus (Anisodactylus), A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1838, 35.
- ruficuris** Selandria, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 393.
- ruficrus** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 20 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Mar. 1832, 111.
- ruficrus** Andrena, W. Nylander, Notiser Sallsk. fauna Fennica Förhandl. I. 1848, 217.
- ruficrus** Anisoscelis, M. Perty, Del. anim. artic. Brasil. (3) 1833, 171.
- ruficrus** Aphodius (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 10.—Scarabaeus.
- ruficrus** Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 267.
- ruficrus** Apion, E. F. Germar, Mag. Entom. (Germar) II. 1817, 171.
- ruficrus** Apis, P. A. Latreille, Ann. Mus. H. N. (Paris) V (27) Nov. 1804, 176.
- ruficrus** Ceuthorhynchus (Steph.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 502.—
- ruficrus** Colaspis, E. F. Germar, Ins. spec. novae, I. 1824, 570. [Nedyus.]
- ruficrus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 258.
- ruficrus** Dichroa, "Echsn." in J. Walzl, Reise Tyrol etc. (2) 1835, 101.
- ruficrus** Geobaenus (Kirby), J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9) Ap. 1847, 404.—Trechus.
- ruficrus** Harpalus (Ophonus), E. Ménériés, Cat. Rais. Zool. Caucase, 1832, 131.
- ruficrus** Melipona (Latr.), Lamarck, An. s. vert. IV. 1817, 53.—Apis.
- ruficrus** Microgaster, A. H. Haliday, Entom. Mag. II (3) July 1834, 253.
- ruficrus** Milesia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 105.
- ruficrus** Myobia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 99.
- ruficrus** Nedyus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio.
- ruficrus** Nematopus (Perty), H. Burmeister, Handb. Ent. II (1) 1835, 337.—Anisoscelis.
- ruficrus** Ophonus (Mén.), F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 83.—Harpalus.
- ruficrus** Oxytelus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 24 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Dec. 1833, 320.
- ruficrus** Pachymeria (Perty), M. Spinola, Ess. Ins. Hémipt. 1837, 132.—Anisoscelis.
- ruficrus** Perla, F. v. P. Schrank, F. Boica, II (2) 1802, 178.—Phryganea, Scop. 1763.
- ruficrus** Pompilus, F. Klug in Ehrenberg, Sym. Phys., Ins. IV (1834), sign. *i*.

- ruficus** Scarabaeus, T. Marsham, Coleopt. Brit., Sept. 1802, 16.
- ruficus** Solieria, J. B. Robineau-D., Ann. Soc. Ent. France [2] VI (4) May 1849, 465.—
- ruficus** Tabanus, Palisot de B., Ins. Afr. Amér. (—) 1807, 55. [Myobia, 1830.]
- ruficus** Trechus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 47.
- ruficus** Trigona (Latr.), L. Jurine, N. Méth. class. Hyménopt. 1807, 246.—Apis.
- rufo-cuprea** Chrysomela, Dejean, Catal. Coléopt. 1821, 122 [*n. n.*].
- rufo-cyanea** Omaloplia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.
- rufo-cyanea** Brachyopa, F. Walker, Entom. Mag. II (5) Jan. 1835, 472. [1850, 77.]
- rufidens** Alysia, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 241.
- rufidens** Ascogaster, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 231.
- rufidens** Elater, J. C. Fabricius, Syst. Eleuth. II. 1801, 234.
- rufidens** Eurypelma, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 74.—Mygale, 1841.
- rufidens** Ichneumon, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 49.
- rufidens** Mygale, C. L. Koch, Die Arachniden, IX (3) *post* May 1841, 51.
- rufidorsa** Alcedo (Strickl.), J. J. Kaup, Verh. nat. Ver. Hessen (2) 1848, 75.—Ceyx.
- rufidorsa** Ceyx, H. E. Strickland, Proc. Zool. Soc. London, XIV (165) Jan. 26, 1847, 99.
- rufo-dorsatus** Coluber, T. Cantor, Zool. Chusan, 1842, pl. xiii.
- rufodorsatus** Tropidonotus, T. Cantor, Ann. Mag. N. H. IX. Aug. 1842, 483.
- rufo-dorsatus** Tropidonotus, T. Cantor, Zool. Chusan, 1842, pl. xiii.
- rufidulus** Odynerus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 641.
- rufida** Nitidula, F. V. Melsheimer, Ins. Pennsylv. 1806, 18 [*n. n.*]. [Oct. 1844, 106.]
- rufida** Nitidula, F. V. Melsheimer; F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (5)
- rufifacies** Lucilia, Guérin in J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 303.
- rufifacies** Masicera, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 87.
- rufifacies** Odontomyia, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 355.
- rufifascia** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 192.
- rufofascialis** Pyrausta (Haw.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 309.—  
Phalaena r—ata.
- rufifasciaria** Eupithecia, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet C (Nov. 1849), 19.
- rufo-fasciata** Dolomedes, P. A. Latreille in G. Cuvier, R. Anim. III. 1817, 96.
- rufifasciata** Eupithecia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—
- rufofasciata** Haltica, J. Sturm, Catal. Ins. Samml. 1826, 147 [*n. n.*]. [Phalaena.]
- rufofasciata** Ocyale, C. L. Koch, Die Arachniden, XIV (3) Mar. 1847, 110.
- rufifasciata** Oliva, L. Reeve, Conch. Icon. VI.—Oliva, no. 88, Nov. 1850.
- rufifasciata** Phalaena, A. H. Haworth, Lepidopt. Brit. (2) 1809, 361.
- rufofasciatus** Syrphus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 453.
- rufifemoralis** Dorcas, J. Curtis, Proc. Linn. Soc. London (21) June 1844, 200.
- rufifemoratus** Catascopus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, 1837 (3) 1837, 9.
- rufifemoratus** Crabro, J. F. Stephens, Syst. Cat. Brit. Ins., Aug. 1829, 366 [*n. n.*].
- rufifemoratus** Hydrous, F. W. Hope, Ann. Mag. N. H. XI. May 1843, 364.
- rufifemorata** Laphria, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 201.
- rufo-femorata** Leucocelis, Gory in H. Burmeister, Handb. Ent. III. 1842, 422.
- rufifemoratus** Lissauchenius, W. S. Macleay, Annulosa Javanica, 1825, 13.
- rufofemorata** Meloe, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 50 [*n. n.*].
- rufo-femorata** Oedemera, Dejean, Catal. Coléopt. 1821, 77 [*n. n.*].
- rufifemoratus** Omaseus, J. F. Stephens, Ill. Brit. Ent. (Mand. I.) May 1828, 115.
- rufifemoratus** Poecilus, J. F. Stephens, Ill. Brit. Ent. (Mand. I.) May 1828, 110.
- rufo-fimbriatus** Sipunculus, E. Blanchard, Ann. Sci. Nat. [3] (Zool.) XII. July 1849, 56.
- rufofrator** Tabanus, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 26.
- ruffrons** Agromyza, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 610.
- ruffrons** Anabates, Max Wied, Reise Brasil. II. 1821, 177.
- ruffrons** Anomoea, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 135.
- ruffrons** Anumbius (Spix), A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin  
de Zool. VIII. 1838, 19.—Anabates, Wied.
- ruffrons** Astemma (Johnst.), A. S. Orsted, Naturhist. Tidsskrift, IV (6) 1843, 574.—
- ruffrons** Attus, C. J. Sundevall, K. Vet. Ac. Handl. 1832 (1833), 216. [Borlasia.]
- ruffrons** Borlasia, G. Johnston, Ann. Mag. N. H. XVI. Jan. 1846, 434.—Nemertes, 1837.
- ruffrons** Brachysphoenus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 409.

- rufifrons** Bucco, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) IX (1) 1815, 30.
- rufifrons** Capsus, C. F. Fallen, Mon. Cimicum Sveciae, 1807, 105.
- rufifrons** Cebrio, M. P. Graells, Rev. et Mag. de Zool. (2) I. Dec. 1849, 620.
- rufifrons** Certhia, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 13.
- rufifrons** Chrysomela, A. G. Olivier, Entom. V. 1807, 532.
- rufifrons** Colaspidema (Ol.), H. Lucas, Explor. Algér. (Artic. II.) 1849, 516.—Chrysomela.
- rufifrons** Colaspis (Ol.), Dejean, Catal. Coléopt. 1821, 125.—Chrysomela.
- rufifrons** Crateropus, W. Swainson, Anim. in Menag., Dec. 1837, 290.
- rufifrons** Dacne (F.), P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 14.—Engis, Dej.
- rufifrons** Dialyta, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 337.
- rufifrons** Drymoica (Ruepp.), G. R. Gray, Gen. Birds, I. Aug. 1848, 163.—? Prinia.
- rufifrons** Drymoica, Franklin in G. R. Gray, Gen. Birds, I. Aug. 1848, 164.
- rufifrons** Dytiscus, Duftschmid, F. Austriae, I. 1805, 270.
- rufifrons** Elater, F. V. Melsheimer, Ins. Pennsylv. 1806, 44 [*n. n.*].
- rufifrons** Elater, J. W. Randall, Boston Journ. N. H. II (1) 1838, 6.
- rufifrons** Engis (Fab.), Dejean, Catal. Coléopt. 1821, 45.—Ips, 1777.
- rufifrons** Euryotis (Ruepp.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1843, 507.—
- rufifrons** Falco, Max Wied, Beitr. Naturges. Brasil. III (1) 1830, 123. [Otomys.
- rufifrons** Garrulax, R. P. Lesson in C. Bélanger, Voy. Indes Orient. (4) Aug. 1832, 261.
- rufifrons** Garrulax (Sw.), E. Blyth, J. Asiatic Soc. Bengal, XIV. 1845, 599.—Crateropus.
- rufifrons** Gazella, J. E. Gray, Ann. Mag. N. H. XVIII. Sept. 1846, 214.
- rufifrons** Halticus (Fall.), H. Burmeister, Handb. Ent. II (1) 1835, 278.—Capsus.
- rufifrons** Hirundo, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) X (1) 1817, 91.
- rufifrons** Hirundo, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. Sept. 1817, 521.
- rufifrons** Hydroporus (Dufts.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Aug. 1828, 56.—
- rufifrons** Hygrobatas, C. L. Koch, Deutschl. Crust., heft 10, 1837, tab. 8. [Dytiscus.
- rufifrons** Hyphydrus (Dufts.), L. Gyllenhal, Ins. Suecica, I (4) 1827, 390.—Dytiscus.
- rufifrons** Ichneumon, J. L. C. Gravenhorst, Ichneumon. Europ. I. 1829, 139.
- rufifrons** Julius, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 108.
- rufifrons** Lemur, E. T. Bennett, Proc. Zool. Soc. London, I (9) Nov. 1833, 106.
- rufifrons** Malachus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 38.
- rufifrons** Malacopteron, J. Cabanis, Mus. Heineanum (1) 1850 [1851], 65.
- rufifrons** Meria (Fab.), F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) II. Dec. 1839, 365.—Larra,
- rufifrons** Musca, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 309. [1793.
- rufifrons** Muscicapa, J. Latham, Index Orn., Suppl. 1801, p. 1.
- rufifrons** Myiothera (Gm.), C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, 17.—Turdus, 1788.
- rufifrons** Nemertes, G. Johnston, Mag. Zool. Bot. I (6) Ap. 1837, 538.
- rufifrons** Nertus (Wied), F. Boie, Isis (Oken), 1828, 314.—Falco.
- rufifrons** Nitidula (Fab.), T. Marsham, Coleopt. Brit., Sept. 1802, 136.—Ips, 1777.
- rufifrons** Ocyptera, H. Loew, Entom. Zeitung, Stettin, V (7) July 1844, 232.
- rufifrons** Oedemera (Fab.), A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 443.—Dryops, 1792.
- rufifrons** Orthonotus (Fall.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65.—Capsus.
- rufifrons** Otomys, E. Rueppell, Verz. Mus. Senck. I. 1842, 28.
- rufifrons** Piculus, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 85 [*n. n.*].
- rufifrons** Platycercus, R. P. Lesson, Traité Ornith. (3) July 1830, 208.
- rufifrons** Prinia, T. C. Jerdon, Madras Journ. XI (26) Jan. 1840, 4.
- rufifrons** Prinia, E. Rueppell, Neue Wirbelth. Abyssin. (13) 1840, 110.
- rufifrons** Prosimia (Benn.), R. P. Lesson, Spec. des Mamm., Nov. 1840, 231.—Lemur.
- rufifrons** Psittacula (Less.), G. R. Gray, Gen. Birds, III. App. 1849, 20.—? Platycercus.
- rufifrons** Pterocyclus (Sw.), G. R. Gray, Gen. Birds, I. Sept. 1846, 226.—Crateropus.
- rufifrons** Pyctoris, B. H. Hodgson, Proc. Zool. Soc. London, XIII (146) Aug. 1845, 24.
- rufifrons** Rhipidura (Lath.), Vigors & Horsfield, Tr. Linn. Soc. London, XV (1) 1826,
- rufifrons** Salticus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 152. [248.—Muscicapa.
- rufifrons** Scatophaga, J. C. Fabricius, Syst. Antliat. 1805, 205.—Musca, 1781.
- rufifrons** Setophaga, Swainson in Murray, Ency. Geogr. 1834, 1383 [*n. n.*].
- rufifrons** Setophaga, W. Swainson, Anim. in Menag., Dec. 1837, 294.

- rufifrons** Synallaxis (Ill.), G. R. Gray, Gen. Birds, I. Feb. 1846, 136.—Anabates.
- rufifrons** Tachina, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 318.
- rufifrons** Tetanocera (Panz.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62.—Musca, ? Fab. 1781.
- rufifrons** Thamnophilus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 312.—Turdus, Gm. 1788.
- rufifrons** Tiphia, W. Turton, Linnaeus, Syst. Nat. III. 1802, 504.
- rufifrons** Totanus, L. P. Vieillot, N. Dict. H. N., ed. 2, VI. 1816, 404.
- rufifrontella** Adela, F. Treitschke, Schmett. Europa, IX (2) 1833, 116.
- rufifrontella** Cauchas (Tr.), P. C. Zeller, Isis (Oken), 1839, 186.—Adela.
- rufofuscus** Dermestes, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 365.
- rufofuscus** Falco, J. R. Forster in Levaillant, Nat. Afrik. Vögel, 1798, 59.
- rufo-fuscum** Rhinosiphon, L. Fitzinger, Syst. Rept. 1843, 26.—Rhinostoma, 1826.
- rufo-fusca** Rhinostoma, L. J. Fitzinger, Neue Classif. Rept. 1826, 56 [n. n.].
- rufogaster** Allodape, Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 19.
- rufogaster** Bulimus (Less.), L. Pfeiffer, Symb. Helic. III. 1846, 87.—Helix.
- rufogaster** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 4, Ap. 1848.
- rufigaster** Carpophaga (Q. & G.), G. R. Gray, Gen. Birds, II. Sept. 1844, 469.—Columba.
- rufogaster** Chalepus, C. P. Thunberg, Goettingen gelehrte Anz. 1805, 282.
- rufogaster** Colluricincla, J. Gould, Proc. Zool. Soc. London, XIII (149) Oct. 1845, 80.
- rufigaster** Columba, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. I. 1830, 245.
- rufigaster** Corvus, J. Latham, Index Orn., Suppl. 1801, p. xxvi
- rufigastra** Crypsirina (Gould), E. Blyth, J. Asiat. Soc. Bengal, XII. 1843, 933.—Dendrocitta.
- rufigaster** Dendrocitta, J. Gould, Proc. Zool. Soc. London, V (56) Feb. 1838, 80.
- rufogaster** Gelis, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 203.
- rufogaster** Helix (Bulina), R. P. Lesson, Illustr. de Zool. (8) Aug. 1833, pl. 22.
- rufogaster** Hispa (Th.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 7.—Chalepus.
- rufigastra** Motacilla, W. Turton, Linnaeus, Syst. Nat. I. 1802, 604.
- rufigastra** Muscicapa, T. S. Raffles, Tr. Linn. Soc. London, XIII (2) 1822, 312.
- rufo-gastra** Mutilla, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 629.
- rufogaster** Orthostylus (Less.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 49.—Helix.
- rufigastra** Osmia, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 324.
- rufigaster** Pendulinus, L. P. Vieillot, N. Dict. H. N., ed. 2, V. 1816, 321.
- rufigaster** Phaetornis (Vieill.), G. R. Gray, Gen. Birds, I. Dec. 1848, 104.—Trochilus.
- rufogaster** Phascogale, J. E. Gray in G. Grey, Journ. 2 Exp. Austral. II. 1841, 407.
- rufigaster** Pica (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 128.—Corvus.
- rufigaster** Psarocolius (Vieill.), J. Wagler, Syst. Avium, I. 1827, sign. 221<sub>3</sub>.—Pendulinus.
- rufigaster** Ptilostomus (Lath.), G. R. Gray, Gen. Birds, II. Dec. 1845, 311.—Corvus.
- rufogaster** Sciurus, J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 263.
- rufigaster** Trochilus, R. P. Lesson, Ency. Méth. (Orn.) 1822, 551.
- rufigaster** Xanthornus (Vieill.), G. R. Gray, Gen. Birds, III. App. 1849, 15.—? Corvus.
- rufigena** Caprimulgus, A. Smith, Ill. Zool. S. Afr. (Aves) pl. c, 1845.
- rufiglobum** Bocydium, L. Fairmaire, Ann. Soc. Ent. France [2] IV (4) Mar. 1847, 508.
- rufogriseus** Halmaturus (Geoff.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1841, 111.—Kangurus.
- rufogriseus** Kangurus, I. Geoffroy St H., Dict. Class. H. N. IX. 1826, 110.
- rufogriseus** Leptocerus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 28 [n. n.]; & Ill. Brit. Ent. (Mand. VI.) Dec. 1836, 201.
- rufo-griseus** Macropus (P. & L.), R. P. Lesson, Man. Mamm., May 1827, 226.—Kangurus.
- rufogularis** Acanthagynys, J. Gould, Syn. Birds Austral. (4) Ap. 1838.
- rufogularis** Anthus, C. L. Brehm, Lehrb. Nat. europ. Vögel, II. 1824, 963.
- rufogularis** Carduelis, R. P. Lesson, Rev. Zool. (Soc. Cuv.) Feb. 1839, 42.
- rufogularis** Colymbus, B. Meyer in M. & J. Wolf, Taschen. Deutsch. Vogelk. II. 1810, 453.
- rufogularis** Crateropus (Gould), E. Blyth, J. Asiat. Soc. Bengal, XI. 1842, 179.—Ianthocincla.
- rufogularis** Drymoica, L. Fraser, Proc. Zool. Soc. London, XI (121) July 1843, 17.
- rufigularis** Emberiza, C. L. Brehm, Handb. Nat. Vögel Deutschl. 1831, 1017.

- rufogularis** Entomophila, J. Gould, Proc. Zool. Soc. London, X (117) Feb. 1843, 137.  
**rufogularis** Eudites, Jarocki, Spis Ptakow Gab. zool. Warsz. Univ. 1819, 64.  
**rufogularis** Garrulax (Gould), E. Blyth, J. Asiat. Soc. Bengal, XII. 1843, 951.—Ianthocincla.
- rufigularis** Hypotriorchis (Daud.), G. R. Gray, Gen. Birds, I. Nov. 1844, 20.—Falco, 1800.  
**rufogularis** Ianthocincla, J. Gould, Proc. Zool. Soc. London, III (27) June 1835, 48.  
**rufogularis** Meliphaga (Gould), G. R. Gray, Gen. Birds, I. Oct. 1846, 122.—Acanthagenys.  
**rufogularis** Muscicapa, C. L. Brehm, Isis, 1828, 1275 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831, 228.
- rufogularis** Pachycephala, J. Gould, Proc. Zool. Soc. London, VIII (94) July 1841, 164.  
**rufigularis** Rubecula, C. L. Landbeck, Syst. Aufz. Vögel Württ. 1834, 84.  
**rufogularis** Sciurus, J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 263.  
**rufogularis** Synallaxis, J. Gould, Zool. "Beagle" (Birds, 1839), 77. [320.  
**rufogularis** Tachyphonus, De Lafresnaye, Rev. Zool. (Soc. Cuv.) IX. Sept. [Nov.] 1846,  
**rufigulare** Trochalopteron (Gould), G. R. Gray, Gen. Birds, I. Sept. 1846, 226.—Ianthocincla.
- rufigularis** Turdus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802], 235.
- rufigula** Dendrocolaptes (Orthocolaptes), R. P. Lesson, Echo Monde Savant, XI. 11 Aug. 1844, 276.
- rufigula** Erythrosterina (Kuhl), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 319.—Muscicapa.
- rufigula** Muscicapa, S. Mueller (*ex* Kuhl), Tijdschr. nat. Geschied. II. 1835, 351.
- rufoguttata** Glomeris, C. L. Koch, Deutsch. Crust., heft 40, 1844, tab. 10.  
**rufoguttata** Phiale, C. L. Koch, Die Arachniden, XIII (6) June 1846, 197.  
**rufoguttata** Tiliqua, T. Cantor, Ann. Mag. N. H. IX. Aug. 1842, 82; Zool. Chusan, 1842,  
**rufohirta** Osmia, P. A. Latreille, Ency. Méth. VIII (2) (Ins.) [1812], 580. [pl. ix.  
**rufohirta** Pangonia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 131. [1834, 349.  
**rufilabris** Aleochara, C. R. Sahlberg, Diss. Ent. Ins. Fenn. (23) 1831, 349; & Ins. Fenn. I.  
**rufilabris** Amara, O. Heer in Froebel & Heer, Mitth. theor. Erdkunde, I. 1834, 155 [*n. n.*].  
**rufilabris** Ampedus, E. F. Germar, Zeitschr. f. d. Entom. V. 1844, 169.—Elater, 1824.  
**rufilabris** Anaspis, J. Sturm, Catal. Ins. Samml. 1826, 91 [*n. n.*].  
**rufilabris** Anaspis, Sturm in L. Redtenbacher, F. Austr., Käfer, 1849, 616.  
**rufolabris** Bassus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 380.  
**rufolabris** Bulla, A. Adams in G. B. Sowerby, II., Thes. Conch. II (11) 1850, 577.  
**rufilabris** Cantharis, J. Sturm, Catal. Ins. Samml. 1826, 109 [*n. n.*].  
**rufilabris** Cateretes (Latr.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 150.—Cercus.  
**rufilabris** Cercus, P. A. Latreille, Gen. Crust. Ins. II. 1807, 16.  
**rufilabris** Chlaenius, Dejean, Spec. gén. Coléopt. II. 1826, 329.  
**rufilabris** Chrysomela, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5) Mar. 1835, 443.
- rufilabris** Chrysopa, H. Burmeister, Handb. Ent. II (2) ii, 1839, 979.  
**rufilabris** Cistula (Beck), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 59.—Cyclostoma  
**rufilabris** Cryptocephalus, J. Sturm, Catal. Ins. Samml. 1826, 127 [*n. n.*]. [1—brum.  
**rufilabris** Dromius, G. Fischer v. W., Entom. Imp. Russ. III., *post* Nov. 1828, 96.  
**rufilabris** Elater, E. F. Germar, Ins. spec. novae, I. 1824, 47.  
**rufilabris** Haltica, J. J. Hoffmann etc., Entom. Hefte, II. 1803, 33.  
**rufilabris** Harpalus, Dejean, Catal. Coléopt. 1821, 15 [*n. n.*].  
**rufilabris** Hypolithus, Dejean, Spec. gén. Coléopt. IV. 1829, 185.—Harpalus, 1821.  
**rufilabris** Loricera, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4) 1845, 340.
- rufilabris** Macrocnema, J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 319.  
**rufilabris** Malachus, Dejean, Catal. Coléopt. 1821, 38 [*n. n.*].  
**rufilabris** Menederes, A. J. J. Solier in Baudi & Truqui, Studi Ent. I. 1848, 205.  
**rufilabris** Microgaster, J. T. C. Ratzeburg, Die Ichneum. I (c. Mar.) 1844, 69.  
**rufilabris** Mirax, A. H. Haliday, Entom. Mag. I (3) Ap. 1833, 263.  
**rufilabris** Mordella, L. Gyllenhal, Ins. Suecica, I (4) 1827, 521.  
**rufilabris** Ocalea (Sahlb.), W. F. Erichson, Gen. Spec. Staph. (1) 1839, 63.—Aleochara.

- rufilabris** Pachycoris, E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 88.
- rufilabris** Praocis, Gay & Solier, Ann. Soc. Ent. France, IX (3) *post* Ap. 1841, 233.
- rufilabris** Staphylinus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 65.
- rufilabris** Tritoma, T. Lacordaire, Mon. Erotyl., Sept. 1842, 222.
- rufilabris** Turboella, Risso; W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 271 [*n. n.*].
- rufilabrum** Cyclostoma, G. B. Sowerby, I. (*ex* Beck MS), Thes. Conch. I (3) *ante* 23 June
- rufilabrum** Rissoa, J. Alder, Ann. Mag. N. H. XIII. May 1844, 325. [1843, 106.]
- rufilatera** Exorista, C. Rondani, N. Ann. Sci. Nat. [3] II. 1850 [Nov.], 171.
- rufilateris** Cardiorhinus, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.—
- rufilateris** Elater, J. F. Eschscholtz, Entomographien, I (1) 1822, 67. [Elater, 1822.]
- rufilatus** Cephalophus, J. E. Gray, Ann. Mag. N. H. XVIII. Sept. 1846, 166.
- rufilatus** Ianthia (Hodg.), E. Blyth, J. Asiat. Soc. Bengal, XVI. 1847, 132.—Nemura.
- rufilatus** Nemura, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83 [*n. n.*].
- rufilatus** Nemura, B. H. Hodgson, Proc. Zool. Soc. London, XIII (146) Aug. 1845, 27.
- rufilimbatus** Ichneumon, J. L. C. Gravenhorst, Mem. R. Acc. Sci. Torino, XXIV. 1820, 355.
- rufolimбата** Parastasia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 217.
- rufolimbatu**s Salticus, H. N. Lucas, Explor. Algér. (Artic. I.) 1846, 176.
- rufolineata** Diacope, Cuvier & Valenc., H. N. Poiss. VI. 1830, 531.
- rufolineatus** Eurygyrus, C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 115.
- rufolineatus** Salticus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 148.
- rufolineatum** Theridion, H. Lucas, Explor. Algér. (Artic. I.) 1846, 260.
- rufilirata** Mitra, Adams & Reeve, Zool. "Samarang" (6) Moll., May 1850, 26.
- rufo-lutea** Hoplia, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 512.
- rufo-maculatus** Micromelus, F. Walker, Entom. Mag. I (5) Oct. 1833, 465.
- rufomaculatus** Notaphus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4) 1845, 351.
- rufomaculata** Tropidia, J. Curtis, Guide Brit. Ins. (7) 1831, 220 [*n. n.*].
- rufomaculata** Tropidia, J. Curtis, Brit. Entom. IX (100) Ap. 1832, no. 401.
- rufimana** Agathis, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 494.
- rufimana** Agromyza, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 611.
- rufo-manum** Apion, Dejean, Catal. Coléopt. 1821, 81 [*n. n.*].
- rufimanus** Asilus, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 339.
- rufimanus** Bruchus, Dejean, Catal. Coléopt. 1821, 79 [*n. n.*].
- rufimanus** Bruchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 58.
- rufimanus** Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 597.
- rufimana** Cantharis, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 161.
- rufimanus** Carabus, T. Marsham, Coleopt. Brit., Sept. 1802, 441.
- rufimana** Coccinella, J. F. Eschscholtz, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 464.
- rufimanus** Colymbetes, A. White, Zool. "Ereb. Terr." (Ins. 1846), 6.
- rufimana** Cordylura, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 232.
- rufimanus** Cryptocephalus, J. F. Eschscholtz, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818,
- rufimanus** Curculio, T. Marsham, Coleopt. Brit., Sept. 1802, 270. [467.]
- rufimanus** Curtonotus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 35.
- rufimanus** Dasypogon, M. Perty, Del. anim. artic. Brasil. (3) 1833, 181.
- rufimana** Dioctria, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 423 [*n. n.*].
- rufimana** Feronia, M. de Chaudoir, Enum. Carab. 1846, 142.
- rufimana** Gynandrophtalma, T. Lacordaire, Mém. Soc. R. Sci. Liége, V. May 1848, 299.
- rufimanus** Harpalus (Marsh.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) June 1828, 143.—Carabus.
- rufimanus** Harpalus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9) Ap. 1847, 402.
- rufimanus** Heterochelus (Lap.), H. Burmeister, Handb. Ent. IV (1) 1844, 115.—Mono-
- rufimanus** Jacchus, A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 94. [chelus.]
- rufimanus** Leirus, Eschscholtz in V. Motshulski, Mém. présentés Ac. Imp. Sci. St Pétersb. V (1-3) Nov. 1844, 176.
- rufimana** Lycosa (Tarantula), C. L. Koch, Die Arachniden, XIV (5) May 1847, 160.

- rufimanus** Midas, E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 121.  
**rufimanus** Monochelus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II.  
**rufimanus** Mycetes, H. Kuhl, Beitr. Zool. I. 1820, 31. [1840, 145.  
**rufimanus** Mycetes, J. Kuhl in A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 79.  
**rufimana** Oscinis, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 601.  
**rufimanus** Pelorus, C. L. Koch, Die Arachniden, X (3) 1843, 59.  
**rufimanus** Phidippus, C. L. Koch, Die Arachniden, XIII (4) Mar. 1846, 132.  
**rufimanus** Philonthus, O. Heer (*ex* Dejean), Coleopt. Helvet. (2) 1839, 266.  
**rufimanus** Philonthus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 476.  
**rufimana** Phytoecia (Schr.), H. C. Kuester, Käfer Europas, VI. 1846, 88.—Saperda,  
**rufimanus** Staphylinus, Dejean, Catal. Coléopt. 1821, 23 [*n. n.*]. [1789.  
**rufimanus** Stenus, O. Heer, Coleopt. Helvet. (3) 1841, 577.  
**rufimana** Tenthredo, M. Spinola, Ann. Soc. Ent. France [2] I (2) Sept. 1843, 112.  
**rufimanus** Thelyphonus, H. Lucas, Magasin de Zool. V. 1835, pl. 10.  
**rufomarginata** Acmaeodera, H. Lucas, Explor. Algér. (Artic. II.) 1846, 140.  
**rufomarginatus** Argutor, J. Curtis, Guide Brit. Ins. (1) 1829, 7 [*n. n.*].  
**rufomarginata** Argutor, J. Curtis, Brit. Entom. XIV (167) Nov. 1837, no. 666.  
**rufo-marginatus** Carabus, K. Duftschmid, Fauna Austriae, II. 1812, 54.  
**rufomarginatus** Chlaenius, Dejean, Spec. gén. Coléopt. V. 1831, 641.  
**rufomarginatus** Chlorophanus, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 147.  
**rufomarginata** Cicindela, C. H. Boheman, Ins. Caffr. I (1) 1848, 3.  
**rufimarginata** Formicivora (Temm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII  
(2) 1826, 175.—Myothera.  
**rufomarginatus** Herpsilochmus (Temm.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847,  
224.—Myothera. [Oct. 1850, 109.  
**rufomarginatus** Heteronyx, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I.  
**rufomarginatum** Himatidium, C. H. Boheman, Mon. Cassid. I. 1850, 75.  
**rufo-marginata** Hyperaspis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 661.  
**rufomarginatus** Lampyris, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 120.  
**rufo-marginatus** Leistus, Duftschmid in Dejean, Catal. Coléopt. 1821, 7 [*n. n.*].  
**rufimarginata** Myothera, C. J. Temminck in T. & Laugier, Pls. color. (22) May 1822.  
**rufomarginatus** Nabis, J. Curtis, Guide Brit. Ins. (7) 1831, 196 [*n. n.*].  
**rufomarginata** Nebria, G. Fischer v. W., Entom. Imp. Russ. III., *post* Nov. 1828, 248.  
**rufomarginata** Nitidula, J. F. Stephens, Ill. Brit. Ent. (Mand. III.) May 1830, 41.  
**rufomarginatus** Ochthebius, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Jan. 1829, 116.  
**rufo-marginatus** Ochthebius, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 199.  
**rufomarginata** Pachnoda, Dupont in H. Burmeister, Handb. Ent. III. 1842, 519.  
**rufomarginatus** Phoenodus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 69.  
**rufomarginatus** Pogonophorus (Dufts.), P. A. Latreille in G. Cuvier, R. Anim. III. 1817,  
202.—Carabus.  
**rufo-marginatus** Selenophorus (Pangus), C. H. Boheman, Ins. Caffr. I (1) 1848, 191.  
**rufo-marginatus** Tachyporus, F. A. Kolenati, Melet. Entom. (3) Jan. 1846, 11.  
**rufomarginatus** Zabrus, E. Ménétris, Cat. Rais. Zool. Caucase, 1832, 125.  
**rufimargo** Phoberia, J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 13.  
**rufimargo** Phoberia, J. Huebner, Verz. bekannt. Schmett. 1825, 268.  
**rufimenta** Cinclosoma, B. H. Hodgson, Asiat. Researches, XIX (1) 1836, 148.  
**rufimentum** Crateropus, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 83 [*n. n.*].  
**rufimitralis** Scopula (Huebner.), F. Treitschke, Schmett. Europa, VI (2) 1828, 313.—  
? *Pyralis*, 1796.  
**rufimitrellus** Chaetochilus (Huebner.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Dec. 1834,  
340.—*Galanthia*.  
**rufimitrella** *Galanthia* (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 417.—  
*Pyralis*, 1775.  
**rufimitrellus** Hypomeneuta, P. C. Zeller, Ber. lepidopt. Tauschver. [Jena] for 1846, 168.  
**rufimitrellus** Ypsolophus (Huebner.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 51.—  
*Galanthia*.  
**rufimystacea** *Trupanea*, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 384.  
**rufina** *v. rufinus*, -a, -um.



- rufinasus** Panscopus (Say), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 351.—Stenopelmus.
- rufinasus** Stenopelmus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 469.
- rufinasus** Tenebrio, T. Say, Boston Journ. N. H. I (2) 1835, 187.
- rufinellus** Charadrius, E. Blyth, Ann. Mag. N. H. XII. Sept. 1843, 169 & 231 [*n. n.*].
- rufinervis** Asilus, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 324.
- rufinervis** Echthistus (Meig.), H. Loew, Linnaea Entom. IV. Dec. 1849, 142.—Asilus.
- rufinervis** Libellula, H. Burmeister, Handb. Ent. II (2) ii, 1839, 850.
- rufo-niger** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 395, Jan. 1849.
- rufo-niger** Colobus, W. C. L. Martin (*ex* Ogilby MS), N. H. Quad. [1841], 500.
- rufoniger** Ichneumon, J. L. C. Gravenhorst, Mem. R. Acc. Sci. Torino, XXIV. 1820, 368.
- rufoniger** Mesoleptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 80.—Ichneumon, 1820.
- rufoniger** Midas, I. Geoffroy & Deville, C. R. Ac. Sci. (Paris) XXVII. Nov. 1848, 499.
- rufonigra** Sciurus, J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 263.
- rufoniger** Sciurus, Pucheran, Rev. Zool. (Soc. Cuv.) VIII. Sept. 1845, 336.
- rufoniger** Tabanus, F. Walker in Saunders, Ins. Saund. I (1) Oct. 1850, 66.
- rufonitida** Macraspis, H. Burmeister, Handb. Ent. IV (1) 1844, 357.
- rufinodus** Zethus, Lamarck (*ex* Latr. fig.), An. s. vert. IV. 1817, 85.
- rufinotata** Alysia, J. Curtis, Guide Brit. Ins. (4) 1829–30, 106 [*n. n.*].
- rufinotata** Alysia, A. H. Haliday, Entom. Mag. V (3) Ap. 1838, 227.
- rufinotatus** Chaenon, J. Curtis, Brit. Entom. VI (72) Dec. 1829, no. 289. [245.]
- rufo-notata** Leucospis, J. O. Westwood in E. F. Germar, Zeitschr. f. d. Entom. I (2) 1839,
- rufonotata** Phaneroptera, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 416. [1849, 218.]
- rufo-notatus** Tryphon, Boyer de Fonscolombe, Ann. Soc. Ent. France [2] VII (2) Oct.
- rufinotus** Meiglyptes, Malherbe in C. L. Bonaparte, Consp. gen. Avium, I. 1850, 113.
- rufinucha** Arremon, A. d'Orbigny, Amér. Mérid. (Ois.) 1839, 283.—Embernagra, d'O. & Lafr.
- rufinucha** Buarremon (Orb.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 484.—Arremon.
- rufinucha** Campylorhynchus, De Lafresnaye, Rev. Zool. (Soc. Cuv.) VIII. Sept. 1845, 339.
- rufi-nucha** Embernagra, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 35.
- rufinucha** Lepus, A. Smith, Zool. Journ. IV (16) May 1829, 440.
- rufinucha** Picolaptes, R. P. Lesson, Ann. Sci. Nat. [2] (Zool.) IX. Mar. 1838, 168.
- rufina** Anthomyza (Fall.), J. W. Zetterstedt, Dipt. Scand. V. 1846, 1760.—Musca.
- rufinus** Asilus, C. R. W. Wiedemann, Zoologisches Magazin, I (3) 1819, 47.
- rufina** Aythya (Gm.), W. Macgillivray, Man. Brit. Orn. II. 1842, 191.—Anas, Pall. 1773.
- rufina** Branta (L.), F. Boie, Isis (Oken), 1822, 564.—Anas, Pall. 1773.
- rufinus** Buteo (Ruepp.), G. R. Gray, Cat. Hodgson Coll. B. M. 1846, 39.—Falco.
- rufina** Calliaspis, C. H. Boheman, Mon. Cassid. I. 1850, 83.
- rufinus** Callichen (Pall.), C. L. Brehm, Isis, 1830, 999.—Anas, 1773.
- rufinus** Centropus (Cuv.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxiv.
- rufina** Cetonia, Gory & Percheron, Mon. Cétoines (8) 1835, 206.
- rufinus** Charadrius, E. Blyth, Ann. Mag. N. H. XII. Sept. 1843, 169 & 231 [*n. n.*].
- rufina** Coenosia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 213.—Musca.
- rufina** Columba, C. J. Temminck in Knip, Les Pigeons, II (—) 1810, 59.
- rufinus** Corydonix, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIV. 1819, 298.
- rufinus** Cuculus, G. Cuvier, Règne Anim. I. 1817, 426.
- rufina** Diabrotica, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 168.
- rufina** Emberiza, F. H. Kittlitz in Litke, Voy. Monde, III. 1836, 268 [*n. n.*].
- rufina** Emberiza, J. F. Brandt, Descr. Av. Ross., pl. 215 (1836) [*teste* R. B. S.].
- rufina** Euphoria (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 375.—Cetonia.
- rufinus** Falco, P. J. Cretzschmar in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Vögel (14) 1829, 40.
- rufina** Fuligula (Pall.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (2) 1824, 188.—Anas, 1773.

- rufina** Haltica, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 98.  
**rufina** Helix, Parreyss; L. Pfeiffer, Symb. Helic. I. 1841, 39.  
**rufinus** Hilarianus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850  
 [ineunte 1851], 169.  
**rufinus** Hylaëus, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 57 [n. n.].  
**rufinus** Ichneumon, J. L. C. Gravenhorst, Mem. R. Acc. Sci. Torino, XXIV. 1820, 336.  
**rufina** Lema, O. Swartz in C. J. Schoenherr, Syn. Insect. I (2) 1808, 284.  
**rufinus** Lybas, T. Lacordaire, Mon. Erotyl., Sept. 1842, 232.  
**rufina** Mergoides (Gm.), T. C. Eyton, Catal. Brit. Birds, 1836, 57.—Anas, Pall. 1773.  
**rufinus** Mesoleptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 69.  
**rufina** Musca, C. F. Fallen, Mon. Muscidum Sveciae (9) 1825, 92.  
**rufina** Muscicapa, J. B. v. Spix, Avium Brasil. II. 1825, 22.  
**rufinus** Myiobius (Spix), G. R. Gray, Gen. Birds, I. May 1847, 249.—Muscicapa.  
**rufina** Mystacida, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 510.  
**rufina** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 38 (Fernaldo judice 1802)  
 [n. et f.].  
**rufina** Orbona (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 232.—Phalaena, 1758.  
**rufina** Oscinis, J. W. Zetterstedt, Dipt. Scand. VII. 1848, 2628.  
**rufina** Passerella (Brandt), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 477.—Emberiza.  
**rufina** Perdix, J. B. v. Spix, Avium Brasil. II. 1825, 60.  
**rufinus** Phygadeuon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 681. [1773.  
**rufinus** Platypus (Pall.), C. L. Brehm, Lehrb. Nat. europ. Vogel, II. 1824, 826.—Anas,  
**rufina** Polistes, W. F. Erichson (*ex* Illiger MS) in R. Schomburgk, Reisen Brit.-Guiana,  
 III. 1848, 590.  
**rufinus** Porizon, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 754.  
**rufinus** Pteromalus, F. Walker, Entom. Mag. II (5) Jan. 1835, 495.  
**rufina** Tachina, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 641.  
**rufinus** Thamnophilus, L. P. Vieillot, Ency. Méth. (Orn.) 1822, 749.  
**rufina** Tipula, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 176.  
**rufinus** Tyrannus (Spix), J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana, III. 1848,  
 700.—Muscicapa.  
**rufina** Xanthia (L.), F. Ochsenheimer, Schmett. Europa, IV. 1816, 83.—Phalaena, 1758.  
**rufo-olivacea** Elania, Lafr.; G. R. Gray, Gen. Birds, I. May 1847, 250.  
**rufo-olivacea** Mionectes (Lafr.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 187.—Elania.  
**rufiolus** Telephorus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (12) Dec. 1845, 304.  
**rufo-palliatus** Alauda, De la Fresnaye, Magasin de Zool. VI. 1836, pl. 59.  
**rufopalliata** Certhilauda (Lafr.), G. R. Gray, Gen. Birds, II. Nov. 1844, 383.—Alauda.  
**rufipalpis** Agathis, Nees v. E., Ges. Nat. Fr. Berlin, Mag. VI (3) 1812, 192.  
**rufipalpis** Amblypteryx, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 28 [n. n.].  
**rufipalpis** Aricia, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 287.  
**rufipalpis** Asilus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 262.  
**rufipalpis** Beris (Wied.), H. Loew, Entom. Zeitung, Stettin, VII (10) Oct. 1846, 306.—  
 Xylophagus.  
**rufipalpis** Blepharipeza, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 212.  
**rufipalpis** Calliphora, J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 162.  
**rufipalpis** Coenosia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 222.  
**rufipalpis** Dasypogon, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 154.  
**rufipalpis** Dejeania, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 192.  
**rufipalpis** Diphysa (Wied.), J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 176.—  
 Xylophaga.  
**rufipalpis** Elater (Agriotes), A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 141.  
**rufipalpis** Feronia, M. de Chaudoir, Enum. Carab. 1845, 145.  
**rufipalpis** Harpalus, J. Sturm, Deutschl. Fauna (Insecten) IV. 1818, 70.  
**rufipalpis** Heterometopia, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 90.  
**rufipalpis** Jurinia, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 197.  
**rufipalpis** Melasis, L. A. A. Chevrolat, Coléopt. Mex. (8) Sept. 1835, no. 193.  
**rufipalpis** Musca (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 307.—  
 Pollenia.

- rufipalpis** Phorocera, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 262.
- rufipalpis** Pollenia, J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 153.
- rufipalpis** Pterostichus, J. Curtis, Tr. Linn. Soc. London, XVIII (2) 1839, 192.
- rufipalpis** Sarcophaga, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 259.
- rufipalpis** Staphylinus, Dejean, Catal. Coléopt. 1821, 22 [*n. n.*].
- rufipalpis** Xylophagus, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 619.
- rufipalpus** Exechopalpus, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 92.
- rufipalpus** Micriphantes, C. L. Koch, Die Arachniden, III (4) *post* July 1836, 66.
- rufi-pectoralis** Fluvicola, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 60.
- rufopectus** Estrelda, Fraser; G. R. Gray, Gen. Birds, II. June 1849, 368.—Estrilda.
- rufopectus** Estrilda, L. Fraser, Proc. Zool. Soc. London, XI (121) July 1843, 27.
- rufipectus** Myiobius (Lafr.), G. R. Gray, Gen. Birds, I. May 1847, 249.—Tyrannula.
- rufipectus** Passer, C. L. Bonaparte, Consp. gen. Avium, I. 1850, 509.
- rufopectus** Podiceps (Polioccephalus), G. R. Gray in Dieffenbach, Trav. N. Z. II. 1843, 198.
- rufopectus** Rallus, G. R. Gray, List Birds Coll. B. M. III. 1844, 117 [*n. n.*].
- rufopectus** Setophaga (Less.), G. R. Gray, Gen. Birds, III. App. 1849, 12.—Tyrannulus.
- rufipectus** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 81.
- rufipectus** Tyrannula, De Lafresnaye, Rev. Zool. (Soc. Cuv.) IX. June 1846, 207.
- rufopectus** Tyrannulus, R. P. Lesson, Echo Monde Savant, XI. 4 Aug. 1844, 233.
- rufipedata** Tenthredo (Poecilostoma), A. G. Dahlbom, Conspect. Tenthred. 1835, 13 [*n. n.*].
- rufipedoides** Falco, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 81 [*n. n.*].
- rufipennella** Apheloesia (Haw.), J. F. Stephens, Ill. Brit. Ent. (Haust. IV.) Nov. 1834, 289.—Tinea, 1796.
- rufipennella** Gracillaria (Huebner), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 51.—Tinea, 1796.
- rufipennella** Haploptilia, J. Huebner, Verz. bekannt. Schmett. 1826, 428.—Tinea, 1796.
- rufipennella** Ornix (Huebner), F. Treitschke, Schmett. Europa, IX (2) 1833, 198.—Tinea, 1796.
- rufipennis** Acalyptus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 448.
- rufipennis** Aegithus, L. A. A. Chevrolat, Coléopt. Mex. (4) Jan. 1835, no. 95.
- rufipennis** Agabus, A. White, Nomen. Coleopt. Coll. B. M. (2) 1847, 21 [*n. n.*].
- rufipennis** Agenius, Gory & Percheron, Mon. Cétoines (1) 1833, 48; (3) 1834, 96.
- rufipennis** Aleochara, Dahl; Dejean, Catal. Coléopt. 1821, 27 [*n. n.*].
- rufipennis** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) May 1832, 161.
- rufipennis** Aleochara, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 162.
- rufipennis** Amphicoma, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 154.
- rufipennis** Anisodactylus, J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9) Ap. 1847, 381.
- rufipenne** Anobium, Megerle in K. Duftschmid, Fauna Austriae, III. 1825, 56.
- rufipennis** Anthophora, J. C. Fabricius, Syst. Piezat. 1804, 373.—Apis, 1793.
- rufipennis** Apalus, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 142.
- rufipennis** Apate (Lepisomus), W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 193.
- rufipenne** Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 397.
- rufipennis** Arthrobrachus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 417.
- rufipennis** Astrapaeus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*]; & Syst. Cat. Brit. Ins., Aug. 1829, 276.
- rufipennis** Babia, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 433.
- rufipennis** Baridius (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1830, 651.—Baris.
- rufipennis** Baris, E. F. Germar, Ins. spec. novae, I. 1824, 206.
- rufipennis** Bitoma (F.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 241.—Lyctus.
- rufipennis** Bledius, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 770.
- rufipennis** Buprestis, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 456.
- rufipennis** Buprestis (Dej.), J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835,
- rufipenne** Calosoma, Dejean, Spec. gén. Coléopt. V. 1831, 566. [87.—Polychroma.
- rufipennis** Cantharis, L. A. A. Chevrolat, Coléopt. Mex. (4) Jan. 1835, no. 58.

- rufipennis** Capsus (Fall.), Herrich-S., Wanzenart. Ins. VI (3) May 1841, 50.—Lygaeus.
- rufipennis** Carpalimus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 24 [*n. n.*]; & Ill. Brit. Ent. (Mand. V) Jan. 1834, 326.
- rufipennis** Catops, H. Lucas, Explor. Algér. (Artic. II.) 1846, 225.
- rufipennis** Cerambyx, H. Gory in F. E. Guérin-M., Iconographie, 1844, Ins., 226.
- rufipennis** Ceraturgus, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 48.
- rufipennis** Clythra, Dejean, Catal. Coléopt. 1821, 126 [*n. n.*]. [III. 1841, 243.—Inca.
- rufipennis** Coelocratus (G. & P.), Burmeister & Schaum in Germar, Zeitschr. f. d. Entom.
- rufipennis** Colobostoma (Boisd.), [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 108.—Sericesthis.
- rufipennis** Colyphus, M. Spinola, Ess. mon. Clérites, I. 1844, 136.
- rufipennis** Conops, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 167.
- rufipennis** Corvus, G. Shaw, Gen. Zool. (Aves) VII (2) 1809, 373.
- rufipennis** Cryptophagus, Dejean, Catal. Coléopt. 1821, 45 [*n. n.*].
- rufipennis** Cucuius, J. C. Fabricius, Syst. Eleuth. II. 1801, 93.
- rufipennis** Cuculus, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 31.
- rufipennis** Cultrides, G. R. Gray, Proc. Zool. Soc. London, XVII (193) Dec. 20, 1849, 63.
- rufipennis** Cybebus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 448.
- rufipennis** Dasygogon, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 161.
- rufipennis** Dexia, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 244.
- rufipennis** Dolichus, Dejean, Spec. gén. Coléopt. V. 1831, 706.
- rufipennis** Donacia, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 110.
- rufipennis** Elater, Dejean, Catal. Coléopt. 1821, 33 [*n. n.*].
- rufipennis** Elater, J. F. Stephens (*ex* Hoffm. MS), Nom. Brit. Ins., Aug. 1829, 10 [*n. n.*]; & Ill. Brit. Ent. (Mand. III.) Dec. 1830, 256.
- rufipennis** Erotylus, J. C. Fabricius, Syst. Eleuth. II. 1801, 8.
- rufipennis** Euryophthalmus, F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832,
- rufipennis** Glaphyrus, H. Gory in F. E. Guérin-M., Iconographie, 1844, Ins., 103. [39.
- rufipennis** Goliathus (G. & P.), W. S. M'Leay in A. Smith, Ill. Zool. S; Afr. (Ins.) 1838, 40.—Inca.
- rufipenne** Hectarthrum (Fab.), E. Newman, Ann. Nat. Hist. II. Feb. 1839, 396.—Cucuius.
- rufipennis** Homorocerus, C. H. Boheman, Ins. Caffr. I (1) 1848, 273.
- rufipennis** Hyalopteryx, T. de Charpentier, Orthopt. (8) 1843, tab. 46.
- rufipennis** Hylurgus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 195.
- rufipennis** Hystrichopus (Dej.), C. H. Boheman, Ins. Caffr. I (1) 1848, 46.—Dolichus.
- rufipennis** Inca, Gory & Percheron, Mon. Cétoines (4) 1834, 109.
- rufipennis** Laphria, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 522.
- rufipenne** Lathrobium, L. Gyllenhal, Ins. Suecica, I (3) 1813, 704.
- rufipennis** Latridius, Dejean, Catal. Coléopt. 1821, 102 [*n. n.*].
- rufipennis** Leiodes (Payk.), J. F. Stephens, Ill. Brit. Ent. (Mand. II.) Mar. 1829, 176.—Sphaeridium, 1798.
- rufipennis** Lema, T. Lacordaire (*ex* Dej. Cat.), Mém. Soc. R. Sci. Liège, III (2) Nov. 1845,
- rufipennis** Leptura, E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 272. [325.
- rufipennis** Liris, J. C. Fabricius, Syst. Piezat. 1804, 228.
- rufipennis** Lyctus, J. C. Fabricius, Syst. Eleuth. II. 1801, 562.
- rufipennis** Lycus, J. C. Fabricius, Syst. Eleuth. II. 1801, 114.
- rufipennis** Lygaeus, C. F. Fallen, Mon. Cimicum Sveciae, 1807, 84.
- rufipennis** Macrogastrer, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
- rufipennis** Macropygia, E. Blyth, J. Asiat. Soc. Bengal, XV. 1846, 371. [1846, 185.
- rufipennis** Megachile (Fab.), Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 334.—Anthophora.
- rufipennis** Megacronus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) May 1832, 166.
- rufipennis** Megalopus, C. G. de Mannerheim, Mém. Ac. Imp. Sci. St Pétersb. X. 1826, 300.
- rufipennis** Melolontha, J. C. Fabricius, Syst. Eleuth. II. 1801, 167.
- rufipennis** Micropalpus, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 280.
- rufipennis** Muscipeta, P. A. J. Drapiez, Dict. class. Sci. Nat. VII. 1841, 501.
- rufipennis** Orchestes, J. Sturm, Catal. Ins. Samml. 1826, 180 [*n. n.*].

- rufipennis** Oxypoda, Chevrier in O. Heer, Coleopt. Helvet. (2) 1839, 321.
- rufipennis** Patrobus, Hoffmannsegg in Dejean, Catal. Coléopt. 1821, 10; Spec. gén. Coléopt.
- rufipennis** Pelidnota, J. Sturm, Catal. Ins. Samml. 1826, 182 [*n. n.*]. [III. 1828, 33.]
- rufipennis** Pepsis, J. C. Fabricius, Syst. Piezat. 1804, 210.—Sphex, 1793.
- rufipennis** Philonthus (Grav.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 477.—  
Staphylinus.
- rufipennis** Phora, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 626.
- rufipennis** Phyllotocus (Boisd.), E. F. Germar, Linnaea Entom. III. Ap. 1848, 192.—  
Sericesthis.
- rufipennis** Phytocoris (Fall.), J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 490.—Lygaeus.
- rufipennis** Pirates, H. Lucas, Explor. Algér. (Artic. III.) 1849, 52.
- rufipennis** Platydema, Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831, 376.
- rufipennis** Poecilosoma (Fall.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65.—Lygaeus.
- rufipenne** Poekilosoma, F. E. Guérin-M., Iconographie, 1844, Ins., 213.
- rufipennis** Poliornis, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (5) 1850, 131.
- rufipennis** Polistes, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1817),
- rufipennis** Polychroma, Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 79 [*n. n.*]. [97.]
- rufipennis** Porrectaria, A. H. Haworth, Lepidopt. Brit. (4) 1828, 537.—Tinea rufipennella,  
Hueb. 1796.
- rufipennis** Porrostoma (Metriorhynchus) (Fab.), W. F. Erichson, Arch. f. Naturg. VIII  
(1) 1842, 145.—Lycus.
- rufipennis** Prionus, D. H. Schneider, Verz. Insectensamml. 1828, 81 [*n. n.*].
- rufipennis** Prognathus, H. Blondel, Ann. Sci. Nat. X (40) Ap. 1827, 414.
- rufipennis** Rallus, G. R. Gray, List Birds Coll. B. M. III. 1844, 116 [*n. n.*].
- rufipennis** Raphirus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23 [*n. n.*]; & Ill. Brit.  
Ent. (Mand. V.) Nov. 1833, 243.
- rufipennis** Reduvius, J. C. Fabricius, Syst. Rhyng. 1803, 271.
- rufipennis** Rhipiphorus, A. Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins., 129.
- rufipennis** Sericesthis, Dejean, Catal. Coléopt., ed. 2 (2) 1833, 164; Boisduval in d'Urville,  
Voy. "Astrolabe," Ent. (2) 1835, 207.
- rufipennis** Sitaris, Dufour in H. C. Kuester, Käfer Europas, XVI. 1849, 83.
- rufipennis** Staphylinus, J. C. Fabricius, Syst. Eleuth. II. 1801, 597.
- rufipennis** Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 40.
- rufipennis** Staphylinus, Dahl; Dejean, Catal. Coléopt. 1821, 22 [*n. n.*].
- rufipennis** Staphylinus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 317.
- rufipennis** Stenochia, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 11 [*n. n.*].
- rufipennis** Stringophorus (G. & P.), Burmeister & Schaum in Germar, Zeitschr. f. d.  
Entom. II (2) 1840, 399.—Agenius.
- rufipenne** Strongylium, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 533.
- rufipennis** Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 138.
- rufipennis** Tachinus, L. Gyllenhal, Ins. Suecica, I (2) 1810, 259.
- rufipennis** Tipula, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 287.
- rufipennis** Tmesidera, J. O. Westwood, Magasin de Zool. (2) III. 1841, pl. 85.
- rufipennis** Trachusa (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 251.—Anthophora.
- rufipenne** Tritoma, J. C. Fabricius, Syst. Eleuth. II. 1801, 571.
- rufipennis** Xantholinus, Dahl; J. Sturm, Catal. Ins. Samml. 1826, 206.
- rufipennis** Xantholinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 322.
- rufipennis** Xylocoris, L. Dufour, Ann. Sci. Nat. XXII (88) Ap. 1831, 425.
- Rufipes** "E. Blyth," S. D. W., Analyst, III (13) Oct. 1835, 33.—A.
- Rufipes** C. T. Wood, Orn. Guide, 1835, 199.—A.
- rufipes** Ablabera, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850,
- rufipes** Acoenites, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 812. [101.]
- rufipes** Acropteron, M. Perty, Del. anim. artic. Brasil. (2) 1832, 65.
- rufipes** Acropteryx, J. Gistel, Isis (Oken), 1831, 308. [Scarabaeus, 1758.]
- rufipes** Acrossus (L.), E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 271.—
- rufipes** Agabus (Brullé), C. Aubé, Spec. gén. Hydroc. 1838, 364.—Dytiscus (Copelatus).
- rufipes** Agathidium, J. Duncan (*ex* Little MS), Mem. Werner. N. H. Soc. VI. Jan. 1832,  
478.

- rufipes** Agathidium, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 24 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Mar. 1835, 404.
- rufipes** Agonum, Dejean, Spec. gén. Coléopt. III. 1828, 173.
- rufipes** Agra, J. C. Fabricius, Syst. Eleuth. I. 1801, 225.
- rufipes** Agria, J. Macquart in Webb & Berthelot, Canaries (Dipt.) 1840, 113.
- rufipes** Agrion, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 26 [*n. n.*].
- rufipes** Agrion, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 258.
- rufipes** Agromyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 169.
- rufipes** Aleochara, F. V. Melsheimer, Ins. Pennsylv. 1806, 59 [*n. n.*].
- rufipes** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Ap. 1832, 157.
- rufipes** Aleochara, C. H. Boheman, Ins. Caffr. I (1) 1848, 269.
- rufipes** Allantus (Ziegl.), J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 127.—Tenthredo.
- rufipes** Altica, F. V. Melsheimer, Ins. Pennsylv. 1806, 21 [*n. n.*].
- rufipes** Alydus, J. O. Westwood in Hope, Cat. Hemipt. (2) 1842, 19.
- rufipes** Alysia, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 260.—Bassus, 1812.
- rufipes** Amara, Dahl; Dejean, Catal. Coléopt. 1821, 9 [*n. n.*].
- rufipes** Ammophila, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 262.
- rufipes** Amorphocerus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 990.
- rufipes** Anabarhynchus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 403.
- rufipes** Anchomenus, Dejean, Spec. gén. Coléopt. V. 1831, 730.
- rufipes** Ancistrosoma, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VI. Jan. 1843, 19.
- rufipes** Anisotoma, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (4) 1847, 482.
- rufipes** Anoplodera (Fab.), E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 286.—
- rufipes** Anthicus, Gyll.; Dejean, Catal. Coléopt. 1821, 72 [*n. n.*]. [Leptura.
- rufipes** Anthomyia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 186.—
- rufipes** Anthophora, J. C. Fabricius, Syst. Piezat. 1804, 374.—Apis, 1781. [Musca.
- rufipes** Anthrax, J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 351.
- rufipes** Anthrenus, J. Sturm, Catal. Ins. Samml. 1826, 94 [*n. n.*]. [? Herbst, 1783.
- rufipes** Anthribus (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 194.—Bruchus,
- rufipes** Aoplocnemis, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 446.
- rufipes** Aphis, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 369.
- rufipes** Aphritis, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 71.
- rufipes** Apiodera, M. de Chaudoir (? *ex* Dej. MS), Bull. Soc. Imp. Nat. Moscou, XXI. 1848
- rufipes** Apion, Dejean, Catal. Coléopt. 1821, 81 [*n. n.*]. [(1) 1848, 42
- rufipes** Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 389.
- rufipes** Aplotarsus (Fab.), J. F. Stephens, Ill. Brit. Ent. (Mand. III.) Dec. 1830, 272.—  
Elater, 1792.
- rufipes** Apocyrus, G. R. Waterhouse, Ann. Mag. N. H. XI. Ap. 1843, 248.
- rufipes** Aptolemus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 2.
- rufipes** Arboricola, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 85 [*n. n.*].
- rufipes** Argutor, Dejean, Catal. Coléopt. 1821, 11 [*n. n.*].
- rufipes** Ascogaster (Latr.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 337.—Sigalphus.
- rufipes** Asilus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 266.
- rufipes** Astrapaeus, P. A. Latreille, Gen. Crust. Ins. I., *post* July 1806, 285.
- rufipes** Athene (King), G. R. Gray, Gen. Birds, I. Aug. 1845, 35.—Strix.
- rufipes** Atomaria, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 8 [*n. n.*]; & Ill. Brit. Ent. (Mand. III.) June 1830, 68.
- rufipes** Atomogaster, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 330.
- rufipes** Atomosia, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 55.
- rufipes** Auchenia (Fab.), T. Marsham, Coleopt. Brit., Sept. 1802, 217.—Crioceris, 1787.
- rufipes** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 700.
- rufipes** Barypenthus, H. Burmeister, Handb. Ent. II (2) ii, 1839, 929
- rufipes** Bassus, Nees v. E., Ges. Nat. Fr. Berlin, Mag. VI (3) 1812, 208.
- rufipes** Bembidion (Dej.), Audinet-S., Faune Française (1 & 2) Coléopt. 1821, 77.—Peryphus.
- rufipes** Bembidium (Ill.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 18.—Elaphrus.

- rufipes** Bethylus, T. Say in Keating, Exp. Peter River, II. 1824, 329; & ed. London, 1825
- rufipes** Bibio, J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 216. [(App.), 64.]
- rufipes** Blaps, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 167.
- rufipes** Bombus, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836 [1835],
- rufipes** Borborus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 205. [473.]
- rufipes** Boros, H. Lucas, Explor. Algér. (Artic. II.) 1846, 338.
- rufipes** Brachygaster, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
- rufipes** Bracon, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 399. [1846, 528.]
- rufipes** Bruchela, Fab.; Dejean, Catal. Coléopt. 1821, 78 [*n. n.*].
- rufipes** Bruchella (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 103.—Bruchus, ? Herbst, 1783.
- rufipes** Calcar, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (4) 1847, 485.
- rufipes** Callimome, F. Walker, Entom. Mag. II (2) Ap. 1834, 160.
- rufipes** Calliphora, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 286.
- rufipes** Callyntra, A. J. J. Solier, Ann. Soc. Ent. France, V (2) *post* May 1836, 340.
- rufipes** Calobata, J. C. Fabricius, Syst. Antliat. 1805, 261.
- rufipes** Campichoeta, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 547.
- rufipes** Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 461.
- rufipes** Cantharis, F. V. Melsheimer, Ins. Pennsylv. 1806, 42 [*n. n.*].
- rufipes** Cantharis, Melsh.; T. Say, J. Acad. Nat. Sci. Philad. III. Nov. 1823, 182.
- rufipes** Capsus, J. C. Fabricius, Syst. Rhyng. 1803, 242.
- rufipes** Cardiophorus (F.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829,
- rufipes** Carterus, H. Lucas, Explor. Algér. (Artic. II.) 1846, 30. [343.—Elater, 1792.]
- rufipes** Casnonia, Dejean, Spec. gén. Coléopt. I. 1825, 172.—Cosnania in Catal. 2.
- rufipes** Catasarcus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 814.
- rufipes** Catascopus, H. Gory, Ann. Soc. Ent. France, II (2) *c.* July 1833, 204.
- rufipes** Centrinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 189.
- rufipes** Cephalia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 294.
- rufipes** Cerambyx, F. V. Melsheimer, Ins. Pennsylv. 1806, 34 [*n. n.*].
- rufipes** Ceraphron, J. Curtis, Brit. Entom. VI (62) Feb. 1829, no. 249 [*n. n.*].
- rufipes** Ceraphron, C. G. Nees v. E., Hyménopt. Ichn. aff. II. 1834, 277.
- rufipes** Ceratocolus, Le Peletier de S. F. & Brullé, Ann. Soc. Ent. France, III (4) *post* Mar. 1835, 741.
- rufipes** Ceratopogon, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 81.
- rufipes** Cerceris (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 367.—Philanthus,
- rufipes** Cheilosa, J. Macquart, Mém. Soc. R. Sci. Lille, 1827–8, 1829, 206. [1790.]
- rufipes** Chelonus (Latr.), C. G. Nees v. E., Hyménopt. Ichn. aff. I. 1834, 283.—Sigalphus.
- rufipes** Chelonus, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 154, 1838, tab. 9 *b.*
- rufipes** Chelys (Hydraspis) (Spix), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn., 16.—Emys.
- rufipes** Chironomus (L.), J. C. Fabricius, Syst. Antliat. 1805, 41.—Tipula, 1761.
- rufipes** Chlaenius, Dejean, Catal. Coléopt. 1821, 8 [*n. n.*]; Spec. gén. Coléopt. II. 1826, 331.
- rufipes** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 786.
- rufipes** Chlorops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 154.
- rufipes** Chrysomela, J. C. Fabricius, Syst. Eleuth. I. 1801, 430.
- rufipes** Chrysomela (Phytodecta), Deg.; W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 213.
- rufipes** Chrysomela, A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 74.
- rufipes** Chrysops, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 71.
- rufipes** Chrysopyla, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 407.
- rufipes** Chrysosoma, J. Macquart, Ann. Soc. Ent. France [2] VI (2) Sept. 1848, 91.
- rufipes** Chrysotus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 150.
- rufipes** Cicada, J. C. Fabricius, Syst. Rhyng. 1803, 68.
- rufipes** Cicada, E. F. Germar in Thon, Entom. Archiv, II (2) May 1830, 8 (=44).
- rufipes** Cicindela, Klug in Dejean, Spec. gén. Coléopt. I. 1825, 22.
- rufipes** Cistela, Ziegl.; Dejean, Catal. Coléopt. 1821, 71 [*n. n.*].
- rufipes** Cladius, Le Peletier, Mon. Tenthred. 1823, 58.
- rufipes** Clerus, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 33 [*n. n.*] & *var.* cyaneus,
- rufipes** Clivina, Megerle in Dejean, Spec. gén. Coléopt. I. 1825, 428. [F. V. M. [*n. n.*].]

- rufipes** Clubiona, H. Lucas, Explor. Algér. (Artic. I.) 1846, 208.
- rufipes** Clytus, Dejean, Catal. Coléopt. 1821, 111 [*n. n.*].
- rufipes** Clytus, Laporte & Gory, H. N. Coléopt. III. 1841 [1835, sed me judice 1836], 8.
- rufipes** Coelioxys, F. E. Guérin-M., Iconographie, 1844, Ins., 452.
- rufipes** Colaspis, J. C. Fabricius, Syst. Eleuth. I. 1801, 413.—*Cryptocephalus*, 1792.
- rufipes** Colaspis, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 80 [*n. n.*].
- rufipes** Colastus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 241.
- rufipes** Colydium, J. C. Fabricius, Syst. Eleuth. II. 1801, 556.
- rufipes** Cordylura, J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 232.
- rufipes** Cornix, T. I. M. Forster, Syn. Cat. Brit. Birds, 1817, 5.
- rufipes** Corynetes, J. C. Fabricius, Syst. Eleuth. I. 1801, 286.—*Dermestes*, 1781.
- rufipes** Cosnania, Dejean, Catal. Coléopt. 1821, 2 [*n. n.*].
- rufipes** Cothonaspis, Th. Hartig in Germar, Zeitschr. f. d. Entom. IV. 1843, 415.
- rufipes** Crabro (Solenius), A. Brullé in Webb & Berthelot, Canaries (Ins.) 1840, 91.
- rufipes** Cratonychus (Herbst), W. F. Erichson in Germar, Zeitschr. f. d. Entom. III. 1841, 96.—*Elater*, 1784.
- rufipes** Crepidodera (L.), H. C. Kuester, Käfer Europas, IX. 1847, 85.—*Chrysomela*, 1758.
- rufipes** Crioceris, F. V. Melsheimer, Ins. Pennsylv. 1806, 25 [*n. n.*].
- rufipes** Crocisa, M. Perty, Del. anim. artic. Brasil. (3) 1833, 149.
- rufipes** Crossocerus, Le Peletier de S. F. & Brullé, Ann. Soc. Ent. France, III (4) *post* Mar. 1835, 784.
- rufipes** Cryptarcha (Fab.), W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 356.—*Sphaeridium*, ? Schr. 1785.
- rufipes** Crypticus, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 125.
- rufipes** Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 453.
- rufipes** Curculio, F. V. Melsheimer, Ins. Pennsylv. 1806, 29 [*n. n.*].
- rufipes** Cymindis, F. Gebler in A. D. Hummel, Essais Entom. I (4) 1824, 42.
- rufipes** Cynips, J. C. Fabricius, Syst. Piezat. 1804, 148.
- rufipes** Cypha, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) May 1832, 187.
- rufipes** Cyrtogaster, F. Walker, Entom. Mag. I (4) July 1833, 383.
- rufipes** Dacnusa (Nees), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 346.—*Alysia*.
- rufipes** Dailodontus (Br.), L. Reiche, Ann. Soc. Ent. France, XI (4) Oct. 1843, 338.—
- rufipes** Dasypogon, J. C. Fabricius, Syst. Antliat. 1805, 169.—*Asilus*, 1775. [Helluo.
- rufipes** Dasypogon, B. A. Gimmerthal, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (3) 1847,
- rufipes** Dasytes, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VIII. 1821, 174. [159.
- rufipes** Dasytes, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 420.
- rufipes** Decatoma, M. Spinola, Ann. Mus. H. N. (Paris) XVII (98) Ap. 1811, 151 [*n. n.*].
- rufipes** Dermestes, T. Marsham, Coleopt. Brit., Sept. 1802, 62.
- rufipes** Diapria, Latreille, N. Dict. H. N., ed. 2, IX. 1817, 403.
- rufipes** Diasema (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 579.—*Diastata*.
- rufipes** Diastata, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 99.
- rufipes** Dicropidius, P. A. Latreille, Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 157.
- rufipes** Dinodes, Dejean, Catal. Coléopt. 1821, 9 [*n. n.*]; Spec. gén. Coléopt. II. 1826, 372.
- rufipes** Dioctria (Deg.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 242.—*Asilus*, 1776.
- rufipes** Diphucephala, G. R. Waterhouse, Tr. Entom. Soc. Lond. I (3) Jan. 1837, 225.
- rufipes** Diplolepis (Fab.), Boyer de F., Ann. Sci. Nat. XXVI (102) June 1832, 193.—
- rufipes** Dircaea, L. Gyllenhal, Ins. Suecica, I (2) 1810, 519. [Cynips.
- rufipes** Dirhagus, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (6) Dec. 1844, 150.
- rufipes** Dolerus, Le Peletier, Mon. Tenthred. 1823, 124.
- rufipes** Dolichus, Dejean, Spec. gén. Coléopt. III. 1828, 41.
- rufipes** Dorcadion (Fab.), Dejean, Catal. Coléopt. 1821, 108.—*Lamia*, 1792.
- rufipes** Drassus, H. Lucas, Explor. Algér. (Artic. I.) 1846, 215.
- rufipes** Drosophila, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 87.
- rufipes** Dyticus (Copelatus), A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1838, 49.



- rufipes** Elaphrus, Illiger, Mag. f. Insektenk. (Illiger) I (1 & 2) 1801, 63.  
**rufipes** Elater, J. C. Fabricius, Ent. Syst. I (2) 1792, 231.  
**rufipes** Elater, F. V. Melsheimer, Ins. Pennsylv. 1806, 43 [*n. n.*].  
**rufipes** Elater, P. B.; Dejean, Catal. Coléopt. 1821, 33 [*n. n.*].  
**rufipes** Elophorus, F. V. Melsheimer, Ins. Pennsylv. 1806, 12 [*n. n.*].  
**rufipes** Emys, J. B. v. Spix, Testud. Brasil. 1824, 7.  
**rufipes** Enoplium, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 362.  
**rufipes** Ephydra, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 126.  
**rufipes** Episyron (L.), J. Schiodte, Naturhist. Tidsskrift, I. 1837, 343.—Sphex, 1758.  
**rufipes** Erax, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 228.  
**rufipes** Erirhinus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4) 1845,  
**rufipes** Eristalis, J. C. Fabricius, Syst. Antliat. 1805, 245. [377.  
**rufipes** Eubadizon, Herrich-S. in Panzer, Ins. Germ., heft 154, 1838, tab. 24.  
**rufipes** Eulabis, F. Eschscholtz, Zool. Atlas, III. 1829, 15.  
**rufipes** Eumetopia, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 104.  
**rufipes** Eumolpus, F. V. Melsheimer, Ins. Pennsylv. 1806, 23 [*n. n.*] & *var.* quercus, Knoch  
**rufipes** Eurymetopon, F. Eschscholtz, Zool. Atlas, IV. 1831, 8. [[*n. n.*].  
**rufipes** Euryscopa, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 502.  
**rufipes** Eurytoma, F. Walker, Entom. Mag. I (1) Sept. 1832, 25.  
**rufipes** Eurytoma, Dalman in Boheman, K. Vet. Ac. Handl. 1835 (1836), 235.  
**rufipes** Euscarthmus, J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 273.  
**rufipes** Evania, J. C. Fabricius, Syst. Piezat. 1804, 179.  
**rufipes** Evania (Hyptia), Fab.; J. O. Westwood, Tr. Entom. Soc. Lond. III (4) Jan. 1844,  
 245.  
**rufipes** Falco, J. M. Bechstein (*ex* Beseke) in Latham, Vögel, IV (1) 1811, 39.  
**rufipes** Falco, Beseke in Meisner & Schinz, Vögel Schweiz, 1815, 27.  
**rufipes** Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 345.—Pterostichus, 1821.  
**rufipes** Figites, J. Curtis, Guide Brit. Ins. (4) 1829–30, 108 [*n. n.*].  
**rufipes** Fregilus, C. T. Wood, Orn. Guide, 1835, 197.  
**rufipes** Geron, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 247.  
**rufipes** Gryllus, J. W. Zetterstedt, Orthopt. Svec. 1821, 90.  
**rufipes** Gryllus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. IX. 1824, 408.  
**rufipes** Gyrinus, J. C. Fabricius, Syst. Eleuth. I. 1801, 276.  
**rufipes** Haltica, J. W. Zetterstedt, Fauna Ins. Lapp. 1828, 410.  
**rufipes** Haltichella (Ol.), F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 6.—Chalcis, 1790.  
**rufipes** Harpactor (Fab.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 8.—  
 Reduvius, 1787.  
**rufipes** Harpalus (Fab.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 97.—Carabus, 1792.  
**rufipes** Heilipus, M. Perty, Del. anim. artic. Brasil. (2) 1832, 75.  
**rufipes** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 191.  
**rufipes** Helluo, F. Klug, Jahrb. Insectenk. I. 1834, 72.  
**rufipes** Helluo, A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1838, 23.  
**rufipes** Herina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,  
**rufipes** Heteromyza, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 764. [727.  
**rufipes** Hilara, J. Macquart, Ins. dipt. N. France (3) 1827, 114.  
**rufipes** Himantopus, J. M. Bechstein, Gem. Nat. Deutschl., ed. 2, IV. 1809, 446.  
**rufipes** Hippobosca, I. F. M. de Olfers, De Veg. Anim. 1816, 101.  
**rufipes** Hirtea, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 799.  
**rufipes** Hockeria (Ol.), F. Walker, Entom. Mag. II (1) Jan. 1834, 36.—Chalcis, 1790.  
**rufipes** Homalota, O. Heer, Coleopt. Helvet. (2) 1839, 340.  
**rufipes** Homoeomorphus, H. Burmeister, Handb. Ent. V. 1847, 32.  
**rufipes** Hyalomma, C. L. Koch, Arch. f. Naturg. X (1) 1844, 221.  
**rufipes** Hydnocera, E. Newman, Mag. Nat. Hist., n. s. IV. July 1840, 363. •  
**rufipes** Hydraena, J. Curtis, Guide Brit. Ins. (1) 1829, 14 [*n. n.*].  
**rufipes** Hydraena, J. Curtis, Brit. Entom. VII (77) May 1830, no. 307.  
**rufipes** Hydraspis (Spix), J. E. Gray, Syn. Rept. 1831, 41.—Emys.  
**rufipes** Hydrellia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 373.—Notiphila,  
 1830.

- rufipes** Hydrochus (F. V. Melsh.), F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (5) Oct. 1844, 100.—Elophorus.
- rufipes** Hydroporus, Ill.; J. Sturm, Catal. Ins. Samml. 1826, 156.
- rufipes** Hylurgus, J. F. Stephens, Nom. Brit. Ins., ed. 2, July 1833, 50 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Mar. 1835, 419.
- rufipes** Hypera, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 14 [*n. n.*]; & Ill. Brit. Ent. (Mand. IV.) July 1831, 100.
- rufipes** Hypophloeus, J. C. Fabricius, Syst. Eleuth. II. 1801, 558.
- rufipes** Ichneumon, J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Sept. 1835, 131.
- rufipes** Ips, F. V. Melsheimer, Ins. Pennsylv. 1806, 15 [*n. n.*].
- rufipes** Ischnus, C. Wesmael, Bull. Ac. Roy. Brux. XV (1) 1848, 332.
- rufipes** Ixodes, J. C. Fabricius, Syst. Antliat. 1805, 354.
- rufipes** Laemophlaeus, H. Lucas, Explor. Algér. (Artic. II.) 1849, 478.
- rufipes** Lamprias (Dej.), J. F. Stephens, Ill. Brit. Ent. (Mand. I.) July 1827, 30.—Lebia.
- rufipes** Lamprotatus, F. Walker, List Hymenopt. Coll. B. M. (1) 1846, 29.—Miscogaster,
- rufipes** Laphria, C. F. Fallen, Asilici Svec. 1814, 6. [1833.]
- rufipes** Lasia, J. O. Westwood, Tr. Entom. Soc. Lond. V (4) June 1848, 93.
- rufipes** Lathrobium, F. G. Maeklin, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4) 1845
- rufipes** Latridius, F. V. Melsheimer, Ins. Pennsylv. 1806, 10 [*n. n.*]. [546.]
- rufipes** Lebia, Dejean, Spec. gén. Coléopt. I. 1825, 258.
- rufipes** Lecania, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 247.
- rufipes** Leistus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 747.
- rufipes** Leptobatus (Gm.), J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 435.—
- rufipes** Leptura, J. C. Fabricius, Syst. Eleuth. II. 1801, 358. [Ichneumon, 1790.]
- rufipes** Leucothyreus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 238.
- rufipes** Limosina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 411.
- rufipes** Liris, J. C. Fabricius, Syst. Piezat. 1804, 229.
- rufipes** Lissa, Gimmerthal, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 116.
- rufipes** Loborhynchus, J. Sturm, Catal. Ins. Samml. 1826, 165 [*n. n.*].
- rufipes** Locusta (Zett.), J. F. Stephens, Ill. Brit. Ent. (Mand. VI.) May 1835, 25.—Gryllus.
- rufipes** Luperus (F.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 231.—Crioceris,
- rufipes** Lycosoides, H. Lucas, Explor. Algér. (Artic. I.) 1846, 124. [1787.]
- rufipes** Lygaeus, J. F. Wolff, Icon. Cimicum (4) 1804, 151.
- rufipes** Lymexylon, F. V. Melsheimer, Ins. Pennsylv. 1806, 41 [*n. n.*] & *var. aeneum*, Knoch [*n. n.*].
- rufipes** Macquartia (Fall.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 229.—
- rufipes** Malachius, J. C. Fabricius, Syst. Eleuth. I. 1801, 310. [Tachina.]
- rufipes** Mallophora, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 380.
- rufipes** Masicera, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 86.
- rufipes** Megalyra, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 258. [p. 87.]
- rufipes** Megapodius, C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839,
- rufipes** Megascelis, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (1) May 1845, 247.
- rufipes** Megaspilus (Curt.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 37.—Ceraphron.
- rufipes** Melandrya, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 130.
- rufipes** Melandrya, A. Chevrolat in F. E. Guérin-M., Iconographie, 1844, Ins., 126.
- rufipes** Melanophora (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 176.—Scopolia.
- rufipes** Meligethes (Deg.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 7.—Silpha, L. 1767.
- rufipes** Melolontha, P. A. Latreille in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1813),
- rufipes** Melolontha, D. H. Schneider, Verz. Insectensamml. 1828, 76 [*n. n.*]. [41.]
- rufipes** Merismus, F. Walker, Entom. Mag. I (4) July 1833, 378.
- rufipes** Microdus, Nees v. E., Ges. Nat. Fr. Berlin, Mag. VI (3) 1812, 189.
- rufipes** Microgaster, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 164.
- rufipes** Midas, J. O. Westwood, Arcana Entom. (4) Nov. 1841, 54.
- rufipes** Miscogaster, F. Walker, Entom. Mag. I (5) Oct. 1833, 459.
- rufipes** Molops, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 773.
- rufipes** Musca, C. F. Fallen, Mon. Muscidum Sveciae (9) 1825, 85.

- rufipes** Musca, T. Descourtilz, Mém. Soc. Linn. Paris, V. 1826, 157.
- rufipes** Musca, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 428 [*n. n.*].
- rufipes** Mycetophagus, J. C. Fabricius, Syst. Eleuth. II. 1801, 567.
- rufipes** Mycetophila, J. Le Conte, Ann. Lyceum N. H. New York, I (6) Dec. 1824, 170.
- rufipes** Mylabris, Besser in G. Fischer v. W., Entom. Imp. Russ. II., *post* Nov. 1824, 226.
- rufipes** Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 589.
- rufipes** Necrobia (Fabr.), E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1842, 88.—Corynetes.
- rufipes** Necrobia, *var.* capensis; Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 25 [*n. n.*].
- rufipes** Nematius, Tischbein, Entom. Zeitung, Stettin, VII (3) Mar. 1846, 77.
- rufipes** Nemestrina, Olivier, N. Bull. Sci. Soc. Philom. Paris, II (33) June 1810, 94.
- rufipes** Neriene, J. Blackwall, Lond. & Edinb. Phil. Mag., 3rd ser. III (17) Nov. 1833, 345.
- rufipes** Nitidula (Fab.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 140.—Sphaeridium, Schr. 1785.
- rufipes** Noctilio, A. d'Orbigny & P. Gervais, Amér. Mérid. (Mamm.) 1847, 12.
- rufipes** Notiophilus, J. Curtis (*ex* Heysham MS), Brit. Entom. VI (63) Ap. 1829, no. 254.
- rufipes** Notiophilus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (3) 1844,
- rufipes** Notiphila, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 71. [439.]
- rufipes** Nycteropus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 202.
- rufipes** Nysson, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 408.
- rufipes** Ocydromia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 353.
- rufipes** Ocyptera, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 215.
- rufipes** Odogenius, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 743.
- rufipes** Odynerus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 265.
- rufipes** Oedipoda (Zett.), G. Fischer v. W., N. Mém. Soc. Imp. Nat. Moscou, VIII. 1846, 324.—Gryllus.
- rufipes** Olfersia, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 229.
- rufipes** Olios, H. Lucas in Webb & Berthelot, Canaries (Arach.) 1840, 32.
- rufipes** Omias, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 500.
- rufipes** Ommatius, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 249.
- rufipes** Onthophagus, J. Sturm, Catal. Ins. Samml. 1826, 178 [*n. n.*].
- rufipes** Onthophagus, Mannerheim in E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 178.
- rufipes** Oodes, H. Gory, Ann. Soc. Ent. France, II (2) *c.* July 1833, 230.
- rufipes** Oodes, C. H. Boheman, Ins. Caffr. I (1) 1848, 162.
- rufipes** Opatrum, Bosc, Bull. Soc. Philom. [Paris] 1803, p. 8'.
- rufipes** Opatrum, C. P. Thunberg, Opatum Ins. gen. 1821, 34.
- rufipes** Ophyra, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 102.
- rufipes** Opilio, C. L. Koch, Die Arachniden, III (1) Jan. 1836, 15.
- rufipes** Opius, C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 147.
- rufipes** Opomyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 107.
- rufipes** Orchilus, J. J. Tschudi, Fauna Peru. (Orn.) 1846, 165.
- rufipes** Ortalis, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 436.
- rufipes** Oscinis (Fab.), C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 580.—Eristalis.
- rufipes** Otiorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 269.
- rufipes** Oxygonia, L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 301.
- rufipes** Pachiloscelis, H. Lucas, Ann. Soc. Ent. France, III (2) *post* June 1834, 362.
- rufipes** Pachyloscelis, H. Lucas, Magasin de Zool. VI. 1836, pl. 14.
- rufipes** Palarus, P. A. Latreille, Ency. Méth. VIII (2) (Ins.) [1812], 651.
- rufipes** Palpomyia (Meig.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 52.—Ceratopogon.
- rufipes** Pannychistes (Bes.), J. J. Kaup, Skizz. Europ. Thierw. 1829, 57.—Falco.
- rufipes** Paramesius, J. O. Westwood, Lond. & Edinb. Phil. Mag., 3rd ser. I (2) Aug. 1832,
- rufipes** Parnus, Dahl; Dejean, Catal. Coléopt. 1821, 49 [*n. n.*]. [129.]
- rufipes** Parnus, Dahl, Bull. Soc. Imp. Nat. Moscou, V. 1832, 115.
- rufipes** Paropsis (Fab.), A. G. Olivier, Entom. V. 1807, 601.—Chrysomela.
- rufipes** Patrobus (Fab.), Dejean, Catal. Coléopt. 1821, 10.—Carabus, 1792.
- rufipes** Pentatoma (L.), Lamarck, Syst. Anim. 1801, 293.—Cimex, 1758.
- rufipes** Pepsis, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 472.

- rufipes** Perilitus, Herrich-S. in G. W. F. Panzer, *Ins. Germ.*, heft 156, 1838.
- rufipes** Peryphus, Gyll.; Dejean, *Catal. Coléopt.* 1821, 17 [*n. n.*].
- rufipes** Pezolochus, A. Foerster, *Arch. f. Naturg.* XVI (1) 1850, 104.
- rufipes** Phalacrus, Dejean, *Catal. Coléopt.* 1821, 129 [*n. n.*].
- rufipes** Phalacrus, J. F. Stephens, *Ill. Brit. Ent. (Mand. II.) Mar.* 1829, 164.
- rufipes** Philonthus, C. H. Boheman, *Ins. Caffr. I (1)* 1848, 284.
- rufipes** Phora (Meig.), J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 63.—Trineura.
- rufipes** Phrynops (Spix), J. E. Gray, *Cat. Tortoises etc. Coll. B. M.* 1844, 41.—Emys.
- rufipes** Phytomyza, J. W. Meigen, *Syst. Besch. Zweifl. Insekt. VI.* 1830, 192.
- rufipes** Phytonomus (Steph.), C. J. Schoenherr, *Gen. et Sp. Curc. VI (2)* 1842, 386.—
- rufipes** Pimelia, C. P. Thunberg, *N. Acta Soc. Sci. Upsal. IX.* 1827, 31. [Hypera.
- rufipes** Pimpla, A. Brullé in Lepeletier (Roret's Suite à Buffon), *Hyménopt. IV.* 1846, 102.
- rufipes** Pipunculus, J. W. Meigen, *Syst. Besch. Zweifl. Insekt. IV.* 1824, 21.
- rufipes** Pison, W. E. Shuckard, *Tr. Entom. Soc. Lond. II (1)* Feb. 1838, 79.
- rufipes** Platatea, C. A. Dubois, *Ornith. Gallerie (c. 1838)*, 163.
- rufipes** Platemys (Spix), Duméril & Bibron (Roret's Suite à Buffon), *Erpét. II.* May 1835, 433.—Emys. [1798.
- rufipes** Platycerus (F.), P. A. Latreille, *Sonnini's Buffon, Ins. X (1804)*, 251.—Lucanus,
- rufipes** Platycerus, C. R. Sahlberg, *Diss. Ent. Ins. Fenn. (? 3 vel 4)* 1819, 22; & *Ins. Fenn. I.* 1834, 22.
- rufipes** Platylophus (Hahn), C. L. Koch, *Uebers. Arachnidensyst. II.* 1839, 29.—Opilio.
- rufipes** Platyomus, Boheman in C. J. Schoenherr, *Gen. et Sp. Curc. VI (1)* 1840, 199.
- rufipes** Platyrhaeus, C. L. Koch, *Krit. Revision Insect. Deutschl.* 1847, 132.
- rufipes** Platysma (Fab.), J. Sturm, *Deutschl. Fauna (Insecten) V.* 1824, 56.—Carabus, 1792.
- rufipes** Platystoma, J. W. Meigen, *Syst. Besch. Zweifl. Insekt. V.* 1826, 393.
- rufipes** Platyura, Hoffmannsegg in J. W. Meigen, *Syst. Besch. Zweifl. Insekt. I.* 1818, 241.
- rufipes** Pleomorpha, W. W. Saunders, *Ann. Mag. Nat. Hist. XVIII (Suppl.) Jan.* 1847, 473.
- rufipes** Plesia, Spinola in Lepeletier de S. F. (Roret's Suite à Buffon), *Hyménopt. III.* 1845, 586.
- rufipes** Podisma, G. Fischer v. W., *N. Mém. Soc. Imp. Nat. Moscou, VIII.* 1846, 249.
- rufipes** Podium, J. C. Fabricius, *Syst. Piezat.* 1804, 183.
- rufipes** Podura, A. Herrich-Schaeffer in Fürnrohr, *Fauna Ratisbon. III.* 1840, 355.
- rufipes** Pollenia, J. Macquart (Roret's Suite à Buffon), *Diptères, II.* 1835, 271.
- rufipes** Polydrusus, Dejean, *Catal. Coléopt.* 1821, 93 [*n. n.*].
- rufipes** Polysphincta, J. L. C. Gravenhorst, *Ichneum. Europ. III.* 1829, 116.
- rufipes** Popillia (Fab.), E. Newman, *Tr. Entom. Soc. Lond. III (1)* Jan. 1842, 37.—Cetonia,
- rufipes** Porphyrops, J. W. Meigen, *Syst. Besch. Zweifl. Insekt. IV.* 1824, 52. [1787.
- rufipes** Praocis, F. Eschscholtz, *Zool. Atlas, III.* 1829, 6.
- rufipes** Prionus, J. Sturm, *Catal. Ins. Samml.* 1826, 187 [*n. n.*].
- rufipes** Pristiphora, Le Peletier, *Mon. Tenthred.* 1823, 60.
- rufipes** Pselaphus, F. V. Melsheimer, *Ins. Pennsylv.* 1806, 34 [*n. n.*].
- rufipes** Psoa, E. Blanchard in d'Orbigny, *Amér. Mérid. (Ins.)* 1846, 205.
- rufipes** Pteromalus, C. G. Nees v. E., *Hymenopt. Ichn. aff. II.* 1834, 117.
- rufipes** Pterostichus, Dejean, *Catal. Coléopt.* 1821, 12 [*n. n.*].
- rufipes** Ptinus (Fab.), T. Marsham, *Coleopt. Brit., Sept.* 1802, 83.—Anobium, 1792.
- rufipes** Ptochus, F. v. Gebler in Ledebour, *Reise Altai, II.* 1830, 169.
- rufipes** Ptochus, Gyllenhal in C. J. Schoenherr, *Gen. et Sp. Curc. II (2)* 1834, 487.
- rufipes** Quedius, J. F. Stephens, *Ill. Brit. Ent. (Mand. V.)* June 1832, 222.
- rufipes** Quedius (Grav.), W. F. Erichson, *Gen. Spec. Staph. (2)* 1840, 543.—Staphylinus.
- rufipes** Rhagium, F. V. Melsheimer, *Ins. Pennsylv.* 1806, 36 [*n. n.*].
- rufipes** Rhagium, T. Victor, *Bull. Soc. Imp. Nat. Moscou*, 1838 (2) 1838, 184.
- rufipes** Rhamphomyza, J. W. Zetterstedt, *Ins. Lapp. descr.* 1838, 564.
- rufipes** Rhaphium, J. W. Meigen, *Syst. Besch. Zweifl. Insekt. IV.* 1824, 30.—Porphyrops,
- rufipes** [Rhinemys] (Spix), J. Wagler, *Nat. Syst. Amph.* 1830, 134.—Emys. [1824.
- rufipes** Rhinoncus, J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 13 [*n. n.*]; & *Ill. Brit. Ent.* (Mand. IV.) Mar. 1831, 42.
- rufipes** Rhynchites, J. Sturm, *Catal. Ins. Samml.* 1826, 191 [*n. n.*].
- rufipes** Rhynchodon (Bes.), C. L. Nitzsch, *Syst. Pterylogr.* 1840, 78.—Falco.

- rufiper** (*sic*) Rhyssemus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 314.
- rufipes** Ropalomera, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1063.
- rufipes** Rugilar, Fauna Ins. Europ. (18) 1835, 4.
- rufipes** Rutela (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 154.—Cetonia, 1792.
- rufipes** Saprinus (Payk.), O. Heer, Coleopt. Helvet. (3) 1841, 462.—Hister, 1798.
- rufipes** Sarcophaga, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 362.
- rufipes** Scatophaga, J. C. Fabricius, Syst. Antliat. 1805, 207.
- rufipes** Sciuroopus, Latr.; Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 162.
- rufipes** Scolia, Illiger, Mag. f. Insektenk. (Illiger) I (1 & 2) 1801, 195.
- rufipes** Scopolia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- rufipes** Scutigera, T. Cantor, Ann. Mag. N. H. IX. Aug. 1842, 493. [269.
- rufipes** Scymnus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 86 [*n. n.*].
- rufipes** Scymnus (Fab.), E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 969.—Coccinella,
- rufipes** Scytodes, H. Lucas, Magasin de Zool. IV. 1834, pl. 6. [1798.
- rufipes** Scytodes, H. Nicolet in Gay, Chili, III (Arach.) 1849, 348.
- rufipes** Sepsis, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 349.
- rufipes** Siagona (F.), P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 141.—Cucujus,
- rufipes** Sigalphus, P. A. Latreille, Gen. Crust. Ins. IV. 1809, 14. [1792.
- rufipes** Silpha, F. V. Melsheimer, Ins. Pennsylv. 1806, 17 [*n. n.*].
- rufipes** Silvius, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 341.
- rufipes** Simulia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 311.
- rufipes** Sitaris, Gory, Magasin de Zool. (2) III. 1841, pl. 73.
- rufipes** Sitona, Kirby in J. Walton, Entom. Mag. V (1) Oct. 1837, 19 [*n. n.*].
- rufipes** Sosylus (Fab.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 288.—  
Colydium.
- rufipes** Sphegigaster, F. Walker, List Hymenopt. Coll. B. M. (2) 1848, 108.—Merismus.
- rufipes** Staphylinus, J. L. C. Gravenhorst, Coleopt. micr. 1802, 171.
- rufipes** Staphylinus (Fab.), C. A. Walckenaer, Faune Paris. I. 1802, 273.—Oxyporus, 1792.
- rufipes** Staphylinus, Latreille; Dejean, Catal. Coléopt. 1821, 21 [*n. n.*].
- rufipes** Stenochia, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 423.
- rufipes** Stenosphenus, Klug; Dejean, Catal. Coléopt., ed. 2 (4) Aug. 1835, 330.
- rufipes** Stephanus, T. Say in Keating, Exp. Peter River, II. 1824, 324; & ed. London,  
1825 (App.), 61.
- rufipes** Sternolophus, A. J. J. Solier, Ann. Soc. Ent. France, III (2) *post* June 1834, 311.
- rufipes** Stilicus (Germ.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 521.—Rugilus.
- rufipes** Stizus (Ol.), P. L. Van der Linden, N. Mém. Ac. Roy. Brux. V. 1829, 19.—Bembex,  
1789.
- rufipes** Strix, P. P. King, Zool. Journ. III (11) Aug.-Nov. [*i.e.* Dec. 31] 1827, 426.
- rufipes** Strophosomus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 14 [*n. n.*]; & Ill. Brit.  
Ent. (Mand. IV.) Aug. 1831, 126.
- rufipes** Synthlibonotus, C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 92.
- rufipes** Tabanus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 59.
- rufipes** Tachina, C. F. Fallen, Mon. Muscidum Sveciae (3) 1820, 33. [? L. 1758.
- rufipes** Tachinus (Payk.), J. L. C. Gravenhorst, Coleopt. micr. 1802, 137.—Staphylinus,
- rufipes** Tachinus (Fab.), O. Heer, Coleopt. Helvet. (2) 1839, 294.—Oxyporus, 1792.
- rufipes** Tachinus (Fab.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 397.—Oxyporus,
- rufipes** Tachydromia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 99. [1792.
- rufipes** Tachyporus, Dahl; Dejean, Catal. Coléopt. 1821, 27 [*n. n.*].
- rufipes** Tachyporus, Grav.; Dejean, Catal. Coléopt. 1821, 27 [*n. n.*].
- rufipes** Tachys, F. V. Melsheimer, Ins. Pennsylv. 1806, 53 [*n. n.*].
- rufipes** Tasgius (Latr.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 22.—Astrapaeus.
- rufipes** Teleas, Boyer de F., Ann. Sci. Nat. XXVI (103) July 1832, 306.
- rufipes** Telephoromyia, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 216.
- rufipes** Tenebrio, F. V. Melsheimer, Ins. Pennsylv. 1806, 54 [*n. n.*].
- rufipes** Tenebrio, Melsh.; T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 203.
- rufipes** Tenthredo, Ziegler in Lepeletier, Mon. Tenth. 1823, 81.
- rufipes** Tenthredo, T. Say in Keating, Exp. Peter River, II. 1824, 317; & ed. London, 1825,  
(App.), 55.

- rufipes** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (3) 1817, 207.
- rufipes** Tetragonopterus, A. Valenciennes in d'Orbigny, Amér. Mérid. (Poiss.) 1847, 10.
- rufipes** Thelyphonus, H. Lucas, Magasin de Zool. V. 1835, pl. 9.
- rufipes** Thereva, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 419.
- rufipes** Theridion (L.), C. W. Hahn, Mon. Spinnen (6) Aug. 1831.
- rufipes** Thinobatis, A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 407.
- rufipes** Thynnus (Guér.), F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1840 (1842), 41.—Tele-
- rufipes** Tormus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 32. [phoromyia.
- rufipes** Trachyderes (Fab.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 365.—Cerambyx,
- rufipes** Trechus, C. H. Boheman, Ins. Caffr. I (1) 1848, 226. [1787.
- rufipes** Trichina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 78.
- rufipes** Trichius, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 440.
- rufipes** Trineura, J. W. Meigen, Klassif. Zweifl. Insekt. I (2) 1804, 313.
- rufipes** Tropicoris (L.), C. W. Hahn, Wanzenart. Ins. II (2) Feb. 1834, 54.—Cimex, 1758.
- rufipes** Trupanea, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 186.
- rufipes** Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 148.
- rufipes** Uloma, J. Sturm, Catal. Ins. Samml. 1826, 205 [*n. n.*].
- rufipes** Ulula (King), J. Gould, Zool. "Beagle" (Birds, 1839), 34.—Strix.
- rufipes** Urodon (Latr.), C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 113.—Anthribus.
- rufipes** Xantholinus, H. Lucas, Explor. Algér. (Artic. II.) 1846, 106.
- rufipes** Xiphidicera, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 357.
- rufipes** Xylonomus, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 823.
- rufipes** Zophomyia (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 160.—  
Tachina, ? Fall.
- rufopetiolata** Belyta, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 342.
- rufopicea** Haltica (Psylliodes), Letzner, Uebers. Arb. schles. Ges. 1846 (1847), 83.
- rufo-picta** Apis, W. Kirby, Mon. Apum Angl. II. 1802, 207.
- rufopicta** Estrilda, L. Fraser, Proc. Zool. Soc. London, XI (121) July 1843, 27.
- rufopictus** Helops, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 40.
- rufopicta** Kerivoula (Waterh.), J. E. Gray, Zool. "Samarang" (Vert. 1849), 8.—Vesper-
- rufopicta** Nomada (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 92.—Apis.
- rufo-picta** Parastasia, J. O. Westwood, Ann. Mag. Nat. Hist. X (62) Sept. 1842, 68.
- rufo-pictus** Vespertilio, G. R. Waterhouse, Proc. Zool. Soc. London, XIII (143) Ap. 1845, 8.
- rufopictus** Zophius (Wied.), Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 189.—Helops.
- rufipilea** Alauda, L. P. Vieillot, N. Dict. H. N., ed. 2, I. 1816, 345.
- rufipileus** Megalophonus (Vieill.), G. R. Gray, Gen. Birds, II. Nov. 1844, 382.—Alauda.
- rufo-pileus** Pipilo, De Lafresnaye, Rev. Zool. (Soc. Cuv.) XI. June 1848, 176.
- rufopilosa** Rodolia, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 903.
- rufipilus** Xylota, Megerle in J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 215.
- rufipinnis** Exocoetus, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 99.
- rufoplagiatus** Bruchus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 94.
- rufo-punctata** Aegle (Edw.), A. White, List Crustacea Coll. B. M. 1847, 15.—Xantho.
- rufo-punctatum** Himatidium, J. Sturm, Catal. Ins. Samml. 1826, 152 [*n. n.*].
- rufopunctata** Ocypoda (Herbst), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 195.—  
Cancer, 1799.
- rufo-punctatus** Pachyrhynchus, G. R. Waterhouse, Ann. Mag. Nat. Hist. X (62) Sept. 1842, 70. [Cancer, 1799.
- rufopunctata** Trapezia (Herbst), P. A. Latreille, Ency. Méth. X (2) (Ins.) 1828, 695.—
- rufopunctatus** Xantho, H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 389.
- rufipunctella** Argyromiges (Haw.), J. Curtis, Brit. Entom. VI (71) Nov. 1829, no. 284.—  
Tinea.
- rufipunctella** Argyromis (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 49.—Tinea.
- rufipunctella** Tinea, A. H. Haworth, Lepidopt. Brit. (4) 1828, 580.
- rufopustulatus** Aphodius, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 27.
- ruforeticulatum** Himatidium, J. Sturm, Catal. Ins. Samml. 1826, 152 [*n. n.*].
- ruforeticulata** Poecilaspis, C. H. Boheman, Mon. Cassid. I. 1850, 390.
- rufirostra** Ramphomyia, T. Say, J. Acad. Nat. Sci. Philad. VI. July 1829, 159.

- rufirostris** Acalles, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 421.
- rufirostris** Alcedo, Illiger, N. A. Ac. Caes. Leop. Car. XVI (Suppl.) 1834, 94.
- rufirostris** Anthonomus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 354.
- rufirostris** Aratinga, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 136.
- rufirostris** Balaninus, Ullr.; J. Sturm, Catal. Ins. Samml. 1826, 99.
- rufirostris** Buceros, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (4) 1850, 108.
- rufirostris** Ceutorhynchus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13 [*n. n.*]; & Ill. Brit. Ent. (Mand. IV.) Feb. 1831, 23.
- rufirostris** Coeliodes (Steph.), C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 285.—  
Ceutorhynchus.
- rufirostris** Conotrachelus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 439.
- rufirostris** Conurus (Gm.), R. P. Lesson, Traité Ornith. (3) July 1830, 213.—Psittacus,
- rufirostris** Falciger, Dejean, Catal. Coléopt. 1821, 84 [*n. n.*]. [1758.
- rufirostris** Fringilla, Max Wied, Beitr. Naturges. Brasil. III (1) 1830, 581.
- rufirostris** Heilipus, Dejean, Ann. Sci. Nat. XXI (82) Oct. 1830, 163 [*n. n.*].
- rufirostris** Homalirhinus, A. Chevrolat, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 61.
- rufirostris** Oriolus, G. Shaw, Gen. Zool. (Aves), VII (2) 1809, 416.
- rufirostris** Prionomerus (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 245.—
- rufirostris** Psittacus, K. Tyzenhaus, Orn. powsz. II. 1844, 265. [Rhynchaenus.
- rufirostris** Rhynchaenus, J. C. Fabricius, Syst. Eleuth. II. 1801, 483.
- rufirostris** Sibynea, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 437.
- rufirostris** Tychius, Schoenherr in E. Ménétrés, Cat. Rais. Zool. Caucase, 1832, 223.
- rufosanguinea** Galleruca, T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1826, 298.
- rufiscapus** Ceraphron, J. Curtis, Brit. Entom. VI (62) Feb. 1829, no. 249 [*n. n.*].
- rufiscapa** Diapria, C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 330.
- rufiscapus** Megaspilus (Curt.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 37.—Ceraphron.
- rufiscapa** Rhacodia (Nees), Herrich-S. in Panzer, Ins. Germ., heft 157, 1838, tab. 23<sup>5</sup>.—  
Diapria.
- rufoscutellaris** Nematopus, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832,
- rufo-scutellata** Gerris, P. A. Latreille, Gen. Crust. Ins. III. 1807, 134. [241.
- rufoscutellatus** Ichneumon, G. Cuvier, Revue Entom. I (5) c. Nov. 1833, 205.
- rufoscutellata** Masicera, J. Macquart, Ann. Soc. Ent. France [2] VIII (4) c. Jan. 1851, 474.
- rufo-signata** Cicindela, Audouin & Brullé, Archives Mus. H. N. (Paris) I [2] *post* Mar. 1839,
- rufosignata** Mesomphalia, C. H. Boheman, Mon. Cassid. I. 1850, 339. [121.
- rufosignata** Psyllobora, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 189.
- rufo-spilota** Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 44.
- rufisquamata** Lydella, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 136.
- rufo-stigma** Panorpa, J. O. Westwood, Ann. Mag. Nat. Hist. VIII (51) Dec. 1841, 298.
- rufostigma** Sympetrum, E. Newman, Entom. Mag. I (5) Oct. 1833, 512.
- rufistigmosa** Tipula, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 60.
- rufostoma** Purpura, R. P. Lesson, Rev. Zool. (Soc. Cuv.) V. Ap. 1842, 102.
- rufistrigatus** Bulimus, L. Reeve (*ex* Benson MS), Conch. Icon. V.—Bulimus, no. 570, Sept.
- rufosuperciliatus** Xenops, F. de la Fresnaye, Magasin de Zool. II. 1832, pl. 7. [1849.
- rufotaeniatus** Homalopsis, L. J. Fitzinger, Neue Classif. Rept. 1826, 55 [*n. n.*].
- rufotaeniata** Muscicapa, Drapiez, Dict. Class. H. N. VII. 1825, 401.
- rufotaeniatus** Myiobius (Drap.), G. R. Gray, Gen. Birds, I. May 1847, 249.—Muscicapa.
- rufitarsis** Acinopus, G. Fischer de W., Bull. Soc. Imp. Nat. Moscou, XVII. 1844 (1) 1844, 31.
- rufitarsis** Acrossus (Latr.), E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 277.—  
Aphodius.
- rufitarsis** Aleochara, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 21 [*n. n.*];  
& Ill. Brit. Ent. (Mand. V.) Ap. 1832, 124.
- rufitarsis** Aleochara, O. Heer, Coleopt. Helvet. (2) 1839, 317.
- rufitarsis** Andrena (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 68.—Melitta.
- rufitarsis** Apate, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 193.
- rufitarsis** Aphodius, P. A. Latreille, Gen. Crust. Ins. II. 1807, 88.
- rufitarse** Apion, Dejean, Catal. Coléopt. 1821, 81 [*n. n.*].
- rufitarsis** Aulocigaster, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 580.
- rufitarsis** Axina, M. Perty, Del. anim. artic. Brasil. (1) 1830, 30.

- rufitarsis** Bibio, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 313.  
**rufitarsis** Borborus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 199.  
**rufitarsis** Camaria, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 184.  
**rufitarsis** Carabus, Illiger, Mag. f. Insektenk. (Illiger) I (1 & 2) 1801, 164.  
**rufitarsis** Ceratopogon, J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 83.  
**rufitarsis** Ceroptera (Meig.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 564.—Borborus.  
**rufitarsis** Ceuthorhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 539.  
**rufitarsis** Chalicodoma, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841,  
**rufitarsis** Chrysis, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 375. [310.  
**rufitarsis** Chrysogaster, H. Loew, Posener Zweiflügler, 1840, 31.  
**rufitarsis** Chrysomela, T. Marsham, Coleopt. Brit., Sept. 1802, 182.  
**rufitarsis** Chrysops, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 174.  
**rufitarsis** Clythra, Klug in T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 226.  
**rufitarsis** Colaspis, Dejean, Catal. Coléopt. 1821, 124 [*n. n.*].  
**rufitarsis** Colliuris, F. Klug, Jahrb. Insektenk. I. 1834, 45. [1834, 113.  
**rufitarsis** Dasytes, C. R. Sahlberg, Diss. Ent. Ins. Fenn. (8) 1822, 113; & Ins. Fenn. I.  
**rufitarsis** Diastata, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 99.  
**rufitarsis** Dyscolus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850,  
**rufitarsis** Ehippium, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 196. [385.  
**rufitarsis** Ephedra, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 536.  
**rufitarsis** Eristalis, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 118.  
**rufitarsis** Falciger, J. Sturm, Catal. Ins. Samml. 1826, 142 [*n. n.*].  
**rufitarsis** Feronia (Sturm), Dejean, Spec. gén. Coléopt. III. 1828, 299.—Molops.  
**rufitarsis** Formica, J. C. Fabricius, Syst. Piezat. 1804, 406.  
**rufitarsis** Globicornis, P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829, 511.—  
 Megatoma, 1807.  
**rufitarsis** Gymnopa, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 384.  
**rufitarsis** Halictus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 462.  
**rufitarsis** Harpalus, P. Rambur, F. Ent. Andal. I (2) Mar. 1838, 132.  
**rufitarsis** Herina, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 433.  
**rufitarsis** Hermetia, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 177.  
**rufitarsis** Hydrellia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 374.  
**rufitarsis** Lauxania, P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 390.  
**rufitarsis** Lesteva, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 25 [*n. n.*];  
 & Ill. Brit. Ent. (Mand. V.) Jan. 1834, 362.  
**rufitarsis** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 78.  
**rufitarsis** Lobophora, Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838],  
**rufitarsis** Megachile, F. Smith, The Zoologist, II (9) 1844, 695. [33.  
**rufitarsis** Megatoma (Panz.), P. A. Latreille, Gen. Crust. Ins. II. 1807, 35.—Dermestes,  
**rufitarsis** Melitta, W. Kirby, Mon. Apum Angl. II. 1802, 135. [1796.  
**rufitarsis** Molops, Kollar; J. Sturm, Catal. Ins. Samml. 1826, 170.  
**rufitarsis** Myrmica, A. Foerster, Verh. nat. Ver. pr. Rheinl. VII. 1850, 485.  
**rufitarsis** Notiphila, J. W. Waltl, Isis (Oken), 1837, 281.  
**rufitarsis** Notoxus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 30 [*n. n.*].  
**rufitarsis** Orchestes, Dejean, Catal. Coléopt. 1821, 82 [*n. n.*]. [Herina.  
**rufitarsis** Ortalis (Macq.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 347.—  
**rufitarsis** Oscinis, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 604.  
**rufitarsis** Pachygaster, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 185.  
**rufitarsis** Pachylis, M. Spinola, Ess. Ins. Hémipt. 1837, 136.  
**rufitarsis** Platynus, J. Sturm, Catal. Ins. Samml. 1826, 185 [*n. n.*].  
**rufitarsis** Praocis, Gay & Solier, Ann. Soc. Ent. France, IX (3) *post* Ap. 1841, 227.  
**rufitarsis** Prionomyia (Meig.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 52.—Cerato-  
**rufitarsis** Pristonychus, J. Curtis, Tr. Linn. Soc. London, XVIII (2) 1839, 189. [pogon.  
**rufitarsis** Quedius (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 23.—Staphylinus.  
**rufitarsis** Salius, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 333.  
**rufitarsis** Scenopinus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 165.



- rufitarsis** Selandria, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 394.
- rufitarsis** Sphodrus, G. Fischer v. W., Entom. Imp. Russ. II., *post* Nov. 1824, 113.
- rufitarsis** Staphylinus, T. Marsham, Coleopt. Brit., Sept. 1802, 512.
- rufitarsis** Stenus, J. F. Stephens (*ex* Kirby MS), Nom. Brit. Ins., Aug. 1829, 24 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Nov. 1833, 286.
- rufitarsis** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 410.
- rufitarsis** Tachinus, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (1) 1849, 90.
- rufitarsis** Tachyerges, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13 [*n. n.*]; & Ill. Brit. Ent. (Mand. IV.) Mar. 1831, 67.
- rufitarsis** Taphoxenus (Fisch.), V. v. Mochulski, Kaefer Russl., *post* May 1850, 45.—
- rufitarsis** Tephritis, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 110. [Sphodrus.
- rufitarsis** Xylocopa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 191.
- rufitarsus** Endomychus, L. A. A. Chevrolat, Coléopt. Mex. (5) Jan. 1835, no. 123.
- rufitarsus** Eurytoma, F. Walker, Entom. Mag. II (2) Ap. 1834, 154.
- rufitarsus** Paussus, J. O. Westwood, Tr. Linn. Soc. London, XVI (3) 1833, 638.
- rufo-testacea** Cantharis, Letzner, Uebers. Arb. schles. Ges. 1844 (1845), 72.
- rufo-testacea** Mycetomyza, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62 [*n. n.*].
- rufo-testacea** Myrmica, A. Foerster, Verh. nat. Ver. pr. Rheinl. VII. 1850, 489.
- rufithorax** Acupalpus (Sahlb.), Dejean, Spec. gén. Coléopt. IV. 1829, 438.—Harpalus.
- rufithorax** Agelaia (Lep.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 395.—Rhopalidia.
- rufithorax** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (8) 1849, 88 [*"Mon. Anth." poster. edit.*].
- rufithorax** Apotomus, Pecchioli, Ann. Soc. Ent. France, VI (4) *post* Jan. 1838, 445.
- rufithorax** Bibio, C. R. W. Wiedemann, Ausseurop. Zweifl. Insekt. I. 1828, 78.
- rufithorax** Bradycellus (Sahlb.), W. F. Erichson, Käfer Mark Brand. I (1) 1837, 64.—
- rufithorax** Ceratogonys, M. Perty, Del. anim. artic. Brasil. (1) 1830, 24. [Harpalus.
- rufithorax** Chlaenius, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 112.
- rufithorax** Dasyogon, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 410.
- rufithorax** Elater, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 108.
- rufithorax** Erax, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 210.
- rufithorax** Harpalus, C. R. Sahlberg, Diss. Ent. Ins. Fenn. (17) 1827, 260; & Ins. Fenn. I.
- rufithorax** Leptis, T. Say, J. Acad. Nat. Sci. Philad. III. May 1823, 36. [1834, 260.
- rufithorax** Limnobia, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. I. 1828, 548.
- rufithorax** Lycosoides, H. Lucas, Explor. Algér. (Artic. I.) 1846, 125.
- rufithorax** Mydas, C. R. W. Wiedemann, Dipt. exot. 1821, 117.
- rufithorax** Pedilus, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 375.
- rufithorax** Pipiza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 350.
- rufithorax** Plecia, F. Walker, List Dipt. Coll. B. M. (1) 1848, 116.
- rufithorax** Rhopalidia, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836 [1835], 539.
- rufithorax** Silpha, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 71.
- rufithorax** Tabanus, F. Walker, List Dipt. Coll. B. M. (1) 1848, 165.
- rufithorax** Theridion, H. Lucas, Explor. Algér. (Artic. I.) 1846, 259.
- rufitibialis** Lispe, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 325.
- rufitibia** Erax, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 187.
- rufitibius** Merodon, C. Rondani, N. Ann. Sci. Nat. [2] IV. 1845 [Oct.], 259.
- rufitinctus** Spizaetus, J. McClelland, Proc. Zool. Soc. London, VII (82) Mar. 1840, 153.
- rufitorquatus** Caprimulgus, L. P. Vieillot, Faune Française (9 & 10) Oiseaux, 1824, 142.
- rufitorques** Anas, C. Bonaparte, J. Acad. Nat. Sci. Philad. III. Ap. 1824, 381.
- rufitorques** Anas, A. Wilson, Amer. Ornith. VIII. 1824 (Ord's ed. 2), p. vii.
- rufitorques** Aster, T. R. Peale in Wilkes, U.S. Expl. Exped. VIII. 1848, 68.
- rufitorques** Fuligula, C. L. Bonaparte, Ann. Lyceum N. H. New York, II (12) ? Jan. 1828, 393.—Anas, 1824.
- rufitorques** Milvulus (Hartl.), G. R. Gray, Gen. Birds, I. May 1847, 248.—Turdus.
- rufitorques** Pipillo, W. Swainson, Anim. in Menag., Dec. 1837, 312.
- rufitorques** Turdus (Merula), G. Hartlaub, Rev. Zool. (Soc. Cuv.) VII. June 1844, 214.
- rufitorquis** Caprimulgus, L. P. Vieillot, Ency. Méth. (Orn.) 1822, 546.

- rufo-ungulata** Trupanea, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 215.  
**rufovariegatus** Turdus, Drapiez, Dict. Class. H. N. X. 1826, 445.  
**rufivasa** Beroe, H. D. de Blainville, Man. Actin. 1834, 145.  
**rufovelatus** Euplectes, L. Fraser, Zool. typica [184-], pl. 46.  
**rufovelatus** Euplectes, L. Fraser, Proc. Zool. Soc. London, X (117) Feb. 1843, 142.  
**rufovelatus** Ploceus (Fras.), G. R. Gray, Gen. Birds, II. Mar. 1849, 353.—Euplectes.  
**rufivena** Dundubia, F. Walker, List Homopt. Coll. B. M. (1) 1850, 59.  
**rufiventris** Accipiter, [A. Smith], Cat. S. A. Mus. 1837, 25 [*n. n.*].  
**rufiventris** Accipiter, A. Smith; G. R. Gray, Gen. Birds, I. June 1849, 29.  
**rufiventris** Allantus (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 30.—Tenthredo.  
**rufiventris** Alysia, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 253.—Bassus, 1812.  
**rufiventris** Ammobates, P. A. Latreille, Gen. Crust. Ins. IV. 1809, 169.  
**rufiventris** Anabarhynchus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 405.  
**rufiventris** Andrena, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 255.  
**rufiventris** Anisoscelis, W. S. Dallas, Tr. Entom. Soc. Lond., n. s. I (1) Feb. 1850, 5.  
**rufiventris** Anomala, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 526.  
**rufiventris** Anoncodes (Scop.), W. Schmidt, Linnaea Entom. I. Feb. 1846, 100.—Cantharis, 1763.  
**rufiventre** Anthidium, P. A. Latreille, Ann. Mus. H. N. (Paris) XIII (73) Mar. 1809, 49.  
**rufiventre** Anthidium, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 339.  
**rufiventris** Anthophora, J. C. Fabricius, Syst. Piezat. 1804, 378.  
**rufiventris** Apate, H. Lucas, Rev. Zool. (Soc. Cuv.) VI. May 1843, 159.  
**rufiventris** Aphritis, C. Rondani in Baudi & Truqui, Studi Ent. I. 1848, 73.  
**rufiventris** Apis, W. Kirby, Mon. Apum Angl. II. 1802, 187.  
**rufiventris** Asilus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 260.  
**rufiventris** Asilus (Macq.), F. Walker, List Dipt. Coll. B. M. (2) 1849, 409.—Proctacanthus.  
**rufiventris** Asthenurus, C. L. Bonaparte, Proc. Zool. Soc. London, V (59) June 1838, 120.  
**rufiventris** Asthenurus, C. L. Bonaparte, N. Ann. Sci. Nat. II. 1838, 412.  
**rufiventris** Athous, J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 33.—Elater, 1822.  
**rufiventris** Banchus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,  
**rufiventris** Bassus, Nees v. E., Ges. Nat. Fr. Berlin, Mag. VI (3) 1812, 213. [125].  
**rufiventer** Bidens, J. B. v. Spix, Avium Brasil. I. 1824, 14.  
**rufiventris** Bombylius, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 244.  
**rufiventris** Bracon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,  
 360.  
**rufiventris** Brenthus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 538.  
**rufiventris** Brentus, J. Sturm, Catal. Ins. Samml. 1826, 103 [*n. n.*].  
**rufiventer** Buteo, T. C. Jerdon, Madras Journ. XIII (30) Ap. 1844, 165.  
**rufiventer** Byrrhus, E. Newman, Entom. Mag. I (5) Oct. 1833, 508.  
**rufiventre** Callichroma, E. F. Germar, Ins. spec. novae, I. 1824, 495.  
**rufiventre** Callidium, Dejean, Catal. Coléopt. 1821, 110 [*n. n.*].  
**rufiventris** Calliphora, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 98.  
**rufiventris** Campephaga, G. R. Gray, Gen. Birds, I. June 1846, 283.  
**rufiventris** Campoplex, J. L. C. Gravenhorst, Ichneum. Europ. III. 1829, 552.  
**rufiventris** Cerceris, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 29.  
**rufiventris** Chalcoplacis, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 162.  
**rufiventris** Chelonus, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 154, 1838, no. 12.  
**rufiventris** Chironomus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 249.  
**rufiventer** Chlamys, T. Lacordaire, Mém. Soc. R. Sci. Liège, V. May 1848, 695.  
**rufiventris** Chlorops, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 593.  
**rufiventris** Chrysomyia, J. Macquart (Roret's Suite à Buffon), Diptères, I. 1834, 264.  
**rufiventris** Chrysoprasia (Germ.), J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post*  
 Mar. 1834, 7.—Callichroma.  
**rufiventris** Cicada, F. Walker, List Homopt. Coll. B. M. (1) 1850, 159.  
**rufiventris** Cicindela, Dejean, Catal. Coléopt. 1821, 1 [*n. n.*]; Spec. gén. Coléopt. I. 1825,  
**rufiventris** Cimex, E. F. Germar, Revue Entom. V (3) 1840, 167. [102].  
**rufiventris** Cistela, J. Waltl, Reise Tyrol etc. (2) 1835, 75.

- rufiventris** Coccothraustes, L. P. Vieillot, N. Dict. H. N., ed. 2, XIII. 1817, 543.
- rufiventris** Coelioxys, M. Spinola, Ann. Soc. Ent. France, VII (4) *post* Jan. 1839, 531.
- rufiventris** Colluricincla, J. Gould, Proc. Zool. Soc. London, VIII (94) July 1841, 164.
- rufiventris** Conops, Macquart in H. Lucas, Explor. Algér. (Artic. III.) 1849, 474.
- rufiventris** Crabro, G. W. F. Panzer, Ins. Germ., heft 72, 1799, tab. 12.
- rufiventris** Crypsirina (Vieill.), E. Blyth, J. Asiat. Soc. Bengal, XII. 1843, 933.—Pica.
- rufiventris** Cryptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 497.
- rufiventer** Cuculus, R. P. Lesson, Voy. "Coquille," Zool. I (2) 1830, 622.
- rufiventer** Cuculus, R. P. Lesson, Traité Ornith. (2) May 1830, 150.
- rufiventris** Cuterebra, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 178.
- rufiventris** Dasycephala (Vieill.), G. R. Gray, Gen. Birds, I. Dec. 1846, 208.—Tyrannus.
- rufiventris** Dasypogon, C. R. W. Wiedemann, Dipt. exot. 1821, 223.
- rufiventris** Dexia (Fall.), J. W. Zetterstedt, Dipt. Scand. VIII. 1849, 3264.—Musca.
- rufiventris** Dioxys, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 516.
- rufiventris** Discocephala, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 166.
- rufiventris** Elater, J. F. Eschscholtz, Entomographien, I (1) 1822, 71.
- rufiventris** Empis, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 86.
- rufiventris** Entylia, E. F. Germar, Revue Entom. III (5) 1835, 249.—Membracis, 1821.
- rufiventris** Epilachna, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 859.
- rufiventris** Erax, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 224.
- rufiventris** Eristalis, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 257.
- rufiventer** Eudynamys (Less.), G. R. Gray, Gen. Birds, II. July 1847, 464.—Cuculus.
- rufiventris** Eumerus, *vide sub* Fumerus.
- rufiventris** Euphone, M. H. K. Lichtenstein, Preis-Verz. Doubl. Berlin, 1820 in Isis, 1821 (Beilage), 6.
- rufiventris** Euphonia (Vieill.), G. R. Gray, Gen. Birds, II. July 1844, 367.—Tanagra.
- rufiventris** Exorista, J. Macquart, Ann. Soc. Ent. France [2] VII (4) *post* Feb. 1850, 380.
- rufiventer** Falco, J. Gould, Proc. Zool. Soc. London, V (58) May 1838, 97.
- rufiventris** Formica, J. C. Fabricius, Syst. Piezat. 1804, 409.
- rufiventris** Fumerus (*sic*), E. Eversmann, Bull. Soc. Imp. Nat. Moscou, VII. 1834, 425 [*n. n.*].
- rufiventer** Halcyon, W. Swainson, Birds W. Africa, II (Nat. Libr. XIX.) Sept. 1837, 101.
- rufiventer** Halmaturus (Og.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1841, 120.—
- rufiventris** Haltica, J. Sturm, Catal. Ins. Samml. 1826, 147 [*n. n.*]. [Macropus.
- rufiventris** Helomyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 58.
- rufiventris** Hemiteles, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
- rufiventris** Hermetia, J. C. Fabricius, Syst. Antliat. 1805, 63. [1846, 254.
- rufiventre** Himatidium, C. H. Boheman, Mon. Cassid. I. 1850, 73.
- rufiventris** Hylemyia, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 320.
- rufiventris** Ichneumon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.
- rufiventer** Jacchus, J. E. Gray, Ann. Mag. N. H. XII. Dec. 1843, 398. [1846, 301.
- rufiventris** Joppa, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 283.
- rufiventris** Juida (Ruepp.), G. R. Gray, Gen. Birds, II. Ap. 1846, 327.—Lamprotornis.
- rufiventris** Jurinia, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 198.
- rufiventris** Lamprotornis, A. Smith, S. African Quart. Journ. II. no. 2 (2) Mar. 1834, 144.
- rufiventris** Lamprotornis, E. Rueppell, Neue Wirbelth. Abyssin. (5) 1836, 27.
- rufiventre** Lathrobium, A. Nordmann, Mém. présentés Ac. Imp. Sci. St Pétersb. IV (1 & 2) Oct. 1837, 147.
- rufiventris** Lauxania, J. Macquart, Mém. Soc. R. Sci. Lille, 1847 (2) 1848, 228.
- rufiventer** Leptopteryx (Val.), J. Wagler, Syst. Avium, I. 1827, sign. 118.—Ocypterus.
- rufiventris** Leptura, T. Marsham, Coleopt. Brit., Sept. 1802, 341.
- rufiventris** Leptura, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 193.
- rufiventris** Leptura, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842; Longic. Suppl.
- rufiventris** Lithocharis (Nordm.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 514.—Lathrobium.
- rufiventris** Ludius, F. Gebler, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (4) 1847, 425.
- rufiventris** Lyrops, M. Spinola, Ann. Soc. Ent. France, VII (4) *post* Jan. 1839, 479.

- rufiventer** Macropus, W. Ogilby, Proc. Zool. Soc. London, VI (62) July 1838, 23.
- rufiventer** Macropus (Halmaturus), W. Ogilby, Ann. Nat. Hist. I (3) May 1838, 220.
- rufiventris** Macrus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- rufiventris** Malachius, J. F. Eschscholtz, Entomographien, I (1) 1822, 64. [164.]
- rufiventris** Mallophora, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 207.
- rufiventri** (*sic*) Megachile, Guérin-M. in C. Bélanger, Voy. Indes Orient. (7) Aug. 1833, 502.
- rufiventris** Megapelmus, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 358.
- rufiventris** Megaprosopus, Guérin in J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 241.
- rufiventris** Meliphaga (Lath.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 262.—Sylvia.
- rufiventris** Melipona, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. I. 1836
- rufiventris** Meloe, E. F. Germar, Fauna Ins. Europ. (15) [1831-35], 6. [[1835], 421.]
- rufiventris** Membracis, E. F. Germar, Mag. Entom. (Germar) IV. 1821, 14.
- rufiventris** Meria, F. Klug in Weber, Beitr. Nat. II. 1810, 200.
- rufiventris** Mesoleptus, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 90.
- rufiventris** Micropalpus, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 279.
- rufiventris** Microstylum, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 147.
- rufiventris** Mionectes (Licht.), J. J. Tschudi, Fauna Peru. (Orn.) 1846, 148.—Muscicapa, ? Gm. 1788.
- rufiventris** Musca, C. F. Fallen, K. Vet. Ac. Handl. 1816 (2) 1817, 239.
- rufiventer** Muscipeta, W. Swainson, Birds W. Africa, II (Nat. Libr. XIX.) Sept. 1837, 53.
- rufiventris** Mutilla, F. Klug, N. A. Ac. Caes. Leop. Car. X (2) 1821, 306.
- rufiventris** Mydas, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 364.
- rufiventris** Myiarchus (Orb.), J. Cabanis, Arch. f. Naturg. X (1) 1844, 273.—Tyrannus.
- rufiventris** Nomada (Kirby), K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 89.—Apis.
- rufiventris** Nomada, M. Spinola, Ins. Liguriae, I. 1806, 47.
- rufiventris** Nomia, M. Spinola, Ann. Soc. Ent. France, VII (4) *post* Jan. 1839, 514.
- rufiventris** Numenius, N. A. Vigors, Zool. Journ. IV (15) Jan. 1829, 356.
- rufiventer** Ocypterus, A. Valenciennes, Mém. Mus. H. N. (Paris) VI [1-3] Aug. 1820, 25.
- rufiventer** Ocypterus, C. J. Temminck in T. & Laugier, Pls. color. (84) May 1830.
- rufiventris** Oenanthe, L. P. Vieillot, N. Dict. H. N., ed. 2, XXI. 1818, 431.
- rufiventris** Omophilus (Waltl), H. C. Kuester, Käfer Europas, XX. 1850, 67.—Cistela.
- rufiventris** Oscinis, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 601.
- rufiventris** Oxygonia (Germ.), L. Fairmaire, Ann. Soc. Ent. France [2] IV (3) Dec. 1846, 304.—Entylia.
- rufiventer** [Oxynotus], J. Richardson, F. Bor.-Amer. (2) Feb. 1831, 483.
- rufiventris** Pachycephalus (Lath.), G. R. Gray, Ann. Mag. N. H. XI. Mar. 1843, 193.—
- rufiventris** Penelope, J. J. v. Tschudi, Arch. f. Naturg. IX (1) 1843, 386. [Sylvia.]
- rufiventris** Petrocincla, Jardine & Selby, Ill. Orn., pl. 129 (1833).
- rufiventris** Petroica (Vieill.), G. R. Gray, Gen. Birds, I. May 1846, 183.—Platyrrhynchos.
- rufiventris** Physoscelus (Panz.), Le Peletier de S. F. & Brullé, Ann. Soc. Ent. France, III (4) *post* Mar. 1835, 805.—Crabro, 1799.
- rufiventris** Phytocoris, C. F. Fallen, Hemipt. Sveciae, 1829, 100.
- rufiventris** Pica, L. P. Vieillot, Analyse, 1816, 68.
- rufiventris** Picumnus (Bonap.), G. R. Gray, Gen. Birds, II. Oct. 1845, 432.—Asthénurus.
- rufiventris** Pionus, E. Rueppell, Syst. Ueber. Vögel N.-O. Afr. 1845, 83.
- rufiventer** Pithecia, E. Geoffroy, Ann. Mus. H. N. (Paris) XIX (110) Oct. 1812, 116.
- rufiventris** Platydema, Laporte & Brullé, Ann. Sci. Nat. XXIII (92) Aug. 1831, 378.
- rufiventris** Platylabus, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 159.
- rufiventris** Platypeza, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 17.
- rufiventris** Platyrrhynchos, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVII. 1818, 21.
- rufiventer** Pnoepyga, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 82 [*n. n.*].
- rufiventer** Pnoepyga, B. H. Hodgson, Proc. Zool. Soc. London, XIII (146) Aug. 1845, 25.
- rufiventris** Podium, J. C. Fabricius, Syst. Piezat. 1804, 183.
- rufiventris** Polycyrtus, M. Spinola, Ann. Soc. Ent. France, IX (2) *post* June 1840, 161.
- rufiventris** Pompilus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 260.
- rufiventris** Proctacanthus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 239.
- rufiventris** Prosenia, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 96.

- rufiventris** Psilopus, J. Macquart, Mém. Soc. R. Sci. Lille, 1841 (1) 1842, 174.
- rufiventris** Psittacus (Pionus), E. Rueppell, Abh. Senckenb. Mus. III (2) 1842, 125.
- rufiventris** Pteromalus, F. Walker, Entom. Mag. III (2) July 1835, 192.
- rufiventer** Pteruthius, E. Blyth, J. Asiat. Soc. Bengal, XI. 1842 (*post* Feb.), 183.
- rufiventer** Pyrrhula, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- rufiventre** Rhagium, E. F. Germar, Fauna Ins. Europ. (23) 1843, 16. [[1802], 247.
- rufiventris** Rhamphocoenus (Bonap.), G. R. Gray, Gen. Birds, I. Mar. 1847, 157.—Scolopacinus.
- rufiventris** Rhipidura, S. Mueller in Temminck, Verh. nat. ges. Ned. overz. bezitt. (Landen Volkenk.) (6 & 7) 1843, 185.
- rufiventris** Rutilicilla (Sw.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 40.—Thamnobia.
- rufiventris** Saltator, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de
- rufiventris** Saltator, A. N. Vigors, Zool. "Blossom," 1839, 19. [Zool. VII. 1837, 35.
- rufiventris** Sarcophaga, C. R. W. Wiedemann, Aussereurop. Zweifl. Insekt. II. 1830, 362.
- rufiventer** Saxicola, W. Swainson, Anim. in Menag., Dec. 1837, 293.
- rufiventris** Sciomyza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 20.
- rufiventer** Sciurus, Geoffroy, N. Dict. H. N., ed. 2, X. 1817, 103.
- rufiventer** Sciurus, H. R. Schinz, Syst. Verz. Säug. II. 1845, 6.
- rufiventris** Scolapacinus, C. L. Bonaparte, Proc. Zool. Soc. London, V (59) June 1838, 119.
- rufiventris** Scolia, J. C. Fabricius, Syst. Piezat. 1804, 245.
- rufiventris** Scolia, G. Fischer de W., Magasin de Zool. (2) V. 1843, text to pl. 122, p. 3.
- rufiventris** Scolopacinus, C. L. Bonaparte, N. Ann. Sci. Nat. II. 1838, 348.
- rufiventris** Simia (Pithecia), F. S. Voigt in Cuvier, Thierreich, I. 1831, 96.
- rufiventris** Sparvius, L. P. Vieillot, N. Dict. H. N., ed. 2, X. 1817, 330.
- rufiventris** Spermophagus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 107.
- rufiventris** Sphecodes (Panz.), C. Wesmael, Bull. Ac. Roy. Brux. II. 1835, 284.—Tiphia,
- rufiventris** Stenogaster, E. F. Germar, Revue Entom. V (3) 1840, 141. [1798.
- rufiventre** Stigmatium, J. O. Westwood in A. White, Nomen. Coleopt. Coll. B. M. (4)
- rufiventris** Sylvia, J. Latham, Index Orn., Suppl. 1801, p. liv. [1849, 54.
- rufiventris** Syngaster, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 458.
- rufiventris** Syrphus, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 454.
- rufiventris** Tabanus, J. C. Fabricius, Syst. Antliat. 1805, 96.
- rufiventris** Tabanus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 145.
- rufiventer** Tachyphonus (Spix), W. Jardine, Contrib. Ornith. III. 1850, 49 (cancel page).—Tanagra, ? Licht.
- rufiventris** Tanagra, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXII. Sept. 1819, 426.
- rufiventris** Tanagra, M. H. C. Lichtenstein, Preis-Verz. Säug. Vög. Doubl. Zool. Mus. Berlin, 1819, 41.
- rufiventris** Tchitrea (Sw.), G. R. Gray, Gen. Birds, I. Aug. 1846, 259.—Muscicapa.
- rufiventris** Tenthredo (Allantus), F. Klug (*ex* Fab.), Ges. Nat. Fr. Berlin, Mag. VIII (3)
- rufiventer** Tesia, B. H. Hodgson, J. Asiat. Soc. Bengal, VI. 1837, 102. [1817, 181.
- rufiventris** Tettigonia, D. H. Schneider, Verz. Insectensamml. 1828, 92 [*n. n.*].
- rufiventer** Thamnobia, W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i. e.* Feb. 1832], 489.
- rufiventer** Thamnophilus, E. Cornalia, Vert. Syn. mus. Mediolan. 1849, 12.
- rufiventris** Thynnus, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 227.
- rufiventris** Tipula, J. Macquart, Mém. Soc. R. Sci. Lille, 1844, 1845, 1846, 141.
- rufiventris** Triplax, F. Gebler, N. Mém. Soc. Imp. Nat. Moscou, II. 1832, 75.
- rufiventris** Turdus, L. P. Vieillot, N. Dict. H. N., ed. 2, XX. May 1818, 226.
- rufiventris** Turdus, M. H. C. Lichtenstein, Verz. ausgestop. Säug. Vög. 1818, 15.
- rufiventer** Turdus, J. B. v. Spix, Avium Brasil. I. 1824, 70.
- rufiventris** Tyrannus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXV. Dec. 1819, 93.
- rufiventris** Tyrannus, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 45.
- rufiventer** Vanellus, R. P. Lesson, Echo Monde Savant, XI. 1 Aug. 1844, 207.
- rufiventris** Wiedemannia (Zett.), H. Loew, Entom. Zeitung, Stettin, VIII (8) Aug. 1847, 251.—Musca, ? Fall.

- rufiventris** Xystus, T. Hartig in E. F. Germar, Zeitschr. f. d. Entom. II (1) 1840, 200.
- rufi-vertex** Arremon, F. Prévost, Rev. Zool. (Soc. Cuv.) V. Nov. 1842, 335.
- rufivertex** Iridosornis, R. P. Lesson, Echo Monde Savant, XI. 14 July 1844, 80.
- rufivertex** Muscisaxicola, A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 66.
- rufivertex** Poecilornis (Prév.), G. Hartlaub, Rev. Zool. (Soc. Cuv.) VII. Oct. 1844, 369.—Arremon.
- rufivertex** Ptyonura (Orb.), J. Cabanis, Arch. f. Naturg. X (1) 1844, 277.—Muscisaxicola.
- rufivertex** Tanagra (Calliste), F. Prévost & O. des Murs in Du Petit-Thouars, Voy. "Vénus" (Ois.) 1849, 212.
- rufovirens** Cassida, E. Suffrian, Entom. Zeitung, Stettin, V (4) Ap. 1844, 144.
- rufovirens** Helix (Succinea), S. Moricand, Mém. Soc. Phys. H. N. Genève, XI (1) 1846, 147.
- rufovirens** Vitrina (Moric.), L. Pfeiffer, Symb. Helic. III. 1846, 45.—Helix (Succinea).
- rufo-viridis** Cercopithecus, I. Geoffroy, Dict. Univ. Hist. Nat. III. Jan. 1843, 307.
- rufoviridis** Chloronerpes (Malh.), G. R. Gray, Gen. Birds, II. Sept. 1846, 443.—Picus.
- rufoviride** Distoma, C. A. Rudolphi, Entoz. Syn. Mant. 1819, 110.
- rufoviridis** Malcoha, F. S. Voigt in Cuvier, Thierreich, I. 1831, 705.
- rufoviridis** Picus (Chloropicus), A. Malherbe, Rev. Zool. (Soc. Cuv.) VIII. Nov. 1845, 401.
- rufovittatum** Agrion, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 217.
- rufovittata** Cetonia, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) III. Mar. 1840, 82.
- rufovittatus** Chironomus, C. Staeger, Naturhist. Tidsskrift, II (6) 1839, 570.
- rufo vittata** Pangonia, J. Macquart, Mém. Soc. N. Sci. Lille, 1849, 1850, 323.
- rufizona** Andrena, L. Imhoff, Isis (Oken), 1834, 371.
- rufo-zonatus** Lycodon, T. Cantor, Ann. Mag. N. H. IX. Aug. 1842, 483.
- rufo-zonata** Lycodon, T. Cantor, Zool. Chusan, 1842, pl. x.
- rufozonata** Scolia, P. A. Latreille in Cailliaud, Voy. Méroé, IV. 1827, 288.
- rufo**→ *v.* **rufi**→.
- rufula** Acosmetia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 43.—Phytometra
- rufulus** Acupalpus, Dejean, Spec. gén. Coléopt. IV. 1829, 470. [rufa.]
- rufula** Agrodoma (Vieill.), T. C. Jerdon, Madras Journ. XI (26) Jan. 1840, 34.—Anthus.
- rufulus** Anthus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 494.
- rufula** Aphis, F. Walker, The Zoologist, VII. 1849, App., p. xlvii.
- rufulus** Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 213.
- rufula** Artemis, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 389.
- rufulus** Bruchus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 101.
- rufulum** Buccinum, L. C. Kiener, Spec. Coquilles (Buccinum) 1834, 89.
- rufulus** Caligonus, C. L. Koch, Deutsch. Crust., heft 5, 1837, tab. 9.
- rufula** Calleida, H. Gory, Ann. Soc. Ent. France, II (2) c. July 1833, 188.
- rufula** Calliaspis, C. H. Boheman, Mon. Cassid. I. 1850, 87.
- rufulus** Cardiophorus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. II (2) 1840, 319.
- rufulus** Circus, L. P. Vieillot, N. Dict. H. N., ed. 2, IV. 1816, 466.
- rufulus** Clerus, Dejean, Catal. Coléopt. 1821, 41 [*n. n.*].
- rufulus** Coluber, H. Lichtenstein, Verz. Samml. südafr. Nat., June 1834, 11 [*n. n.*].
- rufulus** Conurus, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XXII. 1849 (1) 1849, 79.
- rufula** Coronella, H. Schlegel, Essai phys. Serp. 1837, I., 137; II., 74.
- rufula** Corticaria (Zett.), C. G. Mannerheim in Germar, Zeitschr. f. d. Entom. V. 1844, 66.—Latri dius.
- rufulus** Cryptus (Gm.), J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 622.—Ichneu-
- rufulus** Cuculus, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 234. [mon, 1790.]
- rufulum** Cyclostoma, L. Partiot, Mém. Cyclost. 1848, 19.
- rufulus** Cydnus, F. A. Kolenati, Melet. Entom. (4) May 1846, 70.
- rufula** Danae, L. Reiche in Ferret & Galinier, Voy. Abyssin. III [1850], 408.
- rufulum** Elaphidion, S. S. Haldeman, Tr. Amer. Phil. Soc., n. s. X (1) Nov. 1847, 32.
- rufulus** Elater, Dejean, Catal. Coléopt. 1821, 34 [*n. n.*].
- rufulus** Gampsorhynchus, E. Blyth, J. Asiat. Soc. Bengal, XIII. 1844 (post Oct.), 371.
- rufulus** Garrulax (Blyth), G. R. Gray, Gen. Birds, III. App. 1849, 10.—Gampsorhynchus.
- rufula** Grallaria, De Lafresnaye, Rev. Zool. (Soc. Cuv.) VI. Ap. 1843, 99.
- rufula** Helix, L. Pfeiffer, Zeitschr. f. Malakozool., Oct. 1849 [Mar. 1850], 160.

- rufulus** Hister, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, VI. 1839, 6.
- rufula** Homalota, O. Heer, Coleopt. Helvet. (2) 1839, 326.
- rufulus** Hybosorus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 108.
- rufulus** Hydaticus, Chevrolat in C. Aubé, Spec. gén. Hydroc. 1838, 199.
- rufulus** Hydroporus, Dahl in C. Aubé in Dejean & Boisduval, Icon. Coléopt. V. 1838, [349].
- rufulus** Hypochthonius, C. L. Koch, Deutsch. Crust., heft 3, 1837, tab. 19.
- rufulus** Hypophloeus, W. G. Rosenhauer, Beitr. Ins. Faun. Europ. 1847, 32.
- rufulus** Hypsibemon (Lafr.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 218.—Grallaria.
- rufulus** Lamprophis, A. Smith, Ill. Zool. S. Afr. (Rept.) pl. lviii, 1847.
- rufulus** Latridius, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 199.
- rufula** Lebia, L. Buquet, Ann. Soc. Ent. France, III (4) *post* Mar. 1835, 680.
- rufula** Leimacis, A. Foerster, Linnaea Entom. II. July 1847, 208.
- rufula** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 332.
- rufula** Leptura (Hald.), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. I (4) Jan. 1850, 338.—Pachyta.
- rufula** Leptura (Hald.), J. L. Leconte in Agassiz, Lake Superior, 1850, 236.—Pachyta.
- rufulus** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 92.
- rufula** Lycodonomorphus (Schleg.), L. Fitzinger, Syst. Rept. 1843, 27.—Coronella.
- rufula** Melania, S. S. Haldeman, Mon. Limniades N. Amer., wrapper of (2) Jan. 1841, [3].
- rufula** Muscicapa, De Lafresnaye, Rev. Zool. (Soc. Cuv.) III. Mar. 1840, 66.
- rufula** Niltava (Lafr.), G. R. Gray, Gen. Birds, I. Aug. 1846, 264.—Muscicapa.
- rufula** Oliva, P. L. Duclos, H. N. Coq. (Olive) 1835, pl. 19 [*n. et f.*].
- rufulum** Omalium, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 883.
- rufula** Ornismya, A. Delattre, Echo Monde Savant, X. 15 June 1843, 1070.
- rufula** Pachyta, S. S. Haldeman, Tr. Amer. Phil. Soc., n. s. X (1) 1847, 60.
- rufulus** Pezomachus, A. Foerster, Arch. f. Naturg. XVI (1) 1850, 148.
- rufulus** Phacellopterus, C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 117.
- rufulus** Polydrusus, J. H. Hochhuth, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (2) 1847, 1847.
- rufula** Psylla, A. Foerster, Verh. nat. Ver. pr. Rheinl. V. 1848, 76. [479].
- rufulus** Trechus, Dejean, Spec. gén. Coléopt. V. 1831, 15.
- rufulus** Troglodytes, J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 672.
- rufulus** Tryphon, J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Nov. 1835, 244.
- rufulus** Turdus, Drapiez, Dict. Class. H. N. X. 1826, 443.
- rufuncula** Miana (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 41.—Noctua.
- rufuncula** Noctua, A. H. Haworth, Lepidopt. Brit. (2) 1809, 216.
- rufa** Acidota (Grav.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 25.—Omalium.
- rufa** Acinia, J. Macquart, Mém. Soc. R. Sci. Lille, 1842, 1843, 385.
- rufa** Aclesia (Quoy), J. E. Gray, Figs. Moll. Anim. IV. 1850, 98.—Aplysia.
- rufa** Actinia (Entacmaea), Müll.; C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834), 260.
- rufa** Adimonia, Megerle in L. Redtenbacher, F. Austr., Käfer, 1849, 523.
- rufus** Aedes, B. A. Gimmerthal, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4) 1845, 295.
- rufa** Aegialia (Fab.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (6) 1848, 918.—Scarabaeus, 1792. [694.—Megalopus.
- rufus** Agathomerus (Klug), T. Lacordaire, Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 1845.
- rufus** Alcides, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (2) 1836, 615.
- rufa** Aleochara, F. V. Melsheimer, Ins. Pennsylv. 1806, 59 [*n. n.*].
- rufa** Altica, Knoch in F. V. Melsheimer, Ins. Pennsylv. 1806, 22 [*n. n.*].
- rufa** Aluatta, G. Fischer, Zoogn., ed. 3, II. 1813, 550.
- rufa** Amphisbaena, F. G. Hemprich, Ges. Nat. Fr. Berlin, Verh. I (2) 1820, 130.
- rufus** Anabates (Less.), G. R. Gray, Gen. Birds, I. Feb. 1846, 138.—Xenops.
- rufa** Anas, Linné, Fauna Suecica, ed. 2, 1761, Faunula Suecica, no. 134 [*teste* Iredale].
- rufa** Anaspis (Melsh.), T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 244.—Mordella.
- rufa** Anguis, G. Shaw, Gen. Zool. (Amph.) III (2) 1802, 586.
- rufus** Anilius (Laur.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Rept. 1830, Syn., 75.—Anguis, Gm. 1789.
- rufa** Anisonyx, C. S. Rafinesque, Amer. Monthly Mag. II (1) Nov. 1817, 45.
- rufa** Anisotoma, Dejean, Catal. Coléopt. 1821, 69 [*n. n.*].

- rufum** Anobium, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 20.
- rufus** Anthonomus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 347.
- rufa** Anthophora, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 48.
- rufa** Anthrax, C. R. W. Wiedemann, Zoologisches Magazin, I (2) 1818, 41.
- rufa** Anthus (Gm.), Cuvier, Règne Anim. I. 1817, 372.—Alauda, Pl. Enlum., 738.
- rufa** Antilope, A. Afzelius, N. Acta Soc. Sci. Upsal. VII. 1815, 250.
- rufus** Antrostomus (Gm.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 61.—Caprimulgus, 1788.
- rufa** Apate, F. W. Hope, Ann. Mag. Nat. Hist. XI (67) Jan. 1843, 65.
- rufus** Aphodius, J. C. Fabricius, Syst. Eleuth. I. 1801, 82.
- rufus** Aphodius, Dufts.; Dejean, Catal. Coléopt. 1821, 54 [*n. n.*].
- rufus** Aphodius (Moll), E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 221.—Scarabaeus, 1782.
- rufa** Aplysia, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1832), 314.
- rufus** Apoderus (Fab.), A. G. Olivier, Entom. V. 1807, 18.—Attelabus.
- rufus** Apotamus (Rossi), W. E. Leach, Brewster's Edin. Ency. IX (1) 1815, 80.—Scarites,
- rufa** Aranea, Degeer, Mém. Ins. VII. 1778, 319. [1790.]
- rufa** Arctomys (Raf.), R. Harlan, Fauna Americana, 1825, 308.—Anisonyx.
- rufa** Argonauta, R. Owen, Proc. Zool. Soc. London, IV (38) May 1836, 23.
- rufus** Argus (Wider), C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 348.—Theridion.
- rufus** Arion (L.); Millet, Actes Soc. Linn. Bordeaux, VI (34) 1833, 115.—Limax.
- rufus** Artamus (L.), G. R. Gray, Gen. Birds, III. App. 1849, 13.—Lanius, 1766.
- rufa** Artemis (Lam.), L. Reeve, Conch. Icon. VI.—Artemis, no. 3, Ap. 1850.—Cytherea.
- rufa** Athene, J. Gould, Proc. Zool. Soc. London, XIV (156) May 1846, 18.
- rufa** Atomaria, Chevrier in O. Heer, Coleopt. Helvet. (3) 1841, 431.
- rufus** Attelabus, J. C. Fabricius, Syst. Eleuth. II. 1801, 418.
- rufus** Attila (Vieill.), De Lafresnaye, Rev. Zool. (Soc. Cuv.) XI. Feb. 1848, 46.—Tyrannus.
- rufus** Attus, N. M. Hentz, Boston Journ. N. H. V (3) 1846, 356.
- rufus** Aulacus, J. O. Westwood, Ann. Mag. Nat. Hist. VII (Suppl.) Sept. 1841, 538.
- rufa** Avicula, W. Dunker, Zeitschr. f. Malakozool. (Dec.) 1848 [Ap. 1849], 180.
- rufus** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 166.
- rufa** Baris, D. H. Schneider, Verz. Insectensamml. 1828, 80 [*n. n.*].
- rufus** Blanus (Hempr.), A. F. A. Wiegmann, Herpet. Mex. 1834, 21.—Amphisbaena.
- rufa** Blephariptera, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 414.
- rufus** Bodianus, S. L. Mitchell, Tr. Lit. Phil. Soc. N. York, I. 1815, 420.
- rufa** Boletaria, T. Marsham, Coleopt. Brit., Sept. 1802, 139.
- rufus** Bolitobius, W. F. Erichson, Käfer Mark Brand. I (2) 1839, 407.
- rufus** Bombylius; J. Macquart, Mém. Soc. R. Sci. Lille, 1840, 1841, 369.
- rufa** Borlasia, H. Rathke, N. A. Ac. Caes. Leop. Car. XX (1) 1843, 234.
- rufa** Bothryonopa, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) III. Nov. 1840, 332.
- rufa** Bryaxis, H. M. Schmidt, Beytr. Mon. Pselaphen, 1838, 6.
- rufum** Buccinum, W. Dunker, Zeitschr. f. Malakozool., Ap. 1847, 59.
- rufus** Bucco, J. B. v. Spix, Avium Brasil. I. 1824, 52.
- rufus** Bulimus (Less.), L. Pfeiffer, Mon. Helic. II. 1848, 229.—Partula.
- rufus** Buteo (Gm.), C. Dumont, Dict. Sci. Nat. (ed. 1) V. 1806, 461.—Falco, 1788.
- rufa** Caccabis (L.), G. R. Gray, List Birds Coll. B. M. III. 1844, 36.—Tetrao, 1758.
- rufus** Calathus; Dufts.; Dejean, Catal. Coléopt. 1821, 11 [*n. n.*].
- rufa** Calidris (Wils.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (1) 1824, 93.—
- rufa** Callicera, Schummel, Uebers. Arb. schles. Ges. 1841 (1842), 112. [Tringa.
- rufa** Calliphlox (Gm.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 10.—Trochilus,
- rufus** Campylopterus, R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Mar. 1840, 73. [1788.]
- rufus** Caprimulgus, L. P. Vieillot, Ois. Amér. sept. I. 1807, 57.
- rufus** Carabus, Megerle in K. Duftschmid, Fauna Austriae, II. 1812, 105.
- rufa** Cardita, G. P. Deshayes in Laborde, Voy. Arab. Pétrée, 1830, 66.
- rufa** Cassida, Dejean, Catal. Coléopt. 1821, 116 [*n. n.*].
- rufus** Catagenus (Fab.), J. O. Westwood, Zool. Journ. V (18) June 1830, 221.—Cucuius, 1798.



- rufus** Catolethrus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 1079.
- rufus** Celeus (Gm.), G. R. Gray, Gen. Birds, II. July 1846, 440.—Picus, 1788.
- rufa** Centris, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 153.
- rufus** Centrites (Gm.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 256.—Alauda, 1788.
- rufus** Centrophanes (Gm.), J. J. Tschudi, Fauna Peru. (Orn.) 1846, 167.—Alauda, 1788.
- rufus** Centropristes, Cuvier & Valenc., H. N. Poiss. III. 1829, 47. [[*n. n.*].
- rufus** Cercopithecus, J. K. W. Illiger, Abh. ph.-Kl. pr. Ak. Wiss. 1804-1811 (1815), 76
- rufus** Cervus, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-1811 (1815), 108 & 117.
- rufus** Cervus, F. Cuvier, Dict. Sci. Nat. VII. 1817, 485.
- rufa** Chlamys, F. Klug, Entom. Mon. 1824, 134.
- rufa** Chlorops, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 593.
- rufus** Chordeiles (Gm.), G. R. Gray, Gen. Birds, I. Jan. 1847, 49.—Caprimulgus, 1788.
- rufa** Chrysis, G. W. F. Panzer, Ins. Germ., heft 79, 1800, tab. 16.
- rufa** Chrysochloris, A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 156.
- rufus** Chrysolampus (Boyer), C. G. Nees v. E., Hymenopt. Ichn. aff. II. 1834, 427.—  
Cinips.
- rufa** Chrysomela, Meg.; Dejean, Catal. Coléopt. 1821, 122 [*n. n.*].
- rufa** Chrysomela, K. Duftschmid, Fauna Austriae, III. 1825, 186.
- rufa** Cicada, C. P. Thunberg, Hemip. Capen. I. 1822, 8.
- rufa** Cinips, Boyer de F., Ann. Sci. Nat. XXVI (103) July 1832, 290.
- rufa** Cinnryis, W. Macgillivray, Edinb. Journ. N. H., May 1836, 45.
- rufus** Circus (Gm.), F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799  
[1802], 221.—Falco, 1788.
- rufus** Circus (Gm.), *var. indica*; R. P. Lesson in C. Bélanger, Voy. Indes Orient. (4) Aug.  
1832, 228.
- rufa** Climacteris, J. Gould, Proc. Zool. Soc. London, VIII (94) July 1841, 149.
- rufa** Clitellaria, F. Walker, List Dipt. Coll. B. M. (3) 1849, 524.
- rufa** Clivina (Rossi), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 379.—Scarites,
- rufa** Clupea, B. G. E. de Lacepède, Hist. Nat. Poiss. V. 1803, 424. [1790.
- rufa** Clythra, J. Walzl (*ex* Klug), Isis (Oken), 1838, 472.
- rufus** Clytus (Ol.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 467.—Callidium, 1795.
- rufus** Coassus (F. Cuv.), J. E. Gray, List Mamm. Coll. B. M. 1843, 174.—Cervus.
- rufa** Coccidula (Hbst.), E. Mulsant, H. N. Coléopt. France (Sécurip.) Sept. 1846, 269.—  
Dermestes, 1783.
- rufa** Coccinella, A. H. Haworth, Tr. Entom. Soc. Lond. I (3) 1812, 283.
- rufa** Coccinella, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VII. 1820, 363.
- rufa** Coelogenys, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804-1811 (1815), 108  
[*n. n.*].
- rufa** Coenobia (Haw.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 134.—Phyto-  
metra.
- rufus** Coescoes (Desm.), C. Ranzani, Elem. Zool. II (2) 1820, 345.—Phalangista.
- rufa** Colaspis, J. Sturm, Catal. Ins. Samml. 1826, 123 [*n. n.*].
- rufa** Colpa, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 539.
- rufus** Coluber (Natrix), Lacep.; B. Merrem, Tent. Syst. Amph. 1820, 129.—? Gm. 1789.
- rufa** Corethra, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 808.
- rufa** Corticaria, T. Marsham, Coleopt. Brit., Sept. 1802, 111.
- rufus** Corvus (Scop.), J. Wilkes, Ency. Londin. V. 1802, 245.—Lanius, 1786.
- rufus** Cossonus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 268.
- rufa** Crepidodera, H. C. Kuester, Käfer Europas, XV. 1848, 91.
- rufus** Creurgus, F. O. Morris, The Naturalist, II (9) June 1837, 124.
- rufa** Crocidura, J. G. Wagler, Isis (Oken), 1832, 1218.
- rufus** Crymophilus, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 521.
- rufa** Crypsirina (Lath.), E. Blyth, J. Asiat. Soc. Bengal, XII. 1843, 933.—Corvus, 1790.
- rufus** Cryptonix, C. J. Temminck, Pig. et Gallin. III. 1815, 534.
- rufus** Cryptophagus, J. Walzl, Isis (Oken), 1838, 271.
- rufus** Ctenus, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 367.
- rufus** Culex, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. I. 1818, 7.
- rufus** Cursorius, J. Gould, Proc. Zool. Soc. London, IV (45) Jan. 1837, 81.

- rufus** *Cylindrophis* (Laur.), J. Wagler, Nat. Syst. Amph. 1830, 195.—*Anguis*, Gm. 1789.
- rufa** *Cypraea*, Lamarck, Ann. Mus. H. N. (Paris) XVI (92) *post* Oct. 1810, 92.
- rufa** *Cypraecassis* (Brug.), S. Stutchbury, Mag. Nat. Hist., n. s. I. Ap. 1837, 215.—  
? *Cassidea*, 1792.
- rufus** *Cyprinus*, J. N. Vallot, Mém. Ac. Sci. Dijon, 1836, Sci. (1836), 185.
- rufa** *Cyrtoma*, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 3.
- rufa** *Cytherea*, Lamarck, An. s. vert. V. 1818, 570. [54 [*n. n.*].
- rufa** *Daudebardia*, J. D. W. Hartmann in Sturm, Deutsch. Fauna (VI. Würm.) (5) 1821,
- rufus** *Dendrocolaptes*, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 1130.
- rufus** *Dendrocolaptes* (Vieill.), R. P. Lesson, Rev. Zool. (Soc. Cuv.) III. Sept. 1840, 269.—  
*Dendrocopus*.
- rufus** *Dendrocopus*, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 119.
- rufus** *Desmodus*, Max Wied, Beitr. Naturges. Brasil. II. 1826, 233.
- rufus** *Diaphoroncus* (Gory), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850  
(2) 1850, 376.—*Dolichus*.
- rufa** *Dichelacera*, J. Macquart, Mém. Soc. R. Sci. Lille, 1846, 1847, 29.
- rufus** *Discognathus*, J. J. Heckel in Russegger, Reise, I (2) 1843, 1071.
- rufus** *Ditylus*, G. Fischer v. W., Entom. Imp. Russ. I (Ent. Ruthen.) *post* May 1822, 33.
- rufus** *Dolerus* (Panz.), L. Jurine, N. Méth. class. Hyménopt. 1807, 58.—*Tenthredo*, 1799.
- rufus** *Dolichus*, H. Gory, Ann. Soc. Ent. France, II (2) *c.* July 1833, 231.
- rufum** *Dolium*, de Blainville, Dict. Sci. Nat. LIV. 1829, 502.
- rufus** *Dolomedes*, C. A. Walckenaer (*ex* Deg.), Tab. Aran. 1805, 16.
- rufa** *Donacia*, T. Say, J. Acad. Nat. Sci. Philad. V. Nov. 1826, 283.
- rufus** *Drassus*, C. L. Koch, Die Arachniden, VI (2) Ap. 1839, 33.
- rufa** *Drepanis* (Blox.), G. R. Gray, Gen. Birds, I. June 1847, 96.—*Fringilla*.
- rufa** *Drymoica*, L. Fraser, Proc. Zool. Soc. London, XI (121) July 1843, 17.
- rufus** *Dryochirus*, Chevrolat in J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 564.
- rufus** *Dysopes* (Geoff.), J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–1811 (1815),
- rufus** *Dytiscus*, F. V. Melsheimer, Ins. Pennsylv. 1806, 48 [*n. n.*]. [109.—*Molossus*.
- rufus** *Echelus*, C. S. Rafinesque-S., Car. n. gen. 1810, 65. [1827, 218.—*Loncheres*.
- rufus** *Echimys* (Licht.), J. E. Gray in Griffith's Cuvier, Anim. Kingd., Mamm., Syn.
- rufa** *Eletica*, Fab.; Dejean, Catal. Coléopt., ed. 2 (3) *ante* Oct. 1834, 224.
- rufus** *Ellescus*, Dufts.; Dejean, Catal. Coléopt. 1821, 87 [*n. n.*].
- rufa** *Ellipura* (Wied), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 229.—*Myiothera*.
- rufa** *Empis*, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 141.
- rufus** *Enneoctonus* (Br.), G. R. Gray, Gen. Birds, I. Feb. 1847, 291.—*Lanius*, L. 1766.
- rufa** *Ephemera*, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 296.
- rufus** *Epimacrus*, F. Walker, Entom. Mag. I (4) July 1833, 369.
- rufa** *Eपुरaea* (Say), W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 273.—
- rufus** *Erirhinus*, T. Say, Descr. N. Amer. Curcul., July 1831, 25. [Nitidula.
- rufus** *Eryx* (Gm.), F. M. Daudin, Sonnini's Buffon, Rept. VII (1803), 263.—*Anguis*, 1789.
- rufus** *Eumicrus* (Schuepp.), Laporte, Ann. Soc. Ent. France, I (4) *c.* Jan. 1833, 396.—  
*Scydmaenus*.
- rufus** *Eupelmus*, J. W. Dalman, K. Vet. Ac. Handl. 1820 (2) 1821, 383.
- rufa** *Fedoa* (Bech.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XII (1) 1824, 77.—  
*Limosa*, 1793.
- rufa** *Feronia* (Dufts.), Dejean, Spec. gén. Coléopt. III. 1828, 260.—*Carabus*.
- rufa** *Ficedula* (L.), K. L. Koch, Syst. baier. Zool. I. 1816, 160.—*Motacilla*, Gm. 1788.
- rufus** *Foenus*, J. O. Westwood, Ann. Mag. Nat. Hist. VII (Suppl.) Sept. 1841, 537.
- rufa** *Formicivora* (Wied), F. Ménétriés, Mém. Ac. Imp. Sci. St Pétersb. [6] III (2 = Sci.  
Nat. I.) (5) July 1835, 497.—*Myiothera*.
- rufa** *Fringilla*, A. Wilson, Amer. Ornith. III. 1811, 53.
- rufa** *Fringilla*, A. Bloxam in Byron, Voy. "Blonde," Sandwich Islands, 1826, 250.
- rufa** *Fringilla*, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 11.
- rufa** *Fringillaria*, W. Swainson, Anim. in Menag., Dec. 1837, 315.
- rufa** *Fuligula* (L.), G. R. Gray, Gen. Birds, III. Aug. 1844, 621.—*Anas*, Gm. 1788.
- rufus** *Furnarius* (Gm.), L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 116.—*Merops*,  
1788.

- rufus** Fusus (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xlviij, f. 47.—Murex.
- rufa** Galeruca, Meg.; E. F. Germar, Ins. spec. novae, I. 1824, 603.
- rufus** Geronticus (Scop.), G. R. Gray, Gen. Birds, III. Ap. 1847, 566.—Ardea, 1769.
- rufus** Glycebus, R. P. Lesson, Spec. des Mamm., Nov. 1840, 217.
- rufa** Glycimeris, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 6.
- rufus** Gobius, Marion de Procé, Bull. Sci. Soc. Philom. Paris, 1822 (Sept.), 132.
- rufus** Gomphocerus (L.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815, 221.—  
Gryllus, 1758.
- rufa** Gyrophaena (F. V. Melsh.), F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (2)  
Ap. 1844, 31.—Aleochara.
- rufa** Haltica, Knoch in K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 152.
- rufa** Haltica, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 3.
- rufus** Harpalus (Anisodactylus), A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1838, 35.
- rufus** Harpiocephalus (Temm.), J. E. Gray, Ann. Mag. N. H. X. Dec. 1842, 259.—  
Molossus.
- rufus** Harporhynchus (L.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 82.—Turdus,  
1758.
- rufa** Helix, J. P. R. Draparnaud, H. N. Moll. France, 1805, 118.
- rufa** Helix, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 305.
- rufa** Helix, J. E. De Kay, N. H. New York (Moll.) 1843, 44.
- rufa** Helix (Helicophanta), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821, 29.
- rufa** Helomyza (Panz.), C. F. Fallen, Heteromyzides Sveciae, 1820, 4.—Musca, 1798.
- rufa** Hemichroa (Panz.), J. F. Stephens, Ill. Brit. Ent. (Mand. VII.) Aug. 1835, 55.—  
Tenthredo, 1799.
- rufus** Hesperomys (Desm.), J. A. Wagner in Schreber, Säugth., Suppl. III. 1843, 540.—  
Mus.
- rufum** Himatidium, J. Sturm, Catal. Ins. Samml. 1826, 152 [*n. n.*].
- rufa** Hippoloetis, F. L. de Laporte, Etudes Entom. (2) 1835, 153.
- rufa** Hirundo, L. P. Vieillot, Ois. Amér. sept. I. 1807, 60.
- rufa** Horia (Swed.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 44.—Cucujus, 1787.
- rufa** Hyaena, A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 216.
- rufus** Hylactes (Less.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 219.—Megalonyx.
- rufa** Hylemyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 322.
- rufa** Hylotoma, C. F. Fallen, K. Vet. Ac. Nya Handl. XXVIII (3) 1807, 199.
- rufus** Ips, T. Marsham, Coleopt. Brit., Sept. 1802, 57.
- rufus** Ixodes, C. L. Koch, Deutsch. Crust., heft 39, 1844, tab. 7.
- rufa** Joppa, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 275.
- rufa** Joppa, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 294.
- rufus** Kangurus, A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 541.
- rufa** Labidostomis (Waltl), H. C. Kuester, Käfer Europas, VII. 1846, 96.—Clythra.
- rufus** Labrax (Mitch.), J. E. de Kay, N. H. New York (Fish) 1842, 9.—Morone.
- rufus** Labrus, H. Rathke, Mém. présentés Ac. Imp. Sci. St Pétersb. III (3 & 4) Sept.  
1837, 337.
- rufus** Laccophilus (F. V. Melsh.), F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (2)  
Ap. 1844, 28.—Dytiscus.
- rufus** Laemosaccus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 72.
- rufus** Lagynodes, A. Foerster, Beitr. Monogr. Pteromal. 1841, 46.
- rufus** Lasiurus, J. E. Gray, List Mamm. Coll. B. M. 1843, 32.
- rufus** Latridius, F. V. Melsheimer, Ins. Pennsylv. 1806, 10 [*n. n.*].
- rufa** Lebia, L. Dufour, Ann. gén. Sci. Phys. (Bruxelles) VI. Dec. 1820, 322.
- rufa** Leiodes, J. Curtis, Guide Brit. Ins. (1) 1829, 22 [*n. n.*].
- rufa** Lema, T. Lacordaire (*ex Dej. Cat.*), Mém. Soc. R. Sci. Liège, III (2) Nov. 1845, 458.
- rufus** Leptocerus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 28 [*n. n.*].
- rufus** Leptocoris, C. W. Hahn, Wanzenart. Ins. I (6) Sept. 1833, 201.
- rufa** Leptura, Dejean, Catal. Coléopt. 1821, 112 [*n. n.*].
- rufa** Leptura, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 263.
- rufa** Libellula, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 71.
- rufa** Limosa, C. Dumont, Dict. Sci. Nat. (ed. 1) IV. 1805, 66.

- rufa** Limosa, F. P. R. Jarocki, Spis Ptakow Gab. zool. Warsz. Univ. 1819, 49.
- rufa** Linyphia, C. A. Walckenaer (Roret's Suite à Buffon), Aptères, II. 1837 [1841], 284.
- rufa** Loncheres, M. H. K. Lichtenstein, Abh. ph.-Kl. K. pr. Ak. Wiss. 1818-1819 (1820),
- rufus** Lophonotus, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (3) 1839, 245. [192.
- rufus** Lophyrus (Fall.), F. Klug, Ges. Nat. Fr. Berlin, Mag. VI (1) 1812, 53.—Hylotoma.
- rufa** Lucina (Lam.), F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 35.—Venus.
- rufus** Lyncus (Temm.), E. Emmons, Rep. Quad. Massach. 1840, 34.—Felis, ? Gueld. 1776.
- rufus** Lynx (Gueld.), C. S. Rafinesque, Amer. Monthly Mag. II (1) Nov. 1817, 46.—Felis,
- rufa** Lypornix (Spix), J. Wagler, Syst. Avium, I. 1827, sign. 111.—Bucco. [1776.
- rufa** Macrocera, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 91.
- rufus** Macrones, W. W. Saunders, Tr. Entom. Soc. Lond., n. s. I (3) Nov. 1850, 78.
- rufus** Macrones, W. W. Saunders, The Zoologist, VIII. 1850, 2974.
- rufus** Macropus (Desm.), G. Bennett, Cat. Austral. Mus. 1837, 6.—Kangurus.
- rufus** Macropus (Halmaturus) (Desm.), G. R. Waterhouse, Nat. Hist. Mamm. I. 1846,
- rufa** Mactra, Lamarck, An. s. vert. V. 1818, 478. [104.—Kangurus.
- rufus** Maechidius, J. O. Westwood (*ex* Hope MS), Ann. Mag. Nat. Hist. VIII (53) Feb. 1842, 457.
- rufus** Maechidius, F. W. Hope, Ann. Mag. Nat. Hist. IX (59) July 1842, 424.
- rufus** Magdalinus, C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 141.—Thamnophilus, 1836.
- rufus** Magdalinus (Germ.), L. Redtenbacher, F. Austr., Käfer, 1849, 414.—Magdalis.
- rufa** Magdalis, Megerle in E. F. Germar, Ins. spec. novae, I. 1824, 193.
- rufa** Mangelia (Bela) (Mont.), Forbes & Hanley, Hist. Brit. Moll. III. 1851, 454.—Murex.
- rufa** Megachile (Fab.), P. A. Latreille, H. N. Fourmis, etc., May 1802, 435.—Apis, ? L. 1758.
- rufa** Megachile (L.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 384.—Apis, 1758.
- rufus** Megalonyx, R. P. Lesson, Cent. Zool. (15-16) *ante* May 1832, 200.
- rufus** Megalopus, F. Klug, Jahrb. Insectenk. I. 1834, 213.
- rufa** Melania, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 156.
- rufa** Melania, I. Lea, P. Amer. Phil. Soc. II (16) Feb. 1841, 12.
- rufus** Merodon, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 142.
- rufus** Mesochorus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- rufus** Microstylus, C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 66. [250.
- rufus** Mimus (L.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 18.—Turdus, 1758.
- rufus** Mioxicebus, R. P. Lesson, Spec. des Mamm., Nov. 1840, 219.
- rufa** Modiola, G. Fischer, Mus. Démid. III. 1807, 250.
- rufus** Molossus, E. Geoffroy St H., Ann. Mus. H. N. (Paris) VI (32) May 1805, 155.
- rufus** Molossus, E. Geoffroy St H., Bull. Sci. Soc. Philom. [Paris] no. 96, 1805, 279.
- rufus** Molossus, C. J. Temminck, Mon. Mamm. I. 1827, 230.
- rufa** Monasa (Spix), G. R. Gray, Gen. Birds, I. Dec. 1846, 74.—Bucco.
- rufa** Monotoma, L. Redtenbacher, F. Austr., Käfer, 1849, 203.
- rufa** Mordella, F. V. Melsheimer, Ins. Pennsylv. 1806, 56 [*n. n.*].
- rufus** Morone, S. L. Mitchell, Rep. Fishes N. Y. 1814, 18 [*teste* De Kay].
- rufus** Murex, G. Montagu, Test. Brit. I. 1803, 263.
- rufus** Murex, Lamarck, An. s. vert. VII. 1822, 162.
- rufus** Mus, G. Fischer, Zoogn., ed. 3, III. 1814, 71.
- rufus** Mus, Desmarest, N. Dict. H. N., ed. 2, XXIX. 1819, 62.
- rufus** Mus, J. E. Gray in Griffith's Cuvier, Anim. Kingd., Mamm., Syn. 1827, 230.
- rufa** Muscipeta, W. Swainson, Birds W. Africa, II (Nat. Libr. XIX.) Sept. 1837, 60.
- rufa** Muscipeta (Gr.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 325.—Tchitrea.
- rufa** Muscivora, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799
- rufa** Mustela, G. Fischer, Zoogn., ed. 3, III. 1814, 199. [[1802], 230.
- rufa** Mutilla, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 631.
- rufa** Mycetophila, J. Macquart, Rec. Trav. Soc. amat. Sci. Lille, 1823-4, 1826, 94.
- rufa** Myiothera, Max. Wied, Beitr. Naturges. Brasil. III (2) 1831, 1095.
- rufum** Myrmecium, P. A. Latreille, Ann. Sci. Nat. III (9) Sept. 1824, 27.
- rufus** Myrmecobius, T. L. Mitchell, Three Exped. Australia, I. 1838, p. xvii.

- rufa** Myrmothera, L. P. Vieillot, N. Dict. H. N., ed. 2, XII. 1817, 114.
- rufa** Mystacida, P. Rambur (Roret's Suite à Buffon), Névroptères, 1842, 514.
- rufa** Nasua, F. Tiedemann, Zool. 1808, 379. [? Penn. 1777.
- rufa** Natica (L.), L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 289.—Nerita,
- rufa** Natica (Mont.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xliii, f. 3.—Nerita, ? Penn. 1777.
- rufa** Naticina (Mont.), E. Forbes, Mag. Nat. Hist. IX. Ap. 1836, 193.—Nerita, Gm. 1790.
- rufa** Nectarinia (Lath.), L. Muirhead, Brewster's Edin. Ency. XVI (1) 1823, 94.—Merops, Gm. 1788.
- rufa** Nemertes (Rathke), C. M. Diesing, Syst. Helminth. I. 1850, 271.—Borlasia.
- rufa** Neomida, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. III (3) June 1846, 62.
- rufa** Nesaea, C. L. Koch, Deutsch. Crust., heft 5, 1837, tab. 22.
- rufus** Nirmus, H. Burmeister, Handb. Ent. II (2) 1, 1838, 430.
- rufa** Nitidula, T. Marsham, Coleopt.-Brit., Sept. 1802, 136.
- rufa** Nitidula, F. V. Melsheimer, Ins. Pennsylv. 1806, 18 [*n. n.*].
- rufa** Nitidula, Melsh.; T. Say, J. Acad. Nat. Sci. Philad. V. Dec. 1825, 180.
- rufus** Noctilio, J. B. v. Spix, Sim. Vesp. Brasil. 1824, 57.
- rufa** Noctua, J. Hatchett, Tr. Entom. Soc. Lond. I (2) 1810, 244.
- rufus** Nyctibius, J. Cabanis in R. Schomburgk, Reisen Brit.-Guiana, III. 1848, 711.
- rufus** Ochodaes, F. E. Guérin-M., Iconographie, 1844, Ins., 83.
- rufa** Ocyale (Deg.), C. L. Koch, Die Arachniden, XIV (3) Mar. 1847, 112.—Aranea, 1778.
- rufus** Odontophorus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIV. 1819, 178.
- rufa** Odostomia (Phil.), J. G. Jeffreys, Ann. Mag. N. H. (2) II. Nov. 1848, 346.—
- rufum** Omalium, J. L. C. Gravenhorst, Coleopt. micr. 1802, 115. [Melania.
- rufum** Omalium, Dahl; Dejean, Catal. Coléopt. 1821, 26 [*n. n.*].
- rufus** Opetiorynchos (L.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxxxiii.—Merops, Gm. 1788.
- rufus** Ophion, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 149.
- rufa** Ophiura, S. d. Chiaje, Descr. An. invert. Sicilia, IV. 1841, 63.
- rufus** Orchestes, A. G. Olivier, Entom. V. 1807, 101.
- rufus** Ornithorhynchus, W. E. Leach, Zool. Miscell. II. 1815, 136.
- rufus** Ornithorincus, Péron & Lesueur, Voy. Aust. (Atlas, I. 1807), pl. xxxiv.
- rufus** Orpheus (L.), W. Swainson in J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.* Feb. 1832], 89.—Turdus, 1758.
- rufus** Orthocentrus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 116.
- rufa** Ortostelis (Phil.), Aradas & Maggiore, Atti Acc. Gioenia, XX. 1843(-4), 119.—Melania.
- rufus** Ortygis (Vieill.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIV (1) 1826, 306.—
- rufa** Ostrea, Lamarck, An. s. vert. VI (1) 1819, 208. [Turnix.
- rufum** Ovulum, G. B. Sowerby, I., Conch. Illustr. (8) 1832, f. 58; Catal. (131) 1837, 19.
- rufus** Oxystemus, P. A. Latreille, Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 164 [*n. n.*].
- rufa** Paludina, S. S. Haldeman, Mon. Limniades N. Amer., wrapper of (3) July 1841, [3].
- rufa** Pangonia, J. Macquart, Mém. Soc. R. Sci. Lille, 1838 (2) 1838, 110.
- rufus** Paniscus, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, 155.
- rufa** Panorpa, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 324.
- rufus** Pansmicrus, C. J. Schoenherr, K. Vet. Ac. Handl. 1846 (1848), 125 [*n. n.*].
- rufa** Partula, R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 324.
- rufus** Peirates, J. G. Audinet-S., Ann. Sci. Nat. XXIII (90) June 1831, 218.
- rufus** Pelecinus, F. Klug in Germar, Zeitschr. f. d. Entom. III. 1841, 384.
- rufa** Phalangista, Geoffroy in A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 266.
- rufum** Phalangium, J. F. Hermann, Mém. Aptér. 1804, 109.
- rufus** Phalaropus, J. M. Bechstein in Gem. Nat. Deutschl., ed. 2, IV. 1809, 381.
- rufa** Phaleria, P. A. Latreille, Sonnini's Buffon, Ins. X (1804), 303.
- rufus** Phasianus, T. S. Raffles, Tr. Linn. Soc. London, XIII (2) 1822, 321.
- rufus** Philodromus, C. A. Walckenaer, Faune Française (11 & 12) Aptères, 1824, 91.
- rufa** Philomela (Bechst.), H. F. Link, Beschr. Nat. Samml. Univ. Rostock (1) 1806, 33.—Sylvia.

- rufus** Philopterus (Denny), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 345.—Nirmus.
- rufus** Phoneus (L.), J. J. Kaup, Skizz. Europ. Thierw. 1829, 33.—Lanius, 1766.
- rufus** Photinus (Ol.), Laporte, Ann. Soc. Ent. France, II (1) c. Ap. 1833, 142.—Lampyrus,
- rufa** Phycis, A. H. Haworth, Lepidopt. Brit. (3) 1811, 497. [1790.]
- rufa** Phycita (Haw.), J. Curtis, Brit. Entom. V (58) Oct. 1828, no. 233.—Phycis.
- rufa** Phyllopneuste (L.), C. L. Brehm, Isis, 1828, 1283 [*n. n.*].—Motacilla, Gm. 1788.
- rufus** Phyllotrox, C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 190.
- rufa** Phytometra, A. H. Haworth, Lepidopt. Brit. (2) 1809, 260.
- rufus** Phytomus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 402.
- rufus** Pica (Lath.), G. Cuvier, R. Anim. I. 1817, 398.—Corvus, 1790.
- rufa** Pica, J. G. Wagler, Isis (Oken), 1829, 751.
- rufus** Picus, P. Boddaert, Tab. Planch. Enl. 1783, 43.
- rufa** Platydema (Melsh.), S. S. Haldeman, Journ. Acad. Nat. Sci. Philad. I (2) Aug. 1848, 102.—Neomida.
- rufus** Platylabus, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 154.
- rufus** Platynochaetus, J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835, 663.
- rufa** Platypeza, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 358.
- rufa** Platysma (Dufts.), J. Sturm, Deutschl. Fauna (Insecten) V. 1824, 76.—Carabus.
- rufus** Pleuropterus (Geoff.), G. T. Burnett, Q. Journ. Sci. (R. Inst. Gt. Brit.) June 1829, 269.—Galeopithecus, ? Lac. 1799.
- rufa** Pleurotoma (Mont.), J. Alder, Tr. Tyneside Nat. F. C. I (2) 1848, 156.—Murex.
- rufus** Plexippus, C. L. Koch, Die Arachniden, XIII (4) Mar. 1846, 120.
- rufus** Plotus, F. M. Daudin in Buffon, Hist. Nat. (Didot's ed.) Quad. XIV. 1799 [1802],
- rufa** Podostoma, C. S. Rafinesque-S., Précis Som. 1814, 33. [319.]
- rufus** Polophilus, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) IX (1) 1815, 44.
- rufus** Polytmus (Less.), G. R. Gray, Gen. Birds, I. Dec. 1848, 107.—Campylopterus.
- rufus** Prodidomus, N. M. Hentz, Boston Journ. N. H. V (4) 1847, 467.
- rufa** Prosimia (Aud.), R. P. Lesson, Spec. des Mamm., Nov. 1840, 228.—Lemur, 1800.
- rufa** Psen, G. W. F. Panzer, Ins. Germ., heft 96, 1804, tab. 17.
- rufa** Psila, Hoffmannsegg in J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 357.
- rufus** Pteropus, F. Tiedemann, Zool. 1808, 535.
- rufa** Pterotrachea, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 491.
- rufus** Ptinus, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 157.
- rufus** Pulex, T. L. C. Gravenhorst, Uebers. Arb. schles. Ges. 1827 (1828), 67.
- rufus** Putorius (Desm.), P. Boitard, Jardin d. Plantes, 1842 [*i. e.* 1841], 174.—Mustela,
- rufum** Pyrosoma, Quoy & Gaimard, Voy. "Uranie" (Zool.) 1825, 514. [? Fisch.]
- rufa** Pyrrhula, K. L. Koch, Syst. baier. Zool. I. 1816, 227.
- rufus** Rallus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 564.
- rufus** Reduvius, C. P. Thunberg, Hemip. Capen. III. 1822, 5.
- rufus** Regulus, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XIII (2) 1826, 232.—Sylvia, 1817; ? Bechst. 1802.
- rufa** Rhadina (Lath.) [G. J. Billberg], Syn. Faunae Scand. I (2) 1828, 56.—Sylvia, 1790.
- rufus** Rhinodes, Meg.; Dejean, Catal. Coléopt. 1821, 98 [*n. n.*].
- rufus** Rhopalus, P. S. Schilling, Schles. Ges. vat. Kultur, Beitr. Entom. 1829, 52.
- rufus** Rhyssomatus, Fahraeus in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 369.
- rufus** Rhyzophagus (Marsh.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 8.—Corticaria.
- rufa** Rissoa, R. A. Philippi, Zeitschr. f. Malakozool. (Nov.) 1848 [Mar. 1849], 167.
- rufus** Satyrus, R. P. Lesson, Spec. des Mamm., Nov. 1840, 40.
- rufa** Scalops (Desm.), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 87.—Chrysochloris.
- rufa** Scatophaga (Meig.), Zetterstedt, Ann. Soc. Ent. France, IV (1) *post* Mar. 1835,
- rufa** Sciara, F. Walker, List Dipt. Coll. B. M. (1) 1848, 109. [177.—Psila.]
- rufa** Sciomyza, J. W. Zetterstedt, Dipt. Scand. V. 1846, 2116.
- rufa** Sciophila, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 295.
- rufa** Sclerochroa (Scleroderma), A. Foerster, Verh. nat. Ver. pr. Rheinl. VII. 1850, 501.
- rufus** Scorpius, C. L. Koch, Die Arachniden, III (6) *ante* May 1837, 103.
- rufus** Scydmaenus, Schueppel in Müller & Kunze, Schr. Nat. Ges. Leipzig, I. 1822, 186.
- rufus** Selasphorus, W. Swainson in H. Murray, Ency. Geogr. 1834, 1296.

- rufa** Sepsis, F. Walker, List Dipt. Coll. B. M. (4) 1849, 1000.
- rufa** Serinetha (Hahn), M. Spinola, Ess. Ins. Hémipt. 1837, 248.—Leptocoris.
- rufus** Serranus, T. E. Bowdich, Excur. Madeira, 1825, 122.
- rufa** Siagona, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (4) 1843, 720.
- rufa** Silusa, Chevrier in O. Heer, Coleopt. Helvet. (2) 1839, 303.
- rufa** Simulia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 54.
- rufus** Spermologus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 337.
- rufum** Sphaeridium, J. Sturm, Catal. Ins. Samml. 1826, 197 [*n. n.*].
- rufus** Staphylinus, F. V. Melsheimer, Ins. Pennsylv. 1806, 57 [*n. n.*].
- rufa** Stenoderma, A. G. Desmarest, Ency. Méth. (Mamm.) (1) 1820, 117.
- rufus** Stenolophus, Godart, Soc. Agric. Sci. Pyrén.-Orient. VI (2) 1845, 222.
- rufus** Stenopterus (Fab.), Dejean, Catal. Coléopt. 1821, 111.—Necydalis, L. 1767.
- rufus** Stenopterus, Meg.; Dejean, Catal. Coléopt. 1821, 111 [*n. n.*].
- rufus** Strongylus, J. Sturm, Catal. Ins. Samml. 1826, 200 [*n. n.*].
- rufa** Sylvia, J. M. Bechstein, Orn. Taschenb. I. 1802, 188.
- rufus** Tabanus, Palisot de B., Ins. Afr. Amér. (—) 1809, 100.
- rufus** Tachyporus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 233.
- rufa** Talpa, G. Shaw, Gen. Zool. (Mamm.) I (2) 1800, 522.
- rufus** Tamnophilus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXV. 1819, 200.
- rufa** Tangara, P. Boddaert, Tab. Planch. Enl. 1783, 44.
- rufus** Tanypus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VI. 1830, 260.
- rufus** Tapeinus, F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832, 82.
- rufus** Tapirus, G. Fischer, Zoogn., ed. 3, III. 1814, 292.
- rufa** Tchitrea, G. R. Gray, Ann. Mag. N. H. XI. May 1843, 371.
- rufus** Temnurus (Scop.), G. R. Gray, Gen. Birds, II. Dec. 1845, 310.—? Lanius, 1786.
- rufus** Tenebrio, L. Ponza, Mém. Ac. Sci. Turin, 1804–5 (1805) Mém. prés., 89.
- rufa** Tenthredo, G. W. F. Panzer, Ins. Germ., heft 72, 1799, tab. 2.
- rufa** Tenthredo (Allantus) (Panz.), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 82.
- rufa** Tetanocera (Panz.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 62.—Musca, 1798.
- rufus** Thamnophilus (Lath.), L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 316.—  
Lanius, ? L. 1766.
- rufus** Thamnophilus (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 272.—
- rufum** Theridion, W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 423. [Magdalis.
- rufum** Theridion, Wider in Reuss, Abh. Senckenb. Mus. I (3) 1834, 218.
- rufa** Thrips (Aptinothrips), A. H. Haliday, Entom. Mag. III (5) Ap. 1836, 446.
- rufa** Tityra, L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 347.
- rufa** Tortrix (Laur.), B. Merrem, Tent. Syst. Amph. 1820, 84.—Anguis, Gm. 1789.
- rufus** Totanus, J. M. Bechstein, Gem. Nat. Deutschl., ed. 2, IV. 1809, 253.
- rufus** Toxostoma (Gm.), J. Cabanis, Arch. f. Naturg. XIII (1) 1847, 207.—Turdus, L.  
1758.
- rufus** Trachelizus, A. J. J. Solier, Ann. Soc. Ent. France, V (4) *post* Jan. 1837, 600.
- rufa** Trachusa (Fab.), L. Jurine, Litt. Zeitg. (Erlangen) Intell.-blatt, 1801, 164.—Apis,
- rufus** Trachyscelis, Latr.; Dejean, Catal. Coléopt. 1821, 68 [*n. n.*]. [L. 1758.
- rufus** Trachyscelis, H. Lucas, Explor. Algér. (Artic. II.) 1846, 339.
- rufum** Trigonosoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 12.
- rufa** Tringa, A. Wilson, Amer. Ornith. VII. 1813, 43 (Ord's ed. 1824, 47).
- rufus** Tringa, S. D. W., The Analyst, III (14) Jan. 1836, 208.
- rufum** Tritoma, J. C. Fabricius, Syst. Eleuth. II. 1801, 573.
- rufum** Tritoma, F. V. Melsheimer, Ins. Pennsylv. 1806, 13 [*n. n.*].
- rufa** Trochilus (Gm.), J. Rennie, Field Naturalist, I (1) 1833, 52.—Motacilla, 1788.
- rufus** Trochilus, J. Rennie, Time's Telescope, 1833, 15.
- rufus** Trochilus (Selasphorus), Gm.; J. Richardson, F. Bor.-Amer. (2) Feb. 1831 [*i.e.*  
Feb. 1832], 324.
- rufus** Trogon, L. P. Vieillot [*non* Gm.], Ency. Méth. (Orn.) 1823, 1357.
- rufus** Tryphon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 200.
- rufa** Turbonilla (Phil.), S. V. Wood, I., Ann. Mag. N. H. IX. Sept. 1842, 536.—Melania.
- rufus** Turdus, P. Boddaert [*non* L.], Tab. Planch. Enl. 1783, 39.
- rufus** Turnix, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXV. 1819, 48.

- rufus** Tyrannus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXV. 1819, 87.
- rufus** Tyrannus (Vieill.), A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in Magasin de Zool. VII. 1837, 44.—Thamnophilus.
- rufa** Venus, Lamarck, An. s. vert. V. 1818, 593.
- rufa** Vitiflora, J. F. Stephens in G. Shaw, Gen. Zool. (Aves) X (2) 1817, 569.
- rufus** Xantholinus, K. H. B. Grimmer, Steiermark's Coleopt. 1841, 33.
- rufus** Xenops, R. P. Lesson, Traité Ornith. (4) Sept. 1830, 318.
- rufus** Xorides, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 31 [*n. n.*].
- rufusater** Icterus, R. P. Lesson, Voy. "Coquille," Zool. I (2) 1830, 649.
- rugaestriata** Avicula (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 86.—Lima.
- rugaestriata** Lima, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 264.
- rugatina** Delthyris, T. A. Conrad, J. Acad. Nat. Sci. Philad. VIII., *post* Ap. 1842, 261.
- rugatipennis** Anomala, M. P. Graells, Rev. et Mag. de Zool. (2) I. Dec. 1849, 620.
- rugator** Bracon, T. Say, Boston Journ. N. H. I (3) 1836, 251.
- rugator** Coreus, J. C. Fabricius, Syst. Rhyng. 1803, 192.
- rugator** Gonocerus (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 311.—Coreus.
- rugator** Rogas, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 66.
- rugatula** Pimelia, A. J. J. Solier, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 159.
- rugatus** Acanthocerus, Reiche in E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 147.
- rugata** Aegle (Edw.), A. White, List Crustacea Coll. B. M. 1847, 15.—Zozymus.
- rugatus** Anchonoderus, L. Reiche, Rev. Zool. (Soc. Cuv.) VI. Feb. 1843, 40.
- rugata** Anomia, J. S. Schroeter, Archiv Zool. (Wiedemann) III (2) 1803, 36.
- rugatus** Astarte, J. Sowerby, Min. Conch. IV. 1821, 13.
- rugata** Auricula (Cassidula), C. T. Menke, Moll. N. Holl. 1843, 7.
- rugatus** Baridius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (1) 1844, 170.
- rugatum** Buccinum, L. Reeve, Conch. Icon. III.—Buccinum, no. 111, Feb. 1847.
- rugatus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 552, Aug. 1849.
- rugatum** Callichroma, E. Newman, Entomologist (15) Jan. 1842, 246.
- rugatum** Cardium, L. W. Dillwyn, Catal. Shells, 1817, 125.
- rugatum** Cardium, L. Reeve, Conch. Icon. II.—Cardium, no. 63, Dec. 1844.
- rugatus** Cryptorhynchus, Dejean, Catal. Coléopt. 1821, 85 [*n. n.*].
- rugata** Dailognatha, A. J. J. Solier, Ann. Soc. Ent. France, IV (2) *post* June 1835, 263.
- rugatus** Goniaster (Goniodiscus), E. Forbes, Mem. Geol. Surv. Gt. Britain, II (2) 1848, [471].
- rugatus** Hamites, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 117. [471].
- rugata** Mactra, G. B. Sowerby, I., in C. R. Darwin, Geol. Obs. "Beagle," III. 1846, 249.
- rugatum** Mastodon, A. C. Koch, Die Riesenthiere, 1845, 20.
- rugata** Nerita (Clithon), C. A. Récluz, Rev. Zool. (Soc. Cuv.) V. Mar. 1842, 75.
- rugata** Orbicella (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 43.—Orbicula.
- rugata** Orbicula, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 610.
- rugata** Praocis, Gay & Solier, Ann. Soc. Ent. France, IX (3) *post* Ap. 1841, 234.
- rugata** Producta, J. Phillips, Geol. Yorksh. II. 1836, 216.
- rugatus** Theriobius, F. E. Guérin-M., Spec. et Icon. Anim. artic. (8) 1849, 3.
- rugatus** Therius, F. E. Guérin-M., Spec. et Icon. Anim. artic. (8) 1849, 3.
- rugatus** Thomisus, H. Nicolet in Gay, Chili, III (Arach.) 1849, 400.
- rugatus** Trochus, E. Benett, Catal. Org. Rem. in Hoare, Hist. Wiltshire, 1831, 6 [*n. et f.*].
- rugatus** Unio, C. T. Menke, Syn. meth. Moll. 1828, 90.
- rugatus** Zozymus, H. M. Edwards (Roret's Suite à Buffon), Crustacés, I. 1834, 385.
- rugensis** Muscicapa, Hombron & Jacquinot, Ann. Sci. Nat. [2] (Zool.) XVI. Nov. 1841, 312.
- rugia** Anthomyia, F. Walker, List Dipt. Coll. B. M. (4) 1849, 923.
- rugicauda** Sphaeroma, W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 405.
- rugicephalus** Xantholinus, Ziegler; Dejean, Catal. Coléopt. 1821, 23 [*n. n.*].
- rugiceps** Acanthocerus, E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 134.
- rugiceps** Anchomenus, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 196.
- rugiceps** Bembidium, M. de Chaudoir, Enum. Carab. 1846, 198.
- rugiceps** Caelogenys, P. W. Lund, Afhandl. K. Danske Vid. Selsk. VI. 1837, 332.
- rugiceps** Catascopus, M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (2) 1850,
- rugiceps** Clivina, F. Klug in Ehrenberg, Sym. Phys., Ins. III (1832), sign. c. [350].



- rugiceps** Coelogenys, P. W. Lund, Afhandl. K. Danske Vid. Selsk. VIII. 1841, 102.  
**rugiceps** Gematis, J. Sturm, Catal. Ins. Samml. 1826, 144 [*n. n.*].  
**rugiceps** Hister, K. Duftschmid, Fauna Austriae, I. 1805, 225.  
**rugiceps** Lebia, A. Brullé in d'Orbigny, Amér. Mérid. (Ins.) 1837, 16.  
**rugiceps** Lebia, J. Putzeys, Mém. Soc. R. Sci. Liège, II (2) 1846, 386.  
**rugiceps** Myrmica, O. Heer, N. D. Allg. Schweiz. Gesellsch. XI. 1850 [1849], 160.  
**rugiceps** Nycterinus, J. Curtis, Proc. Linn. Soc. London (21) June 1844, 201.  
**rugiceps** Osorius, C. H. Boheman, Ins. Caffr. I (1) 1848, 294.  
**rugiceps** Passalus, F. W. Hope (*ex* Reiche MS), Cat. Lucanoid Coleopt. 1845, 28.  
**rugiceps** Scarites, C. R. W. Wiedemann, Zoologisches Magazin, II (1) 1823, 37.  
**rugicolle** Adelium, Latreille in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 279.  
**rugicolle** Agonum, M. de Chaudoir, Enum. Carab. 1846, 133.  
**rugicollis** Agrilus (Ratz.), L. Redtenbacher, F. Austr., Käfer, 1849, 786.—Buprestis.  
**rugicollis** Ammophila, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. III. 1845, 373.  
**rugicollis** Anchomenus, L. Reiche in Ferret & Galinier, Voy. Abyssin. III. 1850, 270.  
**rugicollis** Anchomenus (Chaud.), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (3) 1850, 119.—Agonum.  
**rugicollis** Ancylocera (Fab.), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 19.—Gnoma.  
**rugicollis** Anthaxia, H. Lucas, Explor. Algér. (Artic. II.) 1846, 156.  
**rugicollis** Apiodera (Dej.), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (1) 1848, 38.—Casnonia.  
**rugicolle** Apion, E. F. Germar, Mag. Entom. (Germar) II. 1817, 201.  
**rugicollis** Arcopagus, W. E. Leach, Zool. Journ. II (8) Jan. [*i.e.* Ap.] 1826, 448.  
**rugicollis** Argutor, R. F. Sahlberg, Faun. Ins. Ross. symb. 1844, 25 [*teste* Motsch.].  
**rugicollis** Baris, J. Sturm, Catal. Ins. Samml. 1826, 99 [*n. n.*].  
**rugicollis** Bitoma (Ol.), P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 241.—Ips, 1790.  
**rugicollis** Blatta, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 187.  
**rugicollis** Buprestis, J. T. C. Ratzeburg, Die Forstins. I. 1837, 55.  
**rugicollis** Callichroma, F. E. Guérin-M., Iconographie, 1844, Ins., 220.  
**rugicollis** Capsus (Fall.), Herrich-S., Wanzenart. Ins. III (5) July 1836, 80.—Lygaeus.  
**rugicollis** Capsus, H. Lucas, Explor. Algér. (Artic. III.) 1849, 85.  
**rugicollis** Casnonia, Dejean, Spec. gén. Coléopt. I. 1825, 173.  
**rugicollis** Chlorophanus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. II (1) 1834, 63.  
**rugicollis** Clausilia, Ziegler in C. T. Menke, Syn. meth. Moll. 1828, 18 [*n. n.*].  
**rugicollis** Clausilia, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. I (3) Mar. 1836, 18; II (5) June 1842, 5.  
**rugicollis** Coelosternus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 210.  
**rugicollis** Colliuris, F. Klug, Jahrb. Insectenk. I. 1834, 46.  
**rugicollis** Colymbetes (Hydaticus), W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 73.  
**rugicollis** Conotrachelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 441.  
**rugicollis** Corticaria (Ol.), T. Marsham, Coleopt. Brit., Sept. 1802, 113.—Ips, 1790.  
**rugicollis** Cryptocephalus, G. R. Gray in Griffith's Cuvier (Ins.) II. 1832, 146.  
**rugicollis** Cryptocephalus, S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. IV (8) Ap. 1849, 171.  
**rugicollis** Curculio, E. F. Germar, Reise Dalm. 1817, 241.  
**rugicollis** Cycliscus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 186.  
**rugicollis** Elater, Gyllenhal in C. J. Schoenherr, Syn. Insect. I (3) 1817, 279; & App. 1817,  
**rugicollis** Feronia, R. F. Sahlberg, F. Ins. Ross. 1844, 25. [132.  
**rugicollis** Gematis, Dejean, Catal. Coléopt. 1821, 58 [*n. n.*].  
**rugicollis** Gematis, Dej.; J. Sturm, Catal. Ins. Samml. 1826, 144 [*n. n.*].  
**rugicollis** Gnoma, J. C. Fabricius, Syst. Eleuth. II. 1801, 317.  
**rugicollis** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 155.  
**rugicollis** Hylobius, C. G. Mannerheim in A. D. Hummel, Essais Entom. I (4) 1824, 33.  
**rugicollis** Lamia, Dalman in C. J. Schoenherr, Syn. Insect. I (3) 1817, 392; & App. 1817, 169.

- rugicollis** Larinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 18.
- rugicollis** Latridius (Ol.), L. Gyllenhal, Ins. Suecica, I (4) 1827, 137.—Ips, 1790.
- rugicollis** Lema, Ill.; J. Sturm, Catal. Ins. Samml. 1826, 161.
- rugicollis** Lixus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 99.
- rugicollis** Lixus, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 192.
- rugicollis** Lygaeus, C. F. Fallen, Mon. Cimicum Sveciae, 1807, 76.
- rugicollis** Mutilla, J. O. Westwood, Arcana Entom. II (14) July 1843, 17.
- rugicollis** Omaseus, S. S. Haldeman, Proc. Acad. Nat. Sci. Philad. I (31) Oct. 1843, 300.
- rugicollis** Omias, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 131.
- rugicollis** Omophlus, H. C. Kuester, Käfer Europas, XIX. 1849, 60.
- rugicollis** Otiorynchus, E. F. Germar, Ins. spec. novae, I. 1824, 349.—Curculio, 1817.
- rugicollis** Ozodecerus, Chevrolat, Rev. Zool. (Soc. Cuv.) II. June 1839, 176.
- rugicollis** Pachygaster, Germ.; Dejean, Catal. Coléopt. 1821, 91 [*n. n.*].
- rugicollis** Pachyrhynchus, G. R. Waterhouse, Ann. Mag. Nat. Hist. VIII (50) Nov. 1841,
- rugicollis** Pedinus, Cristofori & Jan, Cat. Mus. (III a, Coleopt.) 1832, 44 [*n. n.*]. [220.]
- rugicollis** Pentatoma, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 44.
- rugicollis** Phytocoris, C. F. Fallen, Hemipt. Sveciae, 1829, 79.—Lygaeus, 1807.
- rugicollis** Platycrana, G. R. Gray, Syn. Phasmidae, 1835, 38.
- rugicollis** Popillia, E. Newman, Mag. Nat. Hist., n. s. II. June 1838, 337.
- rugicollis** Prionopleura (Gray), J. O. Westwood, Ann. Mag. Nat. Hist. XVII (109) Jan. 1846, 58.—Cryptocephalus.
- rugicollis** Proscarabaeus, J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 20 [*n. n.*]; & Ill. Brit. Ent. (Mand. V.) Mar. 1832, 66. [Argutor.]
- rugicollis** Pseudocryobius (Sahlb.), V. v. Mochulski, Kaefer Russl., *post* May 1850, 54.—
- rugicollis** Rhamphomyia, J. W. Meigen, Syst. Besch. Zweifl. Insekt. III. 1822, 46.
- rugicollis** Rhytiphora, J. G. Audinet-S., Ann. Soc. Ent. France, IV (1) *post* Mar. 1835, 38.—Saperda.
- rugicollis** Rhytiphora (Dalm.), F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 476.—Lamia. [Lamia.]
- rugicollis** Saperda (Schoen.), Le Peletier & Serville, Ency. Méth. X (Ins.) 1825, 335.—
- rugicollis** Scarites, Dejean, Catal. Coléopt. 1821, 4 [*n. n.*]; Spec. gén. Coléopt. I. 1825, 377.
- rugicollis** Sipalus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 214.
- rugicollis** Sphaerion, F. E. Guérin-M., Iconographie, 1844, Ins., 233.
- rugicollis** Tryphon, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 388.
- rugicornis** Tetraneura, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 366 [*n. n.*].
- rugidens** Phoca, H. v. Meyer, N. Jahrb. f. Min. 1845, 309.
- rugifer** Amycterus, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 378.
- rugiferus** Bulinus, G. B. Sowerby, I., Proc. Zool. Soc. London, I (1-3) May 1833, 36.
- rugiferous** Bulinus, G. B. Sowerby, I., Conch. Illustr. (34) 1833, f. 40 [*n. et f.*].
- rugifer** Cemonus, A. G. Dahlbom, Hymenopt. Europaea (2) 1844, 256. [Melania.]
- rugifera** Chemnitzia (Ph.), L. G. de Koninck, Descr. Anim. foss. (10) *extr.* 1843, 462.—
- rugifer** Cleonus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 103.
- rugifer** Cochlicellus (Sow.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 63.—Bulinus rugiferus.
- rugifer** Crabro (Ectemnius), A. G. Dahlbom, Hymenopt. Europaea (3) 1845, 404.
- rugifera** Cytherea, Lamarck, An. s. vert. V. 1818, 579.
- rugifer** Hister, G. Paykull, K. Vet. Ac. Nya Handl. XXX (4) 1809 [1810], 230.
- rugifera** Loxonema, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 101.—Melania, 1836.
- rugifera** Lucina, L. A. Reeve, Proc. Zool. Soc. London, III (29) Sept. 1835, 68.
- rugifera** Melania, J. Phillips, Geol. Yorksh. II. 1836, 229.
- rugifera** Orthis, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 453.
- rugiferum** Phanerotoma, C. Wesmael, N. Mém. Ac. Roy. Brux. XI. 1838, 166.
- rugifera** Pleurotoma, G. B. Sowerby, I., Proc. Zool. Soc. London, I (12) Ap. 1834, 136.
- rugifer** Saprinus (Gyll.), W. F. Erichson, Käfer Mark Brand. I (2) 1839, 672.—Hister, ? Payk. 1810.
- rugifrons** Ammaecius, C. Aubé, Ann. Soc. Ent. France [2] VIII (3) *post* Sept. 1850, 335.

- rugifrons** Apion, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 373.
- rugifrons** Chalepus, H. Burmeister, Handb. Ent. V. 1847, 80.
- rugifrons** Cicindela, Dejean, Catal. Coléopt. 1821, 1 [*n. n.*]; Spec. gén. Coléopt. I. 1825, 51.
- rugifrons** Copris, Dejean, Catal. Coléopt. 1821, 52 [*n. n.*].
- rugifrons** Curculio, L. Gyllenhal, Ins. Suecica, I (3) 1813, 319.
- rugifrons** Cydnus, Herrich-S., Wanzenart. Ins. V (6) Ap. 1840, 97.
- rugifrons** Donacia, E. Newman, Entom. Mag. V (4) Ap. [*i.e.* July] 1838, 391.
- rugifrons** Hegeter, Dejean, Catal. Coléopt. 1821, 64 [*n. n.*].
- rugifrons** Lebia, Dejean, Spec. gén. Coléopt. V. 1831, 376.
- rugifrons** Loborhynchus, Gyll.; J. Sturm, Catal. Ins. Samml. 1826, 165.
- rugifrons** Lucanus, F. W. Hope, Cat. Lucanoid Coleopt. 1845, 24.
- rugifrons** Onthophagus, J. Sturm, Catal. Ins. Samml. 1826, 178 [*n. n.*].
- rugifrons** Osorius, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 756.
- rugifrons** Otorhynchus (Gyll.), E. F. Germar, Ins. spec. novae, I. 1824, 348.—Curculio.
- rugifrons** Pachygaster, Gyll.; Dejean, Catal. Coléopt. 1821, 91 [*n. n.*].
- rugifrons** Phyllotreta, H. C. Kuester, Käfer Europas, XVII. 1849, 95.
- rugifrons** Platyscelis, Gebl.; J. Sturm, Catal. Ins. Samml. 1826, 185.
- rugifrons** Platyscelis, Fischer in Baudi & Truqui, Studi Ent. I. 1848, 210.
- rugifrons** Saprinus (Payk.), W. F. Erichson, Jahrb. Insectenk. I. 1834, 195.—Hister, 1798.
- rugifrons** Staphylinus, W. H. Runde, Brachelytr. 1835, 4.
- rugifrons** Telephorus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) I. 1840, 271.
- Rugilus** J. Curtis (*ex* Leach MS), Brit. Entom. IV (42) June 1827, no. 168.—Col.
- rugimarginatus** Carabus, T. Marsham, Coleopt. Brit., Sept. 1802, 444.
- ruginaria** Aspilates, O. G. Costa, Fauna Regno Napoli, Lepidott., Geom., 49 (Nov. 1848).
- uginodis** Myrmica, W. Nylander, Acta Soc. Sci. Fennicae, II (3) 1846, 929.
- uginosa** Helix (Helicella), A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, 1821,
- uginosa** Melania, P. M. A. Morelet, Test. nov. Cubanae (1) 1849, 25. [43 [*n. n.*].
- uginosa** Nerita, C. A. Récluz, Rev. Zool. (Soc. Cuv.) IV. Oct. 1841, 310.
- rugipennis** Aethiessa, Faldermann in H. Burmeister, Handb. Ent. III. 1842, 417.
- rugipennis** Akis, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5)
- rugipennis** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 113. [Mar. 1835, 389.
- rugipennis** Cicindela, V. Kollar, Ann. Wiener Mus. I [2] 1836, 329.
- rugipennis** Cyclocephala, J. Sturm, Catal. Ins. Samml. 1826, 129 [*n. n.*].
- rugipennis** Elater, J. Sturm, Catal. Ins. Samml. 1826, 137 [*n. n.*].
- rugipennis** Feronia, Dejean, Spec. gén. Coléopt. III. 1828, 394.
- rugipennis** Gnathosia, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 37.
- rugipennis** Heliopates, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 56.
- rugipennis** Heteroplia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2)
- 1850 [*ineunte* 1851], 182.
- rugipennis** Hylurgus, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, 297.
- rugipennis** Lathridius, C. G. Mannerheim in Germar, Zeitschr. f. d. Entom. V. 1844, 92.
- rugipennis** Leucothyreus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2)
- 1850 [*ineunte* 1851], 238. [34.—Elater, ? Sturm.
- rugipennis** Ludius (Gebl.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829,
- rugipennis** Meloe, C. G. Mannerheim in A. D. Hummel, Essais Entom. I (4) 1824, 31.
- rugipennis** Odontocheila, Mannerheim, Bull. Soc. Imp. Nat. Moscou, 1837 (2) 1837, 10.
- rugipennis** Otorhynchus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843,
- rugipennis** Polydrusus, Dejean, Catal. Coléopt. 1821, 93 [*n. n.*]. [265.
- rugipennis** Sphodrus, F. Faldermann, Mém. présentés Ac. Imp. Sci. St Pétersb. II (4 & 5)
- rugipennis** Toxotus, E. Newman, The Zoologist, II (3) 1844, 476. [Mar. 1835, 353.
- rugipes** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 629.
- rugipes** Chrysobothris, Laporte & Gory, H. N. Coléopt. II. 1835–1836, 19.
- rugirostra** Crotophaga, W. Swainson, Anim. in Menag., Dec. 1837, 321.
- rugirostris** Hipporhinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 791.
- rugirostris** Orthorhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 248.
- rugispinis** Arius, Cuvier & Valenc., H. N. Poiss. XV. 1840, 77.
- rugitarsis** Pissocles, Dejean, Catal. Coléopt. 1821, 87 [*n. n.*].
- rugiventris** Cimex, E. F. Germar, Revue Entom. V (3) 1840, 166.

- rugiventris** Rhaphigaster (Germ.), Herrich-S., Wanzenart. Ins. VIII (1) Sept. 1845, 11.—
- rugosaeformis** Venulites, E. F. v. Schlottheim, Die Petref. 1820, 198. [Cimex.]
- rugosana** Oporinia, J. Huebner, Verz. bekannt. Schmett. 1826, 387.—Tortrix, 1796.
- rugosana** Phtheochroa (Huebner), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—Tortrix, 1796.
- rugosana** Sciaphila (Huebner), Duponchel in J. B. Godart, H. N. Lépid. France, IX (Noct. 6) 1835, 395.—Tortrix, 1796. [147.]
- rugosiceps** Chrysobothris, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (6) Dec. 1844,
- rugosiceps** Sericesthis, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850, 113.
- rugosicollis** Agrilus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 154.
- rugosicollis** Cistela, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 225.
- rugosicollis** Ehippiger, Rambur in Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 475.
- rugosicollis** Myas, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 122.
- rugosicollis** Parastasia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [ineunte 1851], 217.
- rugosimanus** Porcellana, A. White, List Crustacea Coll. B. M. 1847, 63 [n. n.].
- rugosior** Psammobia, F. Du Bois de M., Conch. foss. Wolhyni, 1831, 54.
- rugosipennis** Diplotaxys, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [ineunte 1851], 172.
- rugosipennis** Lepidiota, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [ineunte 1851], 157. [Oct. 1850, 95.]
- rugosipennis** Monocrania, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I.
- rugosipennis** Oontelus, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 429.
- rugosipennis** Sternocera, Laporte & Gory, H. N. Coléopt. I. 1835-1836, 11.
- rugosissima** Cupulospongia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 295.
- rugosissima** Natica, E. Forbes, Tr. Geol. Soc. London [2] VII. 1846, 137.
- rugosissima** Spargiospongia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 286.
- rugosiuscula** Helix, A. G. L. Michaud, Compl. Moll. Draparnaud, 1831, 14.
- rugosiuscula** Theba (Michaud), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 12.—Helix.
- rugoso-carinata** Natica, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 198.
- rugoso-carinatus** Turbo (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 193.—Natica. [186.—Melania.]
- rugoso-costata** Chemnitzia (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],
- rugoso-costatum** Crucibulum, C. F. Schumacher, Essai Vers test. 1817, 182.
- rugoso-costata** Marginulina, A. d'Orbigny, Foram foss. Vienne, Sept. 1846, 70.
- rugoso-costata** Melania, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 191.
- rugoso-plicata** Haliotis, C. F. Schumacher, Essai Vers test. 1817, 185.
- rugoso-plicata** Haliotis, L. Reeve, Conch. Icon. III.—Haliotis, no. 7, Ap. 1846.
- rugoso-punctata** Anthia, Thunberg in C. J. Schoenherr, Syn. Insect. I (1) 1806, 234.
- rugosopunctata** Microlestia (Th.), M. de Chaudoir, Bull. Soc. Imp. Nat. Moscou, XXIII. 1850 (1) 1850, 45.—Anthia.
- rugoso-radiata** Pinna, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 340.
- rugososulcata** Schizorhina, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, no. 1, Cetoniidae, Nov. 1842, 9.
- rugosula** Chrysobothris, Gory (*ex* Dej.) in Laporte & G., H. N. Coléopt. IV. 1840, 177.
- rugosulum** Cinipsillum (Latr.), Lamarck, An. s. vert. IV. 1817, 158.—Scelio.
- rugosula** Lamia, Guérin-M. in Duperry, Voy. "Coquille," Zool. II (2) 1 (1838), 134.
- rugosula** Parmena (Guér.), J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 506.—Lamia.
- rugosulus** Podabrus, J. L. Leconte in Agassiz, Lake Superior, 1850, 229.
- rugosulus** Psammadius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 323.
- rugosula** Rissoa, A. Aradas, Atti Acc. Gioenia (2) IV. 1847, 76.
- rugosulus** Scelio, P. A. Latreille, Sonnini's Buffon, Ins. XIII (1804), 227.
- rugosulus** Scotobius, F. E. Guérin, Classif. Mélasom. in Magasin de Zool. IV. 1834, 17.
- rugosula** Synchita, F. E. Guérin-M., Iconographie, 1844, Ins., 189.
- rugosula** Venus, P. Calcara, Mem. Conch. Altavilla, 1841, 26.

- rugosus** Acanthinus, F. de La Ferté-S., Mon. Anthicus, 1848 [*i.e.* 1849], 327.—Anthicus, 1849.
- rugosus** Acanthocerus, Reiche in E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 146.
- rugosa** Acanthodis (L.), Audinet-Serville (Roret's Suite à Buffon), Orthopt. 1839 [Dec. 1838], 454.—Gryllus, L. 1758.
- rugosus** Acanthopus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840,
- rugosum** Achilleum, G. v. Muenster, N. Jahrb. f. Min. 1834, 7 [*n. n.*]. [233.]
- rugosum** Achilleum, G. v. Muenster, Beitr. zur Petref. (4) 1841, 26.
- rugosum** Achilleum, A. E. Reuss, Geogn. Skizz. Boehmen, II. 1844, 169.
- rugosus** Acrodus, J. L. R. Agassiz, Poiss. Foss. III., 148 (1839).
- rugosus** Acecephalus, J. Curtis, Brit. Entom. XIII (155) Nov. 1836, no. 620.
- rugosum** Adelostoma, Gory in Solier, Ann. Soc. Ent. France, VI (2) *post* June 1837, 170.
- rugosa** Agaricia, Lamarck, An. s. vert. II. 1816, 243.
- rugosum** Alasmodon, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 5.
- rugosa** Alasmodonta, D. H. Barnes, Amer. J. Sci. VI (2) *post* Ap. 1823, 278.
- rugosus** Alcyonites, E. F. v. Schlotheim, Die Petref. 1820, 372.
- rugosa** Altica, A. G. Olivier, Entom. VI. 1808, 707.
- rugosus** Amarygmus, E. F. Germar, Linnaea Entom. III. Ap. 1848, 201.
- rugosus** Amblyopus, J. Richardson, 15 Rept. Brit. Assoc. (Cambr. 1845) 1846, 207.
- rugosa** Ammonites, Lamarck, An. s. vert. VII. 1822, 637.
- rugosum** Amorphosoma (Thunb.), Laporte & Gory, H. N. Coléopt. II. 1838, 11.—  
Buprestis, 1787.
- rugosa** Amphistegina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 209.
- rugosa** Ampullaria, Lamarck, Syst. Anim. 1801, 93.
- rugosa** Anatina, Lamarck, An. s. vert. V. 1818, 464.
- rugosa** Anchorella, H. Krøyer, Naturhist. Tidsskrift, I. 1837, 284.
- rugosa** Ancylonycha, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. II (6) Dec. 1844,  
140.
- rugosa** Anisotoma (Steph.), W. F. Erichson, Nat. Ins. Deutschl. I. 3 (1 & 2) 1845, 54.—
- rugosus** Anodon, W. Swainson, Zool. Illust. (1) II (19) Ap. 1822, pl. 96. [Leiodes.]
- rugosa** Anodonta, W. W. Saunders (*ex* Hope MS), Ann. Mag. Nat. Hist. XI (67) Jan.  
1843, 67.
- rugosa** Anomalocardia, C. F. Schumacher, Essai Vers test. 1817, 135.
- rugosa** Anomia, P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 312.
- rugosus** Anoplognathus, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 405.
- rugosa** Anthia (Fab.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 236.—Carabus, 1798.
- rugosa** Anthia, C. P. Thunberg, N. Acta Soc. Sci. Upsal. IX. 1827, 20.
- rugosus** Anthicus, F. de La Ferté-S. in F. E. Guérin-M., Spec. et Icon. Anim. artic. (7)  
1849, 37 [“Mon. Anth.” *poster. edit.*].
- rugosum** Anthophyllum, G. v. Muenster, N. Jahrb. f. Min. 1834, 8 [*n. n.*].
- rugosa** Apate, J. C. Fabricius, Syst. Eleuth. II. 1801, 380.
- rugosa** Aphrodes, J. Curtis, Guide Brit. Ins. (7) 1831, 193 [*n. n.*].
- rugosus** Aphyoramphus, F. E. Guérin-M., Iconographie, 1844, Ins., 158.
- rugosa** Aplora, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 428 [*n. n.*].
- rugosus** Aradus (L.), J. C. Fabricius, Syst. Rhyng. 1803, 117.—Cimex, 1758.
- rugosa** Arca, G. v. Muenster, Beitr. zur Petref. (4) 1841, 82.
- rugosus** Arrhenodes, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 472.
- rugosa** Ascidia, J. Coldstream, Edinburgh New Phil. Journ., Oct. 1830, 240.
- rugosa** Ascidia, Forbes & Goodsir, Athenaeum, 1839, 647.
- rugosa** Ascidia, L. Agassiz, P. Amer. Assoc. 1849 (1850), 159.
- rugosa** Asida (Ol.), Lamarck, An. s. vert. IV. 1817, 409.—Opatrum, 1795.
- rugosus** Astacus, C. S. Rafinesque-S., Précis Som. 1814, 22.
- rugosa** Astarte (Brocc.), G. G. Pusch, Geogn. Besch. Polen, II. 1836, 510.—Venus.
- rugosa** Astarte, G. P. Deshayes, Traité élém. Conch., Atlas, 1839, 14.
- rugosa** Astarte (Sow.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 60.—Cytherea.
- rugosa** Astraea, J. Hall, N. H. New York (Geol. 4 dist.) 1843, 159.
- rugosus** Atelecyclus, Desmarest, N. Dict. H. N., ed. 2, VIII. 1817, 507.
- rugosus** Atelocerus, J. O. Westwood in F. W. Hope, Cat. Hemipt. 1837, 21.

- rugosus** Ateuchus, Hausmann, Mag. f. Insektenk. (Illiger) VI. 1807, 250.  
**rugosa** Avicula, Muenster in G. A. Goldfuss, Petref. German. II (5) 1836, 131.  
**rugosa** Avicula (Monotis), G. v. Muenster, Beitr. zur Petref. (3) 1840, 52.  
**rugosum** Balantium (Orb.), J. E. Gray, Cat. Moll. Coll. B. M. (2) Feb. 1850, 15.—Hyalaea.  
**rugosum** Balantium (Orb.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 122.—Hyalaea.  
**rugosus** Balanus, Lamarck, An. s. vert. V. 1818, 395.  
**rugosus** Balanus (Mont.), J. Morris, Cat. Brit. Foss. 1843, 68.—Lepas, M. & R. 1807.  
**rugosa** Baris, Dejean, Catal. Coléopt. 1821, 99 [*n. n.*].  
**rugosus** Belemnites, F. V. Raspail, Ann. Sci. Observ. I (2) Feb. 1829, 322.  
**rugosus** Biapholus (L.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 272.—Mytilus,  
**rugosus** Bilobites, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 30. [1767.  
**rugosa** Bilocolina, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1838 (1840) [1839],  
**rugosa** Blaps, F. Gebler in A. D. Hummel, Essais Entom. I (4) 1824, 48. [131.  
**rugosa** Blaps, G. Fischer de W., Cat. Col. Sibir. [1842], 15.  
**rugosa** Bolma (L.), A. Risso, H. N. Europe, IV. 1826, 117.—Turbo, 1767.  
**rugosus** Bothriocephalus (Goeze), C. A. Rudolphi, Entoz. II (2) 1810, 42.—Taenia,  
 Batsch, 1786.  
**rugosus** Bourgueticrinus, A. d'Orbigny, H. N. Crinoides (3) May 1841, 96.  
**rugosus** Brachistes, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 28.  
**rugosus** Brachyurites, E. F. v. Schlotheim, Die Petref. 1820, 36.  
**rugosus** Bracon, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,  
**rugosus** Bucardites, E. F. v. Schlotheim, Die Petref. 1820, 206. [413.  
**rugosum** Buccinum, J. Sowerby, Min. Conch. II. 1815, 16.  
**rugosus** Buceros, P. J. Begbie, Malayan penin. 1834, 513.  
**rugosa** Buprestis, Palisot de B., Ins. Afr. Amér. (—) 1807, 45.  
**rugosa** Calandra, Dejean in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2)  
 1835, 445.  
**rugosus** Calosoma (Deg.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 228.—Carabus, 1778.  
**rugosa** Calyptraea, S. Borson, Mem. R. Acc. Sci. Torino, XXIX. 1825, 304.  
**rugosa** Calyptraea, G. P. Deshayes, Ency. Méth. (Vers) II (1) 1830, 173.  
**rugosa** Calyptraea, H. E. Anton, Verz. Conch. 1839, 28.  
**rugosa** Calyptraea, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab. Pls.  
 1846).  
**rugosa** Calyptraea (Calypeopsis), R. P. Lesson, Voy. "Coquille," Zool. II (1) 1831, 397.  
**rugosa** Cancellaria, Lamarck, An. s. vert. VII. 1822, 115.  
**rugosus** Cancer (Schl.), F. Holl, Handb. Petref. II. 1829, 144.—Brachyurites.  
**rugosus** Canthon, J. Sturm, Catal. Ins. Samml. 1826, 110 [*n. n.*].  
**rugosum** Canthon, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 159.  
**rugosa** Caprotina, A. d'Orbigny, Ann. Sci. Nat. [2] (Zool.) XVII. Mar. 1842, 182.  
**rugosa** Capsa, Lamarck, Syst. Anim. 1801, 125.  
**rugosa** Capsula, C. F. Schumacher, Essai Vers test. 1817, 131.  
**rugosus** Capulus (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 251.—  
**rugosa** Cardita, A. v. Klipstein, Beitr. geol. östl. Alpen (2, 3) 1845, 254. [Pileopsis].  
**rugosum** Cardium, Lamarck, An. s. vert. VI (1) 1819, 10.  
**rugosum** Cardium, G. v. Muenster, N. Jahrb. f. Min. 1835, 437.  
**rugosa** Cassida, F. Klug, Verz. Doubl. entom. Samml. Univ. Berlin, 1850, 13 [*n. n.*].  
**rugosa** Celibe, Dupont in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835,  
 264.  
**rugosa** Cenobita, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 241.  
**rugosum** Cerithium, Lamarck, Ann. Mus. H. N. (Paris) III (18) Mar. 1804, 439.  
**rugosum** Cerithium, W. Wood, Suppl. Index Test. 1828, 34.—Strombus, 1828.  
**rugosa** Cermatia, G. Newport, Ann. Mag. N. H. XIII. Feb. 1844, 95.  
**rugosus** Chaetetes, J. Hall, N. H. New York (Pal. I.) 1847, 67.  
**rugosa** Chelonia, J. Kirby, Brewster's Edin. Ency. XI (1) 1817, 16.  
**rugosa** Chenendopora (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850],  
**rugosus** Chiton, D. Solander, Catal. Portland Mus. 1786, 5 [*n. n.*]. [391.—Tragos.  
**rugosus** Chiton, J. E. Gray in P. P. King, Narr. Surv. Australia, II. 1827 [*i.e.* Ap. 1826],  
**rugosa** Chlamys, F. Klug, Entom. Mon. 1824, 104. [492.

- rugosa** Chrysobothris, Laporte & Gory, H. N. Coléopt. II. 1835-1836, 54.  
**rugosa** Chrysobothris, Dalman, Bull. Soc. Imp. Nat. Moscou, 1837 (8) 1837, 74.  
**rugosus** Cis (Rand.), J. L. Leconte in Agassiz, Lake Superior, 1850, 233.—Triphyllus.  
**rugosa** Clausilia, J. P. R. Draparnaud, H. N. Moll. France, 1805, 73.—Pupa, 1801.  
**rugosa** Clavulina, F. de Pourtalès, P. Amer. Assoc. 1850 (1850), 88.  
**rugosa** Clytia (S. & E.), J. V. F. Lamouroux, Hist. Polyp. 1816, 204.—Sertularia, L.  
**rugosus** Coccimorphus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 276. [1758].  
**rugosa** Colaspis, E. F. Germar, Ins. spec. novae, I. 1824, 572.  
**rugosa** Columbella, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (19) Aug.  
**rugosus** Colymbetes, W. S. Macleay, Annulosa Javanica, 1825, 32. [1832, 115].  
**rugosa** Complanaria (Barnes), W. Swainson, Treat. Malacol., May 1840, 288.—Alasmo-  
donta.  
**rugosus** Conocephalus (L.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. V. 1815,  
278.—Gryllus, 1758.  
**rugosa** Conoparia, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 82.  
**rugosus** Coprophilus (Grav.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, IV. 1829,  
439.—Omalium.  
**rugosa** Corbula, Lamarck, Ann. Mus. H. N. (Paris) VIII (48) me judice Jan. 1807, 467.  
**rugosa** Corbula, J. Buckman in Murchison, Outlines Geol. Cheltenham, 1844, 97.  
**rugosus** Cordyle, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 112.  
**rugosa** Cornularia, Lamarck, An. s. vert. II. Mar. 1816, 112.  
**rugosa** Cornularia, Lamarck, Ency. Méth. (Vers) 1816, pl. 473, Liste, p. 15 [*n. et f.*].  
**rugosa** Crania, J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 63.  
**rugosa** Crepidula, Nuttall in J. C. Jay, Cat. Shells, ed. 3, 1839, 41 [*n. n.*].  
**rugosus** Crossocerus, Herrich-S. in G. W. F. Panzer, Ins. Germ., heft 181, 1841, 59.  
**rugosus** Crotalocrinites (Mill.), T. & T. Austin, Ann. Mag. N. H. XI. Mar. 1843, 198.—  
**rugosa** Cruziana, A. d'Orbigny, Amér. Mérid. (Pal.) 1842, 30. [Cyathocrinites].  
**rugosa** Cryptanura, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV.  
**rugosus** Cryptocephalus, F. V. Melsheimer, Ins. Pennsylv. 1806, 24 [*n. n.*]. [1846, 244].  
**rugosum** Ctenostoma, F. Klug, Entom. Mon. 1824, 7.  
**rugosa** Cucullaea (Muenst.), H. G. Bronn, Index Pal. 1848, 360.—Arca (Cuc.).  
**rugosa** Cupulospongia (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 391.—  
Scyphia.  
**rugosus** Curculio, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 155.  
**rugosus** Cyathocrinites, J. S. Miller, N. H. Crinoidea, 1821, 89.  
**rugosa** Cyclas, W. Dunker, Palaeontographica, I (1) Aug. 1846, 38.  
**rugosus** Cyclocrinus, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 291.  
**rugosa** Cyclolites, H. Michelin, Icon. Zoophyt. (24-27) 1847, 283.  
**rugosa** Cyclostoma, Lamarck, An. s. vert. VI (2) 1822, 145.  
**rugosus** Cyphaleus (Gray), J. O. Westwood, Arcana Entom. (3) Sept. 1841, 43.—Helops.  
**rugosus** Cyphon (Ol.), C. J. Schoenherr, Syn. Insect. I (2) 1808, 322.—Cistela, 1795.  
**rugosum** Cyphosoma, L. Agassiz, Cat. Ect. Ech. 1840, 11.  
**rugosum** Cyphosoma, Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 351.  
**rugosa** Cypraea, W. J. Broderip, Zool. Journ. III (9) Jan. 1827, 84.  
**rugosa** Cypricardia, d'Archiac, Mém. Soc. géol. France (2) III. (2) 1850, 431.  
**rugosa** Cypricardites, T. A. Conrad, [5 A. Rep. N. Y. Geol. Surv.], Assembl. no. 150,  
1841, 53.  
**rugosum** Cyrtoceras (Flem.), L. G. de Koninck, Descr. Anim. foss. (11) *ineunte* 1844,  
**rugosa** Cythere, G. v. Muenster, Jahrb. f. Min. 1830, 63. [527.—Orthocera.  
**rugosa** Cytharea (L.), S. Borson, Mem. R. Acc. Sci. Torino, XXIX. 1825, 267.—Venus,  
1771.  
**rugosa** Cytherea (Lam.), A. Sassi, Giorn. Ligustico, I (5) Sept. 1827, 473.—Venus, L.  
1771.  
**rugosa** Cytherea, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 347.  
**rugosus** Cythereites, J. F. Krueger, Gesch. d. Urwelt (2) 1823, 449.  
**rugosa** Cytherina, G. v. Muenster, N. Jahrb. f. Min. 1838, 518.  
**rugosa** Delphinula (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 313.—Euomphalus.  
**rugosum** Dentalium, W. Dunker, Kasseler Muschelk. Moll. 1848-49, 16.

- rugosus** Diacanthus, E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 81.—Ludius, 1835.
- rugosum** Dibothrium (Rud.), C. M. Diesing, Syst. Helminth. I. 1850, 591.—Bothrioccephalus.
- rugosa** Dichotomaria (S. & E.), Lamarck, An. s. vert. II. 1816, 145.—Corallina, 1786.
- rugosa** Diphucephala, Dejean, Catal. Coléopt. 1821, 58 [*n. n.*].
- rugosa** Distorta, C. F. Schumacher, Essai Vers test. 1817, 249.
- rugosa** Doryphora, J. Sturm, Catal. Ins. Samml. 1826, 133 [*n. n.*].
- rugosa** Dosina (L.), J. E. Gray, The Analyst, VIII (24) July 1838, 308.—Venus, 1771.
- rugosus** Dromilite (Schl.), H. M. Edwards, L'Institut, Aug. 1837, 255; Extr. P. V. Soc. Philom. Paris, 1837, 115.—Brachyurites.
- rugosus** Dysopes (Orb.), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 17.—Molossus.
- rugosus** Dytiscus, F. v. Gebler in Ledebour, Reise Altai, II. 1830, 64.
- rugosus** Echinus, G. D. Nardo (*ex Chiereghini MS*), Sin. mod. spec. Lag. Veneto, 1847, 14.
- rugosus** Elater, T. Marsham, Coleopt. Brit., Sept. 1802, 381.
- rugosus** Elater, Meg.; Dejean, Catal. Coléopt. 1821, 31 [*n. n.*].
- rugosa** Eleodes, Perbosc, Rev. Zool. (Soc. Cuv.) II. Sept. 1830, 263.
- rugosa** Ellipstoma, C. S. Rafinesque, Amer. Monthly Mag. IV (1) Nov. 1818, 42.
- rugosa** Ellisia (Lam.), G. D. Westendorp, Ann. Soc. Med. Chir. Bruges, IV. 1843, [22].—Sertularia, L. 1758.
- rugosus** Elmis, C. C. Babington, Mag. Nat. Hist. V. May 1832, 329. [331.
- rugosa** Emarginula, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834),
- rugosus** Emmenastus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)
- rugosa** Emys (Shaw), J. E. Gray, Syn. Rept. 1831, 30.—Testudo. [1845, 76.
- rugosa** Encrinurus (Portl.), H. F. Emmrich, Naturg. Trilobiten, 1844, 16.—Ogygia.
- rugosum** Engystoma, Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII. Jan. 1841,
- rugosa** Epeira, N. M. Hentz, Boston Journ. N. H. VI. (1) 1850, 21. [744.
- rugosa** Epipendonota, G. R. Waterhouse, Proc. Zool. Soc. London, IX (107) May 1842, 117.
- rugosus** Epitragus, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 214.
- rugosa** Eudea, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 294.
- rugosus** Eumolpus, J. Sturm, Catal. Ins. Samml. 1826, 140 [*n. n.*].
- rugosa** Eunomia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 32.
- rugosus** Euomphalus, J. Sowerby, Min. Conch. I. 1814, 113.
- rugosa** Euphyllia, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 166.
- rugosa** Fasciolaria, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1832), 286.
- rugosa** Favastrea (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 107.—Astraea.
- rugosa** Feronia (Gebl.), Dejean, Spec. gén. Coléopt. III. 1828, 236.—Poecilus.
- rugosa** Fissurella, G. B. Sowerby, I., Conch. Illustr. (76) 1835, f. 54; Catal. (80) 1835, 8.
- rugosa** Flabellina, A. d'Orbigny, Mém. Soc. géol. France, IV (1) 1840, 23.
- rugosus** Fulgur, T. A. Conrad, Proc. Acad. Nat. Sci. Philad. I (31) Oct. 1843, 307.
- rugosus** Fungites, E. F. v. Schlotheim, Die Petref. 1820, 347.
- rugosus** Fusus, Lamarck, Ann. Mus. H. N. (Paris) II (10) Aug. 1803, 316.
- rugosus** Fusus, Lamarck, Ency. Méth. (Vers) 1816, pl. 425, Liste, p. 6 [*n. et f.*].
- rugosus** Fusus (Park.), J. Fleming, Hist. Brit. Anim. 1828, 353.—Murex.
- rugosa** Galaxaura (S. & E.), J. V. F. Lamouroux, Hist. Polyp. 1816, 263.—Corallina, 1786.
- rugosum** Gastrophryne (D. & B.), L. Fitzinger, Syst. Rept. 1843, 33.—Engystoma.
- rugosa** Gaudryina, A. d'Orbigny, Mém. Soc. géol. France, IV (1) 1840, 44.
- rugosa** Glauconome, L. Reeve, Proc. Zool. Soc. London, XII (132) July 1844, 19.
- rugosa** Globulina, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 229.
- rugosa** Glycimeris, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 5.
- rugosa** Glycimeris, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 160 [*n. n.*].
- rugosa** Gonopera, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 429.
- rugosus** Gryllus, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. IX. 1824, 401.
- rugosus** Gryphites, E. F. Schlotheim, Tasch. Min. 1813, 52 & 93.
- rugosa** Gyrocotyle, C. M. Diesing, Syst. Helminth. I. 1850, 408.



- rugosus** Gyrodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 120 (1839); II (2), 227 (1844).  
**rugosa** Haliotis, Lamarck, An. s. vert. VI (2) 1822, 217.  
**rugosa** Haliotis, L. Reeve, Conch. Icon. III.—Haliotis, no. 59, July 1846.  
**rugosa** Harmodites, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 50.  
**rugosa** Helcion (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 303.—Patella.  
**rugosa** Helicina, L. Pfeiffer, Arch. f. Naturg. V (1) 1839, 355.  
**rugosa** Helix, D. Solander, Catal. Portland Mus. 1786, 30.  
**rugosa** Helix, Lamarck, An. s. vert. VI (2) 1822, 90.  
**rugosa** Helix (Lam.), W. Wood, Suppl. Index Test. 1828, 29.—Ampullaria.  
**rugosa** Helix, Ziegler in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. I (4) Sept. [1836, 6.  
**rugosa** Helix, H. E. Anton, Verz. Conch. 1839, 34. [1839, 6.  
**rugosa** Helix, Anton in E. A. Rossmäessler, Icones L. u. S. Moll. Europ. II (3 & 4) Sept. [1839, 9.  
**rugosa** Helix, Aradas & Maggiore, Atti Acc. Gioenia, XVI. 1841, 72. [1839, 9.  
**rugosa** Helix, L. Pfeiffer (*ex* Chemn.) in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Helix (58) 1846, 51.  
**rugosa** [Helix] (Cochlodina), Drap.; A. E. Férussac, H. N. g. et p. Moll., Tabl. Limaçons, Helops, Cr.; J. Sturm, Catal. Ins. Samml. 1826, 150. [1821, 67.  
**rugosus** Helops, G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 788, & pl. 80.  
**rugosus** Helops, Dejean in H. C. Kuester, Käfer Europas, XXI. 1850, 26.  
**rugosum** Hemidiadema, Agassiz, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 351.  
**rugosa** Heteropora, d'Archiac, Mém. Soc. géol. France (2) III (2) 1850, 407.  
**rugosa** Hiattella (L.), J. Fleming, Hist. Brit. Anim. 1828, 461.—Mytilus, 1767.  
**rugosum** Himatidium, J. Sturm, Catal. Ins. Samml. 1826, 152 [*n. n.*].  
**rugosus** Hippalimus (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 390.—Scyphia.  
**rugosa** Hippurites, Lamarck, An. s. vert. VII. 1822, 598.  
**rugosa** Hyalaea, A. d'Orbigny, Amér. Mérid. (Moll.) 1836, 118.  
**rugosus** Hybodius, Plieninger in Meyer & Plien., Beitr. Pal. Württ. 1844, 56.  
**rugosa** Hydraena, E. Mulsant, H. N. Coléopt. France (Palp.) May 1844, 76.  
**rugosus** Hydrochus, E. Mulsant, Ann. Soc. Agric. Lyon, VII (5) 1844, 373.  
**rugosus** Hypogomphus, M. Spinola, Tav. sin. Hem. 1850, *ex* Mem. Soc. Ital. Sci. XXV (1) 1852, 125.  
**rugosus** Hypomelus (Fab.), A. J. J. Solier, Mem. R. Acc. Sci. Torino [2] VI. 1844, 314.—Sepidium, 1781.  
**rugosa** Idiocephala, W. W. Saunders, Tr. Entom. Soc. Lond. IV (2) Nov. 1845, 146.—Anodonta, 1843.  
**rugosa** Idotea, H. M. Edwards (Roret's Suite à Buffon), Crustacés, III. 1840, 131.  
**rugosus** Inoceramus (Schl.), H. G. Bronn, Lethaea Geogn. I (4) 1836, 346.—Mytulites.  
**rugosus** Irus (L.), L. Oken, Lehrb. Nat. III (1) 1815, 231.—Mytilus, 1767.  
**rugosa** Joppa, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846, [293.  
**rugosa** Julodis, Laporte & Gory, H. N. Coléopt. I. 1835-1836, 15. [293.  
**rugosus** Lachnophorus, Dejean, Spec. gén. Coléopt. V. 1831, 857.  
**rugosa** Lacrymaria, C. G. Ehrenberg, Abh. ph.-Kl. K. pr. Ak. Wiss. 1831 (1832), 105.  
**rugosus** Laestris, F. V. Melsheimer, Ins. Pennsylv. 1806, 59 [*n. n.*].  
**rugosa** Lagria, J. C. Fabricius, Syst. Eleuth. II. 1801, 69.  
**rugosus** Lanistes, F. M'Coy in Griffith, Not. foss. Mtn. Lst. Ireland, 1842, 12 [*n. n.*]; Syn. Carb. Lst. foss. Ireland, 1844, 76.  
**rugosa** Lasmigona, Rafinesque, Cont. Mon. Shells Ohio, Oct. 1831, 5.  
**rugosa** Lavignon (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 49.—Mya.  
**rugosa** Leiodes, J. F. Stephens, Ill. Brit. Ent. (Mand. II.) June 1829, 178.  
**rugosa** Lepas (Pult.), Maton & Rackett, Tr. Linn. Soc. London, VIII. 1807, 25.—Balanus, 1799.  
**rugosus** Lepidotus, J. L. R. Agassiz, Poiss. Foss. II (1), 246 (1837).  
**rugosa** Lepocera, C. S. Rafinesque, Journ. de Physique, LXXXVIII. June 1819, 429 [*n. n.*].  
**rugosa** Leptaena (His.), J. W. Dalman, K. Vet. Ac. Handl. 1827 (1828), 106.—Producta.  
**rugosa** Leptagonia (Dalm.), F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 118.—Leptaena.

- rugosa** Leptosmilia (Dana), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) X. Nov. 1848, 269.—Euphyllia.
- rugosa** Leucochroa (Lam.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 16.—Helix.
- rugosus** Lithodomus, A. d'Orbigny, Pal. Franç., Crét. III (Lam.) 1845, 294.
- rugosa** Litorina, C. T. Menke, Moll. N. Holl. 1843, 9.
- rugosa** Lituola, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 185.
- rugosa** Locusta, C. P. Thunberg, D. D. Mus. Ac. Upsal. XXIII. 1804, 7.
- rugosa** Lonsdaleia, F. M'Coy, Ann. Mag. N. H. (2) III. Jan. 1849, 13.
- rugosa** Lottia (Quoy), Catlow & Reeve, Conch. Nomen. 1845, 99.—Patelloida.
- rugosa** Lucina, G. A. Goldfuss, Petref. German. II (7) 1840, 227.
- rugosus** Ludius (Meg.), J. F. Eschscholtz in Thon, Entom. Archiv, II (1) Jan. 1829, 34.—
- rugosus** Ludius, Bonelli in E. F. Germar, Fauna Ins. Europ. (18) 1835, 7. [Elater.
- rugosa** Lutraria (Gm.), Lamarck, An. s. vert. V. 1818, 469.—Mactra, 1790.
- rugosa** Lutraria, G. A. Goldfuss, Petref. German. II (7) 1840, 255.
- rugosa** Lutricola, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 349.
- rugosa** Lymnaea, A. Valenciennes in Humboldt, Voy. Intér. Amér. (Obs. Zool. II. 1827),
- rugosus** Lyriodon (Lam.), H. G. Bronn, Index Pal. 1848, 688.—Trigonia. [250.
- rugosa** Lytta (Thunb.), G. J. Billberg, Mon. Mylabrid. [1813], 73.—Meloe, 1791.
- rugosus** Macrodon, J. Buckman (*ex* Lycett MS) in Murchison, Outlines Geol. Cheltenham, 1844, 99.
- rugosa** Mactromya (Roem.), J. L. R. Agassiz, Etudes crit. Moll. foss. (3) 1843, 197.—
- rugosa** Margaritana (Barn.), I. Lea, Syn. Naiades, 1836, 44.—Alasmodonta. [Mya.
- rugosa** Mecoglossa, A. J. J. Solier in Gay, Chili, IV (Col.) 1849, 426.
- rugosus** Megaceras, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 191.
- rugosa** Melania, Rafinesque, Enum. obj. Cab., Nov. 1831, 3.
- rugosa** Melania, I. Lea, P. Amer. Phil. Soc. II (24) Dec. 1842, 237.
- rugosa** Melania, W. Dunker, Mon. Norddeutsch. Weald. 1846, 52.—Potamides, 1843.
- rugosa** Melanopsis, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 221; Rep. trav. Soc. stat. Marseille, VI., 293.
- rugosus** Meloe, T. Marsham, Coleopt. Brit., Sept. 1802, 483.
- rugosus** Merocoris, Amyot & Serville (Roret's Suite à Buffon), Hémiptères, 1843, 244.
- rugosa** Meryx, P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 208 [*n. n.*].
- rugosa** Meryx, P. A. Latreille, Sonnini's Buffon, Ins. XI (1804), 246.
- rugosa** Metoptoma, J. Hall, N. H. New York (Pal. I.) 1847, 306.
- rugosus** Microgaster, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 188. [1850, 69.
- rugosa** Microplus, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.
- rugosa** Mitra, W. Swainson in G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App.,
- rugosa** Mitra, R. A. Philippi, N. Jahrb. f. Min. 1845, 450 [*n. n.*]. [p. xxvii.
- rugosa** Mitra, R. A. Philippi, Palaeontographica, I (2) Mar. 1847, 77.
- rugosa** Modiola, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 93.
- rugosus** Molossus, A. d'Orbigny & P. Gervais, Amér. Mérid. (Mamm.) 1847, 13.
- rugosa** Monodonta, W. Wood, Suppl. Index Test. 1828, 44.—Trochus, 1828.
- rugosa** Montlivaltia, G. v. Muenster, Beitr. zur Petref. (4) 1841, 36.
- rugosa** Munida (—), W. E. Leach, Dict. Sci. Nat. XVIII. 1820, 52.—Galathea, Fab. [1793.
- rugosus** Murex, J. Parkinson, Org. Rem. III. 1811, 64.
- rugosus** Musculites, E. F. Schlotheim, Tasch. Min. 1813, 93.
- rugosa** Mutilla, A. G. Olivier, Ency. Méth. VIII (1) (Ins.) 1811, 61.
- rugosa** Mya, D. Solander, Catal. Portland Mus. 1786, 180 [*n. n.*].
- rugosa** Mya, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 125.
- rugosus** Myliobates (Zygobates), H. v. Meyer, N. Jahrb. f. Min. 1844, 335.
- rugosa** Myophoria (Klip.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 198.—
- rugosus** Mytilus, G. Sandberger, N. Jahrb. f. Min. 1842, 397 [*n. n.*]. [Cardita.
- rugosus** Mytulites, E. F. v. Schlotheim, Petref. I. 1820, 301.
- rugosum** Nassa (J. Sow.), J. De C. Sowerby, Min. Conch., Alph. Index, 1840, 3.—Buc-
- rugosa** Natica, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. III. 1801, 290. [cinum.
- rugosa** Naucoris, J. Desjardins, 7 Ann. Rapp. Soc. Hist. Nat. Maurice, 1836, 66.
- rugosa** Naucoris, J. Desjardins, Ann. Soc. Ent. France, VI (2) *post* June 1837, 239.
- rugosus** Nectylus, C. S. Rafinesque, Amer. Monthly Mag. II (1) Nov. 1817, 40.

- rugosa** Nerita, F. W. Hoeninghaus, Jahrb. f. Min. 1830, 467 [*n. n.*].
- rugosa** Nerita, H. E. Anton, Verz. Conch. 1839, 29.
- rugosa** Neritella (Eyd.), J. E. Gray, Figs. Moll. Anim. IV. 1850, 91.—Nerita [*vernac.*].
- rugosa** Neritina, v. d. Busch in R. A. Philippi, Abb. Conch. I (2) 1843, 26.
- rugosa** Nodosaria, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 13.
- rugosa** Nonionina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 294 [*n. n.*].
- rugosa** Nyctelia, G. R. Waterhouse, Proc. Zool. Soc. London, IX (107) May 1842, 111.
- rugosa** Oculina, d'Archiac, Mém. Soc. géol. France (2) III (2) 1850, 403.
- rugosa** Odontochile, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 94.
- rugosa** Ogygia, J. E. Portlock, Rept. Geol. Londonderry, Jan. 1843, 302.
- rugosa** Oiceoptoma (L.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 7.—Silpha, 1758.
- rugosum** Omalium (Ol.), J. L. C. Gravenhorst, Coleopt. micr. 1802, 115.—Staphylinus, ? Fab. 1775.
- rugosa** Omaloplia, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct.
- rugosus** Onthophagus, W. Kirby, Tr. Linn. Soc. London, XII (2) 1819, 398. [1850, 77.]
- rugosum** Opatrum, C. P. Thunberg, Opatum Ins. gen. 1821, 32.
- rugosa** Ophelmis, C. S. Rafinesque, Atlantic Journ. (1) 1832, 20.
- rugosus** Ophion, A. Brullé in Lepeletier (Roret's Suite à Buffon), Hyménopt. IV. 1846,
- rugosus** Opius, C. Wesmael, N. Mém. Ac. Roy. Brux. XI. 1838, 147. [1838.]
- rugosus** Orchestes, Dejean, Catal. Coléopt. 1821, 82 [*n. n.*].
- rugosa** Orthos (Dalm.), L. v. Buch, Abh. ph.-Kl. K. pr. Ak. Wiss. 1836 (1838) [1837],
- rugosa** Orthocera, J. Fleming, Ann. Phil. V. Mar. 1815, 203. [70.—Leptaena.]
- rugosa** Ortygia (Penn.), T. Brown, Ill. Conch. G. B. I. 1827, pl. xx, f. 14.—Venus, 1777.
- rugosa** Osculipora, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 268.
- rugosa** Osmoderma (Kirby), H. Burmeister, Handb. Ent. III. 1842, 716.—Trichius
- rugosa** Ostrea, W. Smith, Strat. Syst. Org. Foss. 1817, 92 & 106. [(Gymnodus).]
- rugosa** Ostrea, DeFrance, Dict. Sci. Nat. XXII. 1821, 26 [*n. n.*].
- rugosa** Ostrea, Muenster in G. A. Goldfuss, Petref. German. II (4) 1833, 5.
- rugosus** Otiorhynchus (Humm.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 591.—Pachygaster.
- rugosa** Oxynodera, F. E. Guérin-M., Iconographie, 1844, Ins., 289.
- rugosus** Oxytelus (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 24.—Staph. 1775.
- rugosus** Ozius, H. Milne-Edw. & H. Lucas in d'Orbigny, Amér. Mérid. (Crust.) 1844, 17.
- rugosus** Pachycerus, H. Lucas, Explor. Algér. (Artic. II.) 1849, 423.
- rugosus** Pachydactylus, A. Smith, Ill. Zool. S. Afr. (Rept.), pl. lxxv (1849).
- rugosus** Pachygaster, A. D. Hummel, Ess. Entom. (6) 1827, 12.
- rugosus** Pachyodon, S. Stutchbury, Ann. Mag. N. H. VIII. Mar. 1842, 485.
- rugosa** Pachyseris (Lam.), Edwards & Haime, C. R. Ac. Sci. (Paris) XXIX. July 1849, 72.—Agaricia.
- rugosa** Panopaea (Goldf.), A. Keyserling, Wiss. Beob. Petschora, 1846, 314.—Lutraria.
- rugosa** Panopaea (Roem.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 47.—Mya.
- rugosa** Patella, J. Sowerby, Min. Conch. II. 1816, 87 (pl. 139).
- rugosa** Patella, DeFrance, Dict. Sci. Nat. XXXVIII. 1825, 125.
- rugosa** Patella, F. W. Hoeninghaus, Jahrb. f. Min. 1830, 467 [*n. n.*].
- rugosa** Patella, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 6.
- rugosa** Patelloida, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. III (1834),
- rugosus** Pecten, Lamarck, An. s. vert. VI (1) 1819, 179. [366.]
- rugosus** Pecten, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 47.
- rugosus** Pecten, G. B. Sowerby, II. Thes. Conch. I (2) *ante* 2 Nov. 1842, 66.
- rugosus** Pelor, E. Ménétriés, Cat. Rais. Zool. Caucase, 1832, 124.
- rugosus** Pelorosomus (Ménétr.), V. v. Mochulski, Kaef. Russl., *post* May 1850, 58.—
- rugosa** Peltidocotyle, C. M. Diesing, Syst. Helminth. I. 1850, 560. [Pelor.]
- rugosa** Peltis, Thunberg in C. J. Schoenherr, Syn. Insect. I (2) 1808, 134.
- rugosus** Peltopterus (Desj.), F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) VI. Ap. 1843, 113.—Naucoris.
- rugosa** Perna, Muenster in G. A. Goldfuss, Petref. German. II (5) 1836, 105.
- rugosa** Petraia (Ph.), J. Morris, Cat. Brit. Foss. 1843, 43.—Turbinolopsis.
- rugosa** Petricola, C. T. Menke, Conch.-Samml. Malsburg, 1829, 120.

- rugosa* Petricola, G. B. Sowerby, I., Proc. Zool. Soc. London, II (18) Sept. 1834, 47.  
*rugosum* Phalangium, F. E. Guérin-M., Iconographie, 1844, Arach., 12.  
*rugosus* Phileurus, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 96.  
*rugosa* Pholadomya, G. G. Pusch, Polens Paleont. (2) 1837, 89.  
*rugosa* Pholadomya (Goldf.), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 47.—  
*rugosa* Pholas, G. Brocchi, Conch. Subap. 1814, 591. [Lutraria.  
*rugosa* Pholeobia (L.), W. E. Leach, Journ. de Physique, LXXXVIII. June 1819, 465.—  
*rugosa* Piesticystis, C. M. Diesing, Syst. Helminth. I. 1850, 494. [Mytilus, 1767.  
*rugosa* Pileopsis, Muenster in G. A. Goldfuss, Petref. German. III (8) 1844, 12.  
*rugosus* Pimelodus, P. Bleeker, Nat. Geneesk. Arch. Neerland's-Indie, IV (2) 1846, 168.  
*rugosa* Pinna, G. B. Sowerby, I., Proc. Zool. Soc. London, III (30) Sept. 1835, 84.  
*rugosa* Pinna, F. A. Roemer, Verst. Norddeutsch. Oolith., Nachtrag, 1839, 32.  
*rugosa* Pinnigena, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 21.  
*rugosus* Placosaurus, F. L. P. Gervais, Zool. Pal. Franç. II., 260 [? 1848].  
*rugosus* Platycrinites, J. S. Miller, N. H. Crinoidea, 1821, 79.  
*rugosus* Platygnathus, R. Owen, 9 Rept. Brit. Assoc. (Birm. 1839) 1840, Trans., 75 [*n. n.*].  
*rugosus* Platynotus, J. C. Fabricius, Syst. Eleuth. I. 1801, 140.  
*rugosus* Plectrolepis, L. Agassiz, 13 Rept. Brit. Assoc. (Cork, 1843) 1844, 197; Poiss.  
     Foss. II (1), 306 (1844) [*n. n.*].  
*rugosus* Plesiosaurus, R. Owen, 9 Rept. Brit. Assoc. (Birm. 1839) 1840, 82.  
*rugosa* Pleurotoma, I. Lea, Contrib. to Geol. 1833, 136.  
*rugosa* Pleurotoma, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1834, 486.  
*rugosa* Pleurotoma, J. W. Mighels, Proc. Boston Soc. N. H. II. 1848 (1845), 23.  
*rugosa* Plicatula, Lamarck, An. s. vert. VI (1) 1819, 186.  
*rugosa* Plocoscyphia (Reuss), A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 289.—  
     Achilleum.  
*rugosus* Poecilus, F. Gebler, Mém. Soc. Imp. Nat. Moscou, VI. 1823, 127.  
*rugosa* Polymorphina, A. d'Orbigny in Sagra, Cuba (Foram.) 1839, 138.  
*rugosus* Polypedates, Duméril & Bibron (Roret's Suite à Buffon), Erpét. VIII. Jan. 1841,  
*rugosus* Polyplex, G. Perry, Conchology, Ap. 1811, pl. 9. [520.  
*rugosa* Polystomella, A. d'Orbigny, Foram. foss. Vienne, Sept. 1846, 123.  
*rugosa* Polytropa, W. Swainson, Treat. Malacol., May 1840, 305.  
*rugosa* Ponera, Le Guillou, Rev. Zool. (Soc. Cuv.) IV. Oct. 1841, 324.  
*rugosa* Porcellana, H. M. Edwards (Roret's Suite à Buffon), Crustacés, II. 1837, 252.  
*rugosa* Porphyraspis, C. H. Boheman, Mon. Cassid. I. 1850, 96.  
*rugosa* Posidonomya (Muenst.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 83.—  
     Avicula.  
*rugosa* Pctamides, W. Dunker, Stud. Goetting. Ver. bergm. Freunde, V (2) [1843], 133;  
     Norddeutsch. Wälderthon, 1843, 16.  
*rugosus* Procrustes, Dejean, Catal. Coléopt. 1821, 5 [*n. n.*]; Spec. gén. Coléopt. II. 1826,  
*rugosa* Producta, W. Hisinger, K. Vet. Ac. Handl. 1826 (2) 1827, tabl. [*n. n.*]. [29.  
*rugosus* Psammodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 56 (1835); III., 111 (1838).  
*rugosum* Pteroceras, G. B. Sowerby, II., Thes. Conch. I (2) *ante* 2 Nov. 1842, 42.  
*rugosus* Pterotarsus, E. Blanchard in d'Orbigny, Amér. Mérid. (Ins.) 1846, 146.  
*rugosus* Ptychodus, F. Dixon, Geol. Sussex, 1850, 362.  
*rugosa* Pupa, J. P. R. Draparnaud, Tab. Moll. France, 1801, 63.  
*rugosa* Purpura, Lamarck, An. s. vert. VII. 1822, 242.  
*rugosa* Purpura, Quoy & Gaimard in d'Urville, Voy. "Astrolabe," Zool. II (1833), 569.  
*rugosa* Purpura (Born), G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, X.  
     Nov. 1844, 111.—Murex, 1778.  
*rugosus* Pygorhynchus, E. Ravenel, Echinidae, Jan. 1848, 4 [*n. et f.*].  
*rugosa* Quinqueloculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 302 [*n. n.*].  
*rugosa* Rana, Temminck & Schlegel in Siebold, F. Japon. (Rept. 1838), 110.  
*rugosa* Ranella, G. B. Sowerby, II., Proc. Zool. Soc. London, IX (101) Oct. 1841, 53.  
*rugosa* Requienia, A. d'Orbigny, Pal. Franc., Crét. IV (Brach.) 1850, 254.—Caprotina,  
     1842.  
*rugosa* Rhinaria, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 416.  
*rugosus* Rhomboides, de Blainville, Dict. Sci. Nat. XXXII. 1824, 355.

- rugosus** Rhynchites, Gebl.; J. Sturm, Catal. Ins. Samml. 1826, 191.
- rugosus** (*sic*) Rhynchobothrius, R. Leuckart, Arch. f. Naturg. XVI (1) 1850, 11.
- rugosa** Robulina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 290.
- rugosa** Rosalina, A. d'Orbigny, Amér. Mérid. (Foram.) 1839 (1843), 42.
- rugosus** Rynchites, F. v. Gebl in Ledebour, Reise Altai, II. 1830, 146.
- rugosa** Sagrina, A. d'Orbigny, Mém. Soc. géol. France, IV (1) 1840, 47.
- rugosa** Salenia, Archiac in Agassiz & Desor, Ann. Sci. Nat. [3] (Zool.) VI. Nov. 1846, 342.
- rugosa** Sanguinolaria, Lamarck, An. s. vert. V. 1818, 511.
- rugosa** Saxicava (L.), Lamarck, An. s. vert. V. 1818, 501.—Mytilus, 1767.
- rugosa** Scalaria, F. W. Hoeninghaus, Jahrb. f. Min. 1831, 142 [*n. n.*].
- rugosa** Scalaria, P. Matheron, Catal. méth. foss. B. du Rhône, 1843, 233; Rep. trav. Soc. stat. Marseille, VI., 305.
- rugosus** Scarites, C. R. W. Wiedemann, Mag. Entom. (Germar) IV. 1821, 118.
- rugosus** Scenopinus, J. C. Fabricius, Syst. Antliat. 1805, 336.—Musca, 1794.
- rugosa** Schizorrhina (Diaphonia), H. Schaum, Tr. Entom. Soc. Lond. V (4) June 1848, 74.
- rugosa** Scotia, R. Leuckart, Arch. f. Naturg. XV (1) 1849, 154.
- rugosa** Scruptia, S. S. Haldeman, Journ. Acad. Nat. Sci. Philad. I (2) Aug. 1848, 100.
- rugosa** Scutigera (Newp.), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 220.—Cermatia.
- rugosa** Scyphia, G. A. Goldfuss, Petref. German. I (1) 1826, 9.
- rugosa** Scyphia, *v. infundibuliformis*; G. A. Goldfuss, Petref. German. I (2) 1829, 87.
- rugosa** Scyphidia, F. Dujardin (Roret's Suite à Buffon), Infusoires, June 1841, 538.
- rugosa** Serpula, W. Turton, Conch. Dict. 1819, 154.
- rugosa** Sertularella (L.), J. E. Gray, List Brit. Anim. B. M. (Centr.) 1848, 69.—Sertularia, 1758.
- rugosus** Sigaretus, G. A. Goldfuss, Petref. German. III (8) 1844, 13.
- rugosum** Sinodendron, Mannerheim, Bull. Soc. Imp. Nat. Moscou, XVI. 1843 (2) 1843, [262.
- rugosus** Sisyphus, Gory, Mon. gen. Sisyphes, 1833, 12. [262.
- rugosus** Sitophilus (Th.), C. J. Schoenherr, Gen. et Sp. Curc. IV (2) 1838, 975.—Cordyle.
- rugosum** Somaticus (Fab.), F. W. Hope, Coleopt. Manual, III. 1840, 117.—Sepidium, 1781.
- rugosum** Sparsispongia (Goldf.), A. d'Orbigny, Rev. et Mag. de Zool. (2) I. Nov. 1849, [549.—Tragos.
- rugosus** Spathius, J. T. C. Ratzeburg, Die Ichneum. II. 1848, 44. [549.—Tragos.
- rugosus** Sphecodes, F. Smith, The Zoologist, VI (8) 1848, 2209.
- rugosa** Spirorbis, J. C. Chenu, Illustr. Conch. I., Spirorbis, 1843, 4.
- rugosa** Spisula (Lam.), J. E. Gray, Mag. Nat. Hist., n. s. I. July 1837, 373.—Lutraria.
- rugosus** Spongites, J. Steininger, Geogn. Besch. Landes zw. Saar und Rheine, Nachtr., 1841, f. 10.
- rugosa** Stellispongia, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 295.
- rugosa** Stenochia, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 239.
- rugosus** Stenus, H. v. Kiesenwetter, Entom. Zeitung, Stettin, XI (7) July 1850, 220.
- rugosus** Stiretrus, E. F. Germar, Zeitschr. f. d. Entom. I (1) 1839, 12.
- rugosa** Stomatia (Goldf.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 68.—Sigaretus.
- rugosa** Stomodonta (—), Mermet, Moll. Pyrén. Occident. 1843, 47.—Clausilia, ? Drap.
- rugosus** Straparollus (Sow.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 29.—
- rugosum** Stromatocerium, J. Hall, N. H. New York (Pal. I.) 1847, 48. [Euomphalus.
- rugosum** Stromatopora (Hall), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 26.—Stromatocerium.
- rugosus** Strombus, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App., p. xx.
- rugosus** Strombus (Sow.), Defrance, Dict. Sci. Nat. LI. 1827, 122.—Murex, Park.
- rugosus** Strombus, W. Wood, Suppl. Index Test. 1828, 13 [*n. et f.*]. [302.
- rugosa** Strophomena, Rafinesque in H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824,
- rugosa** Strophomena (Dalm.), H. G. Bronn, Lethaea Geogn. I (1) 1834, 87.—Leptaena.
- rugosa** Stylophora (Arch.), Edwards & Haime, Ann. Sci. Nat. [3] (Zool.) XIII. Feb. [1850, 106.—Oculina.
- rugosa** Succinea, L. Pfeiffer, Symb. Helic. II. 1842, 56. [1850, 106.—Oculina.
- rugosus** Tachydosaurus (Wagl.), J. E. Gray, Ann. Nat. Hist. II. Dec. 1838, 288.—Trachy-
- rugosa** Taenia, C. M. Diesing, Syst. Helminth. I. 1850, 502. [saurus, Gray, 1826.
- rugosa** Tata, P. J. van Beneden, Bull. Ac. Roy. Brux. XVI (2) 1849 [1850], 650.

- rugosa* Tellina, D. Solander, Catal. Portland Mus. 1786, 180 [*n. n.*].  
*rugosa* Tellina, F. A. Roemer, Verst. Norddeutsch. Oolith. (2) 1836, 120.  
*rugosa* Tentyria, J. Gené, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, p. iii.  
*rugosa* Tentyria, J. Gené, Mem. R. Acc. Sci. Torino, XXXIX. 1836, 193.  
*rugosa* Terebratula, W. Hisinger, K. vet. Ac. Handl. 1826, 333.—Br. [*n. n.*].  
*rugosa* Terebratula, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 232.  
*rugosa* Testudo, G. Shaw, Gen. Zool. (Amph.) III (1) 1802, 28.  
*rugosa* Testudo, van Ernest in F. M. Daudin, Sonnini's Buffon, Rept. II (1802), 37.  
*rugosa* Textularia, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 262 [*n. n.*].  
*rugosa* Thecidea, A. d'Orbigny, Pal. Franç., Crét. IV (Brach.) 1850, 153.  
*rugosus* Thomisus, C. A. Walckenaer, Tab. Aran. 1805, 33 [*n. n.*]; (Roret's Suite à Buffon), Aptères, I. 1837 [1836], 513.  
*rugosus* Thylacites, Winth.; J. Sturm, Catal. Ins. Samml. 1826, 202.  
*rugosa* Timarcha, Fab.; Dejean, Catal. Coléopt. 1821, 122 [*n. n.*].  
*rugosa* Timarcha, Germ.; Dejean, Catal. Coléopt. 1821, 122 [*n. n.*].  
*rugosus* Trachydosaurus, J. E. Gray, Ann. Phil. XXVI. Sept. 1825, 201.  
*rugosus* Trachyhyas (D. & B.), L. Fitzinger, Syst. Rept. 1843, 31.—Polypedates.  
*rugosus* Trachynotus (Fab.), P. A. Latreille in G. Cuvier, R. Anim., ed. 2, V. 1829, 14.—  
*rugosa* Trachys, J. C. Fabricius, Syst. Eleuth. II. 1801, 219. [Sepidium, 1781.  
*rugosus* Trachysaurus, J. E. Gray in P. P. King, Narr. Surv. Australia, II. 1827 [*i. e.* Ap. 1826], 430.  
*rugosum* Tragos, G. A. Goldfuss, Petref. German. I (1) 1826, 12.  
*rugosus* Trichius (Gymnodus), W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837,  
*rugosa* Trigonina, J. Parkinson, Org. Rem. III. 1811, 177. [140.  
*rugosa* Trigonina, Lamarck, An. s. vert. VI (1) 1819, 65.  
*rugosus* Trigonops, F. E. Guérin-M., Rev. Zool. (Soc. Cuv.) IV. Ap. 1841, 128.  
*rugosus* Trilobites, Sars & Boeck in C. Boeck in Keilhau, Gaea Norvegica (1) 1838, 143.  
*rugosa* Triloculina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 299 [*n. n.*].  
*rugosa* Trioxites, Raf.; H. G. Bronn, Index Palaeont. 1848, 1290 [*orig. non comp.*].  
*rugosus* Triphyllus, J. W. Randall, Boston Journ. N. H. II (1) 1838, 26.  
*rugosum* Triplodon, J. B. v. Spix, Testac. Brasil. 1827, 35 [*n. n.*].  
*rugosum* Tritonium, R. A. Philippi, Tertiärverst. Wilhelmshöhe, 1841, 27.  
*rugosus* Trochus, J. K. Megerle, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 7.  
*rugosus* Trochus, T. Brown, Mem. Werner. N. H. Soc. II (2) 1818, 520.  
*rugosus* Trochus, W. Wood, Suppl. Index. Test. 1828, 16 [*n. et f.*].  
*rugosus* Trochus, Grateloup, Actes Soc. Linn. Bordeaux, V (27) 1832, 141.  
*rugosa* Tropidophora (Lam.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 41.—Cyclo-  
*rugosus* Tubicanthus, W. Swainson, Treat. Malacol., May 1840, 349. [stoma.  
*rugosa* Tubularia, A. d'Orbigny, Amér. Mérid. (Zooth.) 1846, 27.  
*rugosa* Turbinolopsis, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 7.  
*rugosus* Turbo, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 226.  
*rugosus* Turbo, A. J. Michelotti, N. Jahrb. f. Min. 1846, 54 [*n. n.*].  
*rugosum* Unicardium, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 309.  
*rugosa* Unio, J. L. M. Poiret, Coq. Aisne, 1801, 105.  
*rugosus* Unio, D. W. Barnes, Amer. J. Sci. VI (1) Jan. 1823, 126.  
*rugosus* Unio, J. A. Wagner in J. B. v. Spix, Testac. Brasil. 1827, 35.  
*rugosa* Unio, G. Fischer v. W., Oryct. Moscou, 1830, sign. c<sup>1</sup>.  
*rugosus* Unio, H. E. Anton, Verz. Conch. 1839, 14.  
*rugosa* Unio (Barnes), S. Hanley, Ill. Cat. Bivalve Shells (3) *extremo* 1843, 211.—Alasmo-  
donta.  
*rugosus* Unio, T. Brown, Ill. Foss. Conch. G. B. I [1845–9], 177.—Pachyodon, 1842.  
*rugosa* Uvigerina, A. d'Orbigny, Ann. Sci. Nat. VII (27) Mar. 1826, 269 [*n. n.*].  
*rugosa* Venus, Brocchi [*non* L.], Conch. Subap. II. 1814, 548.  
*rugosa* Venus (Lam.), W. Wood, Suppl. Index Test. 1828, 52.—Sanguinolaria.  
*rugosus* Vermetus, Grateloup, Bull. H. N. Soc. Linn. Bordeaux, II (11) 1828, 198.  
*rugosa* Volupta, Defrance, Dict. Sci. Nat. LVIII. 1829, 451.  
*rugosa* Voluta (Lam.), W. Wood, Suppl. Index Test. 1828, 32.—Cancellaria.  
*rugosa* Vulsellia, Lamarck, An. s. vert. VI (1) 1819, 222.

- rugosa** Webbina, A. d'Orbigny in Webb & Berthelot, Canaries (Foram.) 1839, 126.
- rugosus** Xyalaspis, Th. Hartig in Germar, Zeitschr. f. d. Entom. IV. 1843, 417.
- rugosus** Xylinades, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. I (1) 1833, 178.
- rugosa** Zonopora, A. d'Orbigny, Rev. et Mag. de Zool. (2) II. Feb. 1850, 115.
- rugosa** Zophosis, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 4.
- rugosus** Zygobates, Meyer in H. G. Bronn, Index Pal. 1848, 1381.—Myliobates (Zy.), 1844.
- rugulatus** Chiton, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (17) June 1832, 58.
- rugulatus** Pleurotoma (Möll.), L. Reeve, Conch. Icon.—Pleurotoma, no. 345, Jan. 1846.—Defrancia, MS.
- rugulatus** Spirifer, S. Kutorga, Verh. Russ.-Kais. min. Ges. St Petersburg. 1842 (1842) [1843], 22.
- rugulosipennis** Plectris, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 129.
- rugulosus** Adoretus, H. Burmeister, Handb. Ent. IV (1) 1844, 473.
- rugulosus** Agabus (Dej.), C. Aubé, Spec. gén. Hydroc. 1838, 362.—Colymbetes.
- rugulosus** Aleiodes (Nees), C. Wesmael, N. Mém. Ac. Roy. Brux. XI. 1838, 100.—Rogas.
- rugulosa** Allecula, Dejean in J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2)
- rugulosa** Altica, Dejean, Catal. Coléopt. 1821, 121 [*n. n.*]. [1835, 282.
- rugulosa** Ammonites, A. Risso, H. N. Europe, IV. 1826, 12.
- rugulosa** Anatolica (Bess.), F. Eschscholtz, Zool. Atlas, IV. 1831, 7.—Tentyria?.
- rugulosa** Ancyloxycha, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I (2) 1850 [*ineunte* 1851], 134.
- rugulosa** Anthomyza, J. W. Zetterstedt, Dipt. Scand. IV. 1845, 1686.
- rugulosus** Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 199.
- rugulosus** Aptychus, Voltz, N. Jahrb. f. Min. 1837, 434 [*n. n.*].
- rugulosus** Augocoris, Herrich-S., Wanzenart. Ins. IV (5) Sept. 1838, 92.
- rugulosa** Aulopora, A. E. Reuss, Naturw. Abhandl. (Haidinger) II. 1848, 52.
- rugulosus** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840,
- rugulosus** Bracon, Nees v. E., Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 32. [681.
- rugulosus** Bracon, T. Say, Boston Journ. N. H. I (3) 1836, 255.
- rugulosus** Bulinus, G. B. Sowerby, I., Conch. Illustr. (142) 1838, f. 87 [*n. et f.*].
- rugulosa** Buprestis, Laporte & Gory, H. N. Coléopt. I. 1838, 79.
- rugulosum** Callisoma, V. v. Mochulski, Kaefer Russl., *post* May 1850, 89.
- rugulosus** Carabus, T. Marsham, Coleopt. Brit., Sept. 1802, 434.
- rugulosus** Cardiodon, R. Owen, Odont., Expl. pls. (1845), 20.
- rugulosa** Caryophyllia, A. Risso, H. N. Europe, V. 1826, 354.
- rugulosus** Catasarcus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VIII (2) 1845, 380.
- rugulosum** Cerithium, C. B. Adams, Contr. to Conch. (7) Ap. 1850, 121.
- rugulosus** Ceutorhynchus (Herbst), E. F. Germar, Ins. spec. novae, I. 1824, 221.—Rhynchaenus.
- rugulosa** Chaetopteryx, F. A. Kolenati, Entom. Zeitung, Stettin, IX (1) Jan. 1848, 19.
- rugulosa** Chimaera, P. de M. Grey Egerton, Proc. Geol. Soc. London, IV. 1843, 154.
- rugulosa** Chimaera (Ganodus), P. de M. G. Egerton in J. L. R. Agassiz, Poiss. Foss. III., 347 (1843).
- rugulosus** Chiton, G. B. Sowerby, I., Cat. Shells Tankerville, 1825, App., p. v.
- rugulosa** Chlamys, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1) 1845, 109.
- rugulosa** Chrysomela, F. Gebler, Bull. Soc. Imp. Nat. Moscou, 1841 (4) 1841, 620.
- rugulosus** Cis, J. Mellié, Ann. Soc. Ent. France [2] VI (3) Jan. 1849, 242.
- rugulosa** Cistula (Pf.), W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 59.—Cyclostoma.
- rugulosa** Columbella, G. B. Sowerby, I., Thes. Conch. I (4) *ante* 11 Ap. 1844, 133.
- rugulosus** Colymbetes, Dejean, Catal. Coléopt., ed. 2 (1) Jan. 1833, 55 [*n. n.*].
- rugulosa** Crepidula, W. Dunker, Zeitschr. f. Malakozool., July 1846, 108.
- rugulosa** Creseis, Cantraine, N. Mém. Ac. Roy. Sci. Brux. [2] XIII. 1841, 32.
- rugulosum** Cyclostoma, L. Pfeiffer, Arch. f. Naturg. V (1) 1839, 356.
- rugulosum** Cyclostoma, G. B. Sowerby, I., Proc. Zool. Soc. London, XI (122) Oct. 1843, 29.
- rugulosa** Cypricardia, J. W. Dana, Amer. J. Sci. (2) IV (10) July 1847, 157.

- rugulosa* Dibolia, L. Redtenbacher, F. Austr., Käfer, 1849, 541.  
*rugulosus* Diplopterus, L. Agassiz in Murchison, V. & K., Geol. Russia, II. Aug. 1845, 405.  
*rugulosus* Falciger, Gyll.; Dejean, Catal. Coléopt. 1821, 84 [*n. n.*].  
*rugulosus* Falciger, Herbst; J. Sturm, Catal. Ins. Samml. 1826, 142.  
*rugulosa* Gastrochaena, G. B. Sowerby, I., Proc. Zool. Soc. London, II (15) June 1834,  
*rugulosus* Geophilus, C. L. Koch in M. Wagner, Reisen Algier, III. 1841, 224. [22.  
*rugulosus* Gordius, A. Risso, H. N. Europe, V. 1826, 260.  
*rugulosus* Gymnopleurus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 58.  
*rugulosus* Gyrodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 19 (1834); II (2), 235 & 301  
 (1844).  
*rugulosus* Harpalus, O. Heer, N. D. Allg. Schweiz. Gesellsch. II. 1838, 69 [*n. n.*]; *ibid.*,  
*rugulosa* Helix, A. Risso, H. N. Europe, IV. 1826, 64. [Coleopt., 46.  
*rugulosa* Helix, v. Martens in C. H. v. Zieten, Pétrif. Wurt. (5) 1832, 38.  
*rugulosum* Himantarium (Wag.), C. L. Koch, Krit. Revision Insect. Deutschl. 1847, 177.—  
 Geophilus, Koch.  
*rugulosa* Homalota, O. Heer, Coleopt. Helvet. (2) 1839, 339.  
*rugulosus* Hylobius, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 336.  
*rugulosa* Iliia, A. Risso, H. N. Europe, V. 1826, 20.  
*rugulosus* Ismarus, A. Foerster, Verh. nat. Ver. pr. Rheinl. VII. 1850, 284.  
*rugulosum* Lysiopetalum (Gray), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon),  
 Aptères, IV. 1847, 132.—Platops.  
*rugulosa* Meloe, Ziegl.; Dejean, Catal. Coléopt. 1821, 76 [*n. n.*].  
*rugulosa* Meloe, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 230.  
*rugulosus* Microdus, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 148.  
*rugulosus* Microgaster, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 163.  
*rugulosum* Microzoum, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (1)  
 1845, 78.  
*rugulosus* Micrus (All.), V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XXI. 1848 (2)  
 1848, 568, Table.—Trichopt.  
*rugulosa* Moluris, Dejean, Catal. Coléopt., ed. 3, 1837, 200 [*n. n.*].  
*rugulosa* Mya, W. Wood, Suppl. Index Test. 1828, 3 [*n. et f.*].  
*rugulosa* Myrmica, W. Nylander, Acta Soc. Sci. Fennicae, III (1) 1849, 32. [1795.  
*rugulosus* Nedyus (Hbst.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 13.—Curculio,  
*rugulosa* Nucula, G. B. Sowerby, I., Conch. Illustr. (16) 1833, f. 19; Catal. (200) 1841, 5.  
*rugulosa* Nyctipates, F. Gebler, Bull. Sci. Ac. Imp. Sci. St Pétersb. VIII (24) Ap. 1841,  
*rugulosum* Odontidium, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 102. [373.  
*rugulosa* Odontina (Cantr.), O. G. Costa, Fauna Regno Napoli, Moll., Odontina, 2 (Aug.  
*rugulosa* Olympia, A. Risso, H. N. Europe, V. 1826, 128. [1851].—Creseis.  
*rugulosum* Opatrum, H. C. Kuester, Käfer Europas, XVI. 1849, 55.  
*rugulosa* Ostrea, M. de Serres, Ann. Sci. Nat. [2] (Zool.) XX. Sept. 1843, 163.  
*rugulosus* Oxytelus, T. Say, Tr. Amer. Phil. Soc., n. s. IV (3) 1834, 460.  
*rugulosus* Paradoxides, Hawle & Corda, Prod. Mon. böhm. Trilob. 1847, 32.  
*rugulosa* Paropsis, J. A. Boisduval in d'Urville, Voy. "Astrolabe," Ent. (2) 1835, 565.  
*rugulosus* Pecten, F. M'Coy in Griffith, Syn. Carb. Lst. foss. Ireland, 1844, 98.  
*rugulosa* Pelidnota, H. Burmeister, Handb. Ent. IV (1) 1844, 398.  
*rugulosa* Pentatoma, T. Say, N. sp. Het. Hemipt. N. Amer., Dec. 1831.  
*rugulosum* Phanerotoma (Dej.), A. J. J. Solier, Mem. R. Acc. Sci. Torino (2) VI. 1844,  
 305.—Moluris.  
*rugulosus* Phygadeuon, J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 686.  
*rugulosa* Pimelia, Dejean, Catal. Coléopt. 1821, 63 [*n. n.*].  
*rugulosa* Platops, J. E. Gray in G. Newport, Ann. Mag. N. H. XIII. Ap. 1844, 267.  
*rugulosus* Platyonichus, F. Krauss, Südafrik. Crust. 1843, 26.  
*rugulosa* Plectris, [E. Blanchard], Cat. Coll. Ent. Mus. H. N. Paris, Coléopt. I. Oct. 1850,  
*rugulosum* Pleurotoma, R. A. Philippi, Enum. Moll. Siciliae, II. 1844, 169. [128.  
*rugulosum* Pleurotoma, R. A. Philippi, Tertiärverst. n.-w. Deutschl. 1844, 58.  
*rugulosa* Plicatula, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 314.  
*rugulosus* Polydesmus, F. F. Eschscholtz, Mém. Soc. Imp. Nat. Moscou, VI. 1823, 112.  
*rugulosa* Psammobia, Adams & Reeve, Zool. "Samarang" (7) Moll., Aug. 1850, 81.



- rugulosus** Pterostichus, O. Heer, N. D. Allg. Schweiz. Gesellsch. II. 1838, 46 [*n. n.*]; *ibid.*, Coleopt., 30. [(1844).]
- rugulosus** Pycnodus, J. L. R. Agassiz, Poiss. Foss., Feuilleton, 122 (1839); II (2), 194
- rugulosa** Rana, A. F. A. Wiegmann, N. A. Ac. Caes. Leop. Car. XVII. 1835, 258.
- rugulosus** Rhynchaenus (Herbst), L. Gyllenhal, Ins. Suecica, I (3) 1813, 231.—Curculio, 1795.
- rugulosus** Rogas, C. G. Nees v. E., Hymenopt. Ichn. aff. I. 1834, 209.—Bracon, 1811.
- rugulosa** Scalaria, G. B. Sowerby, I., in C. R. Darwin, Geol. Obs. "Beagle," III. 1846,
- rugulosus** Scarabaeus, T. v. Charpentier, Horae Ent. 1825, 209. [255.]
- rugulosa** Sitona, L. W. Dillwyn, Memo. Col. Ins. Swansea, 1829, 45 [*auct. typ.*].
- rugulosa** Spalangia, A. Foerster, Verh. nat. Ver. pr. Rheinl. VII. 1850, 507.
- rugulosus** Sphaerodus, P. de M. Grey Egerton, Proc. Geol. Soc. London, IV. 1844, 384.
- rugulosum** Sphaerotherium, J. F. Brandt, Bull. Sci. Ac. Imp. Sci. St Pétersb. VIII (23) Ap. 1841, 363.
- rugulosa** Sphenoptera, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 151.
- rugulosus** Stenus, Leach; Dejean, Catal. Coléopt. 1821, 25 [*n. n.*]. [Steropus.]
- rugulosus** Steroderus (Esch.), V. v. Mochulski, Kaefer Russl., *post* May 1850, 55.—
- rugulosus** Steropus, V. v. Motschulsky, Bull. Soc. Imp. Nat. Moscou, XVIII. 1845 (4)
- rugulosa** Stomatia, A. Risso, H. N. Europe, IV. 1826, 253. [1845, 342.]
- rugulosus** Synergus, T. Hartig in Germar, Zeitschr. f. d. Entom. III. 1841, 348.
- rugulosa** Tentyria, Besser; J. Sturm, Catal. Ins. Samml. 1826, 201.
- rugulosa** Terebratula, J. Morris, Ann. Mag. N. H. XX. Oct. 1847, 253.
- rugulosa** Trichopteryx, F. E. Guérin-M., C. R. Ac. Sci. (Paris) XXI. 1845, 878.
- rugulosa** Trichopteryx, A. Allibert, Rev. Zool. (Soc. Cuv.) VII. Feb. 1846, 53.
- rugulosus** Trochalus, L. Redtenbacher in Hügel, Kaschmir, IV (2) 1844, 502.
- rugulosus** Trochus (Polydonta), Koch, Zeitschr. f. Malakozool. (Aug.) 1848 [Mar. 1849],
- rugulosa** Turbinolia, A. Risso, H. N. Europe, V. 1826, 356. [128.]
- rugulosus** Unio, W. Wood, Suppl. Index Test. 1828, 57.—Mya, 1828.
- rugulosus** Unio, J. Phillips in R. I. Murchison, Silurian System, Jan. 1839, 88.
- rugulosa** Zephronia (Brandt), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, IV. 1847, 82.—Sphaerotherium.
- rugulus** Prodotiscus, C. J. Sundevall, Ofvers. K. Vet. Ac. Förh. VII (4) 1850, 109.
- ruida** Blaps, T. Say, Boston Journ. N. H. I (2) 1835, 183.
- ruidus** Dionychus, E. F. Germar, Ins. spec. novae, I. 1824, 316.
- ruida** Helix (Nanina), A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 178.
- ruida** Pimelia, Rambur, Ann. Soc. Ent. France, V (1) *post* Mar. 1836, 153.
- ruinarum** Bombus, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 171.
- ruivensis** Vitrina, A. A. Gould (*ex* Couthouy MS), Proc. Boston Soc. N. H. II. 1848 (1847),
- Rulula** C. S. Rafinesque, Analyse, 1815, 69.—A. [*n. n.*]. [180.]
- Ruma** J. E. Gray (*ex* Chemn.), Proc. Zool. Soc. London, XV (178) Nov. 1847, 149.—G.
- rumanzovia** Papilio, F. Eschscholtz in Kotzebue, Entdeck. Reise Süd-See, III. 1821, 204.
- rume** Mormyrus, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 249.
- rumeliaca** Anisoplia, I. Frivaldszky, K. magyar tudos Tarsasag évkön. II. 1835, 260.
- rumelica** Helix, Ziegler in E. A. Rossmassler, Icones L. u. S. Moll. Europ. II (1 & 2) June 1838, 30.
- Rumia** Duponchel in J. B. Godart, H. N. Lépid. France, VII (2) (Noct. 4, pt. 2), 103 & 117, 1829.—Lep.
- rumia** Kallima, J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850), 325.
- rumicis** Aconicta, F. Ochseneimer, Schmett. Europa, IV. 1816, 62.
- rumicis** Acronyctia (Gm.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (2) 1831, 69.—
- rumicis** Anthomyia, P. F. Bouché, Nat. Ins. 1834, 209. [Phalaena, 1758.]
- rumicis** Aphis, F. Walker, The Zoologist, VII. 1849, App., pp. xxxiv & xlix.
- rumicis** Apion, W. Kirby, Tr. Linn. Soc. London, IX. 1808, 67.
- rumicis** Acidomyia, H. Loew, Dipterologische Beiträge, IV. 1850, 34.
- rumicis** Doralis, Leach in Risso, H. N. Europ. mérid. V. 1827, 217.
- rumicis** Hypera (L.), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 343.—Curculio, 1758.
- rumicis** Hypera, Gyll.; Dejean, Catal. Coléopt. 1821, 89 [*n. n.*].
- rumicis** Hypera, Ol.; Dejean, Catal. Coléopt. 1821, 89 [*n. n.*].

- rumicis** *Phytonomus* (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. II (2) 1834, 370.—*Rhynchaenus*.
- rumicis** *Rhynchaenus*, J. C. Fabricius, Syst. Eleuth. II. 1801, 456.—*Curculio*, L. 1758.
- rumicivorus** *Thinocorus*, F. Eschscholtz, Zool. Atlas, I. 1829, 2.
- rumigerata** *Phalaena*, E. Donovan, Brit. Ins. XIV. 1810, 67.
- rumilia** *Colombella*, P. L. Duclos in Chenu, Illustr. Conch. (65) 1846, pl. 17 [*n. et f.*].
- Rumina** A. Risso, H. N. Europe, IV. 1826, 79.—G.
- Rumina** Dejean, Catal. Coléopt., ed. 2 (5) *extremo* 1835, 414.—Col. [*n. n.*]. [1758.
- rumina** *Hipparchia* (L.), J. C. Fabricius, Mag. f. Insektenk. (Illiger) VI. 1807, 282.—*Papilio*,
- rumina** *Papilio*, J. Huebner, Europ. Schmett., Tab. *Papilio*, 78 (Fernaldo judice 1799) [*n. et f.*].
- rumina** *Papilio*, J. Huebner, Europ. Schmett., Tab. *Papilio*, 124 (Fernaldo judice 1805) [*n. et f.*].
- rumina** *Parnassius* (L.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 111.—*Papilio*,
- rumina** *Thais* (L.), Lamarck, An. s. vert. IV. 1817, 34.—*Papilio*, 1758. [1758.
- rumina** *Zerynthia* (L.), F. Ochseneimer, Schmett. Europa, IV. 1816, 29.—*Papilio*, 1758.
- rumipes** *Noctua*, C. T. Wood, Orn. Guide, 1835, 187.
- rumolo** *Bothus*, C. S. Rafinesque-S., Car. n. gen. 1810, 23.
- rumphii** *Aplysia* (Cuv.), P. S. Rang, H. N. Aplysiens, 1828, 46.—*Dolabella*.
- rumphii** *Buccinum*, G. P. Deshayes in Lamarck, H. N. Anim. s. Vert., ed. 2, X. Nov. 1844, 179.
- rumphii** *Clypeaster*, C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 62.
- rumphii** *Dolabella*, de Blainville, Dict. Sci. Nat. XIII. 1819, 395.
- rhumphii** (*sic*) *Dolabella*, v. Hasselt, Alg. Konst. Letter-Bode, 1824 (2-4); Bull. des Sci. Nat. III. 1824, 244.
- rumphii** *Echinarachnius* (De Bl.), L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 188.—*Echinodiscus*.
- rumphii** *Echinodiscus*, H. D. de Blainville, Dict. Sci. Nat. LX. 1830, 199.
- rumphii** *Helix*, v. d. Busch in R. A. Philippi, Abb. Conch. I (1) 1842, 9.
- rumphii** *Helix*, v. d. Busch in L. Pfeiffer, Symb. Helic. II. 1842, 20.
- rumphii** *Modiola*, R. A. Philippi, Zeitschr. f. Malakozool., Aug. 1847, 114.
- rumphii** *Nerita*, C. A. Récluz, Rev. Zool. (Soc. Cuv.) IV. May 1841, 147.
- rumphii** *Pseudocarcinus* (Fab.), H. M. Edwards (Roret's Suite à Buffon), Crustacés, I.
- rumphii** *Rotula*, L. Agassiz, Mon. Ech. II. 1841, 25. [1834, 408.—*Cancer*, 1798.
- rumphii** *Salticus* (Scop.), P. A. Latreille, Gen. Crust. Ins. I., *post* July 1806, 124.—*Aranea*,
- rumphii** *Scutella*, de Blainville, Dict. Sci. Nat. XLVIII. 1827, 226. [1763.
- rumphii** *Spatangus*, C. Des Moulins, Actes Soc. Linn. Bordeaux, IX (49) 1837, 230.
- rhumphii** (*sic*) *Xantho*, F. E. Guérin-M., Iconographie, 1844, Crust., 6.
- Runa** L. Agassiz, Mon. Ech. II. 1841, 32.—Ech.
- Runcina** E. Forbes in F. & Hanley, Hist. Brit. Moll. III. 1851, 611.—Nud.
- runcinatus** *Ceratodus*, Plieninger in Meyer & P., Beitr. Pal. Württ. 1844, 87.
- runcinatus** *Gyrodus*, J. L. R. Agassiz, Poiss. Foss. II (1), 16 (1833); II (2), 236 (1844).
- runcinatus** *Nothrus*, C. L. Koch, Deutsch. Crust., heft 29, 1839, tab. 23.
- runcinata** *Salpa*, A. de Chamisso, De Anim. Verm., I. *Salpa*, 1819, 16.
- runcinata** *Serpula*, J. De C. Sowerby, Min. Conch. VI. 1829, 227.
- rundsha** *Salmo*, J. P. Bonnaterre, Ency. Méth. (Ich.) 1788, 159. = *Kundscha*, Pallas, 1776.
- runicus** *Atax* (Théis), A. Dugès, Ann. Sci. Nat. [2] (Zool.) I. Jan. 1834, 17.—*Hydrachna*.
- runica** *Diphthera* (Gm.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 42.—*Phalaena*, 1790.
- runica** *Hydrachna*, C. de Théis, Ann. Sci. Nat. XXVII (105) Sept. 1832, 60.
- runica** *Poecilia* (D. & S.), F. v. P. Schrank, F. Boica, II (2) 1802, 157.—*Noctua*, 1775.
- runica** *Rutela*, J. Gistl, Nat. Thierr. 1848, 116.
- runica** *Rutela*, J. Gistl, Handb. Naturges. 1850 [1847], 381.
- rupeculus** *v. rupiculus*.
- rupefortensis** *Cervus*, R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 170 [*n. n.*].
- rupel** → *v. rueppell* →. [Paris] no. 62, 1802, 106.—L.
- Rupellaria** Fleuriau-B., Journ. de Physique, LIV. May 1802, 347; Bull. Sci. Soc. Philom.
- rupellaria** *Sepia*, A. d'Orbigny in A. E. Férussac & A. d'Orbigny, H. N. Céph. acétab. 1848, 274.

[*rupellensis* = La Rochelle.]

- rupellensis* Alecto, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 25.  
*rupellensis* Amblophyllia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 30.  
*rupellensis* Ammonites, A. d'Orbigny, Pal. Franç., Jurass. I (Céph.) 1850, 538.  
*rupellensis* Anatina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 14.  
*rupellense* Cerithium, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 12.  
*rupellensis* Crenaster, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 28.  
*rupellensis* Helcion, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 12.  
*rupellensis* Isocardia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 18.  
*rupellensis* Lima, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 21.  
*rupellensis* Lithodomus, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 20.  
*rupellensis* Lucina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 17.  
*rupellensis* Mactra, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 49.  
*rupellensis* Natica, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 6.  
*rupellensis* Nerinea, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 3.  
*rupellensis* Opis, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 15.  
*rupellensis* Pterocera, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 10.  
*rupellensis* Pulvinites, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 24.  
*rupellensis* Styliina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 34.  
*rupellensis* Terebratula, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 24.  
*rupellensis* Trigonia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 17.  
*Rupellia* [*male pro Rueppellia*]; W. Swainson, N. H. Fishes etc. II. July 1839, 281.  
*rupella* Esperia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 416.—Tinea, 1775.  
*rupella* Lampronia (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 51.—Tinea, D. & S.  
*rupella* Perna, H. Dufo, Ann. Sci. Nat. [2] (Zool.) XIV. Oct. 1840, 211. [1775].  
*rupella* Phalaena (Tinea), W. Turton, Linnaeus, Syst. Nat. III. 1802, 373.  
*Ruperelle* de Blainville, Man. Malac. 1825, 559 [*vernac. pro Rupellaria*].  
*ruperella* Petricola, Lamarck, An. s. vert. V. 1818, 505.  
*ruperella* Plicatula, F. Dujardin, Mém. Soc. géol. France, II (2) 1837, 271.  
*ruperella* Venerupis, H. D. de Blainville, Dict. Sci. Nat. XXXII. 1824, 343.  
*rupertianus* Acipenser, J. Richardson, F. Bor.-Amer. (3) 1836, 311. [[*n. et f.*].  
*rupestralis* Pyralis, J. Huebner, Europ. Schmett., Tab. Pyralis, 21 (Fernaldo judice 1799)  
*rupestralis* Pyralis, J. Huebner, Europ. Schmett., Tab. Pyralis, 32 (Fernaldo judice 1834)  
 [*n. et f.*].  
*rupestraria* Larentia, H. Doubleday, Syn. List Brit. Lepid. 1850, Sheet C (Nov. 1849), 20.  
*rupestrata* Acidalia (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 439.—Geo-  
 metra, 1775. [(Noct. 5, pt. 1) 1831, 428.—Geometra, 1775.  
*rupestrata* Larentia (D. & S.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1)  
*rupestrata* Lobophora (D. & S.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—  
 Geometra, 1775. [1775.  
*rupestrata* Oporinia (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 322.—Geometra,  
*rupestrata* Phaesyloides (Huebner), T. Bruand, Mém. Soc. Emul. Doubs, Vol. II (Tom. 2,  
 pts. 5 & 6) 1846, 103.—Geometra, D. & S. 1775.  
*rupestris* Abrothrix (Gerv.), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 136.—Mus.  
*rupestris* Acupalpus, T. Say, Tr. Amer. Phil. Soc., n. s. IV (3) 1834, 435.—Trechus, 1825.  
*rupestris* Anthus, S. Nilsson, Orn. Suec. I. 1817, 245.  
*rupestris* Anthus, E. Ménériés, Cat. Rais. Zool. Caucase, 1832, 37.  
*rupestris* Antilope, W. J. Burchell, Trav. S. Afr. I. 1822, 202.  
*rupestris* Apathus (Fab.), F. Smith, The Zoologist, II (5) 1844, 543.—Apis, 1793.  
*rupestris* Armadillo, A. Risso, H. N. Europe, V. 1826, 117. [Cicindela, 1767.  
*rupestre* Bembidion (L.), P. A. Latreille, Sonnini's Buffon, Ins. VIII (1804), 225.—  
*rupestre* Bembidium (Fab.), L. Gyllenhal, Ins. Suecica, I (2) 1810, 19.—Elaphrus.  
*rupestre* Bembidium, L. Gyllenhal, Ins. Suecica, I (4) 1827, 405.  
*rupestris* Blatta, Leach & A. Risso, H. N. Europe, V. 1826, 210.  
*rupestris* Bodianus, C. S. Rafinesque, Amer. Monthly Mag. II (2) Dec. 1817, 120.  
*rupestris* Bombus (Fab.), C. A. Walckenaer, Faune Paris. II. 1802, 147.—Apis, 1793.  
*rupestris* Bonasia, C. L. Brehm, Isis, 1830, 985 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831,

- rupestris* Bremus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 260.—*Apis*, 1793.  
*rupestris* Bulimus, J. Krynicki, Bull. Soc. Imp. Nat. Moscou, VI. 1833, 413.  
*rupestris* Bulimus, R. A. Philippi, Enum. Moll. Siciliae, I. 1836, 141.  
*rupestris* Caprimulgus, J. B. v. Spix, Avium Brasil. II. 1825, 2.  
*rupestris* Carabus (Ill.), C. J. Schoenherr, Syn. Insect. I (1) 1806, 222.—*Elaphrus*, Fab.  
*rupestris* Cavia, Max Wied, Isis (Oken), 1820, 43.  
*rupestris* Centropomus, B. G. E. de Lacepède, Hist. Nat. Poiss. IV. 1802, 252.  
*rupestris* Cerithium, A. Risso, H. N. Europe, IV. 1826, 154.  
*rupestris* Cernuella (Drap.), F. Schlueter, Kurzg. syst. Verz. Conch. 1838, 6.—*Helix*.  
*rupestris* Cerodon (Max Wied), J. A. Wagner in Schreber, Säugth., Suppl. IV. 1843, 69.—  
*rupestris* Chelidon (Scop.), F. Boie, Isis (Oken), 1822, 550.—*Hirundo*, 1769. [*Cavia*.  
*rupestris* Chloëia, A. Risso, H. N. Europe, IV. 1826, 425.  
*rupestris* Chordeiles (Spix), G. R. Gray, Gen. Birds, I. Jan. 1847, 49.—*Caprimulgus*.  
*rupestris* Cinclus, C. T. Wood, Orn. Guide, 1835, 172.  
*rupestris* Cingula, E. Forbes, Mag. Nat. Hist. VIII (50) June 1835, 306 [*n. n.*].  
*rupestris* Cochlicellus (Phil.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 63.—*Bulimus*.  
*rupestris* Coluber, A. Risso, H. N. Europe, III. 1826, 91.  
*rupestris* Corymbites, E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 66.  
*rupestris* Cotyle (Scop.), G. R. Gray, Gen. Birds, I. Mar. 1845, 60.—*Hirundo*.  
*rupestris* Crenilabrus (Bl.), H. R. Schinz in Cuvier, Thierreich, II. 1822, 426.—*Lutjanus*,  
*rupestris* Cyclotus, W. Baird, Nomen. Moll. Coll. B. M. (1) 1850, 9 [*n. n.*]. [1790.  
*rupestris* Cynaedus, W. Swainson, N. H. Fishes etc. II. July 1839, 229.  
*rupestris* Delomphalus (—), J. D. W. Hartmann, Erd- u. Süsw. Gast. (5, 6) 1842, 120.—  
*rupestris* Dentex, Cuvier & Valenc., H. N. Poiss. VI. 1830, 231. [*Helix*, ? *Drap.*  
*rupestris* Dolichopus, A. H. Haliday, Entom. Mag. I (2) Jan. 1833, 164.  
*rupestris* Dules (Lac.), Cuvier & Valenc., H. N. Poiss. III. 1829, 119.—*Centropomus*.  
*rupestris* Elaphrus (L.), J. C. Fabricius, Syst. Eleuth. I. 1801, 246.—*Cicindela*, 1767.  
*rupestris* Erythraeus (L.), de Brébisson, Mém. Soc. Linn. Normandie, 1826–27 (1827),  
 265.—*Acarus*, 1758.  
*rupestris* Eryomphala (Drap.), H. Beck, Index Moll. Mus. Ch. Fred. (1) 1837, 9.—*Helix*.  
*rupestris* Falco, S. D. W., The Analyst, III (14) Jan. 1836, 199.  
*rupestris* Fistulana, L. A. G. Bosc, s. à Deterville ed. Buffon, Moll. II. 1801, 210.  
*rupestris* Formica, W. E. Leach, Zool. Journ. II (7) Oct. 1825, 291.  
*rupestris* Gamasus (L.), J. C. Fabricius, Syst. Antliat. 1805, 364.—*Acarus*, 1758.  
*rupestris* Geobaenus (Say), J. L. Le Conte, Ann. Lyceum N. H. New York, IV (8 & 9)  
*rupestris* Gibbula, A. Risso, H. N. Europe, IV. 1826, 136. [Ap. 1847, 406.—*Trechus*.  
*rupestris* Helicina, L. Pfeiffer, Arch. f. Naturg. V (1) 1839, 355.  
*rupestris* Helix, J. P. R. Draparnaud, Tab. Moll. France, 1801, 71. [1821, 44.  
*rupestris* Helix (Helicella), Drap.; A. E. Féruccac, H. N. g. et p. Moll., Tabl. Limaçons,  
*rupestris* Kerodon (Wied), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 102.—*Cavia*.  
*rupestris* Lagopus (Gm.), J. F. Stephens in G. Shaw, Gen. Zool. (Aves) XI (2) 1819, 290.—  
*Tetrao*, 1788.  
*rupestre* Leiobunum (Herbst), C. L. Koch, Uebers. Arachnidensyst. II. 1839, 36.—*Opilio*,  
*rupestris* Lepus, A. Smith, S. African Quart. Journ. II. no. 2 (3) Mar. 1834, 174. [1799.  
*rupestris* Machilis, H. Lucas, Rev. Zool. (Soc. Cuv.) IX. July 1846, 253.  
*rupestris* Macroscelides, A. Smith, Proc. Comm. Sci. Zool. Soc. London (1) Jan. 1831, 11.  
*rupestris* Melanophora (Rob.-D.), J. Macquart (Roret's Suite à Buffon), Diptères, II. 1835,  
 175.—*Scopolia*.  
*rupestris* Monticola (Vieill.), J. Cabanis, Mus. Heineanum (1) 1850 [1851], 7.—*Turdus*.  
*rupestris* Mus, P. Gervais, L'Institut, Dec. 1841, 419; Extr. P. V. Soc. Philom. Paris, 1841,  
*rupestris* Mus, P. Gervais in Vaillant, Voy. "Bonite," Zool. I. 1841, 51. [115.  
*rupestris* Muscicapa, Max Wied, Reise Brasil. I. 1820, 345.  
*rupestris* Muscivora (Wied), G. R. Gray, Gen. Birds, I. Aug. 1846, 258.—*Muscicapa*.  
*rupestris* Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 141 (Fernaldo judice 1818–  
 22) [*n. et f.*]. [June 1830, 188.  
*rupestris* Opetiorynchos, F. H. v. Kittlitz, Mém. présentés Ac. Imp. Sci. St Pétersb. I (2)  
*rupestris* Orgya, P. Rambur, Ann. Soc. Ent. France, I (3) c. Oct. 1838, 275.  
*rupestris* Patula (Drap.), F. Held, Isis (Oken), 1837, 916.—*Helix*.

- rupestris** Perdix, C. L. Brehm, Isis, 1830, 986 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831,  
**rupestris** Peryphus, Illiger, Dejean, Catal. Coléopt. 1821, 17 [*n. n.*] [522.  
**rupestris** Petricola (Brocc.), G. B. Sowerby, II., Gen. Shells (15) 1823.—Venus.  
**rupestris** Petrocincla (Vieill.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 297.—Turdus.  
**rupestris** Petronia, C. L. Bonaparte, List Birds Eur. Amer. 1838, 30.  
**rupestris** Phryganea, N. Boubée, Bull. hist. nat. France, 1833 (2), 6. [1820.  
**rupestris** Platyrinchos, Max Wied, Beitr. Naturges. Brasil. III (2) 1831, 977.—Muscicapa,  
**rupestris** Psithyrus (Fab.), Le Peletier de S. F., Ann. Soc. Ent. France, I (4) c. Jan. 1833,  
 376.—Apis, 1793.  
**rupestris** Pterocyclos, W. H. Benson, J. Asiat. Soc. Bengal, I. 1832, 13. [Bulimus.  
**rupestris** Pupa (Phil.), A. Bivona, Giorn. Sci. Lett. Sicilia, LXVI (198) June 1839, 231.—  
**rupestris** Purpura, A. Valenciennes in Du Petit-Thouars, Voy. "Vénus" (Tab. Pls. 1846).  
**rupestris** Pyramidula (Drap.), L. J. Fitzinger, Beitr. Landesk. Oesterr. Enns (Ver. Vaterl.  
 Gesch. Wien) III. 1833, 95.—Helix.  
**rupestris** Pyrgita, C. L. Brehm, Isis, 1828, 1276 [*n. n.*]; Handb. Nat. Vögel Deutschl. 1831,  
 264.  
**rupestris** Pyrrhocorax, C. L. Brehm, Isis, 1828, 1273 [*n. n.*]; Handb. Nat. Vögel Deutschl.  
**rupestris** Rissoa, E. Forbes, Ann. Nat. Hist. V. Ap. 1840, 107. [1831, 175.  
**rupestris** Rupicola, J. D. W. Hartmann, Erd- u. Süßw.-Gast. (8) 1844, 216 [*n. n.*].  
**rupestris** Scopolia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,  
**rupestris** Scorpio, W. E. Leach, Trans. Plymouth Inst. 1830, 163. [269.  
**rupestris** Seiren, F. O. Morris, The Naturalist, II (9) June 1837, 125.  
**rupestris** Serpula, A. Risso, H. N. Europe, IV. 1826, 404.  
**rupestris** Serranus, Cuvier & Valenc., H. N. Poiss. IX. 1833, 437.  
**rupestris** Sparus (L.), G. Shaw, Gen. Zool. (Pisc.) IV (2) 1803, 448.—Labrus, 1758.  
**rupestris** [Spiraculum] (Benson), J. T. Pearson, J. Asiat. Soc. Bengal, II. 1833, 592.—  
 Pterocyclos.  
**rupestris** Sympistis, J. Huebner, Verz. bekannt. Schmett. 1825, 262.—Noctua.  
**rupestris** Trechus, T. Say, Tr. Amer. Phil. Soc., n. s. II. 1825, 91.  
**rupestris** Tringa, C. T. Wood, Orn. Guide, 1835, 203.  
**rupestris** Trochus, E. Eichwald, Beitr. Kenntn. Russ. Reiches, VIII. 1843, 54.  
**rupestris** Trombidium (L.), P. A. Latreille, Sonnini's Buffon, Ins. VII (1804), 398.—  
**rupestris** Turdus, L. P. Vieillot, N. Dict. H. N., ed. 2, XX. 1818, 281. [Acarus, 1758.  
**rupestris** Uppucerthia (Kittl.), A. d'Orbigny & Lafresnaye, Syn. Av. Amér. mérid. in  
 Magasin de Zool. VIII. 1838, 21.—Opetiorynchos.  
**rupestris** Venus, G. Brocchi, Conch. Subap. 1814, 559.  
**rupestris** Zonites (Drap.), W. E. Leach, Ann. Mag. N. H. XX. Oct. 1847, 269.—Helix  
**rupetra** Motacilla, J. S. T. Frenzel, Beschr. Vögel Wittenberg, 1801, 50.  
**Rupicapra** H. M. D. de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (May), 75.—M.  
**rupicapra** Cemas, L. Oken, Lehrb. Nat. III (2) 1816, 742.  
**rupicapra** Centrotus, J. C. Fabricius, Syst. Rhyng. 1803, 18.—Membracis, 1798.  
**rupicapra** Copris, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 64.  
**rupicapra** Eulophus, A. Foerster, Beitr. Monogr. Pteromal. 1841, 43. [Antilope, 1766.  
**rupicapra** Rupicapra (Pall.), Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (May), 76.—  
**rupicaprae** Sarcoptes, E. Hering, N. A. Ac. Caes. Leop. Car. XVIII (2) 1838, 603.  
**rupicapraria** Cheimatobia (D. & S.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 44.—  
 Geometra, 1775. [Geometra, 1775.  
**rupicapraria** Fidonia (D. & S.), F. Treitschke, Schmett. Europa, VI (1) 1827, 327.—  
**rupicapraria** Hibernia (D. & S.), Duponchel in J. B. Godart, H. N. Lépid. France, VII (2)  
 (Noct. 4, pt. 2), 314, 1829.—Geometra, 1775. [1775.  
**rupicapraria** Theria (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 321.—Geometra,  
**Rupicola** Fleuriau de B., Journ. de Physique, LIV. May 1802, 348 & 354; Bull. Sci. Soc.  
**Rupicola** L. P. Vieillot, Analyse, 1816, 48.—A. [Philom. [Paris] no. 62, 1802, 106.—L.  
**Rupicola** J. D. W. Hartmann, Erd. u. Süßw.-Gast. (8) 1844, 216.—G.  
**rupicola** Anarta (D. & S.), F. Ochseneimer, Schmett. Europa, IV. 1816, 90.—Noctua,  
**rupicola** Anatina, Lamarck, An. s. vert. V. 1818, 465. [1775.  
**rupicola** Aphodius, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 189.  
**rupicola** Attus, N. M. Hentz, Boston Journ. N. H. V (3) 1846, 357.

- rupicolus** Bulimus, L. Reeve, Conch. Icon. V.—Bulimus, no. 93, May 1848.
- rupicola** Carabus, Duval; J. Sturm, Catal. Ins. Samml. 1826, 111.
- rupicola** Celia, C. Zimmermann, Faunus, I (1) 1832, 26.
- rupicola** Cerchneis (Daud.), F. Boie, Isis (Oken), 1828, 314.—Falco, 1800.
- rupicola** Clubiona, C. A. Walckenaer, Faune Française (26) Aptères, 1830, 126.
- rupicola** Cochylis, J. Curtis, Brit. Entom. XI (123) Mar. 1834, no. 491.
- rupicola** Colaptes, Orb.; G. R. Gray, Gen. Birds, II, Aug. 1846, 446.
- rupicola** Colaptes, A. d'Orbigny, Amér. Mérid. (Ois.) 1847, 377.
- rupicola** Conurus, J. J. v. Tschudi, Arch. f. Naturg. X (1) 1844, 304.
- rupicola** Euophrys, C. L. Koch, Uebers. Arachnidensyst. I. 1837, 34.
- rupicola** Harpalus, J. Sturm, Deutschl. Fauna (Insecten) IV. 1818, 105. [Ochs.
- rupicola** Heliodes (Tr.), A. Guénée, Ann. Soc. Ent. France, X (1) June 1841, 63.—Anarta,
- rupicola** Heliolitha (Tr.), J. W. Meigen, Syst. Besch. Europ. Schmett. III (5) 1832, 228.—Anarta, Ochs.
- rupicola** Hirundo, B. H. Hodgson, J. Asiat. Soc. Bengal, V. 1836 (1837), 781.
- rupicola** Hoplia, Bon.; Dejean, Catal. Coléopt. 1821, 59 [*n. n.*].
- rupicola** Hoplia (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 154.—Melolontha, 1775.
- rupicola** Hoplia (Fab.), F. Klug, Insect. Doublét. Z. M. Berlin, 1829, 16.—Melolontha,
- rupicola** Mitra, L. Reeve, Conch. Icon. II.—Mitra, no. 53, Sept. 1844. [1775.
- rupicola** Muscicapa, P. S. Pallas, Reise Russ. Reichs, III. 1776, 229 [=M. aëdon, of
- rupicola** Ophonus, J. Sturm, Catal. Ins. Samml. 1826, 179 [*n. n.*]. [p. 695].
- rupicola** [Osteodesma], de Blainville, Man. Malac. 1825, 660.
- rupicola** Osteodesma (Lam.), Catlow & Reeve, Conch. Nomen. 1845, 8.—Anatina.
- rupicola** Perdix, M. H. C. Lichtenstein, Verz. Säug. Vög. Z. M. Berlin, 1835, 27 [*n. n.*].
- rupicola** Periploma (Blainv.), Collard des Cherres, Actes Soc. Linn. Bordeaux, IV (19) 1830, 13.—Osteodesma.
- rupicola** Peryphus, W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 53.
- rupicola** Phoebe, C. L. Koch, Uebers. Arachnidensyst. V. 1850, 63.—Euophrys, 1837.
- rupicola** Pupa, T. Say, J. Acad. Nat. Sci. Philad. II. Dec. 1821, 163. [1766.
- rupicola** Rupicola (L.), C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. lxiv.—Pipra,
- rupicola** Staphylinus, H. v. Kiesenwetter, Entom. Zeitung, Stettin, XI (7) July 1850, 219.
- rupicolus** Tinnunculus (Daud.), G. R. Gray, Gen. Birds, I. Nov. 1844, 21.—Falco, 1800.
- rupicola** Trichius (Fab.), C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VI. 1818, 432.—
- rupicola** Turdus, H. Lichtenstein, Doublet. Z. M. Berlin, 1823, 38. [Melolontha, 1775.
- rupicola** Velutina, T. A. Conrad, J. Acad. Nat. Sci. Philad. VI. Ap. 1831, 266.
- rupicolalis** Hercyna (Huebner), F. Treitschke, Schmett. Europa, VII. 1829, 181.—Pyralis.
- rupicolalis** Metaxmeste (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 352.—  
Noctua rupicola, 1775. [[*n. et f.*].
- rupicolalis** Pyralis, J. Huebner, Europ. Schmett., Tab. Pyralis, 21 (Fernaldo iudice 1799)
- rupicolalis** Pyralis, J. Huebner, Europ. Schmett., Tab. Pyralis, 31 (Fernaldo iudice 1832) [*n. et f.*]
- rupicollis** Tetraonyx, F. L. de Laporte in Brullé, H. N. Anim. artic. (Coléopt.) II. 1840, 277.
- rupicoloides** Falco, A. Smith, S. African Quart. Journ. I (3) June 1830, 238.
- rupicoloides** Tinnunculus (A. Smith), G. R. Gray, Gen. Birds, I. Nov. 1844, 21.—Falco.
- Rupicula** Macklot, Bijdr. Nat. Wetensch. (Amsterdam) V (1) 1830, 175.—A. [*teste* C. W. R.].
- rupecula** Cobitis (M'Clell.), Cuvier & Valenc., H. N. Poiss. XVIII. 1846, 40.—Schistura.
- rupeculus** Discognathus (M'Clell.), J. J. Heckel in Russegger, Reise, I (2) 1843, 1028.—  
Gonorhynchus.
- rupiculus** Gonorhynchus, J. M'Clelland, Asiat. Researches, XIX (2) 1839, 281.
- rupecula** Schistura, J. M'Clelland, J. Asiat. Soc. Bengal, VII. 1838, 948.
- Rupiscartes** W. Swainson, N. H. Fishes etc. II. July 1839, 79, 182 & 275.—P.
- Rupisuga** W. Swainson, N. H. Fishes etc. I. Oct. 1838, 224.—P.
- rupium** Amphidesma, G. B. Sowerby, I., Proc. Comm. Sci. Zool. Soc. London (25) Mar. 1833, 199.
- rupium** Eristalis, J. C. Fabricius, Syst. Antliat. 1805, 241.
- rupium** Tergipes, H. P. C. Möller, Naturhist. Tidsskrift, IV (1) 1842, 78.
- rupium** Tergipes, H. P. C. Möller, Index Moll. Groenl. 1842, 5.
- rupium** Thalassema, Lamarck, Syst. Anim. 1801, 329.

- Rupornis** J. J. Kaup, *Classif. Säug.* 1844, 120.—A. [[Rupellia].—P.
- Ruppelia** [*male pro* Rueppellia], W. Swainson, N. H. Fishes etc. II. July 1839, 184 & 281
- Ruppellia** [*male pro* Rueppellia], C. R. W. Wiedemann, *Aussereurop. Zweifl. Insekt.* II. 1830, 625.—Dipt.
- Ruppellia** [*male pro* Rueppellia], H. M. Edwards (Roret's Suite à Buffon), *Crustacés*, I. ruppell→ *v. rueppell*→. [1834, 420.—Cr.
- ruppiae** Donacia, Thienemann in E. F. Germar, *Fauna Ins. Europ.* (14) [1829–31], 9.
- ruprechtii** Batrisus, F. A. Kolenati, *Melet. Entom.* (3) Jan. 1846, 31.
- rupro-cupreus** Gnorimus, E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 533.
- ruptata** Amoebe, J. Huebner, *Verz. bekannt. Schmett.* 1826, 333.—*Geometra*, 1796.
- ruptata** Cidaria (Huebn.), F. Treitschke, *Schmett. Europa*, V (2) 1825, 443.—*Geometra*, 1796. [1796.
- ruptata** Harpalyce (Huebn.), J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 44.—*Geometra*,
- ruptata** Phalaena (Huebn.), A. H. Haworth, *Lepidopt. Brit.* (2) 1809, 327.—*Geometra*, 1796.
- ruptus** Colastus (Fab.), W. F. Erichson in Germar, *Zeitschr. f. d. Entom.* IV. 1843, 237.—
- rupta** Nitidula, J. C. Fabricius, *Syst. Eleuth. I.* 1801, 354. [Nitidula.
- ruralis** Amblymerus, F. Walker, *Entom. Mag.* II (4) Oct. 1834, 343.
- ruralis** Anthomyia, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* V. 1826, 101.
- ruralis** Aricia (Meig.), J. Macquart (Roret's Suite à Buffon), *Diptères*, II. 1835, 291.—*Anthomyia*.
- ruralis** Carabus, Knoch in F. V. Melsheimer, *Ins. Pennsylv.* 1806, 51 [*n. n.*].
- ruralis** Cheilosa (Meig.), J. Macquart, *Mém. Soc. R. Sci. Lille*, 1827–8, 1829, 202.—*Syrphus*.
- ruralis** Dolichopus, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* IV. 1824, 94.
- ruralis** Echinites, E. F. Schlottheim, *Tasch. Min.* 1813, 100 [*n. n.*].
- ruralis** Empis, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* III. 1822, 40.
- ruralis** Fusus, R. A. Philippi, *N. Jahrb. f. Min.* 1845, 450 [*n. n.*].
- ruralis** Fusus, R. A. Philippi, *Palaeontographica*, I (2) Mar. 1847, 72.
- ruralis** Hylemyia, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* VII. 1838, 316.—*Anthomyia*,
- ruralis** Libellula, H. Burmeister, *Handb. Ent.* II (2) ii, 1839, 856. [1826.
- ruralis** Limnobia, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* VII. 1838, 27.
- ruralis** Musca, J. L. C. Gravenhorst, *Vergl. Uebers. Zool. Syst.* 1807, 379.
- ruralis** Musca, C. F. Fallen, *K. Vet. Ac. Handl.* 1816 (2) 1817, 237.
- ruralis** Pachymeria (Meig.), J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 55.—*Empis*.
- ruralis** Perilitus, Herrich-S. in G. W. F. Panzer, *Ins. Germ.*, heft 156, 1838.
- ruralis** Pipunculus, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* IV. 1824, 22. [1834.
- ruralis** Pteromalus, F. Walker, *List Hymenopt. Coll. B. M.* (1) 1846, 37.—*Amblymerus*,
- ruralis** Sarcophaga (Fall.), J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* V. 1826, 17.—
- ruralis** Stenus, W. F. Erichson, *Gen. Spec. Staph.* (2) 1840, 697. [*Musca*, Grav.
- ruralis** *Syrphus*, J. W. Meigen, *Syst. Besch. Zweifl. Insekt.* III. 1822, 293.
- ruralis** *Tabanus*, J. W. Zetterstedt, *Ins. Lapp. descr.* 1838, 517.
- ruralis** *Tachina*, C. F. Fallen, *K. Vet. Ac. Nya Handl.* XXXI (4) 1810 [1811], 265.
- ruralis** *Tenthredo* (Poecilostoma), A. G. Dahlbom, *Conspect. Tenthred.* 1835, 13 [*n. n.*].
- ruralis** *Tephritis* (Loew), J. W. Zetterstedt, *Dipt. Scand.* VI. 1847, 2235.—*Trypeta*.
- ruralis** *Trypeta*, H. Loew in Germar, *Zeitschr. f. d. Entom.* V. 1844, 386.
- rurea** *Septis* (Fab.), J. Huebner, *Verz. bekannt. Schmett.* [1825], 243.—*Noctua*, 1775.
- rurea** *Xylina* (Borkh.), F. Ochseneheimer, *Schmett. Europa*, IV. 1816, 86.—*Phalaena*, 1790.
- rurea** *Xylina* (Gm.), J. W. Meigen, *Syst. Besch. Europ. Schmett.* III (4) 1832, 185.—*Phalaena*, Borkh. 1790. [Noctua, 1775.
- rurea** *Xylophasia* (Fab.), J. F. Stephens, *Ill. Brit. Ent. (Haust. II.)* May 1829, 176.—
- rurestrana** *Sericoris*, Duponchel in J. B. Godart, *H. N. Lépid. France, Suppl.* IV (Noct.) [1843], 426.
- rurestris** *Micryphantes*, C. L. Koch, *Die Arachniden*, III (5) Dec. 1836, 84 [? *rupestris*].
- ruricola** *Amaloplia* (Fab.), G. Samouelle, *Entom. Compend.*, June 1819, 191.—*Melolontha*, 1775.
- rusicola** *Aphodius* (F. V. Melsh.), F. E. Melsheimer, *Proc. Acad. Nat. Sci. Philad.* II (6) Dec. 1844, 136.—*Scarabaeus*, ? *ruricola*. [Philad. I (2) Aug. 1848, 105.
- ruricola** *Aphodius*, Melsh. (*olim rusicola*), *emend.* S. S. Haldeman, *Journ. Acad. Nat. Sci.*

- ruricola** Brachyphylla (Fab.), E. Mulsant, H. N. Coléopt. France (Lam.) Aug. 1842, 465.—Melolontha, 1775.
- ruricola** Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 51 [*n. n.*].
- ruricola** Cetonia, Gory & Percheron, Mon. Cétoines (1) 1833, 63; (11) 1836, 264.
- ruricola** Cicindela, J. Gistel, Syst. Insect. I (1) 1837, 28.
- ruricola** Clytus (Ol.), C. J. Schoenherr, Syn. Insect. I (3) 1817, 467.—Callidium, 1795.
- ruricola** Erythraeus, A. Dugès, Ann. Sci. Nat. [2] (Zool.) I. Jan. 1834, 16 & 40.
- ruricola** Gecarcinus (L.), W. E. Leach, Brewster's Edin. Ency. VII (2) 1814, 430.—Cancer, 1758. [1758]
- ruricola** Goniopsis (Deg.), A. White, List Crustacea Coll. B. M. 1847, 40.—Cancer, L.
- ruricola** Grapsus (Fab.), P. A. Latreille, Sonnini's Buffon, Ins. III (1802), 25.—Cancer,
- ruricola** Lycosa, N. M. Hentz, Boston Journ. N. H. IV (4) 1844, 387. [L. 1758.]
- ruricola** Naupactus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. I (2) 1833, 608.
- ruricola** Ocypoda (Fab.), L. A. G. Bosc, Crust. I (Castel's Buffon) 1801, 197.—Cancer, L. 1758.
- ruricola** Omaloplia (Fab.), Dejean, Catal. Coléopt. 1821, 59.—Melolontha, 1775.
- ruricola** Scarabaeus, F. V. Melsheimer, Ins. Pennsylv. 1806, 2 [*n. n.*].
- ruricola** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 299. [1778.]
- ruricola** Trochosa (Deg.), C. L. Koch, Die Arachniden, XIV (4) Ap. 1847, 138.—Aranea,
- ruriculum** Trombidium (Dugès), F. L. P. Gervais in Walckenaer (Roret's Suite à Buffon), Aptères, III. 1844, 186.—Erythraeus.
- ruricola** Xiphocera, H. Burmeister, Handb. Ent. II (2) i, 1838, 613.
- ruricolella** Tinea, H. T. Stainton, Syst. Cat. Brit. Tin., Mar. 1846, 7. [on pl.]
- rurik** Papilio, F. Eschscholtz in Kotzebue, Entdeck. Reise Süd-See, III. 1821, 202 [rurikia
- ruris** Agrotis (Huebner), F. Ochsenheimer, Schmett. Europa, IV. 1816, 66.—Noctua.
- ruris** Exarnis, J. Huebner, Verz. bekannt. Schmett. [1822], 225.
- ruris** Noctua, J. Huebner, Europ. Schmett., Tab. Noctua, 89 (Fernaldo iudice 1808)
- rurkii** Ristella, J. E. Gray, Ann. Nat. Hist. II. Jan. 1839, 333. [[*n. et f.*].
- rus** Porites (Forsk.), de Blainville, Dict. Sci. Nat. LX. 1830, 360.—Madrepora, 1775.
- Rusa** C. H. Smith in Griffith's Cuvier, Anim. Kingd., Mamm., Syn. 1827, 309.—M.
- ruscarius** Elaphrus, T. Say, Tr. Amer. Phil. Soc., n. s. IV (3) 1834, 417.
- ruschenbergiana** Megaspira, I. Lea in J. C. Jay, Catal. rec. Shells, ed. 2, 1836, 81.
- rusci** Orchestes (Germ.), C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 501.—Salius.
- rusci** Salius (Herbst), E. F. Germar, Mag. Entom. (Germar) IV. 1821, 333.—Curculio, 1795.
- ruscicola** Sylvia, L. P. Vieillot, Faune Française (15 & 16) Oiseaux, 1826, 203.
- rusconii** Eolidia, G. B. Verany in Descr. Genova, I. 1846, 97 & 105.
- rusconii** Euproctus, J. Gené, Mem. R. Acc. Sci. Torino [2] I. 1839, 282.
- ruscuriana** Ostrea, Lamarck, An. s. vert. VI (1) 1819, 206.
- rusicola** Aphodius, *v.* **ruricola**.
- rusicola** Sylvia, L. P. Vieillot, N. Dict. H. N., ed. 2, XI. 1817, 186.
- Rusina** J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Mar. 1829, 111.—Lep.
- rusina** Caligo (God.), E. Doubleday, List Lepidopt. Coll. B. M. (1) 1844, 117.—Morpho.
- rusina** Morpho, J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 451.
- rusiostoma** Clausilia, F. Held, Isis (Oken), 1836, 275.
- ruspator** Anomalon (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 116.—Cryptus.
- ruspator** Cryptus, J. C. Fabricius, Syst. Piezat. 1804, 88.—Ichneumon, L. 1758.
- ruspator** Helcon (L.), C. G. Nees *v.* E., Hyménopt. Ichn. aff. I. 1834, 230.—Ichn. 1758.
- ruspator** Necrophorus, W. F. Erichson, Käfer Mark Brand. I (1) 1837, 225.
- Russa** *id.* *ac* Rusa, C. H. Smith; J. E. Gray, List Mamm. Coll. B. M. 1843, 179.
- russatus** Aphodius, Erichson in Klug, Doubl. Verz. Senegall. Ins. 1842, 7.
- russata** Ardea, J. G. Wagler, Syst. Avium, 1827, 178.
- russatus** Buphus (Wagl.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 47.—Ardea.
- russatus** Charadrius, T. C. Jerdon, Madras Journ. XII (29) Oct. 1840, 213. [1775.]
- russata** Cidaria (D. & S.), F. Treitschke, Schmett. Europa, V (2) 1825, 443.—Geometra,
- russata** Dysstroma (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 333.—
- russata** Egetta (*sic*), C. T. Wood, Orn. Guide, 1835, 201. [Geometra, 1775.]
- russata** Egretta, W. Swainson, N. H. Class. Birds, II. 1837, 354.
- russatus** Erodus (Wagl.), W. Macgillivray, Man. Brit. Orn. II. 1842, 135.—Ardea.



- russata** Fringilla, C. J. Temminck in T. & Laugier, Pls. color., Tabl. méth., Jan. 1839, p. 47.
- russatus** Hesperomys, J. A. Wagner, Abh. K. bayer. Ak. Wiss. V (2) 1848, 312.
- russata** Lebia, E. Newman, Entomologist (2) Dec. 1840, 31.
- "russatus"** Lepus, F. Cuv.; G. R. Waterhouse, Nat. Hist. Mamm. II. 1847, 46.
- russatus** Microgaster, A. H. Haliday, Entom. Mag. II (3) July 1834, 237.
- russatus** Mus, A. Wagner, Abh. K. bayer. Ak. Wiss. III (1) 1840, 195.
- russata** Polyphasia (D. & S.), J. F. Stephens, List Brit. Anim. B. M. (Lep.) 1850, 196.—  
Geometra, 1775.
- russatus** Sciurus, J. A. Wagner in Schreber, Säugth., Suppl. III. 1842, 155.
- russatus** Sternechus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 475.
- russatum** Trombidium, C. L. Koch, Deutsch. Crust., heft 15, 1837, tab. 12. [1826, 308.]
- russearia** Eois, J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 27; Verz. bekannt. Schmett.
- russeggerii** Pycnosterinx, J. J. Heckel in Russegger, Reise, II (3) [1849], 338.
- russeicauda** Setophaga (Vieill.), G. R. Gray, Gen. Birds, III. App. 1849, 12.—Sylvia.
- russeicauda** Sylvia, L. P. Vieillot, Ois. Amér. sept. II. 1807, 17.
- [russell→.]
- russelii** Amphacanthus, Cuvier & Valenc., H. N. Poiss. X. 1835, 123. [1830 *vel* 1831, 99.]
- russelii** Caranx, E. Rueppell in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Fische (—)
- russelii** Coluber (Natrix), Daud.; B. Merrem, Tent. Syst. Amph. 1820, 98.
- russelii** Coronella, H. Schlegel, Essai phys. Serp. 1827, I., 137; II., 78.
- russelii** Daboa, J. E. Gray, Zool. Miscell. (Gray) (4) May 1842, 69.
- russelii** Disteira, L. J. Fitzinger, Neue Classif. Rept. 1826, 54 [*n. n.*].
- russelii** Disteira, L. J. Fitzinger, Isis (Oken), 1827, 733.
- russelii** Elaps (Merr.), F. Boie, Isis (Oken), 1827, 523.—Coluber (Natrix).
- russelii** Gobius, G. Cuvier, Règne Anim., ed. 2, II. 1829, 244.
- russelii** Hemiramphus, Cuvier & Valenc., H. N. Poiss. XIX. 1846, 32.
- russelii** Leiurus, W. Swainson, N. H. Fishes etc. II. July 1839, 326. [Moluk.), 41.]
- russelii** Mesoprion, P. Bleeker, Verh. Batav. Genootsch. XXII. 1849 (Percoid. Malayo-
- russelii** Platessa, J. E. Gray, Ill. Indian Zool. II (17, 18) Oct. 1834 (pl. 94).
- russelii** Pterois, E. T. Bennett, Proc. Comm. Sci. Zool. Soc. London (10) Oct. 1831, 128.
- russelii** Regalecus, H. Cloquet, Dict. Sci. Nat. XLV. 1827, 18.
- russelii** Scarus, Cuvier & Valenc., H. N. Poiss. XIV. 1839, 234.
- russelii** Tortrix, B. Merrem, Tent. Syst. Amph. 1820, 84.
- russelii** Trachinotus, Cuvier & Valenc., H. N. Poiss. VIII. 1831, 436.
- russelii** Trygon, J. E. Gray, Ill. Indian Zool. II (17, 18) Oct. 1834 (pl. 100).
- russeli** Typhlops, H. Schlegel, Abb. Amph. (2) 1839, 39.
- russelii** Umbrina, G. Cuvier, Règne Anim., ed. 2, II. 1829, 174.
- russelii** Upeneus, Cuvier & Valenc., H. N. Poiss. III. 1829, 465. [1830 *vel* 1831, 23.]
- russelii** Varanus, J. E. Gray in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.) Rept. (—)
- russelii** Xiphichthis, W. Swainson, N. H. Fishes etc. II. July 1839, 46, 259 (Xiphichthys).
- russellianus** Dryinus, T. Bell, Zool. Journ. II (7) Oct. 1825, 327.
- russeliana** Raconda, J. E. Gray, Zool. Miscell. (Gray) (1) Feb. 1831, 9.
- russellianus** Rhinobatus, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.
- russellianus** Scylliorhinus, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (Aug.), 121.
- russellianus** Scylium (Bl.), E. Eichwald, De Selachis, 1819, 66.—Squalus [*non comp.*].
- russellianus** Trygonobatus, de Blainville, Bull. Sci. Soc. Philom. Paris, 1816 (July), 120.
- russelius** Coluber, F. M. Daudin, Sonnini's Buffon, Rept. VI (1803), 395.
- russelius** Lycodon (Daud.), J. Wagler, Nat. Syst. Amph. 1830, 186.—Coluber.
- russeolum** Apion, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (1) 1839, 398.
- russeola** Cicada, C. F. Fallen, Hemipt. Svec. (3) 1826, 34.
- russeola** Sylvia, L. P. Vieillot, N. Dict. H. N., ed. 2, XI. 1817, 217.
- russeolus** Tetranychus, C. L. Koch, Deutsch. Crust., heft 17, 1838, tab. 15. [A. F. H.]
- russiae** Papilio *var.* arge, Esper, Die Schmett. I (2) Forts. Tagschmett. [1784], 162 [*teste*
- russicollis** Diacanthus, Knoch in E. F. Germar, Zeitschr. f. d. Entom. IV. 1843, 74.
- russicollis** Exochomus, E. Mulsant, Ann. Soc. Agric. Lyon [2] II. 1850, 1033.
- russicus** *melius rossicus*, *q.v.*
- russiensis** *melius rossiensis*, *q.v.*
- russula** Andrena, Lepeletier de S. F. (Roret's Suite à Buffon), Hyménopt. II. 1841, 251.

- russula** Arctia (Fab.), F. v. P. Schrank, F. Boica, II (2) 1802, 153.—Bombyx, 1775.  
**russula** Arctornis (L.), E. F. Germar, Syst. Gloss. Prod. 1811, 25.—Phalaena, 1767.  
**russula** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 29 (Fernaldo judice 1802) [*n. et f.*].
- russula** Chelonia (L.), J. B. Godart, H. N. Lépid. France, IV (Noct. 1), 343, 1823.—Phal. (Noctua), 1758. [1758.]
- russula** Diacrisia (L.), J. Huebner, Verz. bekannt. Schmett. [1822], 169.—Phal. (Noctua),  
**russula** Euthemonia (L.), J. F. Stephens, Ill. Brit. Ent. (Haust. II.) Dec. 1828, 68.—Phal. (Noctua), 1758. [1758.]
- russula** Eyprepia (L.), F. Ochsenheimer, Schmett. Europa, III. 1810, 309.—Phal. (Noctua),  
**russula** Lema, T. Lacordaire, Mém. Soc. R. Sci. Liége, III (2) Nov. 1845, 533.  
**russula** Lithosia (F.), P. A. Latreille, Sonnini's Buffon, Ins. XIV (1805), 194.—Bombyx,  
**russula** Nepytis, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 166. [1775.]
- rusa** Cervus, S. Mueller in Temminck, Verh. nat. ges. Ned. overz. bezitt., Zool. (Zoogd.  
**russus** Elater, Dejean, Catal. Coléopt. 1821, 32 [*n. n.*]. [1839], 45 & 56.  
**russus** Gobius, T. Cantor, J. Asiat. Soc. Bengal, XVIII. 1849 (Dec. 1850), 1168.  
**rusa** Nonagria, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XX. 1847 (3) 1847, 79.
- rustan** Oenomaus (Stoll), J. Huebner, Verz. bekannt. Schmett. 1818, 76.—Papilio, 1790.  
**rustan** Polyommatus (Stoll), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 621.—Papilio,  
**rustan** Thanas, V. Kollar, Denkschr. k. Ak. Wiss. (Wien) I. 1850 [1849], 52. [1790.]  
**rustan** Thecla (Stoll), E. Doubleday, List Lepidopt. Coll. B. M. (2) 1847, 37.—Papilio,  
**rustercii** Venus, B. C. Payraudeau, Cat. Moll. Corse, 1826, 52. [1790.]
- rustica** *v.* **rusticus**.
- rusticalis** Botys (Huebner), F. Treitschke, Schmett. Europa, VI (2) 1828, 314.—Pyrallis,  
**rusticalis** Hypena, J. Huebner, Zuträge z. Exot. Schmett. II. 1823, 30. [1796.]  
**rusticalis** Macrochilo, J. Huebner, Verz. bekannt. Schmett. 1826, 345.  
**rusticalis** Uresiphita, J. Huebner, Verz. bekannt. Schmett. 1826, 353.
- rusticanus** Acalles, Munck in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837, 333.  
**rusticana** Ancylochira, O. Heer, N. D. Allg. Schweiz. Gesellsch. VIII. 1847, 109.  
**rusticanus** Attus, H. Nicolet in Gay, Chili, III (Arach.) 1849, 374.  
**rusticanus** Brachycerus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. V (2) 1840, 669.  
**rusticana** Clepsis (Tr.), A. Guénée, Ann. Soc. Ent. France [2] III (2) Oct. 1845, 168.—Tortrix, 1796.
- rusticanus** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 226.  
**rusticanus** Larinus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 123.  
**rusticana** Nephodesme, J. Huebner, Verz. bekannt. Schmett. 1826, 390.—Tortrix, 1796.  
**rusticana** Sphionota (Fab.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 46.—Pyrallis, 1794.  
**rusticana** Succinea, A. A. Gould, Proc. Boston Soc. N. H. II. 1848 (1847), 187.
- rusticaria** Dosithea (D. & S.), Duponchel in J. B. Godart, H. N. Lépid. France, VIII (1) (Noct. 5, pt. 1) 1830, 51.—Geometra rusticata, 1775.
- rusticator** Cryptus, J. W. Zetterstedt, Ins. Lapp. descr. 1838, 368.  
**rusticator** Ichneumon, C. P. Thunberg, Mém. Ac. Imp. Sci. St Pétersb. VIII. 1822, 271.  
**rusticator** Lamia, J. C. Fabricius, Syst. Eleuth. II. 1801, 294.
- rusticata** Acidalia (Huebner), F. Treitschke, Schmett. Europa, V (2) 1825, 440.—Geometra, 1796. [metra, 1775.]
- rusticata** Cosmorhoe (D. & S.), J. Huebner, Verz. bekannt. Schmett. 1826, 326.—Geometra,  
**rusticata** Emmelesia (Haw.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 45.—Phalaena.  
**rusticatus** Phaeogenes, C. Wesmael, N. Mém. Ac. Roy. Brux. XVIII. 1845 (1844), 188.  
**rusticata** Phalaena, J. C. Fabricius, Ent. Syst. III (2) 1794, 189.
- rusticella** Anacamptis (Huebner), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 48.—Tinea,  
**rusticella** Helicina, P. M. A. Morelet, Test. nov. Cubanæ (1) 1849, 21. [1796.]  
**rusticella** Monopis, J. Huebner, Verz. bekannt. Schmett. 1826, 401.—Tinea, 1796.
- Rusticola** Houttuyn in Nozeman, Ned. Vogel. I. 1770 (p. 1 of Inhoud).—A. [*teste* C. W. R.].  
**Rusticola** L. P. Vieillot, Analyse, 1816, 56.—A.
- rusticola** Anthracophora, H. Burmeister, Handb. Ent. III. 1842, 624.  
**rusticola** Pyrula, Defrance, Dict. Sci. Nat. XLIV. 1826, 209.
- rusticorum** Buprestis (Anoplia), W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837,  
**rusticorum** Pica, T. Forster, Syn. Cat. Brit. Birds, 1817, 48. [151.]

- rusticula** Chama, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1830, 249.
- rusticula** Melongena (Bast.), G. G. Pusch, Polens Paleont. (2) 1837, 147.—Pyrula.
- rusticula** Pyrula, B. de Basterot, Mém. Soc. H. N. Paris, II (1) 1825, 68.
- Rusticus** J. Huebner, Tentamen (me judice 1806), 1.—Lep. [*n. n.*].
- Rusticus** J. Huebner, Exot. Schmett., Tab. Rusticus.—Lep. [*n. et f.*].
- rusticus** Acanthocinus, J. Sturm, Catal. Ins. Samml. 1826, 88 [*n. n.*].
- rusticus** Acanthocinus, F. Klug (Dej. *in litt.*), Insect. Doublet. Z. M. Berlin, 1829, 13.
- rusticum** Acridium (Fab.), H. Burmeister, Handb. Ent. II (2) 1, 1838, 633.—Gryllus, 1775.
- rustica** Agrotis, E. Eversmann, Uchen. Zap. Kazansk. Univ. 1842 (1) 1842, 22.
- rustica** Agrotis, E. Eversmann, Bull. Soc. Imp. Nat. Moscou, XV. 1842 (3) 1842, 545.
- rusticus** Allantus (Fab.), L. Jurine, N. Méth. class. Hyménopt. 1807, 54.—Tenthredo, L.
- rustica** Amara, P. Rylands, The Naturalist, II (11) Aug. 1837, 243. [1758.]
- rusticus** Amblyopus, T. Lacordaire, Mon. Erotyl., Sept. 1842, 200.
- rusticus** Ammonites, J. Sowerby, Min. Conch. II. 1817, 171.
- rusticus** Ammonites, G. A. Mantell, Foss. South Downs, May 1822, 141 & 199.
- rustica** Anacamptis (Huebner), J. Curtis, Brit. Entom. IV (47) Nov. 1827, no. 189.—Tinea rusticella, 1796.
- rustica** Anas, J. R. Forster in Levaillant, Neue Reise Afrika, I. 1796, 332.
- rustica** Ancylocloncha, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, IV. 1835, 275.
- rustica** Ancylochira (L.), F. Eschscholtz, Zool. Atlas, I. 1829, 9.—Buprestis, 1758.
- rusticus** Anisodactylus (Melsh.), Dejean, Spec. gén. Coléopt. IV. 1829, 157.—Carabus.
- rusticus** Anisodactylus, T. Say, Tr. Amer. Phil. Soc., n. s. IV (3) 1834, 431.—Harpalus, 1825. [Buprestis, 1758.]
- rustica** [Anoplis] (L.), W. Kirby in J. Richardson, F. Bor.-Amer. (4) Oct. 1837, 151.—
- rusticus** Anoplochilus (G. & P.), H. Burmeister, Handb. Ent. III. 1842, 507.—Cetonia.
- rusticus** Arhopalus (Fab.), J. G. Audinet-S., Ann. Soc. Ent. France, III (1) *post* Mar. 1834, 78.—Callidium, 1775. [487.]
- rustica** Aricia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- rusticum** Asemum (L.), F. Eschscholtz, Bull. Soc. Imp. Nat. Moscou, II (1) 1830, 66.—Callidium, Fab. 1775.
- rusticus** Asemus (Fab.), C. J. Schoenherr, Isis (Oken), 1823, 1141.—Curculio.
- rustica** Asida, J. Gené, Mem. R. Acc. Sci. Torino [2] I. 1839, 70.
- rusticus** Asilus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. II. 1820, 311.
- rustica** Asterias, J. E. Gray, Ann. Nat. Hist. VI. Nov. 1840, 179.
- rustica** Astrea, DeFrance, Dict. Sci. Nat. XLII. 1826, 387.
- rustica** Athlia, W. Erichson, Arch. f. Naturg. I (1) 1835, 267.
- rustica** Belostoma, F. L. de Laporte, Ess. Hémipt. in Mag. de Zool. II. 1832, 18.
- rustica** Bibio, G. W. F. Panzer, Ins. Germ., heft 90, 1804, tab. 21.
- rustica** Bombyx, J. Huebner, Europ. Schmett., Tab. Bombyx, 34 (Fernaldo judice 1802) [*n. et f.*].
- rustica** Bombyx, J. Huebner, Europ. Schmett. (Ziefer), 139 [me judice 1805].
- rusticus** Bucardites (L.), J. F. Krueger, Gesch. d. Urwelt (2) 1823, 452.—Cardium, 1758.
- rusticus** Bulimus, A. Mousson, Land-Mollusk. Java, 1849, 114.
- rustica** Cantharis, C. F. Fallen, Mon. Cantharid. Sveciae (1) 1807, 9.
- rustica** Cantharis, Sch.; Dejean, Catal. Coléopt. 1821, 36 [*n. n.*].
- rusticus** Carabus, F. V. Melsheimer, Ins. Pennsylv. 1806, 51 [*n. n.*].
- rusticus** Carabus, J. L. C. Gravenhorst, Vergl. Uebers. Zool. Syst. 1807, 80.
- rustica** Cecropis (Gm.), F. Boie, Isis (Oken), 1826, 971.—Hirundo, L. 1758.
- rustica** Cenchroma (Fab.), J. Sturm, Catal. Ins. Samml. 1826, 112.—Curculio.
- rusticus** Cerasphorus (Fab.), J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 12.—Stenocorus, 1781.
- rustica** Cercopis, O. G. Costa, Cenni Zool. (Ann. zool.) 1834, 87.
- rusticum** Cerithium, G. P. Deshayes, Descr. Coq. foss. Paris, II. 1833, 342.
- rustica** Cetonia, Gory & Percheron, Mon. Cétoines (11) 1836, 263.
- rusticus** Ceuthorrhynchus, Gyllenhal in C. J. Schoenherr, Gen. et Sp. Curc. IV (1) 1837,
- rustica** Chama, G. P. Deshayes, Traité élém. Conch., Atlas, 1850, 17. [542.]
- rusticus** Chion (Fab.), E. Newman, Entomologist (2) Dec. 1840, 23.—Stenocorus, 1781.
- rusticus** Chironomus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. VII. 1838, 3.

- rustica** Cicada (Fab.), C. F. Fallen, K. Vet. Ac. Nya Handl. XXVII (1) 1806, 8.—  
Cercopis, 1775.
- rustica** Cinthia (L.), A. Risso, H. N. Europe, IV. 1826, 274.—Ascidia, 1767.
- rustica** Cocytius (Fab.), J. Huebner, Verz. bekannt. Schmett. [1820], 140.—Sphinx,
- rusticus** Cocytius, J. Huebner, Exct. Schmett. III. Tab. [*n. et f.*]. [1775.]
- rustica** Columbella (L.), H. F. Link, Besch. Nat. Samml. Univ. Rostock (2) 1807, 94.—  
Voluta, 1758.
- rustica** Corsira (Jen.), R. P. Lesson, N. Tab. Règne Anim., Nov. 1842, 89.—Sorex.
- rusticus** Cratonychus, W. F. Erichson in Germar, Zeitschr. f. d. Entom. III. 1841, 107.
- rusticus** Criocephalus (L.), E. Mulsant, H. N. Coléopt. France (Longic.) Oct. 1839, 63.—  
Cerambyx, 1758.
- rustica** Cristellaria, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 242.
- rusticus** Cryptocephalus, F. Faldermann, N. Mém. Soc. Imp. Nat. Moscou, V. 1837, 395  
[*i.e.* 392, sign. 48\* 4].
- rustica** Cryptocoenia, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 182.
- rusticus** Cryptorhynchus, Dejean, Catal. Coléopt. 1821, 85 [*n. n.*].
- rusticus** Curculio, F. Weber, Obs. Ent. 1801, 95.
- rusticus** Curculio, J. C. Fabricius, Syst. Eleuth. II. 1801, 510.
- rustica** Cyclocephala (Ol.), H. Burmeister, Handb. Ent. V. 1847, 70.—Melolontha, 1789.
- rustica** Cyclocoenia, A. d'Orbigny, Note Polyp. foss., Oct. 1849, 7.
- rustica** Cynthia (Müll.), Forbes & Hanley, Hist. Brit. Moll. I. 1848, 39.—Ascidia, L. 1767.
- rustica** Cyprina (Sow.), J. Fleming, Hist. Brit. Anim. 1828, 444.—Venus.
- rusticum** Cyrtoceras, J. Phillips, Figs. descr. Pal. foss. Cornwall, 1841, 116.
- rustica** Cytherea, G. P. Deshayes, Descr. Coq. foss. Paris, I. 1825, 130.
- rustica** Dentalina, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 185. [1775.]
- rustica** Dexia (Fab.), J. W. Meigen, Syst. Besch. Zweifl. Insekt. V. 1826, 46.—Musca,
- rustica** Dexilla (Meig.), J. O. Westwood, Introd. class. Insect. II. 1840, 140.—Dexia,
- rustica** Diplonychus (Fab.), F. L. de Laporte, Ess. Hémipt. in Magasin de Zool. II. 1832,  
18 & 83.—Belostoma.
- rustica** Diplonychus (Fab.), H. Burmeister, Handb. Ent. II (1) 1835, 194.—Nepa, 1775.
- rusticus** Dolichopus, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 77.
- rustica** Donacia, Schueppel in G. Kunze, N. Schr. Nat. Ges. Halle, II (4) 1818, 31.
- rusticus** Donax, S. G. Morton, Amer. J. Sci. XXIX (1) Oct. 1835, 151.
- rusticum** Elaphidion, J. L. Le Conte, Journ. Acad. Nat. Sci. Philad. II (1) Nov. 1850, 14.
- rusticus** Elater, Dejean, Catal. Coléopt. 1821, 33 [*n. n.*].
- rusticus** Ellimenistes, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 178.
- rustica** Empis, C. F. Fallen, Empidiae Svec. (2) 1816, 18.
- rustica** Epicharis, Le Peletier & Serville, Ency. Méth. X (2) (Ins.) 1828, 530.
- rustica** Eurigaster (Rob.), J. Macquart, Mém. Soc. R. Sci. Lille, 1833, 1834, 290.—
- rustica** Euspiza, G. R. Gray, Gen. Birds, III. App. 1849, 17. [Phryno.]
- rustica** Flata, J. C. Fabricius, Syst. Rhyng. 1803, 53.
- rusticus** Fusus, T. A. Conrad, J. Acad. Nat. Sci. Philad. VI. Aug. 1830, 230.
- rusticus** Fusus, J. De C. Sowerby, Tr. Geol. Soc. London [2] IV. 1836, 344.
- rusticus** Geotrupes, F. Klug, Abh. ph.-Kl. K. pr. Ak. Wiss. 1832 (1834) [1833], 166.
- rustica** Gryphaea, DeFrance, Dict. Sci. Nat. XIX. 1821, 537.
- rusticus** Harpalus (Melsh.), T. Say, Tr. Amer. Phil. Soc., n. s. II. 1825, 32.—Carabus.
- rusticus** Heilipus, F. Klug (Dej. *in litt.*), Insect. Doublet. Z. M. Berlin, 1829, 13.
- rusticus** Heilipus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. III (1) 1836, 209.
- rustica** Helicina, L. Pfeiffer in Martini & Chemnitz, Syst. Conch. Cab., ed. 2, Helicinacea  
(100) 1850, 26. [495.]
- rustica** Helina, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,
- rusticus** Heteronychus (Klug), H. Burmeister, Handb. Ent. V. 1847, 96.—Geotrupes.
- rustica** Hubneria, J. B. Robineau-D., Ann. Soc. Ent. France [2] V (4) June 1848, 608.
- rustica** Hylemya, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.  
1830, 553. [Curculio.]
- rusticus** Hypomeces (Fab.), C. J. Schoenherr, Gen. et Sp. Curc. VI (1) 1840, 207.—
- rusticus** Ischnoceros (Fourc.), J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 951.—  
Ichneumon, 1785.

- rustica* Lima, Young & Bird, Geol. Surv. Yorksh. Coast, ed. 2, 1828, 238.  
*rustica* Lima (Sow.), G. P. Deshayes, Ency. Méth. (Vers) II (2) 1832, 350 (Xx\*).—  
*rustica* Limax, Millet, Magasin de Zool. (2) V. 1843, pl. 63. [Plagiostoma.  
*rusticus* Lygaeus, C. F. Fallen, Mon. Cimicum Sveciae, 1807, 70.  
*rustica* Lymnea, I. Lea, P. Amer. Phil. Soc. II (17) Ap. 1841, 33.  
*rustica* Macrocera, T. Say, Boston Journ. N. H. I (4) 1837, 406.  
*rustica* Macrocera, P. B. Brodie, Hist. foss. Ins. 1845, 34. [Chrysomela, 1767.  
*rustica* Mantura (L.), J. F. Stephens, Ill. Brit. Ent. (Mand. IV.) Dec. 1831, 322.—  
*rustica* Meandrina, J. D. Dana, Wilkes, U. S. Exped., Zooph., c. Mar. 1848, 258.  
*rustica* Melolontha, F. V. Melsheimer, Ins. Pennsylv. 1806, 4 [n. n.].  
*rusticus* Miris, G. W. F. Panzer, Schaefferi Icon. Ins. 1804, 17.  
*rustica* Mitra, L. Reeve, Conch. Icon. II. —Mitra, no. 329, Mar. 1845.  
*rustica* Monodonta, C. F. Schumacher, Essai Vers test. 1817, 231.  
*rusticus* Murex, G. Brocchi, Conch. Subap. 1814, 428.  
*rusticus* Murex, DeFrance, Dict. Sci. Nat. XLV. 1827, 545.  
*rusticus* Murex, L. Reeve, Proc. Zool. Soc. London, XIII (152) Feb. 1846, 108.  
*rustica* Muscicapa, Lichtenstein in Max. Wied, Beitr. Naturges. Brasil. III (2) 1831, 866.  
*rustica* Mya, G. Brocchi, Conch. Subap. 1814, 533.  
*rustica* Mydas (Panz.), Lamarck, An. s. vert. III. 1816, 426.—Bibio.  
*rustica* Myophora, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II.  
*rusticus* Mytilus, D. Solander, Catal. Portland Mus. 1786, 67 [n. n.]. [1830, 348.  
*rustica* Mytilus, D. Solander in Dillwyn, Index Hist. Conch. Lister, 1823, 47.  
*rusticus* Nautilites, E. F. Schlotheim, Tasch. Min. 1813, 102 [n. n.].  
*rustica* Nerita, G. D. Nardo (*ex* Chierighini MS), Sin. mod. spec. Lag. Veneto, 1847, 97.  
*rusticum* Opatrum, A. G. Olivier, Ency. Méth. VIII (2) (Ins.) [1812], 498.  
*rusticum* Opatrum, A. Brullé in Bory de St V., Exp. Morée (Ins.) 1832, 218.  
*rustica* Opis, A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 307.  
*rusticus* Opius, A. H. Haliday, Entom. Mag. IV (3) Jan. 1837, 218.  
*rusticus* Orthos, J. De C. Sowerby in R. I. Murchison, Silurian System, Jan. 1839, 624.  
*rustica* Ostrea, DeFrance, Dict. Sci. Nat. XXII. 1821, 31.  
*rustica* Pachymeria (Fall.), J. F. Stephens, Nom. Brit. Ins., Aug. 1829, 65.—Lygaeus.  
*rusticus* Pachymerus (Fall.), P. S. Schilling, Schles. Ges. vat. Kultur, Beitr. Entom. 1829,  
*rusticus* Passalus, A. Percheron, Mon. Passales, 1835, 61. [81.—Lygaeus.  
*rusticus* Pecten, DeFrance, Dict. Sci. Nat. XXXVIII. 1825, 257.  
*rusticus* Peritelus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (1) 1843, 148.  
*rustica* Phallusia (L.), J. Fleming, Hist. Brit. Anim. 1828, 469.—Ascidia, 1769.  
*rustica* Pholetaera (Fall.), J. W. Zetterstedt, Ins. Lapp. descr. 1838, 288.—Cicada.  
*rustica* Phorbia, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,  
 559.  
*rustica* Phricodia (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 187.—Phalaena,  
*rusticus* Phrygilus, J. Cabanis, Arch. f. Naturg. X (1) 1844, 290. [1780.  
*rustica* Phryno, J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830,  
*rustica* Phthiria, H. Loew, Linnaea Entom. I. Feb. 1846, 403. [143.  
*rusticus* Phytodietus (Fourc.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III:  
 1840, 316.—Ichneumon, 1785.  
*rusticum* Plagiostoma, J. De C. Sowerby, Min. Conch. IV. 1822, 111.  
*rusticus* Plebejus, J. J. Tschudi, Fauna Peru. (Orn.) 1846, 219.  
*rustica* Pleurotoma (Brocchi), H. G. Bronn, Ergeb. nat. Reisen, II. 1831, 554.—Murex.  
*rustica* Pleurotoma, G. B. Sowerby, I., Proc. Zool. Soc. Londo, I (12) Ap. 1834, 138.  
*rustica* Pleurotoma, H. E. Anton, Verz. Conch. 1839, 74.  
*rustica* Pleurotomaria, J. A. Eudes-D., Mém. Soc. Linn. Normandie, VIII. 1849, 76.  
*rustica* Plicatella, W. Swainson, Treat. Malacol., May 1840, 304.  
*rustica* Plicatula, A. d'Orbigny, Prodr. Paléont. II [Nov.] 1850, 23.  
*rusticus* Pompilus, J. C. Fabricius, Syst. Piezat. 1804, 199.  
*rusticus* Pteromalus, F. Walker, Entom. Mag. III (5) Ap. 1836, 482.  
*rustica* Purpura, Lamarck, An. s. vert. VII. 1822, 246.  
*rustica* Pustulipora, A. d'Orbigny, Amér. Mérid. (Zooph.) 1846, 22.  
*rustica* Pyrgita, Handb. Nat. Vögel Deutschl. 1831, 266.

- rustica** *Recurvaria*, A. H. Haworth, *Lepidopt. Brit.* (4) 1828, 548.—*Tinea rusticella*, Huebn. 1796.
- rusticus** *Rhyparochromus* (Fall.), J. Curtis, *Guide Brit. Ins.* (7) 1831, 199.—*Lygaeus*.
- rustica** *Saxicava* (Brocchi), H. G. Bronn, *Ergeb. nat. Reisen*, II. 1831, 599.—*Mya*.
- rustica** *Scalaria*, DeFrance, *Dict. Sci. Nat.* XLVIII. 1827, 20.
- rustica** *Serpula*, DeFrance, *Dict. Sci. Nat.* XLVIII. 1827, 566.
- rustica** *Serpula*, J. De C. Sowerby, *Min. Conch.* VI. 1829, 203.
- rustica** *Soleria* (*sic*), J. B. Robineau-D., *Ann. Soc. Ent. France* [2] VI (4) May 1849, 464.
- rusticus** *Sorex*, L. Jenyns, *Ann. Nat. Hist.* I (6) Aug. 1838, 423. [1781.]
- rusticus** *Sphaerocoris* (Fab.), E. F. Germar, *Zeitschr. f. d. Entom.* I (1) 1839, 79.—*Cimex*,
- rusticus** *Sphenophorus*, Gyllenhal in C. J. Schoenherr, *Gen. et Sp. Curc.* IV (2) 1838, 937.
- rustica** *Stelloria*, A. d'Orbigny, *Note Polyp. foss.*, Oct. 1849, 9.
- rusticus** *Stenus*, W. F. Erichson, *Gen. Spec. Staph.* (2) 1840, 724.
- rustica** *Tachina*, C. F. Fallen, *K. Vet. Ac. Nya Handl.* XXXI (4) 1810 [1811], 264.
- rusticus** *Tanymecus* (Fab.), C. J. Schoenherr, *Gen. et Sp. Curc.* II (1) 1834, 83.—*Curculio*.
- rusticus** *Telephorus* (Gyll.), J. F. Stephens, *Nom. Brit. Ins.*, Aug. 1829, 11.—*Cantharis*,  
? Fall.
- rustica** *Tenthredo* (*Allantus*), L.; F. Klug, *Ges. Nat. Fr. Berlin, Mag.* VIII (2) 1817, 119.
- rustica** *Tenthredo* (*Macrophya*), L.; Klug in A. G. Dahlbom, *Conspect. Tenthred.* 1835,
- rustica** *Terebra*, R. B. Hinds, *Proc. Zool. Soc. London*, XI (130) June 1844, 158. [11.]
- rustica** *Terebratula*, d'Archiac, *Mém. Soc. géol. France* (2) II (2) 1847, 320.
- rustica** *Tetyra*, J. C. Fabricius, *Syst. Rhyng.* 1803, 140.—*Cimex*, 1781.
- rustica** *Thereva*, H. Loew, *Posener Zweiflügler*, 1840, 12.
- rusticus** *Trigonosemus*, C. D. E. König, *Icones foss.* 1825, 4.
- rustica** *Turbinella* (Gm.), Lamarck, *An. s. vert.* VII. 1822, 107.—*Buccinum*, 1790.
- rusticus** *Turbo*, H. C. Lea, *P. Amer. Phil. Soc.* III. 1843, 164 [*n. n.*]; *Tr. Amer. Phil. Soc.*,  
n. s. IX (3) Dec. 1846, 267.
- rusticus** *Tyrannus* (Licht.), G. R. Gray, *Gen. Birds*, I. May 1847, 247.—*Muscicapa*.
- rustica** *Venus*, J. Sowerby, *Min. Conch.* II. 1818, 217.
- rustica** *Venus* (Desh.), A. d'Orbigny, *Prodr. Paléont.* II [Nov.] 1850, 422.—*Cytherea*.
- rusuccuritanus** *Sargus*, A. Valenciennes, *Ann. Sci. Nat.* [3] (Zool.) I. Feb. 1844, 103.
- rutae** *Apion*, Steven; J. Sturm, *Catal. Ins. Samml.* 1826, 96.
- rutana** *Phalaena* (*Pyralis*), W. Turton, *Linnaeus, Syst. Nat.* III. 1802, 361.
- Rutela** P. A. Latreille, *Sonnini's Buffon, Ins.* III (1802), 151.—*Col.*
- Rutelia** *err. pro* *Rutela*, Latr.; P. Boitard, *Man. Entom.* I. 1828, 329.
- rutellum** *Parmacellus*, T. Hutton, *J. Asiat. Soc. Bengal*, XVIII. 1849 (*post* Sept.), 649.
- ruthei** *Dolichopus*, H. Loew, *Entom. Zeitung, Stettin*, VIII (3) Mar. 1847, 71.
- rutheni** *Echinorhynchus*, Westrumb, *De helminth. acanth.* 1821, 17 [*teste* S. & H.].
- ruthenicus** *Emphanes*, V. v. Mochulski, *Kaefer Russl.*, *post* May 1850, 13 [*n. n.*].
- ruthensparri** *Gobius*, *Euphrasen* in Cuvier & Valenc., *H. N. Poiss.* XII. 1837, 48.
- ruthenus** *Sterletus* (L.), C. L. Bonaparte, *Cat. met. Pesci Eur.* 1846, 21.—*Acipenser*, 1758.
- ruthveni** *Uraster*, E. Forbes, *Mem. Geol. Surv. Gt. Britain*, II (2) 1848, 463.
- Ruticilla** W. Bartram, *Trav. Carol.* 1791, 292; *London ed.* 1792, 290.—A. [*teste* C. W. R.].
- Ruticilla** C. L. Brehm (*ex* Briss.), *Isis*, 1828, 1280 [*n. n.*]; *Handb. Nat. Vögel Deutschl.* 1831,
- ruticilla** *Muscipeta* (L.), Cuvier, *Règne Anim.* I. 1817, 345.—*Muscicapa*, 1766. [361.—A.]
- ruticilla** *Orthosia* (Esp.), J. F. Stephens, *List Brit. Anim. B. M. (Lep.)* 1850, 84.—*Phalaena*  
(*Noctua*), 1799.
- ruticilla** *Phaenicura*, B. H. Hodgson, *Zool. Miscell. (Gray)* (6) June 1844, 82 [*n. n.*].
- ruticilla** *Setophaga* (L.), W. Swainson, *Phil. Mag.*, n. s. I (5) May 1827, 368.—*Muscicapa*,
- Rutidoderes** J. O. Westwood in Drury, *Ill. Exot. Ent.* I. 1837, 119.—*Orth.* [1758.]
- Rutidosoma** J. F. Stephens, *Ill. Brit. Ent. (Mand. IV.)* Mar. 1831, 45.—*Col.*
- rutila** *v.* **rutilus**.
- rutilago** *Pyrrhia* (D. & S.), J. Huebner, *Verz. bekannt. Schmett.* [1822], 235.—*Noctua*,
- rutilans** *Ammonites*, M. Simpson, *Mon. Amm.* 1843, 45. [1775.]
- rutilans** *Aphareus*, Cuvier & Valenc., *H. N. Poiss.* VI. 1830, 490.
- rutilans** *Arhopalus*, J. L. Le Conte, *Journ. Acad. Nat. Sci. Philad.* II (1) Nov. 1850, 18.
- rutilans** *Boisduvalia*, J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*, II.  
1830, 730.

- rutilans** Buteo (Licht.), R. P. Lesson, *Traité Ornith.* (1) Feb. 1830, 79.—Falco.
- rutilans** Byrrhus (Motsch.), F. Gebler, *Bull. Soc. Imp. Nat. Moscou*, XX. 1847 (4) 1847, 451.—Pedilophorus.
- rutilans** Calleida, M. de Chaudoir, *Bull. Soc. Imp. Nat. Moscou*, XXIII. 1850 (1) 1850, 52.
- rutilans** Canis, S. Mueller in Temminck, *Verh. nat. ges. Ned. overz. bezitt.*, Zool. (Zoogd.
- rutilans** Canthon, F. Klug, *Insect. Doublet. Z. M. Berlin*, 1829, 4. [1839), 27 & 51.
- rutilans** Carabus, Dejean, *Spec. gén. Coléopt. II.* 1826, 173.
- rutilans** Chrysochloris, J. A. Wagner in Schreber, *Säugth.*, Suppl. II. 1840, 125.
- rutilans** Cicada, J. C. Fabricius, *Syst. Rhyng.* 1803, 64.
- rutilans** Cicindela, F. Klug, *Jahrb. Insectenk. I.* 1834, 14.
- rutilans** Circus (Licht.), J. F. Stephens in G. Shaw, *Gen. Zool. (Aves) XIII* (2) 1826, 43.—
- rutilans** Colias, Boisduval (Roret's Suite à Buffon), *Lépid. I. Ap.* 1836, 642. [Falco.
- rutilans** Colotis, C. Geyer in J. Huebner, *Zuträge z. Exot. Schmett. V.* 1837, 33.
- rutilans** Conus, D. Solander, *Catal. Portland Mus.* 1786, 100 [*n. n.*].
- rutilans** Curculio, A. G. Olivier, *Entom. V.* 1807, 333.
- rutilans** Cychla, W. Jardine in Schomburgk, *Fishes Brit. Guiana*, II (Nat. Libr. XXXVIII.)
- rutilans** Cychrus, J. Sturm, *Catal. Ins. Samml.* 1826, 128 [*n. n.*]. [1843, 142.
- rutilans** Edessa, J. C. Fabricius, *Syst. Rhyng.* 1803, 151.—Cimex, 1781.
- rutilans** Elater (Campsosternus), Chevrolat, *Rev. Zool. (Soc. Cuv.) IV.* July 1841, 222.
- rutilans** Enneoctonus (Temm.), C. L. Bonaparte, *Consp. gen. Avium*, I. 1850, 362.—
- rutilans** Eumolpus, F. W. Hope, *Zool. Miscell. (Gray)* (1) Feb. 1831, 30. [Lanius.
- rutilans** Eurosoma (St.), J. Gistel, *Isis (Oken)*, 1829, 1068.—Cychrus.
- rutilans** Falco, M. H. C. Lichtenstein, *Verz. ausgestop. Säug. Vög.* 1818, 29.
- rutilans** Feronia, Dejean, *Spec. gén. Coléopt. III.* 1828, 356.—Pterostichus, 1821.
- rutilans** Fringilla, C. J. Temminck in T. & Laugier, *Pls. color.* (99) 1835. [71.
- rutilans** Gymnopleurus, F. L. de Laporte in Brullé, *H. N. Anim. artic. (Coléopt.) II.* 1840,
- rutilans** Halmaturus, J. K. W. Illiger, *Abh. ph.-Kl. K. pr. Ak. Wiss.* 1804—1811 (1815), 102 [*n. n.*].
- rutilans** Hypomorphnus (Licht.), J. Cabanis, *Arch. f. Naturg.* X (1) 1844, 264.—Falco.
- rutilans** Julius, C. L. Koch, *Krit. Revision Insect. Deutschl.* 1847, 111.
- rutilans** Lamprima, W. F. Erichson, *Arch. f. Naturg.* VIII (1) 1842, 109 & 170.
- rutilans** Lanius, C. J. Temminck in T. & Laugier, *Pls. color.*, *Tabl. méth.*, Jan. 1839, p. 19.
- rutilans** Latipalpis (Fab.), Solier, *Ann. Soc. Ent. France*, II (2) c. July 1833, 289.—
- rutilans** Menoetius, Dejean, *Catal. Coléopt.* 1821, 94 [*n. n.*]. [Buprestis, 1777.
- rutilans** Miltogramma, J. W. Meigen, *Syst. Besch. Zweifl. Insekt. IV.* 1824, 231.
- rutilans** Mus, J. K. W. Illiger, *Abh. ph.-Kl. K. pr. Ak. Wiss.* 1804—1811 (1815), 108 [*n. n.*].
- rutilans** Notaspis, C. L. Koch, *Deutsch. Crust.*, heft 38, 1844, tab. 18. [516.
- rutilans** Ophyra, J. B. Robineau-D., *Mém. présentés Ac. Roy. Sci. Inst. France*, II. 1830,
- rutilans** Ortalis (Rob.-D.), J. Macquart (Roret's Suite à Buffon), *Diptères*, II. 1835, 437.—  
Boisduvalia.
- rutilans** Passer (Temm.), G. R. Gray, *Gen. Birds*, II. June 1849, 373.—Fringilla.
- rutilans** Pedilophorus, V. v. Motschulsky, *Bull. Soc. Imp. Nat. Moscou*, XVIII. 1845 (1)  
1845, 51.
- rutilans** Pentatoma (Fab.), J. O. Westwood in Drury, *Ill. Exot. Ent.* III. 1837, 66.—
- rutilans** Planaria, Bosc, H. N. Vers, I. 1802, 258. [Edessa.
- rutilans** Poecilnота (Fab.), F. Eschscholtz, *Zool. Atlas*, I. 1829, 9.—Buprestis, 1777.
- rutilans** Pterostichus, Bon.; Dejean, *Catal. Coléopt.* 1821, 12 [*n. n.*].
- rutilans** Rhinocypha, P. Rambur (Roret's Suite à Buffon), *Névroptères*, 1842, 233.
- rutilans** Stenochia, W. F. Erichson, *Arch. f. Naturg.* XIII (1) 1847, 121.
- rutilans** Synallaxis, C. J. Temminck in T. & Laugier, *Pls. color.* (38) Sept. 1823.
- rutilans** Tanymecus, J. Sturm, *Catal. Ins. Samml.* 1826, 201 [*n. n.*].
- rutilans** Tettigonia (Fab.), E. Blanchard in Brullé, *H. N. Anim. artic. (Orth. etc.) III.*  
1840, 193.—Cicada.
- rutilans** Thryothorus, W. Swainson, *Orn. drawings Birds Brazil*, 1834—5, pl. 15.
- rutilans** Xenops, Licht.; C. J. Temminck in T. & Laugier, *Pls. color.* (12) Ap. 1822.
- rutilans** Xerus (Cretsch.), J. E. Gray, *List Mamm. Coll. B. M.* 1843, 144.—Sciurus rutilus.
- rutilana** Chrosis (Huebner), A. Guénée, *Ann. Soc. Ent. France* [2] III (3) Dec. 1845, 301.—
- rutilana** Dapsilia, J. Huebner, *Verz. bekannt. Schmett.* 1826, 394.—Tortrix. [Tortrix.

- rutilana** Tortrix, J. Huebner, Europ. Schmett., Tab. Tort., 39 (Fernaldo judice 1811-18  
**rutilaria** Pyrinia, J. Huebner, Zuträge z. Exot. Schmett. I. 1818, 29. [n. et f.].  
**rutilaria** Pyrinia, J. Huebner, Verz. bekannt. Schmett. 1825, 294.  
**rutilator** Arrenurus, C. L. Koch, Deutsch. Crust., heft 14, 1837, tab. 6.  
**rutilator** Tryphon (L.), J. L. C. Gravenhorst, Ichneum. Europ. II. 1829, 305.—Ichneumon,  
**rutilata** Limnesia, C. L. Koch, Deutsch. Crust., heft 6, 1837, tab. 11. [1761.  
**rutilella** Cryptoblades, P. C. Zeller, Isis (Oken), 1848, 645.  
**rutili** Echinorhynchus, Zeder, Anleit. Naturg. Eingeweidewürmer, 1803, 163.  
**Rutilia** J. B. Robineau-D., Mém. présentés Ac. Roy. Sci. Inst. France, II. 1830, 319.—Dipt.  
**rutilicornis** Monocrepidius, W. F. Erichson, Arch. f. Naturg. VIII (1) 1842, 138.  
**rutilicornis** Paederus, W. F. Erichson, Gen. Spec. Staph. (2) 1840, 666.  
**rutilicornis** Tenthredo (Allantus), F. Klug, Ges. Nat. Fr. Berlin, Mag. VIII (1) 1816, 54.  
**rutilicornis** Tenthredo (Selandria), Klug in A. G. Dahlbom, Conspect. Tenthred. 1835, 11.  
**rutilipennis** Adrastus (Ill.), W. F. Erichson in Germar, Zeitschr. f. d. Entom. III. 1841,  
**rutilipennis** Agra, F. L. de Laporte, Etudes Entom. (1) 1834, 45. [119.—Elater.  
**rutilipennis** Elater, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 6.  
**rutilipennis** Scydmaenus, Schueppel in Mueller & Kunze, Schr. Nat. Ges. Leipzig, I. 1822,  
**rutilus** Dasygogon, J. Walatl, Reise Tyrol etc. (2) 1835, 113. [193.  
**rutilus** Lanius, L. P. Vieillot, Ency. Méth. (Orn.) 1822, 727.  
**rutilus** Myodes, P. S. Pallas, Zoographia, I. 1811, 177.—? Mus rutilus, 1779.  
**rutiloides** Leuciscus, E. de Selys-L., Fauna Belg. 1842, 212. [1842.  
**rutiloides** Leucos, J. J. Heckel in Russegger, Reise, I (2) 1843, 1038.—? Leuciscus, Selys,  
**Rutilus** C. S. Rafinesque, Western Review, II (4) May 1820, 240; Ichth. Ohiensis [Dec.]  
 1820, 50.—P. [*typus* Cyprinus rutilus].  
**rutila** Andrena, M. Spinola, Ann. Soc. Ent. France, VII (4) *post* Jan. 1839, 510.  
**rutila** Anthrax, Pallas in C. R. W. Wiedemann, Zoologisches Magazin, I (2) 1818, 16.  
**rutilus** Aphodius, F. Klug in Ehrenberg, Sym. Phys., Ins. V (1845), sign. b. [Lemmus.  
**rutilus** Arvicola (Geoff.), A. G. Desmarest, Nouv. Dict. H. N. XXIV (Tab.) 1804, p. 23.—  
**rutilus** Arvicola (Pall.), A. G. Desmarest, Ency. Méth. (Mamm.) (2) 1822, 284.—Mus,  
 1779. [Tyranus.  
**rutilus** Attila (Less.), De Lafresnaye, Rev. Zool. (Soc. Cuv.) XI. Feb. 1848, 47.—  
**rutilus** Bolax, Hoffmannsegg in W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 100.  
**rutilus** Bombylius, F. Walker, List Dipt. Coll. B. M. (2) 1849, 289.  
**rutilus** Bombyx, Cramer, Utitl. Kapellen, IV (2) 1781, 183.  
**rutila** Bombyx, J. C. Fabricius, 1787 [rutila, *err. in* Index Anim. I., 860].  
**rutilus** Brachyurus (Pall.), G. Fischer, Zoogn., ed. 3, III. 1814, 57.—Mus, 1779.  
**rutilus** Bracon, Nees v. E., Ges. Nat. Fr. Berlin, Mag. V (1) 1811, 27.  
**rutilus** Camptodes, W. F. Erichson in Germar, Zeitschr. f. d. Entom. IV. 1843, 332.  
**rutilus** Capsus, Frivaldsky in Herrich-S., Wanzenart. Ins. IV (3) Ap. 1838, 34.  
**rutila** Caryatis (Cr.), J. Huebner, Verz. bekannt. Schmett. [1822], 171.—Bombyx, 1781.  
**rutila** Casarca (Pall.), C. L. Bonaparte, List Birds Eur. Amer. 1838, 56.—Anas, 1770.  
**rutila** [Casarka] (Pall.), S. Palmer, The Analyst, IX (27) Ap. 1839, 479.—Anas, 1770.  
**rutila** Cassida, W. F. Erichson, Arch. f. Naturg. XIII (1) 1847, 153.  
**rutila** Cerceris, M. Spinola, Ann. Soc. Ent. France, VII (4) *post* Jan. 1839, 492.  
**rutila** Chlamys, F. Klug, Entom. Mon. 1824, 133.  
**rutilus** [Clathriomys] (Pall.), G. Tilesius, Isis (Munich), 1850, 28.—Mus, 1779.  
**rutilus** Coccyzus, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 277.  
**rutilus** Conus, C. T. Menke, Moll. N. Holl. 1843, 27. [ausgestop. Säug. Vög. 1818, 8.  
**rutilus** Cuculus, M. H. C. Lichtenstein, Abh. k. pr. Ak. Wiss. Berlin, 1812, 224; Verz.  
**rutilus** Dasycephalus (Less.), G. R. Gray, Gen. Birds, III. App. 1849, 9.—Attila, Lafr.  
**rutilus** Dasygogon, C. R. W. Wiedemann, Dipt. exot. 1821, 231.  
**rutila** Donacia, F. E. Melsheimer, Proc. Acad. Nat. Sci. Philad. III (7) Feb. 1847, 159.  
**rutilus** Elater (Drepedius), J. C. F. Klug in Erman, Reise Erde, Atlas, 1835, 31.  
**rutilus** Erirhinus, Boheman in C. J. Schoenherr, Gen. et Sp. Curc. VII (2) 1843, 167.  
**rutilus** Eucapripodus, R. P. Lesson, Echo Monde Savant, X. 16 July 1843, 109.  
**rutila** Euspiza (Pall.), C. L. Bonaparte, Consp. gen. Avium, I. 1850, 469.—Emberiza,  
**rutilus-griseis** Falco, Anon., Ency. Londin. VII (418) 1805, 183. [1766.  
**rutilus-nigro** Falco, Anon., Ency. Londin. VII (418) 1805, 183.



- rutilus** Felis, G. R. Waterhouse, Proc. Zool. Soc. London, X (116) Jan. 1843, 130.
- rutilus** Gardonus (L.), C. L. Bonaparte, Atti 6 Riun. Sci. Ital. 1845, 395.—Cyprinus, 1758.
- rutilus** Gardonus (L.), C. L. Bonaparte, Cat. meth. Cipr. Eur. 1845, 7.—Cyprinus, 1758.
- rutilus** Halmaturus, M. H. C. Lichtenstein, Zool. Mus. Univ. Berlin, ed. 2, 1818, 17.
- rutila** Haltica, K. Illiger, Mag. f. Insektenk. (Illiger) VI. 1807, 67.
- rutilus** Harpactes (Vieill.), G. R. Gray, Gen. Birds, I. Ap. 1845, 71.—Trogon.
- rutila** Hirundo, L. P. Vieillot, N. Dict. H. N., ed. 2, XIV. 1817, 528.
- rutilus** Hypudaeus, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–1811 (1815), 55
- rutilus** Hypudaeus (Pall.), A. Brants, Gesl. Muizen. 1827, 70.—Mus, 1779. [[*n. n.*].
- rutila** Hystrix, J. K. W. Illiger, Abh. ph.-Kl. K. pr. Ak. Wiss. 1804–1811 (1815), 108
- rutilus** Lemmus, Geoffroy, Nouv. Dict. H. N. XXIV (Tab.) 1804, 23. [[*n. n.*].
- rutilus** Leuciscus (L.), H. Cloquet in Dict. Sci. Nat., ed. 2, I (Suppl.) 1816, 4.—Cyprinus, 1758.
- rutilus** Merulaxis, R. P. Lesson, Traité Ornith. (5) *inter* Sept. 1830 & Feb. 1831, 397.
- rutilus** Microctonus (Nees), C. Wesmael, N. Mém. Ac. Roy. Brux. IX. 1835, 68.—Perilitus.
- rutila** Muscicapa, J. S. T. Frenzel, Besch. Vogel Wittenberg, Oct. 1801, 47.
- rutila** Natica, W. Macgillivray, Hist. Moll. Aberdeen, 1843, 126.
- rutila** Nephelis, J. C. Savigny, Egypte, I (3) (Ann.) 1822, 118.
- rutila** Nomada, K. Illiger, Mag. f. Insektenk. (Illiger) V. 1806, 95 [*n. n.*].
- rutila** Osmia, "Echsn." in J. Walzl, Reise Tyrol etc. (2) 1835, 107.
- rutilum** Pentatoma (Fab.), E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 149.—Cimex, 1775.
- rutilus** Perilitus, Nees v. Esenbeck, N. A. Ac. Caes. Leop. Car. IX. 1818, 302.—Bracon,
- rutila** Phalaena (Bombyx), W. Turton, Linnaeus, Syst. Nat. III. 1802, 215. [1811.
- rutilus** Philanthus, M. Spinola, Ann. Soc. Ent. France, VII (4) *post* Jan. 1839, 488.
- rutila** Phytotoma, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVI. 1818, 64.
- rutila** Piaya (Vieill.), G. R. Gray, Gen. Birds, II. Sept. 1846, 457.—Coccyzus.
- rutilus** Pompilus, F. Klug in Ehrenberg, Sym. Phys., Ins. IV (1834), sign. *h.*
- rutilus** Rhipicephalus, C. L. Koch, Arch. f. Naturg. X (1) 1844, 238.
- rutila** Ricinula, L. Reeve, Conch. Icon. III.—Ricinula, no. 49, Oct. 1856.
- rutilus** Salmo, S. Nilsson, Prod. Ichth. Skand. 1832, 10.
- rutilus** Saprinus, W. F. Erichson, Jahrb. Insectenk. I. 1834, 190. [Säug. (11) 1828, 59.
- rutilus** Sciurus, P. J. Cretzschmar in Atlas zu Rueppell, Reise (Senckenb. Nat. Ges.)
- rutila** Scolia, F. Klug in Ehrenberg, Sym. Phys., Ins. III (1832), sign. *f.*
- rutilus** Scops, Pucheran, Rev. et Mag. de Zool. (2) I. Jan. 1849, 29.
- rutilus** Staphylinus, M. Perty, Del. anim. artic. Brasil. (1) 1830, 30.
- rutila** Tachina, J. W. Meigen, Syst. Besch. Zweifl. Insekt. IV. 1824, 382.
- rutilus** Tachinus, W. F. Erichson, Gen. Spec. Staph. (1) 1839, 253.
- rutila** Tadorna (Pall.), F. Boie, Isis (Oken), 1822, 564.—Anas.
- rutila** Tadorna, B. H. Hodgson, Zool. Miscell. (Gray) (6) June 1844, 86 [*n. n.*].
- rutila** Tanagra, M. Lichtenstein, Preizverz. Deppe Mex., Sept. 1830, 2.
- rutilus** Tetragonopterus, L. Jenyns, Zool. "Beagle" (Fish, 1842), 125.
- rutilus** Thamnophilus, L. P. Vieillot, N. Dict. H. N., ed. 2, III. 1816, 317.
- rutilus** Thryothorus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXXIV. 1819, 55.
- rutilus** Tringa, C. T. Wood, Orn. Guide, 1835, 203.
- rutilum** Tritonium, C. T. Menke, Moll. N. Holl. 1843, 25.
- rutilus** Troglodytes (Vieill.), G. R. Gray, Gen. Birds, I. Mar. 1847, 158.—Thryothorus.
- rutilus** Trogon, L. P. Vieillot, N. Dict. H. N., ed. 2, VIII. 1817, 313.
- rutilus** Tyrannulus, R. P. Lesson, Echo Monde Savant, XI. 8 Aug. 1844, 254.
- rutilus** Tyrannus, R. P. Lesson, Descr. mamm. et ois. récemment découuv. 1847, 310.
- rutila** Voluta, D. Solander, Catal. Portland Mus. 1786, 140 [*n. n.*].
- rutila** Voluta, W. J. Broderip, Zool. Journ. II (5) Ap. 1825, 30. [225.—Anas, 1770.
- rutila** Vulpanser (Pall.), Keyserling & Blasius, Wirbelth. Europas, 1840, pp. lxxxiv &
- rutilus** Xantholinus (Perty), W. F. Erichson, Gen. Spec. Staph. (1) 1839, 318.—Staphylinus. [1819, 37.
- rutilus** Xenops, M. H. C. Lichtenstein, Preis-Verz. Säug. Vög. Doubl. Zool. Mus. Berlin,
- rutipes** Atypus, H. Lucas in Dict. pittoresque H. N. I (42) 1834, 333; N. Dict. class. H. N., ed. 2, III. Ap. 1844, 355.

- rutubus** Platygaster, F. Walker, Entom. Mag. III (3) Oct. 1835, 242.  
**Ruvettus** A. Cocco, Oss. Pelorit. XIII. Ap. 1833, 18.—P. [*teste* D. S. J.].  
**Ruvulus** A. Cocco, Effem. Sci. Lett. Sicilia, II. 1832, 204.—Cr. [*n. n.*].  
**ruxii** Blennius, A. Cocco, Giorn. Sci. Lett. Sicilia, XLII. 1833, 11.  
**Ry**→ *v. et* Rhy→. [Rhyac→].  
**Ryacophila** E. Blanchard in Brullé, H. N. Anim. artic. (Orth. etc.) III. 1840, 83 [*mel.*].  
**rybyensis** Philanthus, C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 132.  
**ryckholti** Clytia, G. D. Westendorp, Ann. Soc. Med. Chir. Bruges, IV. 1843, [23].  
**ryckholtii** Cyclas, N. A. J. Normand, Notice des Cyclades, 1844, 7.  
**ryckholtsii** (*sic*) Pecten, P. H. Nyst, Bull. Soc. géol. France, XIV. 1843, 454 [*n. n.*].  
**ryckholtii** Proetus, J. Barrande, Not. prélim. Silur. 1846, 63. [Patella].  
**ryckholtiana** Helcion (Kon.), A. d'Orbigny, Prodr. Paléont. I. 1849 [Jan. 1850], 127.—  
**ryckholtiana** Nucula, P. H. Nyst, Mém. cour. Ac. Roy. Belg. XVII. 1845 (1844), 233.  
**ryckoltiana** Patella, L. G. de Koninck, Descr. Anim. foss. (7) June 1843, 327. [[*n. n.*].  
**ryckholtiana** Pleurotomaria, L. G. de Koninck, Descr. Anim. foss. (8) July 1843, 407  
**Ryderia** C. P. N. Wilton, Quart. Journ. Sci. (R. Inst.) Jan.—Mar. 1830, 72.—L.  
**Rygchium** M. Spinola, Ins. Liguriae, I. 1806, 84.—Hym.  
**Rygmodus** A. White, Zool. "Ereb. Terr." (Ins. 1846), 11.—Col.  
**Rynchaea** ? *err. pro* Rhynchoea, Cuv.; C. J. Temminck, Man. Orn., ed. 2, I. Oct. 1820, p. cv.  
**Rynchaenus** C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 107.—Col.  
**Rynchiana** J. Richardson, Zool. "Ereb. Terr." (Fish, 1845), 45.—P.  
**Rynchina** J. Fleming, Phil. Zool. II. 1822, 255.—A.  
**Rynchites** C. P. Thunberg, N. Acta Soc. Sci. Upsal. VII. 1815, 108.—Col.  
**Rynchobotris** A. A. Berthold in Latreille, Nat. Fam. Thierr. 1827, 529.—Verm.  
**Rynchytys** W. Swainson, N. H. Fishes etc. II. July 1839, 54.—P.  
**Ryncolites** Scudder, Suppl. List, 1882, 394; *err. pro* Rhyncolites, F. B.  
**Ryparocoris** P. S. Schilling, Uebers. Arb. schles. Ges. 1826 (1827), 22.—Hem.  
**Ryparus** Dejean, Catal. Coléopt., ed. 2 (2) July 1833, 144.—Col. [*n. n.*].  
**Ryparus** J. O. Westwood (*ex* Guér. MS), Jl. Proc. Entom. Soc. Lond., no. 6, 1844, 93;  
 Tr. Entom. Soc. Lond. IV (4) 1847, 240.—Col.  
**Ryparus** M. Spinola, Ess. mon. Clérites, II. 1844, 73.—Col.  
**ryphea** Nymphalis (Cr.), J. B. Godart, Ency. Méth. IX (2) (Ins.) 1824, 365.—Papilio, 1775.  
**ryphea** Paphia (Cr.), J. O. Westwood in Doubleday & W., Gen. diurn. Lepidopt. II (1850),  
 318.—Papilio, 1775.  
**Ryphus** T. Say, J. Acad. Nat. Sci. Philad. III. Ap. 1823, 27.—Dipt.  
**Rypornis** L. Agassiz, Nom. Zool. (Aves) Add. et corrig. 1845, 20; *emend. pro* Rupornis,  
**Rypticus** Cuvier & Valenc., H. N. Poiss. III. 1829, 60.—P. [Kaup, *q. v.*].  
**rysa** Helix, S. V. Wood, I., Crag Moll. (Pal. Soc. I.) Mar. 1848, 4.  
**rysacantha** Cidaria, A. Gras, Bull. Soc. stat. Isère, IV. 1846 (May 1848), 308.  
**Rysaena** R. P. Lesson, Man. Mamm. 1827, 178; *err. pro* Ryzaena, III.  
**rysela** Chondrostoma, L. Agassiz, Mém. Soc. Sci. Nat. Neuchâtel, I. 1835 (1836), 38.  
**Rysosteus** R. Owen, 11 Rept. Brit. Assoc. (Plym. 1841) 1842, 159.—R.  
**Ryssematus** *emend. pro* Pyssematus, 1835; Chevrolat in Dejean, Catal. Coléopt., ed. 3  
 (1-4) July 1836, 322.  
**Ryssochiton** G. R. Gray in Griffith's Cuvier, Anim. Kingd., Ins. II. 1832, 793.—Col.  
**Ryssodes** J. W. Dalman, Anal. Entom. 1823, 93.—Col. [*in primis* Rhysodes].  
**Ryssonotus** W. S. Macleay, Horae Entom. I (1) 1819, 98.—Col.  
**ryssos** Pimelia, Herbst; Dejean, Catal. Coléopt. 1821, 63 [*n. n.*].  
**Ryssota** J. C. Albers, Die Heliceen, 1850, 61.—G.  
**Rytelminthus** *err. pro* Rhyt→; C. A. Rudolphi, Arch. Zool. Zoot. III (1) 1802, 99.  
**Rytina** C. Illiger, Prod. 1811, 141.—M.  
**Rytinota** F. Eschscholtz, Zool. Atlas, IV. 1831, 7.—Col.  
**rytiplerites** Filaria, E. Deslongchamps, Ency. Méth. (Zooch.) 1827, 396.  
**rytirhynchos** Rallus, L. P. Vieillot, N. Dict. H. N., ed. 2, XXVIII. 1819, 549.  
**Ryzaena** C. Illiger, Prod. 1811, 134.—M.  
**ryzela** Leuciscus, Cuvier & Valenc., H. N. Poiss. XVII. 1844, 199.  
**Ryzophorus** P. A. Latreille, Nouv. Dict. H. N. XXIV (Tab.) 1804, 157.—Col.  
**ryzo**→ *v. et* rhizo→, rhyzo→, rizo→.







SMITHSONIAN INSTITUTION LIBRARIES



3 9088 00751 7659

70 291 SI BR

07/28/94 198115

4212





